

WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION

	REO 1014
Central Washington Railroad Petitioner, vs. Respondent	DOCKET NO. TR- PETITION TO MODIFY HIGHWAY- RAIL GRADE CROSSING ACTIVENESH. WARNING DEVICES AND DISBURSEMENT OF FUNDS FROM THE GRADE CROSSING PROTECTIVE FUND PROTECTIVE FUND
) USDOT CROSSING # @ 98597U)

The Petitioner asks the Washington Utilities and Transportation Commission to approve the modification of highway-rail grade crossing warning signals and disburse funds from the Grade Crossing Protective Fund.

Section 1 - Petitioner's Information

Petitioner	
Street Address /	
Street Address	
Yakina WA 90001	
City, State and Zip Code	_
Mailing Address, if different than the street address	
Dave Cyr	
Contact Person Name Dave Contact	
Contact Person's Signature	
(509) 989-1338 der acbr. com	
Contact Phone Number and Email Address	

Section 2 - Respondent's Information

Respondent
Quita A.I.I.
Street Address
City, State and Zip Code
Mailing Address, if different than the street address
Contact Person Name
Contact Phone Number and Email Address
Section 3 – Crossing Location
. Existing highway/roadway $SR-24/M, p. 7.94$
. Existing railroad Central Washington Railroad
USDOT Crossing NoO98597U
. Located in the 1/4 of the1/4 of Sec, Twp, RangeW.M.
. GPS location, if known <u>Latitude 46,3123160</u> Longitude -119,9787740
. Railroad mile post (nearest tenth) M.p. 52,16
City Sunny Side County Yakima

Section 4 - Current Highway Traffic Information

1. Name of highway $SR-241$ m.p. 7,94
2. Road authority WDoT
3. Average annual daily traffic (AADT) <u>OO 476O</u>
4. Number of lanes
5. Roadway speed 45
6. Is the crossing part of an established truck route? Yes No
7. If so, trucks are what percent of total daily traffic?
8. Is the crossing part of an established school bus route? Yes No
9. If so, how many school buses travel over the crossing each day?
10. Describe any changes to the information in 1 through 7, above, expected within ten years:

Section 5 - Current Crossing Information

1. Railroad company Central Washington Railroad
2. Type of railroad at crossing ★Common Carrier □ Logging □ Industrial
□ Passenger □ Excursion
3. Type of tracks at crossing Main Line
4. Number of tracks at crossing ONE
5. Average daily train traffic, freight
Authorized freight train speed 25 mpH Operated freight train speed 25 mpH
6. Average daily train traffic, passengerO
Authorized passenger train speed Operated passenger train speed
8. What is the available sight distance from the stop bar (or 25 feet from the tracks if no stop bar) on both approaches to the crossing? Over 400 feet of Sight.
9. If the sight distance is less than 400 feet, describe the structures, roadway or track curvature, visual obstacles or other characteristics that limit sight distance.

Section 6 - Current Warning Devices

,	1.	Provide a co	mplete de	scription of	the warni	ng device	s currently	located at th	e crossing	j .
1	inc	cluding sign:					nd any other	warning de	vices.	
		Crossi				<u>,</u> .			· V	
		Gates	3 To	NO	·			-		
		Cantil	ever 1	Two	<u>-</u> _			· .		
		Safetra	- locu	a Man	<u> </u>	3				
							1m /	-11	- P 2/2	1.110
f	4		t		•		10 /			<u>ligh</u> 7S
		Traffic	light	Simula	tan eaus	Pres	emption	with	NO L	1
		Kight	furn	light:	ed Sig	gw.	on Tr	affic_	light a	rm.
MB	12			-					·	
XB/	14	Batter Batter	y 12	Cells	ED	340	AH		· · · · · · · · · · · · · · · · · · ·	
			•							
	•	Two No	ational	Kailway	Zalola	Batte	ry Charges	5 Model	ERB-C	12/20
					 ÷	<u> </u>		 		
	-	·					 			
	_									
	-									
	-									
	-									
	-									
	- - -									
	-									
	-									
	-									
	- - - -									

Section 7 - Description of Proposed Changes

. Describe in detail the number and type of proposed automatic signals, gates or other warning evices, including proposed circuitry. Include the funding source for the proposed modification
Benlace 9 old ED 240 AH Batteries
Replace 9 old ED 240 AH Batteries With 8 New GNB 368 AH Batteries,
Replace 12 old ED 340 AH Batheres With 7 New GNB 472 AH Batheres
Install 20 New GF Retro fit 12"inch Led lights to make crossing much more visible
Replace Battary Charges MB 12 20 Amp With ven Rail Equipment Charges 20 Atc-12 v with
Temp Sonsor.
Replace Battery Charger XBH 20 Amp With Non
Rail Equipment charges 20 Atc-12V with temp Sensor.

Central Washington Railroad upgrade project with WUTC GCPF.

SR-241/M.P. 7.94

Sunnyside WA DOT # 098587U M.P. 52.10

Breakdown of estimated total cost.

Twenty 12 inch GE Led retro fit lights. \$150.00 each X 20 = \$3,000.00

Two Railway Equipment Battery chargers 20 ATC-12V \$386.00 each x 2 = \$772.00

Six GNB batteries 50G15 368 AH \$377.34 each x 6 = \$2264.04

Seven GNB batteries 50G19 472 AH \$487.92 each x 7 = \$3,415.44

Total Parts cost \$9,451.48

Total shipping cost \$ 610.00

= \$ 10,061.48

Taxes \$ 805.00

Total cost for crossing upgrade is \$ 10,866.48

WUTC contributing \$10,866.48 for project and Central Washington Railroad will be doing all the installation and testing of the new equipment installed at crossing.

Central Washington Railroad is requesting \$10,866.48 from the UTC GCPF program to update equipment to make crossing more visible and safer.

Project will be completed no later than 5/30/2015

Section 8 - Illustration of Proposed Warning Devices

Attach a detailed diagram, drawing, map or other illustration showing the proposed modification.

Section 9 - Use of Surplus Equipment

If surplus or used equipment is being installed as part of the project, please review the following statement and sign, accepting the terms and conditions.
"The recipient of surplus equipment voluntarily accepts the equipment as is. Proper installation and testing is required per Code of Federal Regulations 49, prior to activating the signal equipment. The recipient assumes full responsibility for functionality of the equipment."
Name (print):
Title:
Company:
Signature:
Date:
Section 10 – Project Cost Information
1.Breakdown of estimated total cost.
2. Names of the parties contributing to the project and the amount each is contributing.
3. Provide the amount the applicant is requesting from the GCPF grant program.
Section 11 — Project Completion Date

5-30-2015 Project completion date:

Section 12 - Waiver of Hearing by Respondent

Waiver of Hearing		
The undersigned represents warning signals at the follow	the Respondent in the petition to	o modify highway-rail grade crossing
USDOT Crossing No	J98597U	
as described by the Petitione	nditions at the crossing. We are in this docket. We agree the w the commission without a heari	satisfied the conditions are the same varning signals should be modified ing.
Dated at	, Washington, on the	day of
	20	
	Printed name of Respondent	
	Signature of Respondent's Rep	presentative
	:	
	Title	
	Phone number and e-mail addr	ess
	Mailing address	

Section 8 - Illustration of Proposed Warning Devices

Attach a detailed diagram, drawing, map or other illustration showing the proposed modification.

Section 9 - Use of Surplus Equipment

Sounds of Surprise Equipment
If surplus or used equipment is being installed as part of the project, please review the following statement and sign, accepting the terms and conditions.
"The recipient of surplus equipment voluntarily accepts the equipment as is. Proper installation and testing is required per Code of Federal Regulations 49, prior to activating the signal equipment. The recipient assumes full responsibility for functionality of the equipment."
Name (print):
Title:
Signature: Date:
Section 10 – Project Cost Information
1.Breakdown of estimated total cost.
2. Names of the parties contributing to the project and the amount each is contributing.
3. Provide the amount the applicant is requesting from the GCPF grant program.
Section 11 – Project Completion Date
Project completion date: