

**WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION**

**NOTICE OF PENALTIES INCURRED AND DUE  
FOR VIOLATIONS OF LAWS AND RULES**

PENALTY ASSESSMENT: DG-250213

PENALTY AMOUNT: \$1,000

Investigation # 9087

**EMAIL SERVICE**

David Bense  
Vector Electric Corporation  
2110 East Broadway Avenue  
Spokane, WA 99202-2803  
[David.b@vecorp.net](mailto:David.b@vecorp.net)

UBI: 603-361-682  
Phone: (509) 315-43066

**YOU MUST RESPOND WITHIN 15 DAYS OF THIS NOTICE**

The Washington Utilities and Transportation Commission (Commission) believes that Vector Electric Corporation (Vector Electric or Company) violated Revised Code of Washington (RCW) 19.122.055(1)(a) by failing to notify the one-number locate service and causing damage to an underground gas facility.

RCW 19.122.055(1)(a) states, in part, that excavators who fail to notify a one-number locator service and cause damage to an underground gas facility are subject to a civil penalty of not more than \$10,000 for each violation.

Commission staff (Staff) conducted an investigation that included reviewing damage reports, investigation reports, the One Call Center database, and communications with the Company. The documents reviewed identified a natural gas event that involved Vector Electric damaging a natural gas facility while excavating without a valid locate ticket.

The Commission reviewed findings and recommendations made by Staff and hereby notifies you that it is assessing a \$1,000 penalty (Penalty Assessment) against you on the following grounds:

**1. Alleged Violation:**

On January 13, 2025, Vector Electric was excavating at 2201 Storehouse Avenue, Richland, Washington. While excavating, Vector Electric workers struck and damaged an underground Cascade Natural Gas Corporation (CNG) natural gas facility. The Damage Information Reporting Tool (DIRT) report submitted by CNG on February 11, 2025, indicated that Vector Electric was excavating without a valid request to locate underground utilities.

**2. Analysis:**

The alleged violation concerns RCW 19.122.055(1)(a), which states, in part, that an excavator must contact the one-number locate center before beginning excavation. On

March 20, 2025, CNG emailed Staff documentation and photographs detailing Vector Electric was excavating without a valid locate. The CNG 293 form documented that Vector Electric was digging to install a power conduit and damaged a 2" gas line. Further, the CNG 293 form noted that the Company did not have a valid locate ticket. The Service Line Remediation Record showed that CNG repaired 4 feet of the 2" gas service line.

Staff communicated with Vector Electric, and in an email on March 28, 2025, the Company stated that they looked through all of their tickets, and it appeared that Vector Electric "dropped the ball." Vector Electric noted that it had met with all of the project managers and foreman and advised that the Company would not begin excavation without having a dig ticket. Vector Electric also explained that the project managers and supervisors must have office approval to dig after a check is made to confirm a valid dig ticket for the excavation area.

Staff searched the Washington One Call System database and did not find a valid locate ticket for the address 2201 Storehouse Avenue, Richland, WA, on the date the damage occurred. Staff did find a locate ticket #25120428 for the address called into the One Call Center on March 31, 2025. The Commission considered the following factors in determining the appropriate penalty amount for the violation:

1. **How serious or harmful the violation is to the public.**

This incident could have been significantly more harmful to Vector Electric workers, utility technicians, nearby homeowners, and the public, and it could have resulted in severe injury and/or loss of property.

2. **Whether the violation is intentional.**

The violation appears to be due to negligence rather than a lack of knowledge of Washington State's Dig Law. Over the past 12 months, Vector Electric has submitted 30 requests to the One Call Center for locates. This demonstrates Vector Electric's knowledge of requirements and its responsibility to contact the one-number locate service before beginning excavation.

3. **Whether the company self-reported the violation.**

Vector Electric did not self-report the violation. The Commission became aware of the violation when CNG filed a DIRT report.

4. **The likelihood of recurrence.**

The likelihood of recurrence depends on the Company's actions going forward and its willingness to notify the one-number locate service every time before beginning excavation.

5. **The Company's previous violations and penalties.**

- **Warning Letters**

- The Commission mailed Warning Letters to Vector Electric after receiving reports of damage caused by Vector Electric on July 14, 2021 and March 14, 2022, because the Company failed to submit a request to locate underground

utilities before excavating. The letters included detailed information about Washington State's Underground Utility Damage Prevention Act, requirements for submitting utility locate requests before excavating, and the possibility of penalties for each violation.

The Commission has considered these factors and determined that it should penalize Vector Electric as follows:

- \$1,000 penalty for one violation of RCW 19.122.055(1)(a) with an offer to suspend an \$800 portion of the penalty for one year, and then waive it, subject to the conditions that:
  - 1) Company management and field crew responsible for excavation complete Dig Safe Training provided through the National Utility Contractors Association (NUCA) within 90 days of this Penalty Assessment;
  - 2) The Company must submit documentation of training completion to the Commission; and
  - 3) The Company must not commit any further violations of RCW 19.122 within 12 months of the date of this Penalty Assessment.

These facts, if proven at a hearing and not rebutted or explained, are sufficient to support the Penalty Assessment.

Your penalty is due and payable now. If you believe the violation did not occur, you may deny committing the violation and contest the penalty through evidence presented at a hearing or in writing. Or, if there is a reason for the violation that you believe should excuse you from the penalty, you may ask for mitigation (reduction) of the penalty through evidence presented at a hearing or in writing. The Commission will grant a request for a hearing only if material issues of law or fact require consideration of evidence and resolution in a hearing. Any request to contest the violation or for mitigation of the penalty must include a written statement of the reasons supporting that request. Failure to provide such a statement will result in denial of the request. *See* RCW 81.04.405.

If you properly present your request for a hearing and the Commission grants that request, the Commission will review the evidence supporting your dispute of the violation or application for mitigation in a Brief Adjudicative Proceeding before an administrative law judge. The administrative law judge will consider the evidence and will notify you of their decision.

**You must act within 15 days after receiving this Penalty Assessment** to do one of the following:

- Pay the \$1,000 penalty amount due; or
- Pay \$200 and notify the Commission that you accept the offer to suspend an \$800 portion of the penalty amount subject to the following conditions:
  - Company management and field crew responsible for excavation must complete NUCA Dig Safe Training (<https://utc-9183.quickbase.com/db/bpkt6vndh>) within 90 days of service of this Penalty Assessment; and
  - **The Company must submit documentation of training completion to the Commission; and**

- The Company must not incur any additional violations of RCW 19.122 within 12 months of the date of this Penalty Assessment; or
- Request a hearing to contest the occurrence of the violations; or
- Request mitigation to reduce the amount of the penalty.

Please indicate your selection on the enclosed form and submit it electronically through the Commission's web portal at <https://efiling.utc.wa.gov/Form> **within FIFTEEN (15) days** after you receive this Penalty Assessment. If you are unable to use the web portal, you may submit it via email to [records@utc.wa.gov](mailto:records@utc.wa.gov). If you are unable to submit the form electronically, you may send a paper copy to the Washington Utilities and Transportation Commission, PO Box 47250, Olympia, Washington 98504-7250.

If you wish to make your payment online, please use this link: [Make a Payment Now \(wa.gov\)](#).<sup>1</sup>

**If you do not act within 15 days**, the Commission may refer this matter to the Office of the Attorney General for collection.

DATED at Lacey, Washington, and effective [Click or tap to enter a date..](#)

/s/Connor Thompson

CONNOR THOMPSON

Acting Director, Administrative Law Division

---

<sup>1</sup> <https://www.utc.wa.gov/documents-and-proceedings/online-payments/make-payment-now>.

**WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION**  
PENALTY ASSESSMENT DG-250213 Investigation # 9087

**PLEASE NOTE:** You must complete and sign this document and send it to the Commission within 15 days after you receive the Penalty Assessment. Use additional paper if needed.

I have read and understand RCW 9A.72.020 (printed below), which states that making false statements under oath is a class B felony. I am over the age of 18, competent to testify to the matters set forth below and I have personal knowledge of those matters. I hereby make, under oath, the following statements:

- ☐ 1. **Payment of penalty.** I admit that the violation occurred:  
☐ Enclose \$1,000 in payment of the penalty.  
OR ☐ Attest that I have paid the penalty in full through the Commission's payment portal.
- ☐ 2. **Accept conditions.** I admit that the violation occurred and enclose \$200 toward the payment of the penalty. I also accept the Commission's offer to suspend, and ultimately waive, the remaining \$800 penalty amount subject to the following conditions:
- ☐ Company management and field crew responsible for excavation must complete Dig Safe training provided through NUCA within 90 days of service of this Penalty Assessment; and
  - ☐ The Company must submit documentation of training completion to the Commission; and
  - ☐ The Company must not commit any further violations of RCW 19.122 within twelve (12) months of the date of this Notice.
- ☐ 3. **Contest the violation.** I believe that the alleged violation did not occur for the reasons I describe below (**if you do not include reasons supporting your contest here, your request will be denied**):
- ☐ a) I ask for a hearing to present evidence on the information I provide above to an administrative law judge for a decision.
- OR ☐ b) I ask for a Commission decision based solely on the information I provide above.
- ☐ 4. **Request mitigation.** I admit the violation, but I believe that the penalty should be reduced for the reasons set out below (**if you do not include reasons supporting your application here, your request will be denied**):
- ☐ a) I ask for a hearing to present evidence on the information I provide above to an administrative law judge for a decision.

OR    ☐ b)    I ask for a Commission decision based solely on the information I provide above.

I declare under penalty of perjury under the laws of the state of Washington that the foregoing, including information I have presented on any attachments, is true and correct.

Dated: \_\_\_\_\_ [Month/Day/Year], at \_\_\_\_\_ [City, State]

\_\_\_\_\_  
Name of Respondent (Company) – please print

\_\_\_\_\_  
Signature of Applicant

RCW 9A.72.020 “Perjury in the first degree.”

- (1)    A person is guilty of perjury in the first degree if in any official proceeding he or she makes a materially false statement which he or she knows to be false under an oath required or authorized by law.
- (2)    Knowledge of the materiality of the statement is not an element of this crime, and the actor's mistaken belief that his or her statement was not material is not a defense to a prosecution under this section.
- (3)    Perjury in the first degree is a class B felony.