WUTC DOCKET: UW-170924 EXHIBIT: SH-60X ADMIT □ W/D □ REJECT ☑ 1 SH-60X **Docket UW 170924** 2 Sarah Hand 3 4 5 6 BEFORE THE WASHINGTON 7 UTILITIES AND TRANSPORTATION COMMISSION 8 SARAH HAND AND GRETCHEN HAND, **DOCKET UW 170924** 9 a married couple Complainant, SARAH HAND'S EXHIBIT 60 TO 10 v. CROSS EXAMINATION 11 RAINIER VIEW WATER COMPANY, INC., 12 Respondent. 13 14 15 **EXHIBIT 60** 16 17 TO CROSS EXAMINATION OF BOB BLACKMAN AND RACHEL STARK 18 July 25, 2018 19 20 Email dated November 18, 2016 21 between Richard Finnigan and John Cupp 22 23 24 25 26 27 28 NIGEL S. MALDEN LAW, PLLC SARAH HAND'S EXHIBIT 60 TO CROSS 711 Court A, Suite 200

**EXAMINATION - DOCKET UW 170924** 

Tacoma, Wa. 98402 253-627-0393 p 844-273-6067 f

 From:
 rickfinn@localaccess.com

 To:
 Cupp, John (UTC)

 Cc:
 Richard Finnigan

Subject: Re: Rainier View surcharge notice

Date: Friday, November 18, 2016 5:02:57 PM

John, The notice has already been sent to the printer. On the good side, the improvements will address, at least in part, some of the concerns. FYI, the woman on KIRO brought in a water sample that was a year old. Not that the reporters care about such things.

In addition, the customer could have avoided any problems by cleaning the screen on her pressure reducing valve, which was on her side of the meter. But, she did not and deferred maintenance caught up with her.

I will give you a call next week.

```
On Fri, November 18, 2016 3:36 pm, Cupp, John (UTC) wrote:
> Hi Rick,
> I just heard that a commissioner has a lot of questions about the Rainier
> View water quality issue after seeing last the Channel 7 news article. Can
> we talk on Tuesday about the customer notice? It may be a good idea to add
> some specifics about what the extra surcharge money is intended to
> accomplish.
> Thank you,
> John Cupp
> Regulatory Analyst
> (360) 664-1113
> jcupp@utc.wa.gov<mailto:jcupp@utc.wa.gov>
> Utilities and Transportation Commission
> Respect. Professionalism. Integrity. Accountability
> www.utc.wa.gov<http://www.utc.wa.gov>
>
>
>
>
>
```