

**BEFORE THE WASHINGTON  
UTILITIES & TRANSPORTATION COMMISSION**

WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION,

Complainant,

v.

CASCADIA WATER, LLC.

Respondent.

---

DOCKET UW-240151

**STEFAN DE VILLIERS  
ON BEHALF OF THE  
WASHINGTON STATE OFFICE OF THE ATTORNEY GENERAL  
PUBLIC COUNSEL UNIT**

---

**EXHIBIT SDV-3**

Cascadia's Response to Public Counsel Data Request No. 25

**November 20, 2024**



**Rates & Regulatory Affairs**  
UW-240151

Cascadia Water LLC Proposed General Rate Case  
**Data Request Response**

Date of Response: November 7, 2024  
Responder/Witness: Culley Lehman  
Telephone: 360.661.7781  
Email: culley@cascadiawater.com

**Request No.:** UW-240151 PC DR 25

For each of the Company's 30 water systems, please provide the number of connections served by the system and indicate (1) how many of those connections were on the system prior to its acquisition by Cascadia and (2) how many of those connections have been added to the system since its acquisition by Cascadia.

**Response:**

The estimated number of connections prior to acquisition and the current number of connections served by each of the 30 water systems are as follows:

<b>System</b>	<b>Estimated Number of Connections Prior to Acquisition</b>	<b>Current Number of Connections</b>
Agate West	40	40
Bacus Road #1	38	39
Beachcombers H2o Co	143	145
Blanchard Knob	0	2
CAL Waterworks	103	104
Cedarhearth	19	19

Del Bay	39	39
Diamond Point	318	326
Discovery Bay Village	110	111
Dungeness Bay Plats	188	195
Estates Inc.	465	453
Island Lake	319	322
Jamestown on Wilcox Ln	46	46
Lake Alyson	136	136
Lynch Cove	285	287
Monterra	185	196
Pelican Point	539	518
Rolf Bruun	14	14
Sea View Water	190	191
Silver Lake Water	218	261
Skagit River Colony	12	12
TEL Company #1	82	84

TEL Company #3	25	26
TEL Company #4	32	34
TEL Company #5	8	10
TEL Company #6	7	7
TEL Company #10	9	9
TEL Company #11	9	9
Tjetland	8	8
W&B Waterworks 1	486	508

Connections prior to the acquisitions are provided as estimates because accurately determining how many connections were on the systems prior to the acquisition is difficult. The previous owners often did not have clear and/or accurate records.