BEFORE THE WASHINGTON UTILITIES AND TRANSPORTATION CONCESSION

No. TR-031699

	· = .			PETITION	
City of C.C. A	f Othello, Petiti ndrews, City Engineer	oner .	Road Name _	Scootney Street	
	Vs.		W.U.T.C. Cr	ossing No	
BURLINGTON N	ORTHERN SANTA FE Respo	ndent	D.O.T. Cros New Crossin	sing No. g at Scootney Street	
Application for an orde	is hereby made to the r (check one or more of	Washington U	tilities and ng)	Transportation Commission	
[X] directi	ng the <u>construction</u> (construction-re	construction	-relocation)	of a grade crossing;	
[] directi (other	ng installation of auto than crossbucks) at a t	omatic grade new crossing;	crossing sig	mal or other warning device	
[] directi	nø	0	of warming de	vices at an existing	
	(replacement-change	upgradė)	_		
crossit		. •			
	ing funds from the "gr. of active wa	ade crossing rning devices	protective f ;	fund for(installation and/or	
	cenance) .	•			
Tatava	izing the construction odal Surface Transporta gton State Department o	tion Efficien	ncy Act (IST)	EV) IN Coobergeron aren ene	
at the rai applicatio	lroad grade crossing id n seeks the relief spec	entified abo	ve and descr by (check on	ibed in this petition. This e of the following)	
	[] hearing and order		•	thout hearing	
() [X] YES NO					
[] [] YES NO	If the answer is yes tunder the Intermodal S	to the questi Surface Trans	on above, ha portation Ef	s the funding requested ficiency Act been denied?	
	I certify under penal with this petition is	ty of perjury true and com	that the increct.	nformation provided in and	
	•				
	•	City of	Othello		
		Petitioner			
	•	ER Kelle	y, Mayor Title		
	· · · · · · · · · · · · · · · · · · ·		lain Street		
		Street Address	TTA 000'/		
		Othello,	, WA 99344 od•		
UTC RR-013 (5/0	3)	City-State-Bar C			

INTERROGATORIES Use additional paper as needed

[1]

r	xisting or proposed highway	N/A		mile post
		DISTRIBUTE TATORIONS NO	DTUEDN CANTA FF	
E	xisting or proposed railway _	Columbia Bas	iu Railroad	mile post 1987+3160
	ocated in NE Fof the 1			
				ımber
S	treet Scootney Street (if applicable)	City _	Othello (if applicable)	County Adams
			[2]	
Char	acter of crossing (indicate wi	th X or numbe	rs where applicable	s):
(a) (Common Carrier () Loggir	ng or Industria	Γ()	
(b) i	Main Line () Branch Li	ne () Sidi	ing or Spur (X)	
(c) (Total number of tracks at cro (Note: A track separated 100 t	ssing Two feet or more fr	om another track co	onstitutes a separate crossing.)
	Operating maximum train spe		Legal maxim	um train speed:
	Passenger MP	H H	Passenger Freight	MPH MPH
(c)	Actual or estimated train tra	ffic in 24 hour	s:	
	Passenger Trains (Note: Round trip counted a	s two trains. In	Freight Trains clude switch mover	50 switch movements per nents.) year over old main line 20 switch movements over
		·	[3]	industry track
Cha	racter of Roadway:		(-)	
(a)	State Highway-Classification	n N/A		
(b)	County Highway-Classificat	ion <u>N/A</u>		
(c)	City Street-Classification	Industi	al access road	
(d)	Number of traffic lanes exis Number of additional traffi	iting in each di c lanes propose	rection: <u>one</u>	
(c)	Posted vehicle speed limit:	Automobiles _	20 MPH	Trucks 20 MPH
(f)	Estimated vehicle traffic in	24 hours: Cur	rent total	, including trucks an
	school bus trips. Pr	ojected traffic	in _ 5 years: tota	al 100, including 75 truc
	and 0 school bus	trips.	e e	

(a) If temporary, state for what purpose crossing is to be used and for how long.

N/A

(b) If temporary grade crossing, will you remove the crossing at completion of the activity requiring the temporary crossing?

N/A

[5]

(a) State whether or not a safer location for a grade crossing exists within a reasonable distance in either direction from the proposed point of crossing, and if so, what reason, if any, why this safer location should not be adopted, even though in doing so, it may be necessary to relocate a portion of the highway or railway.

There is no other right of ways through the developed area on the east side of the tracks.

(b) Are there any hillsides, earth, or other embankments, buildings, trees, orchards, side tracks (on which cars might be spotted), loading platforms, etc., in the vicinity not feasible to move, which may obstruct the view and which can be avoided by relocating the proposed crossing. Would it be practical to do so? Please describe.

There is a dock on the south east corner which will block the view of rail switching into it's siding.

[6]

(a) Is it feasible to construct and use an over or under crossing at the intersection of said railway and highway? If not, state why.

No; the grade does not lend itself to a grade separation.

(b) Does the railway line at any point in the vicinity of the proposed crossing pass over a fill or trestle or through a cut where it is feasible to construct an under or over crossing, even though it may be necessary to relocate a portion of the highway to reach that point?

No

(c) If a suitable place for an under - or over - crossing exists in the vicinity of the proposed crossing, state the distance and direction from the proposed crossing; the approximate cost of construction; and what, if any, reason exists why it should not be constructed.

- (a) State approximate distance to nearest public or private crossing in each direction of railroad involved herein. 1/2 mile north is Main Street crossing 1/2 mile south is SR 26 overpass
- (b) If there is an existing crossing in near vicinity, or if more than one crossing is proposed, is it seasible to divert highways served and to be served by existing and proposed crossings, thus eliminating the need for more than one crossing? The area has no legal access, yet there

are three three business' located here with room for more; without new

- industry, the rail will have very little traffic.

 (c) It so, state approximate cost of highway relocation to effect such changes.
- (d) Will the proposed crossing eliminate the need for one or more existing crossings in the vicinity? If so, state direction and approximate distance to the crossing or crossings.

No

(e) If this crossing is authorized, do you propose to close any existing crossing or crossings?

[8]

State the lengths of views which are now available along the line of railway to travelers on the highway when approaching the crossing from either side of the railway and when at points on the highway as follows:

right when on highway 300 feet from crossing of	unobstructed vie	fe
right when on highway 200 feet from crossing of	2000	fee
right when on highway 100 feet from crossing of	3000	fc
right when on highway 50 feet from crossing of	4000	[cc
right when on highway 25 feet from crossing of	4000	fcc
lest when on highway 300 feet from crossing of	100	fcc
lest when on highway 200 feet from crossing of	200	fcc
lest when on highway 100 feet from crossing of	300	[cc
lest when on highway 50 seet from crossing of	3000	feet
lest when on highway 25 seet from crossing of	4000	fcc
approaching crossing from (opposite direction) an unobstructed	view to
right when on highway 300 feet from crossing of		fee
right when on highway 200 feet from crossing of		fcc
	2500	t cc
right when on highway 100 feet from crossing of	3000	
right when on highway 100 feet from crossing of		fec
right when on highway 100 feet from crossing of right when on highway 50 feet from crossing of right when on highway 25 feet from crossing of	3000 3000	fee
right when on highway 100 feet from crossing of right when on highway 50 feet from crossing of right when on highway 25 feet from crossing of left when on highway 300 feet from crossing of	3000 3000 3000	feefee feet
right when on highway 100 feet from crossing of right when on highway 50 feet from crossing of right when on highway 25 feet from crossing of left when on highway 300 feet from crossing of left when on highway 200 feet from crossing of	3000 3000 3000 4000	fee fee feet
right when on highway 100 feet from crossing of right when on highway 50 feet from crossing of right when on highway 25 feet from crossing of left when on highway 300 feet from crossing of	3000 3000 3000	feefeetfeetfeetfeet

Attach one or more prints showing a vicinity map and a layout of railway and highway, as well as profiles of each, also showing percent of grade, 500 feet of highway and railway when approaching crossing from all four directions. On the prints, spot and identify obstructions of view located in all four quadrants. Provide a traffic control layout showing the location of the existing and proposed signing of the intersection.

[10]

- (a) Is it feasible to provide a 25 foot level grade crossing on both sides from center line of railway at point of crossing?

 Yes
- (b) If not, state in feet the length of level grade it is feasible to obtain.
- (c) Is it feasible to obtain an approach grade, prior to the level grade of five percent or less? If not, state why, and state the percent approach grade possible.

No; only 120' between tracks and 5 ft. of evelation change.

Do you know of any reason not appearing in any of the answers to these interrogatories why the proposed crossing should not be made at grade or at the point proposed by you? If so, please state same fully.

None · ·	
Interrogatories 12 and 13 are to be completed only if changing of automatic grade crossing signal or other	this petition involves installation, replacement or warning device, other than sawbucks.

[12]

- (a) State in detail, the number and type of automatic signals or other warning devices (other than sawbucks) proposed to be installed. (This portion should be filled in only after conference between the railroad and the petitioning local governmental agency.)
- (b) State an estimate of the cost for installing the signals or other devices proposed, as obtained from the respondent railroad company \$
- (c) State a cost estimate for maintaining the signals or devices for 12 months, as obtained from the respondent railroad company
- (d) If this is an existing crossing, what will the proposed warning devices replace in the way of existing devices.
- (e) As the petitioner, are you prepared to pay or will you promise to pay to the respondent railroad company, your share of the cost of installing the warning devices proposed as provided by law?
 - () Yes () No

[13]

Furnish a brief statement of why the public safety requires the installation of the automatic signals or the devices as proposed.

RESPONDENT'S WAIVER OF HEARING Docket No. Petition of City of Othello for Scootney Street Crossing I have investigated the conditions existing at and in the vicinity of the proposed crossing changes. As a result, [check one or more of the following, as appropriate:] I am satisfied that conditions are as represented in the petition and the interrogatories and that the petition should be granted. [] The cost of installation (estimated at \$_____) is acceptable. [] subject to approval and apportionment pursuant to the Intermodal Surface Transportation Act by the Washington State Department of Transportation Local Programs Division. [] as apportioned between the parties. N to be paid by petitioner. Other conditions to waiver of hearing: The undersigned hereby waives hearing and further notice. The Washington Utilities and Transportation Commission may enter a final order without further notice or hearing. , Washington, on this _____ day Respondent EURLINGTON NORTHERN SANTA FE Respondent by Print Name: Title: