

CASCADE NATURAL GAS CORPORATION

Second Revision Sheet No. 594

Canceling

WN U-3

First Revision Sheet No. 594

**SCHEDULE 594
DECOUPLING MECHANISM ADJUSTMENT**

PURPOSE:

The purpose of this Decoupling Mechanism Adjustment is to collect or refund the decoupling deferral balance in accordance with the parameters established in Rule 21, Decoupling Mechanism.

APPLICABILITY:

This Rule is applicable to all Customers served on Schedules, 503, 504, 505, 511, and 570.

(T)

RATES:

The following rates are effective with service as of November 1, 2018:

(C)

Rate Schedule	Rate per Therm
503	(\$0.02585)
504	(\$0.03045)
505	
<500 Therms	\$0.00321
>500 & <4,000 Therms	\$0.00321
>4,000 Therms	\$0.00321
511	
<20,000 Therms	(\$0.05068)
>20k & <100K Therms	(\$0.05068)
>100,000 Therms	(\$0.05068)
570	
<30,000 Therms	\$0.00751
>30,000 Therms	\$0.00751

(D)

(R)

(R)

(R)

(R)

(R)

(R)

(R)

(R)

(D)

(I)

(I)

(D)

SPECIAL CONDITIONS:

The rates named herein are subject to increases as set forth in Schedule No. 500, Municipal Taxes.

(T)

CNG/W18-09-03

Effective for Service on and after

Issued September 17, 2018

November 1, 2018

Issued by CASCADE NATURAL GAS CORPORATION

By: 

Michael Parvinen

Director, Regulatory Affairs