1.0 Unbundled Loops, Line Sharing and Line Splitting Service Interval Table:

(a) Established Service Intervals 2/4 Wire Analog (Voice Grade):

a)	1-8 lines	5 business days
b)	9-16 lines	6 business days
c)	17-24 lines	7 business days
d)	25 or more	ICB

(b) Established Service Intervals for 2/4 Wire Non-Loaded Loops, Basic Rate ISDN Capable Loops, and ADSL Compatible Loops that do not require conditioning:

a)	1-8 lines	5 business days
b)	9-16 lines	6 business days
c)	17-24 lines	7 business days
d)	25 or more	ICB

(c) Established Service Intervals for xDSL-I Capable Loops that do not require conditioning:

a)	1-8 lines	10 business days
b)	9-16 lines	ICB
c)	17-24 lines	ICB

(d) Established Service Intervals for existing DS-1 Capable Loops, DS1 Capable Feeder Loop, 2-Wire Analog Distribution Loop:

a)	1 – 24 lines	9 business days	
b)	25 or More	ICB	

(e) Established Service Intervals for existing DS3 Capable Loops:

a)	1-3 lines	7 business days	
b)	4 or more	ICB	

(f) Established Service Intervals for Line Sharing and Line Splitting that do not require conditioning:

a)	1-8 lines	5 business days
b)	9-16 lines	6 business days
c)	17-24 lines	7 business days
d)	25 or More	ICB

(g) Conditioned Loops for 2/4 Wire Non-Loaded Loops, ADSL Compatible, Basic Rate ISDN Capable, xDSL-I Capable Loops, Line Sharing and Line Splitting:

a)	1-8 lines	15 business days
b)	9 or more	ICB

24 Hours OSS
48 Hours AS
stablished Repair Intervals for 4-wire Analog Loops, 2/4 Wire Non-Loaded Loops, asic Rate ISDN Capable Loops, and ADSL Compatible Loops:

2.0 Unbundled Dedicated Interoffice Transport (UDIT) Service Interval Table:

		Installation	Repair
Product	Services Ordered	Commitments	Commitments
UDIT, UCCRE			
DS0	1 to 8	High Density: Five (5)	4 hrs. High
		Business Days	Density
		Low Density: Six (6)	4 hrs. Low
		Business Days	Density
	9 to 16	High Density: Six (6)	4 hrs. High
		Business Days	Density
		Low Donoity: Coven (7)	4 hrs. Low
		Low Density: Seven (7)	
	17 to 24	Business Days High Density: Seven (7)	Density 4 hrs. High
	17 10 24	Business Days	Density
		Low Density: Eight (8)	4 hrs. Low
		Business Days	Density
	25 or more	ICB	ICB
DS1	1 to 8	High Density: Five (5)	4 hrs High
		Business Days	Density
		Low Density: Eight (8)	
		Business Days	4 hrs Low Density
	9 to 16	High Density: Six (6)	4 hrs High
		Business Days	Density
		Low Density: Nine (9)	4 lana Laur Danaitre
	17 to 24	Business Days	4 hrs Low Density
	17 to 24	High Density: Seven (7)	4 hrs High Density
		Business Days	Deligity
		Low Density: Ten (10)	
		Business Days	4 hrs Low Density
	25 or more	ICB	4 hrs
DS3	1 to 3 Circuits	High Density: Seven (7)	4 hrs High
		Business Days	Density
			,
		Low Density: Nine (9)	
		Business Days	4 hrs Low Density
	4 or more Circuits	ICB	4 hrs
OC3 and Higher	1 or more Circuits	ICB	4 hrs

3.0 Unbundled Local Switching Service Interval Table:

		Installation	Repair
Product	Services Ordered	Commitments	Commitments
Unbundled Switching			
Unbundled Switching – Line Side Analog With Line Class Code (LCC) already supported in requested	1 to 8	High Density: Five (5) Business Days	24 hrs. High Density
switch.		Low Density: Six (6) Business Days	24 hrs. Low Density
	9 to 16	High Density: Six (6) Business Days	24 hrs. High Density
		Low Density: Seven (7) Business Days	24 hrs. Low Density
	17 to 24	High Density: Seven (7) Business Days	24 hrs. High Density
		Low Density: Eight (8) Business Days	24 hrs. Low Density
	25 or more	ICB	24 hrs.
Unbundled Switching – Line Side Analog – Existing – Vertical Feature(s) (Features change without inward line activity and not impacting the design of the circuit.)	1 to 19	Two (2) Business Days	24 hrs. OOS 48 hrs. AS
	20 to 39	Four (4) Business Days	24 hrs. OOS 48 hrs. AS
	40 or more	ICB	24 hrs. OOS 48 hrs. AS
Unbundled Switching – Line Side Analog New Line Class Code (LCC) ordered through customized routing		ICB	24 hrs.
Unbundled Switching – BRI-ISDN Line-side Port. With a U S WEST standard configuration and Line	1 to 3 Lines	High Density: Seven (7) Business Days	24 hrs. High Density
Class Code (LCC) already supported in the requested switch		Low Density: ICB	24 hrs. Low Density
	4 or more	ICB	24 hrs.
Unbundled Switching – BRI-ISDN Line-side Port. With non-standard configuration and Line Class Code (LCC) already supported in the	1 to 3 Lines	High Density: Seventeen (17) Business Days (includes 10 days for	24 hrs. High Density 24 hrs. Low
requested switch		complex translations.) Low Density: ICB	Density
	4 or more	ICB	24 hrs.

Unbundled Switching – BRI-ISDN		ICB	24 hrs.
Line-side Port. Non supported Line		ICB	24 1113.
Class Code (LCC) ordered through			
Customized Routing			
Unbundled Switching – DS1 Trunk	1 to 8 Ports	High Density: Five (5)	24 hrs. High
Port	1 10 0 1 0113	Business Days	Density
1 011		Dusiness Days	Density
		Low Density: Six (6)	24 hrs. Low
		Business Days	Density
	9 to 16 Ports	High Density: Six (6)	24 hrs. High
		Business Days	Density
		Low Density: Seven (7)	24 hrs. Low
		Business Days	Density
	17 to 24 Ports	High Density: Seven (7)	24 hrs. High
		Business Days	Density
		Low Density: Eight (8)	24 hrs. Low
		Business Days	Density
	25 or more Ports	ICB	24 hrs.
Unbundled Switching – Message	High Density	Seven (7) Business	24 hrs.
Trunk Groups		Days	
Translation questionnaire	1 to 24		
required			
Routing to trunks is ordered			
separately as Customized			
Routing			
DS1 trunk port & UDIT in place.	05 to 40	Fight (0) Business Baus	0.4 h ==
	25 to 48	Eight (8) Business Days	24 hrs.
	49 to 72	Ten (10) Business Days	24 hrs.
	73 to 96	Twelve (12) Business	24 hrs.
	97 to 120	Days Fourteen (14) Business	24 hrs.
	31 10 120	Days	<u>4</u> 1113.
	121 to 144	Fifteen (15) Business	24 hrs.
	12110111	Days	211110.
	145 to 168	Sixteen (16) Business	24 hrs.
		Days	
	169 to 240	Eighteen (18) Business	24 hrs.
		Days	
	241 or more	ICB	24 hrs.
	Low Density	Eighteen (18) Business	24 hrs.
	1 to 24	Days	
	25 to 72	Nineteen (19) Business	24 hrs.
		Days	
	73 to 120	Twenty (20) Business	24 hrs.
		Days	
	121 or more	ICB	24 hrs.
Unbundled Switching – Two Way	1 to 8 Trunks	High Density: Five (5)	24 hrs. High

and DID Equivalent Group		Business Days	Density
(add/change/increase)			
DS1 trunk port in place		Low Density: Six (6)	24 hrs. Low
		Business Days	Density
	9 to 16 Trunks	High Density: Six (6)	24 hrs. High
		Business Days	Density
		Low Density: Seven (7)	24 hrs. Low
		Business Days	Density
	17 to 24 Trunks	High Density: Seven (7)	24 hrs. High
		Business Days	Density
		Low Density: Eight (8)	24 hrs. Low
		Business Days	Density
	25 or more Trunks	ICB	24 hrs.
Unbundled Switching – PRI-ISDN	1 to 8	High Density: Five (5)	4 hrs. High
Capable Trunk-Side		Business Days	Density
DS1 Trunk port in place		Law Danaitus Ciss (C)	4 6 4 5 1 5 1 1 1
		Low Density: Six (6)	4 hrs. Low
	0.45.40	Business Days	Density
	9 to 16	High Density: Six (6)	4 hrs. High
		Business Days	Density
		Low Density: Seven (7)	4 hrs. Low
		Business Days	Density
	17 to 24	High Density: Seven (7)	4 hrs. High
		Business Days	Density
		Low Density: Eight (8)	4 hrs. Low
		Business Days	Density
	25 or more	ICB	4 hrs.
Unbundled Packet Switching	Design changes –	New service request –	4 hrs
	8 business days	10 business days	
	Non-design	, ,	
	changes – 5		
	business days		
	Service changes –		
	5 business days		
<u> </u>	5 Eddinoco dayo		

4.0 Unbundled Dark Fiber Interval Table:

Product	Activity/ Features	Services Ordered	FOC Guidelines	Installation Guidelines	Repair Guidelines
Dark Fiber					
Initial Records Inquiry (IRI) (simple & complex)			N/A	Ten (10) Business Days	N/A
Field Verification And Quote Preparation (FVOP)			N/A	Twenty (20) Business Days	N/A
Provisioning (non- FVOP requests)			N/A	Twenty (20) Business Days	

5.0 Unbundled Network Elements Platform (UNE-P) Service Interval Table:

5.0 Official and Metwork Element	,	,	Repair
Product	Services Ordered	Installation Commitments	Commitments
UNE-P POTS 'New'- Soft Dial Tone (SDT) [Where available] Facility Check indicates "AVAILABLE (SDT)" and DISPATCH "NO"		Two (2) Business Days (regardless of the time of day the request is received)	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'- Flow Through, Fully Electronic (N, T Orders) Facility Check indicates "AVAILABLE" and DISPATCH "NO"	1 to 19 Lines		24 hrs OOS 48 hrs AS
	20 to 39 Lines	Four (4) Business Days or next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'- Simple CO Features, or Number Changes without inward line activity, or Hunting changes without inward line activity	1 to 19 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
	20 to 39 Lines	Four (4) Business Days	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'- Suspend/Restore	Customers with service placed on "vacation"	Next Business Day	24 hrs OOS 48 hrs AS
	Treatment for Non- payment issues	Same Business Day as payment receipt validated	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'- New Installs, Address Changes, Changes with inward line activity Facility Check indicates "AVAILABLE DISP. REQ" and DISPATCH "YES"	1 to 19 Lines	Next available due date as indicated by Appointment Scheduler Note: Appointment Scheduler minimum default interval is 3 (Three) Business Days.	24 hrs OOS 48 hrs AS
	20 to 39 Lines	Four (4) Business Days or next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
Product	Services Ordered	Installation Commitments	Repair Commitments
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS

UNE-P POTS 'New'-	1-10	Two (2) Business Days	
Directory Listings Changes (R	LISTINGS	'''' (2)	
Orders)			
,	11 to 20 Listings	Five (5) Business Days	
	21-50 Listings	Ten (10) Business Days	
	51-100 Listings	Thirty (30) Business Days	
	Over 100 Listings	Sixty (60) Business Days	
Conversions to UNE-P POTS-	1 to 39 Lines	Three (3) Business days	24 hrs OOS
POTS Residence to UNE-P - Conversion as Specified - Simple CO Features			48 hrs AS
	40 or more lines	ICB	24 hrs OOS 48 hrs AS
Conversions to UNE-P POTS- UNE-P to UNE-P POTS Residence - Conversion as Is	1 to 39 Lines	Same Business Day if received before 12:00 p.m., or, Next Business Day if received later than 12:00 p.m.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
Conversions to UNE-P POTS-POTS Business to UNE-P - Conversion As Specified - Simple CO Features	1 to 19 Lines	Three (3) Business days	24 hrs OOS 48 hrs AS
	20 to 39 Lines	Four (4) Business Days	24 hrs OOS 48 hrs AS
	40 or more Line	ICB	24 hrs OOS 48 hrs AS
Conversions to UNE-P POTS- UNE-P to UNE-P POTS Business - Conversion As Is	1 to 39 Lines	Same Business Day if received before 12:00 p.m., or, Next Business Day if received later than 12:00 p.m.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P Line Splitting – UNE-P POTS to UNE-P POTS with Line Splitting - Conversion As Specified	1 to 8 Lines	High Density: Five (5) Business Days Low Density: Six (6) business Days	24 hrs OOS 48 hrs AS
	9 to 16 Lines	High Density: Six (6) Business days	24 hrs OOS 48 hrs AS
		Low Density: (9) Business Days	
	17 to 24 Lines	High Density: (7) Business Days	24 hrs OOS 48 hrs AS
Product	Services Ordered	Installation Commitments	Repair Commitments
	25-39 Lines	ICB	24 hrs OOS
			48 hrs AS

	T		1
	40 or more Lines or if Conditioning is required	ICB High Density: Five (5) Business Days	24 hrs OOS 48 hrs AS
UNE-P Line Splitting – POTS Residence or POTS	1 to 8 Lines	High Density: Six (5) Business days	24 hrs OOS 48 hrs AS
Business with Line Sharing to		_	
UNE-P POTS with Line Splitting - Conversion as Specified		Low Density: Six (6) Business Days	
·	9 to 16 Lines	High Density: Six (6) Business	24 hrs OOS
		days	48 hrs AS
		Low Density: Nine (9) Business Days	
	17 to 24 Lines	High Density: Seven (7)	24 hrs OOS
		Business Days	48 hrs AS
		Low Density: Ten (10) Business Days	
	25-39 Lines	ICB	24 hrs OOS
			48 hrs AS
	40 or more Lines	ICB	24 hrs OOS
			48 hrs AS
UNE-P PBX 'New'-	1 to 8 Trunks	Five (5) Business Days	4 hrs
	9 to 16 Trunks	Six (6) Business Days	4 hrs
	17 to 24 Trunks	Seven (7) Business Days	4 hrs
	25 or more Trunks	ICB	4 hrs
Conversions to UNE-P PBX – Conversion As Specified or Conversion As Is	1 to 8 Trunks	Five (5) Business Days	4 hrs
	9 to 16 Trunks	Six (6) Business Days	4 hrs
	17 to 24 Trunks	Seven (7) Business Days	4 hrs
	25 or more Trunks	ICB	4 hrs
UNE-P DSS 'New'- T1 Facility	1 to 3	Nine (9) Business Days	4 hrs
	4 or more	ICB	4 hrs
UNE-P DSS 'New'- Trunks	1 to 3 Lines	Twelve (12) Business Days	4 hrs
	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs
	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
Product	Services Ordered	Installation Commitments	Repair Commitments
	13 or more Lines	ICB	4 hrs

Conversions to UNE-P DSS-	1 to 3	Nine (9) Business Days	4 hrs
T1 Facility	4 or more	ICB	4 hrs
Conversions to UNE-P DSS- Trunks	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs
	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
UNE-P ISDN BRI 'New'- New Installs, Address Changes, Change to add Loop (N2Q)	1 to 10 Lines	Thirteen (13) Business Days	24 hrs
	11 or more Lines	ICB	24 hrs
UNE-P ISDN BRI 'New'- Add or Change Feature(s), Add Primary Directory Number (PDN) to established Loop (N2Q), Add Call Appearance	1 to 10 Lines	Three (3) Business Days	24 hrs
	11 or more Lines	ICB	24 hrs
Conversion to UNE-P ISDN BRI- Conversion As Is	1 to 10 Lines	Three (3) Business Days	24 hrs
	11 or more Lines	ICB	24 hrs
Conversion to UNE-P ISDN BRI- Conversion As Specified	1 to 10 Lines	Three (3) Business Days if a Loop is not involved (or) Thirteen (13) Business Days if a Loop is added or changed	24 hrs
	11 or more Lines	ICB	24 hrs
UNE-P ISDN PRI 'New'- T1 Facility	1 to 3	Nine (9) Business Days	4 hrs
	4 or more	ICB	4 hrs
UNE-P ISDN PRI 'New'- Trunks	1 to 3 Lines	Twelve (12) Business Days	4 hrs
	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs
	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
Conversion to UNE-P ISDN PRI- T1 Facility	1 to 3	Nine (9) Business Days	4 hrs
Product	Services Ordered	Installation Commitments	Repair Commitments
	4 or more	ICB	4 hrs
Conversion to UNE-P ISDN	1 to 3 Lines	Twelve (12) Business Days	4 hrs

PRI-			
Trunks			
	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs
	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
UNE-P Centrex 21 - Non Designed- Conversions as Specified	1 to 10 Lines	Five (5) Business Days	24 hrs OOS 48 hrs AS
'	11 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P Centrex 21 - Non Designed- New Installations	1 to 10 Lines [Facility check indicates "Available Dispatch Required" and Dispatch "Yes".]	Five (5) Business Days or Next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	11 or more Lines	ICB	24 hrs OOS 48 hrs AS
Une-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Establish Common Block	1 to 10 Lines - No Optional Features	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
	1 to 10 Lines - w/ Optional Features (i.e., ARS, DFIs, SMDR, UCD, etc.)	ICB	24 hrs OOS 48 hrs AS
	11-21 Lines – No Optional Features	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
	11 to 21 Lines – w/Optional Features (i.e., ARS, DFIs, SMDR, UCD, etc.)	ICB	24 hrs OOS 48 hrs AS
	22 or more Lines with or without Optional Features	ICB	24 hrs OOS 48 hrs AS
Une-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Feature Additions requiring Common Block activity per Common Block	1 to 10 Lines	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
Product	Services Ordered	Installation Commitments	Repair Commitments

	11 or more Lines	ICB	24 hrs OOS
	Tr or more Emice	1.02	48 hrs AS
Une-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Line Class Codes (LCCs)/ CAT/NCOS/DPAT additions/changes requiring Common Block work.	Per Common Block (must be existing Line Class Codes(LCCs)/ CAT/NCOS/DPAT)	Five (5) Business Days	24 hrs OOS 48 hrs AS
	If new LCC/CAT/NCOS or DPAT	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
Une-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Centrex Management System (CMS)	New Common Blocks & Cust ID's (lines installed at the same time the Common Block is installed)	Twenty (20) Business Days (after the initial Common Block & associated lines are installed)	N/A
Une-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Designed Services subsequent to initial Common Block installation	Tie Lines/DFI/FX	Thirteen (13) Business Days (may be longer due to facility due date requirements)	24 hrs OOS 48 hrs AS
Une-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required - Centrex Management System (CMS) Network Access Registers (NARs)	Additional/New Station Lines to be added to CMS	Five (5) Business Days after line is installed	N/A
	Additions Change from Non Blocked to Blocked Service	Five (5) Business Days ICB	N/A N/A

Droduct	Saminas Ordanad	Installation Commitments	Repair
Product	Services Ordered	Installation Commitments	Commitments
Une-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required - Station Lines (subsequent to the establishment of the Common Block) Includes:	1 to 10 Lines per location	Five (5) Business Days or Next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	11 to 20 Lines per location	Ten (10) Business Days or Next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	21 or more Lines per location	ICB	24 hrs OOS 48 hrs AS
Une-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Line Feature changes/additions/ Removals	1 to 19 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
	20 or more Lines	ICB	24 hrs OOS 48 hrs AS
Une-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Designed Services subsequent to initial Common Block installation	Tie Lines/DFI/FX	Thirteen (13) Business Days (may be longer due to facility due date requirements)	24 hrs OOS 48 hrs AS
Une-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Automatic Route Selection (ARS)	Subsequent to Common Block Installation	Twenty (20) Business Days (may be longer if the activation of ARS is tied to a Private Line facility installation)	24 hrs OOS 48 hrs AS

Product	Services Ordered	Installation Commitments	Repair Commitments
	Changes to Patterns: 1 to 25 changes 26 to 50 changes 51 or more changes	Business Days: Five (5) days Ten (10) days Twenty (20) days	24 hrs OOS 48 hrs AS
	Adding new Patterns	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
Une-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Uniform Call Distribution (UCD)	Per Request	Thirteen (13) Business Days	24 hrs OOS 48 hrs AS
Une-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Additional Numbers subsequent to initial Common Block installation NOTE: Additional numbers are "chipped" into the Common Block at the time of request.	Blocks (No limit on amount of numbers.)	Five (5) Business Days	N/A

6.0 Enhanced Extended Loop Service Interval Table (EEL):

Product	Services Ordered	Installation Commitments	Repair Commitments
Enhanced Extended Loop	1 to 8	High Density: Five (5)	4 hrs High
(EEL)-	1 10 0	Business Days	Density
DS0 or Voice Grade		Business Buys	Density
Equivalent		Low Density: Six (6) Business	
1		Days	4 hrs Low
			Density
	9 to 16	High Density: Six (6) Business	4 hrs High
		Days	Density
		Low Density: Seven (7)	A lama I ann
		Business Days	4 hrs Low
	17 to 24	High Density: Seven (7)	Density 4 hrs High
	17 10 24	Business Days	Density
		Buomedo Bayo	Donoity
		Low Density: Eight (8)	
		Business Days	4 hrs Low
			Density
	25 or more	ICB	4 hrs
Enhanced Extended Loop	1 to 8	High Density: Five (5)	4 hrs High
(EEL) –		Business Days	Density
DS1		Low Density: Eight (8)	
		Business Days	4 hrs Low
		Business Buys	Density
	9 to 16	High Density: Six (6) Business	4 hrs High
		Days	Density
		Low Density: Nine (9)	
		Business Days	4 hrs Low
	47 to 04	High Donaitus Carras (7)	Density
	17 to 24	High Density: Seven (7) Business Days	4 hrs High Density
		Dusiness Days	Deligity
		Low Density: Ten (10)	
		Business Days	4 hrs Low
			Density
	25 or more	ICB	4 hrs
Enhanced Extended Loop	1 to 3 Circuits	High Density: Seven (7)	4 hrs High
(EEL) –		Business Days	Density
DS3		Low Density Nine (0)	
		Low Density: Nine (9)	4 hrs Low
		Business Days	Density
	4 or more Circuits	ICB	4 hrs
Enhanced Extended Loop	- Of more officials	ICB	24 hrs OOS
a.iooa Extoriaca Eoop		1.00	: :::3 000

Conversions (EEL-C) –		48 hrs AS
Private Line (PLTS)		
- Conversion as is		