

**WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM**

Name of Operator: Agrium U.S. Inc.		UTC Representative (s): Joe Subsits	
OP ID No. 672		Inspection Date(s): 12/17-20/2007	
HQ Address: 13131 Lake Fraser Drive S.E. Calgary, Alberta T2J7E8		Unit Address: 227515 Bowles Road Kennewick, WA 99337	
Co. Official: Stephen Dyer, Vice President	Phone No.: 403-225-7491	Local Official.: Don LaRue	Phone No.: (509) 586-5500
Fax No.: 403-225-7616	Emergency Phone No.:	Fax No.: (509) 586-5440	Emergency Phone No.: (509) 586-5500
Persons Interviewed	Title	Phone No.	
Laura Van Derveen	Facility Administrative Assistant	(509) 586-5345	

Type of Facility:

Gas Transmission Pipeline
 Gas Distribution System

Hazardous Liquid Pipeline
 Liquefied Natural Gas

Alcohol Misuse Plan and Policy developed by: Alcohol Misuse Testing Program administered by:

Operator
 Contractor
 Consortium

Operator
 Contractor
 Consortium

Contractor records maintained by:

Operator
 Contractor
 Consortium

Specimen collection conducted by:

Operator Personnel On-Site
 Operator Personnel Off-Site
 Contractor Personnel On-Site
 Contractor Personnel Off-Site

**WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM**

§199.202 Alcohol misuse plan		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.202	Does the operator maintain and follow a written Alcohol Misuse Plan (AMP)?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.202	Does the AMP contain: Provisions for conducting alcohol tests in accordance with DOT procedures found in 49 CFR Part 40?	Note: Clarification of company policy vs. DOT requirements. Company policy should be identified by using bold and underlined type.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.202	Provisions that include types of testing, recordkeeping, reporting, education and training elements?	

Comments

WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM

§199.209 Other requirements imposed by operators		
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.209(a)	Does the plan address authority of operator or rights of employee with regard to use or possession of alcohol or rehabilitation?	
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO §199.209(b)	Does the operator conduct pre-employment alcohol testing? (not required) If yes, the operator must—	
<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> N/A §199.209(b)(1)	Conduct a pre-employment test before the first performance of covered functions by every covered employee.	Whether a <u>new employee</u> or <u>someone who has transferred</u> to a position involving the performance of covered functions.
<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> N/A §199.209(b)(2)	Treat all covered employees the same for the purpose of pre-employment alcohol testing;	Must not test some covered employees and not others
<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> N/A §199.209(b)(3)	Conduct the pre-employment tests after making a contingent offer of employment or transfer, subject to the employee passing the pre-employment alcohol test;	
<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> N/A §199.209(b)(4)	Conduct all pre-employment alcohol tests using the alcohol testing procedures in DOT Procedures; and	DOT Procedures found in 49 CFR Part 40
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.209(b)(5)	Not allow any covered employee to begin performing covered functions unless the result of the employee's test indicates an alcohol concentration of less than 0.04.	
§199.211 Requirement for notice		
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.211	Does the plan specify operator's procedures for notification to employees prior to conducting alcohol testing?	Plan must contain specific details on how this is accomplished and what information is provided to employees.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.211	Does the plan clearly delineate under what authority the alcohol testing is being conducted?	

WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM

§199.215 Alcohol concentration		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.215	Does the plan specify that no employee may report for duty or remain on duty with an alcohol concentration of 0.04 or greater?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.215	Does the plan specify what actions will occur should the operator have actual knowledge that an employee has an alcohol concentration of 0.04 or greater?	
§199.217 On-duty use		
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.217	Does the plan specify that on-duty use of alcohol is prohibited?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.217	Does the plan specify that no employee may be allowed to perform or continue to perform a covered function, if an employee has used alcohol while on-duty?	
§199.219 Pre-duty use		
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.219	Does the plan contain provisions that prohibit the use of an employee who has used alcohol within 4 hours of reporting for duty?	

**WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM**

COMMENTS

**WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM**

§199.219 Pre-duty use		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.219	Does the plan address that an employee who has been notified to respond to an emergency must not use alcohol once notified to report?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.219	Does the plan address that an operator who has actual knowledge that an employee has used alcohol, once being notified to respond to an emergency shall not allow the employee to perform covered functions?	
§199.221 Use following an accident		
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.221	Does the operator's plan provide that an employee shall be prohibited from using alcohol following an accident, in which the employee's action contributed or cannot be completely discounted?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.221	Does the plan require that an employee may not use alcohol for up to 8 hours following an accident or until a test has been administered?	

COMMENTS

**WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM**

§199.223 Refusal to submit to a required alcohol test		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.223	Does the plan prohibit an employee's refusal to submit to a post-accident test? 199.225(a)	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.223	Does the plan prohibit an employee's refusal to submit to a reasonable suspicion test? 199.225(b)	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.223	Does the plan prohibit an employee's refusal to submit to a follow-up test? 199.225(d)	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.223	Does the plan address that an employee's refusal to submit to a test shall result in that employee not being permitted to perform or continue to perform covered functions?	
§199.225 Alcohol tests required		
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(a)	Does the operator's plan provide for the following: Post-Accident Does the plan specify alcohol testing for post-accident and address the following:	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(a)(1)	1. The operator shall conduct the testing as soon as practicable.	

COMMENTS

WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM

§199.225 Alcohol tests required		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(a)(1)	2. Each surviving covered employee shall be tested if an employee's performance either contributed or cannot be completely discounted.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(a)(1)	3. The decision not to administer a test must be based on the operator's determination that the covered employee's performance could not have contributed to the accident.	This determination should be based on the best available information at the time of the accident.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(a)(2)(i)	4. Is the test conducted within 2 hours?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(a)(2)(i)	5. If test was not conducted within 2 hours, does the operator prepare and maintain a record stating why the test was not administered.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(a)(2)(i)	6. Does the operator attempt testing up to 8 hours following an accident?	The operator may attempt to test up to 8 hours after which time all attempts must cease.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(a)(2)(i)	7. Is a record prepared and maintained as to why a test was not administered within 8 hours?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(a)(3)	8. The plan must state the employee shall remain readily available until a post-accident test is conducted.	

COMMENTS

WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM

§199.225 Alcohol tests required		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(a)(3)	Does the plan specify that failure to remain readily available will be deemed as a refusal to test?	Note: No operator shall delay medical treatment or delay emergency response pending an alcohol test.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(a)(3)	Does the plan address provisions regarding the need for medical attention?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(a)(3)	Does the plan provide provisions regarding the need to leave an accident scene to obtain assistance in responding to the accident?	
Reasonable Suspicion		
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(b)(1)	Does the plan specify reasonable suspicion alcohol testing and address the following elements:	Note: The supervisor who makes the determination of reasonable suspicion shall not conduct the breath alcohol test on that employee.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(b)(2)	1. Decisions to test shall be based on specific contemporaneous, articulable observations concerning the appearance, behavior, speech or body odor of the employee.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(b)(1)	2. The observations shall be made by one supervisor trained in detecting symptoms of alcohol misuse and must be documented.	

COMMENTS

Plan states that test must be administered with two hours of an accident not as soon as possible

WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM

§199.225 Alcohol tests required		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(b)(3)	3. Does the plan authorize testing only when observations are made during, just before or just after performing covered functions?	When observations are required by §199.225(b)(2)
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(b)(4)(i)	4. Is the test conducted within 2 hours?	Note: If test is not conducted within 2 hours, operator must document reason.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(b)(4)(i)	5. If test was not conducted within 2 hours, does operator prepare and maintain a record stating why the test was not administered?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(b)(4)(i)	6. Does the operator attempt testing up to 8 hours?	The operator may attempt to test up to 8 hours after which time all attempts must cease.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(b)(4)(i)	7. Is a record prepared and maintained as to why a test was not administered?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(b)(4)(iii)	Does the plan specify that an employee may not perform or continue to perform under the influence or be impaired by alcohol until:	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(b)(4)(iii)(A)	1. An alcohol test is administered with alcohol concentration of less than 0.02; or	

COMMENTS

**WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM**

§199.225 Alcohol tests required		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(b)(4)(iii)(B)	2. The start of employee's next regular shift, but not less than 8 hours following determination to test.	Note: Clarification of company policy vs. DOT requirements. Company policy should be identified by using bold and underlined type.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(b)(4)(iv)	Does the plan stipulate that no action be taken by the operator against an employee based solely on employee's behavior and appearance in absence of a DOT alcohol test?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(b)(4)(iv)	Does the plan specify any independent authority imposed by the operator? Return-to-Duty	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(c)	Does the plan specify return-to-duty provisions?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(c)	Does the plan specify prohibited conduct?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(c)	Does the plan specify the employee be administered a return-to-duty alcohol test?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(c)	Does the plan indicate that an employee must have a return-to-duty test with an alcohol concentration below 0.02?	

COMMENTS

WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM

§199.225 Alcohol tests required		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(d)	Follow-Up Tests Does the plan specify follow-up testing provisions to include:	Assistance includes resolving problems associated with alcohol misuse.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(d)(1)	1. Employees requiring assistance shall be subject to follow-up testing.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(d)(1)	2. Employees shall be subject to testing in accordance with SAP determination.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(d)(2)	3. Testing shall be conducted just before the employee is to perform; while an employee is performing; or just after the employee has ceased performing a covered function.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(e)	Retesting Does the operator's plan specify retesting when:	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(e)	1. An employee's alcohol concentration is 0.02 or greater but less than 0.04.	

COMMENTS

**WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM**

§199.225 Alcohol tests required		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.225(e)	2. An employee is to return-to-duty within 8 hours following administration of an alcohol test with an alcohol concentration of 0.02 or greater but less than 0.04.	
§199.227/§40.333 Retention of records		
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227(a)	Does the operator maintain records in a secure location with controlled access?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227(b)	Does the plan require the operator to keep the following records: Records to be kept for 5 years	Do a review of records to verify that the plan is being carried out.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227(b)(1)	1. Employee alcohol tests results with alcohol concentration of 0.02 or greater.	Each employer or its agent shall maintain these records.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227(b)(1)	2. Documentation of employee refusals to submit to required alcohol tests.	Each employer or its agent shall maintain these records.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227(b)(1)	3. Calibration documentation.	Each employer or its agent shall maintain these records.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227(b)(1)	4. Employee evaluations and referrals.	Each employer or its agent shall maintain these records.

COMMENTS

WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM

§199.227/§40.333 Retention of records		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227(b)(1)	5. Alcohol MIS annual report data Records to be kept for 3 years	Each employer or its agent shall maintain these records
<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> N/A §40.333	Information obtained from previous employers under §40.25 concerning drug and alcohol test results of employees. Records to be kept for 2 years	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227(b)(2) / §40.333	1. Collection process records and training documentation. Records to be kept for 1 year	Except calibration of EBT devices
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227(b)(3) / §40.333	1. Records of all test results below 0.02 level. Records related to collection process	As defined by CFR 49 Part 40
<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> N/A §199.227(c)(1)(i)	1. Collection log books (if used).	Each employer or its agent shall maintain these records
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227(c)(1)(ii)	2. Calibration documentation for EBT devices.	Each employer or its agent shall maintain these records
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227(c)(1)(iii)	2. Documents on BAT Training.	Each employer or its agent shall maintain these records
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227(c)(1)(iv)	3. Documents supporting decisions to administer reasonable suspicion tests.	Each employer or its agent shall maintain these records

WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM

COMMENTS

Collection log books are not used. Operator requires pre-employment test. Operators are not solely pipeline operators. Pipeline operation is considered a plant operation. The probability of hiring pipeline personnel is low.

WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM

§199.227 Retention of records		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227©(1)(v)	4. Documents supporting decision to administer post-accident tests.	Must include results of test. Note: Prohibited conduct under pre-duty or on-duty use.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227©(1)(vi)	4. Documents supporting medical explanation of inability to provide a breath for testing.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227©(2)(i)	Records related to results 1. Operator's copy of test form.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227©(2)(ii)	2. Documents of refusal to submit to alcohol tests.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227©(2)(iii)	4. Documents supporting employee's dispute to result of alcohol test.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227©(3)	Records related to other violations of Part 199.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227©(4)(i)	Records related to evaluations 1. Records of determination by SAP concerning covered employee's need for assistance.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227©(4)(ii)	4. Records demonstrating employee's compliance with SAP recommendations.	

COMMENTS

**WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM**

WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM

§199.227 Retention of records		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227©(5)	3. Records demonstrating operator's MIS annual testing data. Records related to education and training	Obtain a copy of operator's policy on alcohol misuse.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227©(6)(i)	1. Alcohol Misuse Awareness materials.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227©(6)(ii)	2. Documents of compliance with requirements of access to facilities and records. 199.231	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227©(6)(iii)	3. Documents on supervisor training for reasonable suspicion determinations.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.227©(6)(iv)	4. Documents certifying training requirements.	
§199.229 Reporting of alcohol testing results		
<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> N/A §199.229(a)/§40.25 and App H	Does the plan specify alcohol testing data to be maintained and reported to RSPA annually?	Note: Large operators must submit the report not later than March 15 each calendar year. Small operators will be randomly selected to report. This data is for the previous calendar year (Jan. 1 – Dec. 31).
<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> N/A §199.229(a))/§40.25 and App H	Does the operator provide documentation that information collected is being maintained?	

COMMENTS

WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM

§199.229 Reporting of alcohol testing results		
COMPLIANCE	CRITERION	GUIDANCE
<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> N/A §199.229(a) / §40.25 and App H	Does the operator provide documentation that “missed” test information is being collected and maintained?	Missed test – a test that is not conducted within 8 hours. “Missed” test information must be submitted to OPS, (when the MIS information is submitted) for 3 years beginning in 1995.
§199.231 Access to facilities and records		
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.231(a)	Does the plan specify procedures regarding the release of employee information?	Records should include alcohol test results.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.231(b)	Does the plan specify release of records pertaining to employee’s use of alcohol?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.231(b)	Does the plan address access to records by employee without payment restrictions?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.231©	Does the plan specify access to records by the Secretary of Transportation, RSPA, or other DOT/State agency representatives?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.231(d)	Does the plan specify release of records including operator’s alcohol testing results to the Secretary of Transportation, RSPA or other DOT/State agency representatives?	

COMMENTS

Operator is considered a small operator.

WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM

§199.231 Access to facilities and records		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.231(d)	Does the plan stipulate the release of name-specific alcohol test results when requested by appropriate officials?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.231(e)/§40.327(b)	Does the plan specify release of records to NTSB as part of an accident investigation?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.231(f)/§40.81(g)	Does the plan address provisions for release of records by operator to subsequent employer?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.231(f)/§40.320	Does the plan specify restrictions on release of records?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.231(g)/§40.323	Does the plan specify release of employee information to the employee, decision makers in a lawsuit, grievance, or other proceeding initiated by or on behalf of the individual?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.231(h) /§40.321(b)	Does the plan address the release of an employee's records upon the specific, written consent of the information to an identified person?	

COMMENTS

**WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM**

§199.233 Removal from covered function		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.233	Does the plan specify provisions on removal from covered functions for violations of alcohol misuse?	Prohibited Conduct - alcohol concentration of 0.04 or greater, actual knowledge of on-duty use, actual knowledge of pre-duty use (4 hours prior to work), use of alcohol resulting in an accident and refusal to submit to an alcohol test.
§199.235 Required evaluation and testing		
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.235	Does the plan address the requirement for a referral or evaluation, following an employee engaging in prohibited conduct?	
§199.237 Other alcohol-related conduct		
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.237	Does the plan specify provisions where an employee has an alcohol concentration of 0.02 or greater but less than 0.04 to perform covered functions until:	Note: A covered employee may not perform or continue to perform covered functions if they have an alcohol concentration of 0.02 or greater. However, this doesn't prohibit an operator from exercising their independent authority.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.237(a)(1)	1. Employee's alcohol concentration is below 0.02, or	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.237(a)(2)	2. The employee's next scheduled tour of duty, or at least 8 hours have elapsed?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.237(b)	Does the plan specify that no action against an employee can be taken solely on a test result of less than 0.04?	

COMMENTS

**WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM**

§199.239 Operator obligation to promulgate a policy on the misuse of alcohol		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.239(a)	Does the plan address educational materials that explain the alcohol requirements?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.239(a)(1)	Does the plan stipulate that a copy of the material is provided to employees prior to the commencement of testing?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.239(a)(2)	Does the operator maintain written documentation to verify notice?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.239(a)(2)	Does the plan specify that materials provided to employees address the following:	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.239(b)(1)	1. Identify of persons to provide answers about operator's materials.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.239(b)(2)	2. A list of covered employee categories.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.239(b)(3)	3. Guidance on period of coverage during work day that an employee is subject to testing provisions.	

COMMENTS

**WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM**

§199.239 Operator obligation to promulgate a policy on the misuse of alcohol		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.239(b)(6)	4. Procedures to be utilized to test for presence of alcohol.	Operators policy related to alcohol possessions, and levels invoked by an operator's independent authority.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.239(b)(8)	5. Explanation of refusals and consequences.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.239(b)(9)	6. Consequences of employee violation of the prohibitions of the plan and removal from performing covered functions.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.239(b)(10)	7. Consequences of testing at 0.02 or greater but less than 0.04	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.239(b)(11)	8. Information on alcohol effects on individual's health, work, and personal life, signs and symptoms of alcohol problems, evaluating and resolving problems, referral to an EAP or management.	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.239(c)	Does the plan discuss optional materials and authority for issuance of such materials?	
§199.241 Training for supervisors		
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.241	Does the plan specify that at least 60 minutes of training for supervisors, who make reasonable suspicion determinations?	

COMMENTS

WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM

§199.241 Training for supervisors		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.241	Does the plan provide such training shall include training on the physical, behavioral, speech and performance indicators of probable alcohol misuse?	
§199.243 Referral, evaluation, and treatment		
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.243(a)	Does the plan provide that employees who engage in prohibited conduct shall be advised of available resources to evaluate and resolve problems associated with alcohol misuse?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.243(a)	Does the plan contain names, addresses, and phone numbers of SAPs, counselors, treatment programs, and third party provider networks?	It is acceptable if the plan provides that the Third Party provider network gives the name and phone number directly to the employee.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.243(b)	Does the plan address that employees who engage in prohibited conduct shall be referred to a SAP for evaluation?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.243(c)(1)	Does the plan specify a return-to-duty test is required when an employee engages in prohibited conduct described in §§199.215 through 199.223.	An employee must have a test result of less than 0.02 before returning to perform covered functions.

COMMENTS

**WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM**

§199.243 Referral, evaluation, and treatment		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.243(c)(2)(i)	Does the plan specify evaluation by SAP to determine that the employee has properly followed any prescribed program?	Drug testing must be determined by the SAP.
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.243(c)(2)(ii)	Does the plan specify that an employee shall be subject to unannounced follow-up testing?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.243(c)(2)(ii)	Does the plan stipulate that a minimum of six tests be conducted within the first 12 months following an employee's return-to-duty test?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.243(c)(2)(ii)	Does the plan specify that follow-up testing may include testing for drugs?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.243(c)(2)(ii)	Does the plan specify that follow-up testing cannot exceed a 60 month period?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.243(c)(2)(ii)	Does the plan specify that the SAP may terminate follow-up testing after completion of the first six tests?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.243(d)	Does the plan specify evaluation and rehabilitation maybe provided by the operator, SAP under contract, or SAP not affiliated with the operator?	

COMMENTS

**WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM**

§199.243 Referral, evaluation, and treatment		
COMPLIANCE	CRITERION	GUIDANCE
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.243(e)	Does the plan specify provisions regarding referral to SAPs and restrictions that may apply?	SAP can't refer an employee to the SAP's private practice, to a person or organization from which the SAP receives remuneration or in which the SAP has financial interests.
§199.245 Contractor employees		
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.245(a)	Does the plan specify that the contractor may carry out alcohol testing, training, and education?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.245(b)	Does the plan stipulate that an operator is responsible for ensuring compliance with the alcohol provisions?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.245(c)	Does the plan specify that the operator, RSPA Administrator, and DOT/State agency representatives have access to property and records?	
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A §199.245(c)	Does the plan have detailed specifications for monitoring contractor's compliance with the requirements of 49 CFR Parts 199 and 40?	

COMMENTS

**WUTC
HEADQUARTERS INSPECTION FORM
ALCOHOL MISUSE PREVENTION PROGRAM**

THIS PAGE INTENTIONALLY LEFT BLANK.