

The PSE Building 10885 N.E. Fourth Street, Suite 700 Bellevue, WA 98004-5579 PHONE: 425.635.1400 FAX: 425.635.2400 www.perkinscoie.com

Sheree Strom Carson PHONE: (425) 635-1422 FAX: (425) 635-2422

EMAIL: SCarson@perkinscoie.com

June 18, 2009

VIA EMAIL AND OVERNIGHT MAIL

David Danner, Executive Director and Secretary Washington Utilities and Transportation Commission 1300 Evergreen Park Drive, SW Olympia, WA 98504

Re: Docket No. UE-090704 and UG-090705:

Dear Mr. Danner:

It has come to our attention that an MS Excel document filed on May 8, 2009 contains some form of corruption that has rendered it not functional. This corrupted file does not affect the paper copy or PDF version of the filed document—the corruption is present only on the MS Excel version of the document. The electronic MS Excel document at issue is:

UE-090704 UG-090705 08. 09GRC Gaines attach 7A PSE 06.17.2009.xls ID: 361992

PSE respectfully requests that the Commission remove the above-referenced MS Excel document and replace it with the attached electronic document, which is fully functional. Please note that because the paper copy of the document was not affected by the issue described above, PSE is not providing a replacement paper copy of the document.

Upon request, we will be pleased to provide the Commission a new CD-ROM containing PSE's initial filing with the document referenced above replaced with the functional version. We will also provide such disk to any party to this proceeding who makes such a request.

Thank you for your consideration. We apologize for any inconvenience this may have caused. If you have any questions, please contact either Sheree Strom Carson at (425) 635-1422 or Donna Barnett at (425) 635-1419.

Very truly yours,

Sheree Strom Carson

In Genson

SSC:cgm Enclosures

07771-0093/LEGAL16389097.1