

**BEFORE THE
WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION**

**In the Matter of the Petition of Qwest
Corporation for Arbitration with Eschelon
Telecom, Inc. Pursuant to 47 U.S.C. Section
252 of the Federal Telecommunications Act of
1996**

Docket No. UT-063061

EXHIBIT DD-27

TO THE

SURREBUTTAL TESTIMONY OF DOUGLAS DENNEY

ON BEHALF OF ESCHELON TELECOM, INC.

APRIL 3, 2007

CUST CLLI	FLOOR	Description	RELAY RACK INFO	CONTIG	DS0 QTY	DS1 QTY	DS1 FS QTY	DS3 QTY	DS3 FS QTY	OCN QTY	DATE WEB POSTED	WEB EXPIRATION DATE	SITE VERIFIED	Previous Quote?
AUBNWA01HG3	1	10ft 0in x 10ft 0in			0	0	0	0	0				No	
AUBNWA01HG9	1	10ft 0in x 10ft 0in			0	0	0	0	0				No	
BLHMWA01HG3	1	2 bays - 0ft 12in x 7ft 0in	0118.03 - .04	Contiguous	0	0	0	0	0	1 x 24			No	
BLLVWA01HG2	1	20ft 0in x 20ft 0in			500	0	0	83	0				No	
BLLVWASHHG6	0	10ft 0in x 10ft 0in			800	0	0	3	0				No	
BLLVWASHHG7	0	10ft 0in x 10ft 0in			0	0	0	0	0				No	
BLLVWASHHGJ	0	10ft 0in x 10ft 0in			1100	28	0	12	0	1 x 12			No	
BLLVWASHHGM	0	14ft 0in x 7ft 2in			1000	0	0	0	0				No	
BLLVWASHHGN	2	10ft 0in x 10ft 0in			0	0	0	4	0				No	
BLLVWASHHGQ	0	3 bays	RR0005.00-.04 (EVEN)	Contiguous	700	20	0	14	0				No	
BMTNWA01HG2	2	10ft 0in x 10ft 0in			400	0	0	0	0				No	
BMTNWA01HG3	2	10ft 0in x 10ft 0in			0	0	0	0	0				No	
BMTNWA01HG7	2	10ft 0in x 10ft 0in			0	0	0	0	0				No	
BMTNWA01HG6	2	4 bays - 0ft 15in x 7ft 0in	0211.00 - .06 (EVEN)	Contiguous	600	56	0	24	0				No	
BNISWA01HG2	1	10ft 0in x 10ft 0in			400	0	0	0	0				No	
CENLWA01HG1	1	10ft 0in x 10ft 0in			0	0	0	0	0				No	
CHHLWA01HG1	1	10ft 0in x 10ft 0in			0	0	0	0	0				No	
CHHLWA01HG2	1	4 bays - 0ft 15in x 11ft 0in	0116.01 - .04	Contiguous	1000	0	0	9	0				No	
COLBWA01HG1	1	12ft 5in x 8ft 0in			0	0	0	0	0				No	

CUST CLLI	FLOOR	Description	RELAY RACK INFO	CONTIG	DS0 QTY	DS1 QTY	DS1 FS QTY	DS3 QTY	DS3 FS QTY	OCN QTY	DATE WEB POSTED	WEB EXPIRATION DATE	SITE VERIFIED	Previous Quote?
DESMWA01HG2	0	10ft 0in x 10ft 0in			1000	14	0	0	0				No	
DESMWA01HG5	0	10ft 0in x 10ft 0in			1100	28	0	24	0	1 x 12			No	
DESMWA01HG6	0	10ft 0in x 10ft 0in			0	0	0	0	0				No	
DESMWA01HG3	1	3 bays - 0ft 15in x 7ft 0in	117.21-.25(ODD)	Contiguous	800	0	0	0	0				No	
ENMCWA01HG1		2 bays			300	28	5	3	1				No	
FDWYWA01HG3	1	3 bays - 0ft 15in x 7ft 0in	124.13-.15(ALL)	Contiguous	400	28	0	3	0				No	
FDWYWA01HG5	1	6 bays			1100	28	0	24	0	1 x 12			No	
ISQHWAEXHG8	1	6 bays			1100	28	0	24	0	1 x 12			No	
KENTWA01HGA		6 bays			1100	28	0	24	0	1 x			No	
KENTWAMEHG2	1	10ft 0in x 10ft 0in			0	0	0	0	0				No	
KENTWAMEHG6	1	10ft 0in x 10ft 0in			1100	28	0	24	0	1 x 12			No	
KENTWAOBHG3	2	10ft 0in x 10ft 0in			0	0	0	0	0				No	
KENTWAOBHG4	2	10ft 0in x 10ft 0in			0	0	0	0	0				No	
KENTWAOBHGF	2	10ft 0in x 10ft 0in			0	28	0	24	0	1 x 12			No	
KENTWAOBHGH	2	10ft 0in x 10ft 0in			1000	0	0	2	0				No	
LGVVWA02HG3	1	10ft 0in x 10ft 0in			700	56	0	12	0				No	
MRISWA01HG2	1	10ft 0in x 10ft 0in			800	14	0	4	0				No	
MRISWA01HG5	1	14ft 0in x 7ft 3in			1100	28	0	24	0	1 x 12			No	
MSLKWA01HG1	1	10ft 0in x 10ft 0in			0	0	0	0	0				No	

CUST CLLI	FLOOR	Description	RELAY RACK INFO	CONTIG	DS0 QTY	DS1 QTY	DS1 FS QTY	DS3 QTY	DS3 FS QTY	OCN QTY	DATE WEB POSTED	WEB EXPIRATION DATE	SITE VERIFIED	Previous Quote?
OLYMWA02HG2	1	10ft 0in x 10ft 0in			0	14	0	4	0				No	
OLYMWA02HG5	1	10ft 0in x 10ft 0in			0	0	0	6	0				No	
OLYMWA02HGA	1	20ft 0in x 10ft 0in			0	0	0	8	0	1 x 48			No	
ORCHWA01HGE	1	10ft 0in x 20ft 0in			1000	84	0	12	0				No	
PASCWA01HG2	0	10ft 0in x 10ft 0in			0	0	0	0	0				No	
PASCWA01HG5	0	1 bays - 0ft 15in x 7ft 0in	10.05	Contiguous	0	28	0	24	0				No	
PTANWA01HG2	0	10ft 0in x 10ft 0in			1000	56	0	12	0				No	
PYLPWA01HG4	1	3 bays - 0ft 15in x 7ft 0in	0198.06 - 0198.08 (ALL)	Contiguous	0	0	0	3	0				No	
PYLPWA01HG7	1	2 bays - 0ft 12in x 7ft 0in	0198.11-.12	Contiguous	700	0	0	2	0				No	
RNTNWA01HG4	3	10ft 0in x 10ft 0in			900	0	0	0	0				No	
RNTNWA01HG5	3	10ft 0in x 10ft 0in			0	0	0	0	0				No	
RNTNWA01HGF	3	10ft 0in x 20ft 0in			0	0	0	0	0				No	
RNTNWA01HGH	3	10ft 0in x 10ft 0in			1100	28	0	0	0	1 x 12			No	
RNTNWA01HGJ	3	10ft 0in x 10ft 0in			600	0	0	0	0				No	
SPKNWA01HGG	3	10ft 0in x 10ft 0in			600	0	0	1	3				No	
SPKNWA01HG4	4	2 bays	RR0420.05-.06(ALL)	Contiguous	400	28	0	6	0				No	
SPKNWA01HG9		1 bays			600	56	0	4	0				No	
SPKNWAFAG2	1	2 bays - ft in x 7ft 0in	RR0129.00-.01(ALL)	Contiguous	400	28	0	0	0				No	
SPKNWAHDHG2	2	10ft 0in x 10ft 0in			900	28	0	3	0				No	

CUST CLLI	FLOOR	Description	RELAY RACK INFO	CONTIG	DS0 QTY	DS1 QTY	DS1 FS QTY	DS3 QTY	DS3 FS QTY	OCN QTY	DATE WEB POSTED	WEB EXPIRATION DATE	SITE VERIFIED	Previous Quote?
SPKNWAHDHG4	0	21ft 9in x 10ft 5in			0	0	0	0	0				No	
SPKNWAHDHG8	0	10ft 0in x 10ft 0in			600	0	0	4	0				No	
SPKNWAHDHG5	0	4 bays	RR0010.0-.05(ALL)	Contiguous	600	56	0	2	0				No	
SPKNWAHDHG6	0	2 bays	RR0011.02-.03(ALL)	Contiguous	200	28	0	3	0				No	
SPKNWAKYHG9	1	10ft 0in x 10ft 0in			600	0	0	4	0				No	
SPKNWAKYHG5	1	4 bays	RR0116.21-.15(ODD)	Contiguous	600	56	0	2	0				No	
SPKNWAKYHG6	1	2 bays - ft in x 7ft 0in	RR0116.32-.34(EVEN)	Contiguous	400	0	0	3	0				No	
SPKNWAKYHG7	1	2 bays	RR0116.23-.25 (ODD)	Contiguous	200	28	0	3	0				No	
SPKNWAWAHG6	0	20ft 5in x 10ft 5in			0	0	0	0	0				No	
SPKNWAWAHGA	0	10ft 0in x 10ft 0in			0	0	0	0	0				No	
SPKNWAWAHG3	0	2 bays	RR0011.09-.10(ALL)	Contiguous	400	28	0	6	0				No	
SPKNWAWHHG6	1	2 bays	RR0104.13-.15(ODD)	Contiguous	400	28	0	3	0				No	
STTLWA01HG8	2	10ft 0in x 10ft 0in			300	0	0	0	0				No	
STTLWA01HGA	2	10ft 0in x 10ft 0in			0	0	0	0	0	1 x 12			No	
STTLWA01hgm	3	10ft 0in x 10ft 0in			0	28	0	24	0	1 x 12			No	
STTLWA01HGP	3	10ft 0in x 10ft 0in			0	0	0	0	0				No	
STTLWA01HGQ	3	10ft 0in x 20ft 0in			0	0	0	0	0				No	
STTLWA01HGR	3	10ft 0in x 10ft 0in			0	0	0	0	0				No	
STTLWA01HGU	3	40ft 0in x 10ft 0in			0	20	0	144	0				No	
STTLWA01HG9		4 bays			200	4	0	1	0				No	
STTLWA03HG4	3	10ft 0in x 10ft 0in			500	28	0	0	0				No	
STTLWA03HG7	3	10ft 0in x 10ft 0in			0	0	0	0	0				No	
STTLWA03HGK	3	10ft 0in x 10ft 0in			0	0	0	0	0				No	

CUST CLLI	FLOOR	Description	RELAY RACK INFO	CONTIG	DS0 QTY	DS1 QTY	DS1 FS QTY	DS3 QTY	DS3 FS QTY	OCN QTY	DATE WEB POSTED	WEB EXPIRATION DATE	SITE VERIFIED	Previous Quote?
STTLWA03HGL	3	10ft 0in x 10ft 0in			1000	0	0	0	0				No	
STTLWA04HG3	1	10ft 0in x 10ft 0in			900	28	0	0	0				No	
STTLWA04HG4	1	10ft 0in x 10ft 0in			0	0	0	0	0				No	
STTLWA04HG6	1	10ft 0in x 20ft 0in			600	8	0	3	0				No	
STTLWA04HGC	1	10ft 0in x 10ft 0in			200	28	0	2	0				No	
STTLWA04HG5		4 bays			200	0	0	1	0				No	
STTLWA05HG8	1	10ft 0in x 10ft 0in			0	0	0	0	0				No	
STTLWA05HGJ	0	10ft 0in x 10ft 0in			1100	28	0	24	0	1 x 12			No	
STTLWA05HGK	0	10ft 0in x 10ft 0in			0	0	0	0	0				No	
STTLWACAHG5	2	10ft 0in x 10ft 0in			600	0	0	0	0				No	
STTLWACAHG7	2	10ft 0in x 10ft 0in			0	0	0	0	0				No	
STTLWACAHG8	2	10ft 0in x 10ft 0in			0	0	0	0	0				No	
STTLWACAHGh	2	10ft 0in x 10ft 0in			1100	56	0	24	0	1 x 12			No	
STTLWACAHGJ	2	10ft 0in x 10ft 0in			1000	28	0	2	0				No	
STTLWACAHGn	2	3 bays - ft 15in x 7ft 0in	0200.16 - .14 ALL	Contiguous	700	0	0	0	0				No	
STTLWACHHG5	3	10ft 0in x 10ft 0in			500	0	0	3	0				No	
STTLWACHHG6	3	10ft 0in x 10ft 0in			0	0	0	1	0				No	
STTLWACHHGC	3	10ft 0in x 20ft 0in			0	0	0	0	0				No	
STTLWACHHGG	3	10ft 0in x 10ft 0in			0	28	0	24	0				No	
STTLWACHHGh	3	10ft 0in x 10ft 0in			0	0	0	2	0				No	
STTLWACHHGJ	2	10ft 0in x 10ft 0in			100	28	0	4	0				No	
STTLWADUHGf	1	4 bays - 0ft 12in x 7ft 0in	112.28 - .34 EVEN	Contiguous	1000	28	0	2	0				No	
STTLWADUHGJ	2	3 bays - 0ft 15in x 12ft 0in	224.15-.16(ALL) & 225.15	Non-Contiguous	700	84	0	14	0	2 x 12			No	

CUST CLLI	FLOOR	Description	RELAY RACK INFO	CONTIG	DS0 QTY	DS1 QTY	DS1 FS QTY	DS3 QTY	DS3 FS QTY	OCN QTY	DATE WEB POSTED	WEB EXPIRATION DATE	SITE VERIFIED	Previous Quote?
STTLWAEHJG	6	10ft 0in x 10ft 0in			1700	0	0	0	0	1 x 12			No	
STTLWAEHGL	6	10ft 0in x 10ft 0in			0	0	0	0	0				No	
STTLWAEHJG9		4 bays			100	0	0	1	0				No	
STTLWALAHG3	1	10ft 0in x 10ft 0in			0	0	0	0	0				No	
STTLWALAHGA	1	10ft 0in x 10ft 0in			2200	28	0	24	0	1 x 12			No	
STTLWALAHG5		4 bays			200	0	0	1	0				No	
STTLWAPAHG1	1	10ft 0in x 10ft 0in			400	0	0	0	0				No	
STTLWAPAHG5	1	10ft 0in x 10ft 0in			1100	28	0	24	0	1 x 12			No	
STTLWAPAHG6	1	20ft 0in x 10ft 0in			3400	84	0	12	0				No	
STTLWASUHG2	1	10ft 0in x 10ft 0in			300	14	0	0	0				No	
STTLWASUHG3	1	10ft 0in x 10ft 0in			0	0	0	3	0				No	
STTLWASUHG4	1	10ft 0in x 10ft 0in			0	0	0	0	0				No	
STTLWAWEHG2	0	10ft 0in x 10ft 0in			400	0	0	0	0				No	
STTLWAWEHG3	0	10ft 0in x 10ft 0in			0	0	0	1	0				No	
STTLWAWEHG4	1	10ft 0in x 10ft 0in			0	0	0	0	0				No	
STTLWAWEHG8	0	10ft 0in x 10ft 0in			1100	28	0	24	0	1 x 12			No	
TACMWAFHJG2	0	10ft 0in x 10ft 0in			400	0	0	0	0				No	
TACMWAFHJGE	0	12ft 0in x 8ft 4in			1000	0	0	0	0				No	
TACMWAFHJGG	0	10ft 0in x 10ft 0in			0	0	0	0	0				No	
TACMWAGFHG1	0	10ft 0in x 10ft 0in			600	0	0	0	0				No	
TACMWAGFHG2	0	10ft 0in x 10ft 0in			0	0	0	0	0				No	

CUST CLLI	FLOOR	Description	RELAY RACK INFO	CONTIG	DS0 QTY	DS1 QTY	DS1 FS QTY	DS3 QTY	DS3 FS QTY	OCN QTY	DATE WEB POSTED	WEB EXPIRATION DATE	SITE VERIFIED	Previous Quote?
TACMWAGFHG5	0	16ft 0in x 12ft 0in			0	0	0	0	0				No	
TACMWAGFHG7	0	10ft 0in x 10ft 0in			0	0	0	0	0				No	
TACMWAJUHG2	0	10ft 0in x 10ft 0in			200	0	0	0	0				No	
TACMWAJUHG3	0	10ft 0in x 10ft 0in			0	0	0	0	0				No	
TACMWAJUhg5	0	10ft 0in x 20ft 0in			0	0	0	0	0				No	
TACMWAJUHG8	0	10ft 0in x 10ft 0in			1000	28	0	2	0				No	
TACMWAJUHG9	0	10ft 0in x 10ft 0in			0	0	0	0	0				No	
TACMWALEHG2	0	10ft 0in x 10ft 0in			0	0	0	0	0				No	
TACMWALEHG5	0	9ft 0in x 11ft 0in			0	0	0	0	0				No	
TACMWALOHG1	1	10ft 0in x 10ft 0in			200	0	0	0	0				No	
TACMWALOHG3	1	10ft 0in x 10ft 0in			0	0	0	0	0				No	
TACMWAWVHG3	1	10ft 0in x 10ft 0in			0	0	0	0	0				No	
TACMWAWVHG4	1	10ft 0in x 10ft 0in			0	0	0	0	0				No	
TACMWAWVHG6	1	20ft 0in x 10ft 0in			0	0	0	0	0				No	
TACMWAWVHG8	1	10ft 0in x 10ft 0in			1100	28	0	24	0	1 x 12			No	
TACMWAWVHGA	1	10ft 0in x 10ft 0in			0	0	0	0	0				No	
VANCWA01HG2	2	10ft 0in x 10ft 0in			600	0	0	0	0				No	
VANCWA01HG4	2	10ft 0in x 10ft 0in			0	0	0	3	0				No	
VANCWA01HG5	2	10ft 0in x 10ft 0in			600	0	0	0	0				No	
VANCWANOHG8	1	3 bays - 0ft 15in x 7ft 0in	0113.08 - .12 EVEN	Contiguous	600	14	0	0	0				No	

