

STATE OF WASHINGTON

WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION

1300 S. Evergreen Park Dr. S.W., P.O. Box 47250 • Olympia, Washington 98504-7250 (360) 664-1160 • TTY (360) 586-8203

April 16, 2010

Terrel Anderson Union Pacific Railroad 9451 Atkinson Street Roseville, CA 95747

RE: TR-100574 - Petition on Behalf of Benton County to Construct a Grade Crossing at Piert Road

Dear Mr. Anderson:

On April 9, 2010, Benton County filed a petition with the Washington Utilities and Transportation Commission (Commission), seeking approval to construct a grade crossing at Piert Road. The Commission assigned Docket No. TR-100574 to this petition.

Please review the enclosed petition and respond by May 6, 2010. Your response options include:

- Support the petition Complete the Respondent's Waiver of Hearing form, which serves as your consent for the Commission to issue an order without further notice or hearing.
- Do not support the petition Reply with your position and include whether you feel a hearing is necessary to resolve the issues or suggest other courses of action, such as further discussion prior to going to hearing.

If you do not respond within 20 days of the date of this letter, we will assume you do not support the petition and will set the matter for hearing. You will be required to attend the hearing and respond to the Commission.

If you have any questions, please contact Kathy Hunter at (360) 664-1257 or khunter@utc.wa.gov.

Sincerely,

David Pratt

Assistant Director, Transportation Safety

Enclosure

cc: Malcolm Bowie, Benton County (without enclosure)



WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION

| |) DOCKET NO. TR-100574 |
|---------------|------------------------------------|
| Benton County |) PETITION TO CONSTRUCT A |
| Petitioner, |) HIGHWAY-RAIL GRADE) CROSSING |
| vs. UPRR | |
| Respondent | |
| |) |

The Petitioner asks the Washington Utilities and Transportation Commission to approve construction of a highway-rail grade crossing.

Section 1 – Petitioner's Information

| Benton County | | | | |
|---|---|----|---|---|
| Petitioner | | ** | | |
| | | | | |
| 610 Market St | | | | |
| Street Address | | | | |
| , | | | | |
| Prosser, WA 99350 | | | | |
| City, State and Zip Code | | | | |
| | | | | • |
| P.O. Box 1001; Prosser, WA 99350 | | | | |
| Mailing Address, if different than the street address | | | | |
| | | - | | |
| Malcolm Bowie, PE | | | | |
| Contact Person Name | | | | |
| | , | | | |
| 509-786-5611 malcolm.bowie@co.benton.wa.us | | | | |
| Contact Phone Number and E-mail Address | | • | | • |
| | 4 | | * | |

Section 2 - Respondent's Information

| Terres Anderson UPRR | |
|--|---|
| Respondent | - |
| 9451 Atkinson St. | |
| Street Address | |
| Roseville CA 95747 | |
| City, State and Zip Code | - |
| Mailing Address, if different than the street address | - |
| Contact Person Name | - |
| Contact I erson wante | |
| Contact Phone Number and E-mail Address | - |
| Section 3 – Proposed Crossing Location | |
| 1. Existing highway/roadway | |
| 2. Existing railroad UPRR Spur | |
| 3. Location of proposed crossing: Located in the SW 1/4 of the NE1/4 of Sec. 23, Twp. 08N, Range 30E W.M. | |
| 4. GPS location, if known 46° 09' 45.49" N, 119° 01' 05.93" W | |
| 5. Railroad mile post (nearest tenth) <u>Unknown</u> | |
| 6. City County Benton | |
| | |

Section 4 - Proposed Crossing Information

| 1. Railroad company UPRR |
|--|
| 2. Type of railroad at crossing ☐ Common Carrier ☐ Logging ☐ Industrial |
| ☐ Passenger ☐ Excursion |
| 3. Type of tracks at crossing |
| 4. Number of tracks at crossing 1 |
| 5. Average daily train traffic, freight1-2 |
| Authorized freight train speed 10 Operated freight train speed 10 |
| 6. Average daily train traffic, passenger0 |
| Authorized passenger train speed Operated passenger train speed |
| 7. Will the proposed crossing eliminate the need for one or more existing crossings? Yes X No |
| 8. If so, state the distance and direction from the proposed crossing. |
| There is an existing public crossing located S 04° 06' 37" E 627 feet from the proposed crossing that will be vacated if the new public crossing is granted. |
| 9. Does the petitioner propose to close any existing crossings? Yes X No |

Section 5 - Temporary Crossing

| 1. Is the crossing proposed to be temporary? Yes NoX |
|---|
| 2. If so, describe the purpose of the crossing and the estimated time it will be needed |
| |
| |
| 3. Will the petitioner remove the crossing at completion of the activity requiring the temporary crossing? Yes No |
| Approximate date of removal |
| |
| Section 6 – Current Highway Traffic Information |
| 1. Name of roadway/highway Piert Road |
| 2. Roadway classification Proposed urban collector |
| 3. Road authority Benton County |
| 4. Average annual daily traffic (AADT) |
| 5. Number of lanes 2 |
| 6. Roadway speed 35 |
| 7. Is the crossing part of an established truck route? Yes No _X |
| 8. If so, trucks are what percent of total daily traffic? |
| 9. Is the crossing part of an established school bus route? Yes No _X |
| 10. If so, how many school buses travel over the crossing each day? |
| 11. Describe any changes to the information in 1 through 7, above, expected within ten years: |
| The route is expected to be designated a truck route with AADT of 400 and a truck percentage of 75% with 2 bus crossings per day. |

Section 7 - Alternatives to the Proposal

| l. Does a saf | er location for a crossing exist within a reasonable distance of the proposed locat Yes No _X |
|---------------------------------------|---|
| 2. If a safer le | cation exists, explain why the crossing should not be located at that site. |
| | |
| <u></u> | |
| | |
| arriers in the | ny hillsides, embankments, buildings, trees, railroad loading platforms or other vicinity which may obstruct a motorist's view of the crossing? No X |
| ♦ Whe♦ How | xists, describe: her petitioner can relocate the crossing to avoid the obstruction and if not, why the barrier can be removed. the petitioner or another party can mitigate the hazard caused by the barrier. |
| | |
| | |
| , | |
| ternative to a | to construct an over-crossing or under-crossing at the proposed location as an at-grade crossing? No X |
| If an over-cr The cost of | ossing or under-crossing is not feasible, explain why. un over-crossing or an under-crossing would be excessive for the amount of |
| traffic invol | red. Costs and delays associated with under/over crossings would result in killing |
| this project. | |
| | |
| | |

| 7. Does the railway line, at any point in the vicinity of the proposed crossing, pass over a fill a or trestle or through a cut where it is feasible to construct an over-crossing or an under-crossin even though it may be necessary to relocate a portion of the roadway to reach that point? Yes No _X_ | rea |
|--|-----|
| 8. If such a location exists, state: The distance and direction from the proposed crossing. The approximate cost of construction. Any reasons that exist to prevent locating the crossing at this site. | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| 9. Is there an existing public or private crossing in the vicinity of the proposed crossing? Yes X No | |
| 10. If a crossing exists, state: ♦ The distance and direction from the proposed crossing. ♦ Whether it is feasible to divert traffic from the proposed to the existing crossing. | · |
| There is an existing public crossing, located S 04° 06' 37" E 627 feet from the proposed crossing, that will be vacated if the new public crossing is granted. | |
| | |

Section 8 - Sight Distance

1. Complete the following table, describing the sight distance for motorists when approaching the tracks from either direction.

a. Approaching the crossing from Last, the proposed/eurrent approach provides an unobstructed view as follows:

(North, South, East, West)

| Direction of sight (left or right) | Number of feet from proposed crossing | Provides an unobstructed view for how many feet |
|------------------------------------|---------------------------------------|---|
| Right | 300 | 2,437 |
| Right | 200 | 2,579 |
| Right | 100 | 2,579 |
| Right | 50 | 2,579 |
| Right | 25 | 2,579 |
| Left | 300 | 2,195 |
| Left | 200 | 2,195 |
| Left | 100 | 2,195 |
| Left | 50 | 2,195 |
| Left | 25 | 2,195 |

b. Approaching the crossing from West, the proposed/current approach provides an unobstructed view as follows: (Opposite direction-North, South, East, West)

| Direction of sight (left or right) | Number of feet from proposed crossing | Provides an unobstructed view for how many feet | | |
|------------------------------------|---------------------------------------|---|--|--|
| Right | 300 | 2,195 | | |
| Right | 200 | 2,195 | | |
| Right | 100 | 2,195 | | |
| Right | 50 | 2,195 | | |
| Right | 25 | 2,195 | | |
| Left | 300 | 2,579 | | |
| Left | 200 | 2,579 | | |
| Left | 100 | 2,579 | | |
| Left | 50 | 2,579 | | |
| Left | 25 | 2,579 | | |

| 2. Will the new cr | ossing pro | vide a | level approach | neasuring | 25 feet from | the cente | er of the |
|--------------------|------------|--------|----------------|-----------|--------------|-----------|-----------|
| railway on both ap | proaches | to the | crossing? | · · | | | |
| Yes | _ No | X | | | | | |

3. If not, state in feet the length of level grade from the center of the railway on both approaches to the crossing. Because the existing tracks are not level, a 300 foot long vertical curve has been designed into the profile to allow the proposed roadway to match the existing tracks.

| 4. Will the new | crossi | ng provide ar | n approach | grade | of not more | than five | percent p | orior to the |
|-----------------|--------|---------------|------------|-------|-------------|-----------|-----------|--------------|
| level grade? | v | *** | | | * | | | * 4 |

Yes X No


| 5. If not, state the percentage of grade prior to the level grade and explain why the grade exceeds |
|--|
| five percent. |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| Section 9 – Illustration of Proposed Crossing Configuration |
| been of troposcu Crossing Configuration |
| |
| Attach a detailed diagram, drawing, map or other illustration showing the following: |
| ♦ The vicinity of the proposed crossing. |
| ◆ Layout of the railway and highway 500 feet adjacent to the crossing in all directions. |
| ♦ Percent of grade. |
| ♦ Obstructions of view as described in Section 7 or identified in Section 8. |
| ♦ Traffic control layout showing the location of the existing and proposed signage. |
| · · · · · · · · · · · · · · · · · · · |
| |
| |
| Section 10 – Proposed Warning Signals or Devices |
| |
| 1. Evaluin in detail the number and time of outsmatic gionals or other warning decided and |
| Explain in detail the number and type of automatic signals or other warning devices planned at the proposed crossing, including a cost estimate for each. |
| me proposed crossing, merading a cost estimate for each. |
| The volume of traffic (400 AADT on Piert Road & 1 shuttle car per day on the rails). the speed |
| of the traffic (Vehicular traffic limited to 35 MPH and rail traffic limited to 10 MPH) and the |
| concentrated to 35 Mir if and rail trained to 10 Mir if and the constructed sight distance at the crossing all combine to indicate two crossbucks should be |
| sufficient warning devices. The cost should be less then \$5,000. |
| The contained the line of the state of the s |
| Benton County will also install advance warning signs and pavement markings on the |
| oadway surface. |
| |
| 2. Provide an estimate for maintaining the signals for 12 months. \$0 |
| The state of the s |
| 3. Is the petitioner prepared to pay to the respondent railroad company its share of installing the |
| warning devices as provided by law? |
| Yes X No |
| |
| |
| |

Section 11 - Additional Information


| Provide any additional in public benefits that would | nformation suppor d be derived from | ting the propose constructing a | sal, including into new crossing a | formation such as the s proposed. | | |
|---|--|---------------------------------|------------------------------------|-----------------------------------|--|--|
| The proposed alignment was chosen from 15 alternative alignments based on the directness of the route, the compatibility with planned industrial development for the area, the impacts to neighborhoods, the input received at public meetings, the impacts to the environment and the overall cost associated with each alternative. The proposed roadway will serve as an urban collector to provide direct access for the Finley industrial area to SR-397 and I-82 (via SR-397). Over 300 acres of prime heavy industrial land will be opened up to future development with the extension of Piert Road. | | | | | | |
| | | | | | | |
| | • | | | | | |
| | | | | | | |
| | | | • | | | |
| | · | | | | | |
| | | | | • | | |

Section 12 - Waiver of Hearing by Respondent

| Waiver of Hearing | | | |
|--|--|--------------------|--------------------|
| The undersigned represents trailroad grade crossing. | he Respondent in the petition to | construct or recon | struct a highway- |
| conditions are the same as de | nditions at the proposed or existing scribed by the Petitioner in this of consent to a decision by the cor | docket. We agree | that a crossing be |
| Dated at | , Washington, on the | day of | |
| | | | , . |
| | - | | • |
| | | | |
| | District Assess CD - 1 | | |
| | Printed name of Respondent | • | |
| | | | |
| · | | | |
| | Signature of Respondent's Repr | esentative | |
| | | | |
| | | | |
| | Title | | |
| • | | | |
| | Phone number and e-mail addre | | - |
| | I none number and e-man addres | · · · | |
| | | | |
| | | | - |
| | ; · | | |
| | Mailing address | <u> </u> | |
| | | | |



VICINITY MAP



TERMINATION OF NONSIGNIFICANCE

Description of proposal: The project will begin at the intersection of Piert Road and SR 397 and run prthwest approximately 1.6 miles. The proposed work includes designing and reconstructing a portion of Piert and Lechelt Roads, and all new construction and alignment between Lechelt and Bowles Roads. All will be constructed to all-weather standards. The roadway cross section will consist of two 12-foot travel lanes, 6-foot paved shoulders and a walkway on the west wise.

Proponent

Benton County Dept. of Public Works

P O Box 1001

Prosser, WA 99350

Benton-Franklin Dist. Health Department -Kennewick*

Department of Transportation*

Corps of Engineers*

Washington State Department of Health*

Department of Ecology - Olympia* Yakima*

File No. EA 00-33

Columbia Irrigation District*

Burlington Northern Sante Fe RR*

Port of Kennewick*

Benton County PUD*

Location of proposal: The project site is located in the Northeast Quarter of Section 26, Township 8 North, Range 30 East and the East Half of Section 23, Township 8 North, Range 30 East, W.M.

| · | · · · · · · · · · · · · · · · · · · · |
|--|--|
| Lead agency BENTON COUNTY The lead agency for this proposal has determined adverse impact on the environment. An environmental imp 43.21C.030(2)(c). This decision was made after review other information on file with the lead agency. This information | act statement (EIS) is not required under RCW of a completed environmental checklist and |
| There is no comment period for this DNS. This mitigated determination of nonsignificance is is mitigation measurers which will eliminate significant | |
| This DNS is issued under 197-11-340(2); the lead a from the date below. Comments must be submitted by Au | |
| Responsible Official TERRY A. MARDEN, Director Benton County Planning & Bu Post Office Box 910 PHON Prosser, WA 99359-0910 (Date July 26, 2000 Signature | IE: (509) 786-5612 |
| You may appeal this determination to TERRY A. M. 99350, no later thanYou should be prepared to make specific factual ob- | by Written notice. |
| read or ask about the procedures for SEPA appeals. [X] There is no agency appeal. | njections. Contact the planning department to |
| DISTRIBUTION: | |
| Applicant | Yakima Indian Nation* |
| News Media (Encl. map or plot plan) | Fire District No. 1* |
| Benton County Building Office | Benton County Fire Marshal* |
| Department of Natural Resources - Sheryl Beck* | Finley School District* |
| Department of Natural Resources - David Dietzman * | Dept. Fish and Wildlife* |
| Benton Clean Air Authority* | Dept. of Reclamation* |

Steven W. Becken Public Works Manager

Malcolm Bowie, P.E. County Engineer

Benton County

Department of Public Works

Post Office Box 1001 - Courthouse Prosser, Washington 99350-0954 Area Code 509
Prosser 786-5611
Tri-Cities 736-3084
Ext. 5664
Fax 786-5627

April 09, 2010

Kathy Hunter
Deputy Assistant Director
Washington State Utility Transportation Commission
1300 S. Evergreen Park Dr. SW
P.O. box 47250
Olympia WA 98504-7250

Dear Kathy

Benton County is submitting as part of this package four new public crossing petitions and one public crossing closure petition. We have also provided a map to put the big picture into perspective for the commission and staff.

The Piert Road Extension is a selected project of the STIP with secured funding through the States Transportation Improvement Board. This project will provide direct access to the Finley industrial area. Finley is an unincorporated area southeast of Kennewick . The Benton county Comprehensive Land Use Plan designates over 1000 acres as industrial in this area. The Piert Road project will provide over 300 acres of this undeveloped heavy industrial land with direct road access.

This project will serve local Industries Columbia Colstor Inc. and Agrium Inc. These companies are presently served by the multimodal transportation facilities available in the Finley area moving 5 to 6 million tons of product per day in and out of these facilities.

The Finley area is uniquely served by multimodal forms of transportation, including several existing barge slips. One of the unused barge slips in the area is equipped with three dolphins. This existing barge slip is available for lease from the owner and, contingent upon permitting, is available for barge transport on the Columbia River corridor.

This project is the logical planned extension of SR 397 from I-82 and will provide a direct truck route to I-82 from the industrial area

The reason Benton County is petitioning the Utility Transportation Commission is to get permission to create 4 public at grade crossings for the rail spurs that serve this site, as part of this transportation improvement. Benton County will eliminate 4 private crossing and 1 public crossings as part of this project.

Majcolm Bowie P.E

