



Full Bore Inc.
1546 NW 56th St.
Seattle, WA. 98107

July 31, 2017

RE: Invoice #8284 for \$13,240.92 for Damage to Underground Sewage Facility

To whom it may concern,

This letter is to bring to your attention that Full Bore Inc., is not responsible for the damages to the sewer drain located in 30th Drive SE, Everett, WA on the date of February 2, 2017.

Picture #1 attached: You will see that the area that needed to be excavated was not marked in green for sewer drain (note time and date stamp on bottom right corner).

Picture #2 attached: Second picture attached you will see that the area was marked 45 minutes later with the green marks (note time and date stamp on bottom right corner).

Picture #3 attached: Last picture, your will see that the area was excavated, but not by Full Bore. Our completion date for this job ended on February 10, 2017 (refer to drop form / ticket for completion date highlighted).

Lastly, If you look at the drop form, it clearly states we didn't cut the area (refer to checked and highlighted 'NEEDS CUT OVER'). The next highlighted portion of the ticket provides proof that we never continue with the work due to not able to locate the conduit. The work was completed to the best of our ability due to lack of markings.

If there are any further questions or need further information, please contact me at 425-322-8032.


Sincerely,

A handwritten signature in black ink, appearing to be "Cesar Lara", written over a horizontal line.

Cesar Lara
President

Case 17-026

04.17.2017 09:39





04.17.2017 10:15

04/17/2017 11:59



69

OBAMA

M



**NEED
APPROVAL FOR
23 6.A AND 36 FT
2.E**

23 FT 6.A

36 FT 2.E

Washington One Call

Ticket No: 16385166
 2 FULL BUSINESS DAYS
Updated by: 17028477
Original Call Date: 12/03/16 12:58 pm
Work to Begin Date: 12/08/16 12:00 am

CALLER INFORMATION

Company Name: FULL BORE INC
Contact Name: GUADALUPE PANIAGUA
Phone: 425-322-4284
Alt. Contact: MARLEN LEON
Phone: 425-322-4284

Fax Phone: 425-322-4512
Caller Address: 1546 NW 56TH ST SEATTLE,WA 98107
Email Address: INFO@FULLBORETRENCHLESS.COM

DIG SITE INFORMATION

Type of Work: INSTALL CATV SERVICE
Work Being Done For: COMCAST

DIG SITE LOCATION

State: WA
County: SNOHOMISH
Place: EVERETT
Address: 11006
Street: 30TH DR SE
Intersecting Street:
Location of Work: LOCATE THE SE SIDE OF THE ABOVE ADDRESS THEN GO 23 FT SE TO CARSON THEN GO 36 FT E ACROSS 30 DR SE THEN GO 6 FT N THEN GO 15 FT E TO POLE

Remarks: JT# 227777
 AREA MARKED IN WHITE
Map Coord NW Lat: 47.8983238
Lon: -122.1929497
SE Lat: 47.8975733
Lon: -122.1914391

MEMBERS NOTIFIED

District	Company Name	Marking Concerns	Customer Service	Repair
CC7721	COMCAST CABLE	800-778-9140	800-266-2278	888-824-8289

Washington One Call

Ticket No: 17028477
2 FULL BUSINESS DAYS
Update of: 16385166
Original Call Date: 02/02/17 12:40 pm
Work to Begin Date: 02/07/17 12:00 am

CALLER INFORMATION

Company Name: FULL BORE INC
Contact Name: JUAN LUNA
Phone: 425-322-4284
Alt. Contact: MARLEN LEON
Phone: 425-322-4284

Fax Phone: 425-322-4512
Caller Address: 1546 NW 56TH ST SEATTLE, WA 98107
Email Address: info@fullboretrenchless.com

DIG SITE INFORMATION

Type of Work: INSTALL CATV SERVICE
Work Being Done For: COMCAST

DIG SITE LOCATION

State: WA
County: SNOHOMISH
Place: EVERETT
Address: 11006
Street: 30TH DR SE
Intersecting Street:
Location of Work: LOCATE THE SE SIDE OF THE ABOVE ADDRESS THEN GO 23 FT SE TO CARSON THEN GO 36 FT E ACROSS 30 DR SE THEN GO 6 FT N THEN GO 15 FT E TO POLE

JT# 227777
AREA MARKED IN WHITE

Remarks:
Map Coord NW Lat: 47.8982661
Lon: -122.1927608
SE Lat: 47.8974858
Lon: -122.1918005

MEMBERS NOTIFIED

District	Company Name	Marking Concerns	Customer Service	Repair
CC7721	COMCAST CABLE	800-778-9140	800-266-2278	888-824-8289

Comcast 31227777 CSG Locate#: 378203 CSG Drop Buryll: _____ Date 11/28/16 Node: SV06 Bury Drop Form

Customer Name: SOLANGE AUSTIN Phone#: 206-306-4340

Address: 11006 30 DR SE City: EVERETT Zip: 98208 Cross Street: _____

Service Effecting Out of Service Pending Install Temped Tech#: 8002 Tech Cell: 425-754-4379

Priority Level: 1-Commercial 2-New Cust /Svc Drop Impaired /Can't Temp 3-Svc Drop Impaired / Can'Temp

Type of Bury:	STH Footage	ROW Footage	Permit Required: Y <input type="checkbox"/> N <input type="checkbox"/>	Back Yard Easement: Y <input type="checkbox"/> N <input type="checkbox"/>
Sidewalk Bore			Planting Strip: Y <input type="checkbox"/> N <input type="checkbox"/>	Sprinkler System: Y <input type="checkbox"/> N <input type="checkbox"/>
Driveway Bore			Sidewalk: Y <input type="checkbox"/> N <input type="checkbox"/>	Septic Field: Y <input type="checkbox"/> N <input type="checkbox"/>
Landscape Bore			Road Edge: Y <input type="checkbox"/> N <input type="checkbox"/>	Drain Pipe: Y <input type="checkbox"/> N <input type="checkbox"/>
Road Bore			Curb: Y <input type="checkbox"/> N <input type="checkbox"/>	Private Water: Y <input type="checkbox"/> N <input type="checkbox"/>
Soft Surface			Hard Surface Total:	Private Wiring: Y <input type="checkbox"/> N <input type="checkbox"/>
	Total: <u>0'</u>	Total: <u>0'</u>	Total Bury: <u>0'</u>	What Kind?

Customer Home For Bury: Y N Call Customer First: Y N Best # For Customer: SAME

Comments: PLEASE PROOF + Pull R/G to 3/4" C/C FROM PED TO CARSON. NEIGH BOR AT 11010 IS IN 3/4" CONDUIT AT PED BUT I CANNOT LOCATE CARSON

CUSTOMER CONTACTED AND REVIEWED ROUTING OF NEW DROP Y NOT HOME, LEFT DOOR TAG Y


Being the owner of the above property, I hereby give my permission to Comcast, or their duly authorized representative to bury a service line on my property. Property Owner's Signature: _____

Legend

TV - <input checked="" type="checkbox"/>	Existing Carson - <input type="checkbox"/>	Place Carson - <input type="checkbox"/>	Sewer - <input type="checkbox"/>	Pole - <input type="checkbox"/>	Phone - <input type="checkbox"/>	Street Light - <input type="checkbox"/>
Power - <input checked="" type="checkbox"/>	Catch Basin - <input type="checkbox"/>	Gas - <input type="checkbox"/>	Frontier - <input type="checkbox"/>	Fire Hydrant - <input type="checkbox"/>	Water/Irrigation - <input type="checkbox"/>	Mail Box - <input type="checkbox"/>

Show Center Line to: Curb, Sidewalk, Ped, ETC. Show Sensitive Area's: Wetlands, Creeks, Bar Ditch, High Point, Low Point, ETC

ITEMS	EST QTY	ACT QTY	ITEMS	EST QTY	ACT QTY	MATLS	EST QTY	ACT QTY	MATLS	EST QTY	ACT QTY
9.8	1					2" PIPE			R6-L6		
9.6	1					2" END			R6-11		
6.12	1					2" ELBOW					
						3/4" PIPE					
						3/4" END					
						9" FLUSH					



(Approved)
23 FT STH
57 FT ROW

EST # 4099



DROP FORM

Completion Date	2/10/17	
Crew Names:	Time In	Time Out
DAVID		
RAFAEL		
Locate #	DUE DATE	
17028477	2/7	

PRIN COUNTY Blanket CITY

3100 PRIVATE PER _____

Job Tracking # 227777 Address 11006 30TH DR SE City EVERETT

Flaggers: YES NO

Private Locates: YES NO PVT LOCS DUE BY:

ROW STH

TYPE OF CABLE: R96

TRENCH	<u>25</u>	<u>25</u>
D/W BORE		
S/W BORE	<u>6</u>	
L/S BORE		
ROAD BORE	<u>30</u>	
DIRECTIONAL		
TOTALS		

CUT OVER

NEEDS CUT OVER

REASON:

NEW SERVICE POLE NO TAP PORTS NO TAGS/#'S

Other: _____

Gravel _____ Yards


Asphalt _____ Bags

Dumping _____ Yards

Pass Through Invoices:

Instructions:

ASBUILT MAP



RECEIVED

WEDNESDAY 11/30/2016

office

From: Marlen Leon<admin@fullboretrenchless.com>
Sent: Thursday, February 2, 2017 1:57 PM
To: Full Bore; 'Amelie Sparks'; office
Cc: 'UGservices'
Subject: RE: NEEDS APPROVAL JT 227777
Attachments: image006.png; image001.png; image005.png; image004.png

Good afternoon,

I spoke to the customer to let her know we will be out to her property on 2/7/2017. She was very happy that we responded her with an exact date.

Please let me know if you have any questions.

Thank you,

Marlen Leon

Administrative Assistant
(425) 322-4284



From: Marlen Leon [<mailto:admin@fullboretrenchless.com>]
Sent: Thursday, February 02, 2017 12:42 PM
To: 'JUAN LUNA' <office@fullboretrenchless.com>; 'Amelie Sparks' <ASparks@pioneer-cable.net>; fb@fullboretrenchless.com
Cc: 'UGservices' <UGservices@pioneer-cable.net>
Subject: RE: NEEDS APPROVAL JT 227777

Please excuse the confusion but this will not be able to go out until 2/7/17 due to locates needing to be update and they are due on 2/7.

Thank you,

Marlen Leon

Administrative Assistant
(425) 322-4284



This is approved. Can you have them get this done asap please. Customer has been waiting 2 months so they could get install and they are refusing a temp because of the neighbor.

Vicki Burns
Technician 3
Construction
425-263-5461

From: Amelie Sparks [<mailto:ASparks@pioneer-cable.net>]
Sent: Thursday, February 02, 2017 12:03 PM
To: Burns, Vicki <Vicki_Burns2@cable.comcast.com>
Cc: UGservices <UGservices@pioneer-cable.net>
Subject: FW: NEEDS APPROVAL JT 227777

Sorry about that, I just received an additional photo.

Thank you,

Amelie Sparks

From: Amelie Sparks
Sent: Thursday, February 02, 2017 12:01 PM
To: VICKI_BURNS2@comcast.com
Cc: UGservices
Subject: FW: NEEDS APPROVAL JT 227777

Good Afternoon,

Please review Full Bore's request due to a failed proof and pull.

Thank you,

Amelie Sparks
Administrative Assistant
asparks@pioneer-cable.com
425-903-4618



From: JUAN LUNA [<mailto:office@fullboretrenchless.com>]
Sent: Thursday, February 02, 2017 11:53 AM
To: UGservices
Cc: fb@fullboretrenchless.com
Subject: NEEDS APPROVAL JT 227777

GOOD MORNING,

I NEED AN APPROVAL FOR JT **227777**

23FT 6.A

Administrative Assistant

From: Marlen Leon <admin@fullboretrenchless.com>
Sent: Tuesday, February 7, 2017 4:31 PM
To: Amanda James; Full Bore
Cc: UGservices
Subject: RE: updates 3100

Please see notes below.

Thank you,

Marlen Leon

Administrative Assistant
(425) 322-4284



From: Amanda James [<mailto:AJames@pioneer-cable.net>]
Sent: Wednesday, February 01, 2017 2:48 PM
To: fb@fullboretrenchless.com
Cc: UGservices <UGservices@pioneer-cable.net>
Subject: updates 3100

Please provide updates for the following jobs:

227777- This job was supposed to go out today but due to the weather it didn't. I called customer to let her know we will schedule this for Friday 2/10 if the weather is good we will go out to complete the job.

229396- We are waiting on the permit for this job

230564- We will be sending an approval for this job due to the customer wanting to change the route

231049- This job was completed on 2/2

231063- It's an Everett ROW permit that we are still waiting for to be approved

231657- Just received the approved permit yesterday this will be going out by the end of next week

231697- This job will be out by the end of next week.

231699- This customer wants a written agreement from Full Bore that we will not damage any of his property and this is something we do not do. Omar has spoken with Joseph in regards to these agreements that customers are asking from us.

231624- This job was completed on 2/2



CERTIFIED COPY

June 2, 2017

Omar Lara
Full Bore, Inc.
1546 NW 56th St.
Seattle, WA 98107

Re: Invoice #8284 for \$13,240.92 for Damage to Underground Sewage Facility

Dear Mr. Lara:

Silver Lake Water & Sewer District (District) received a request on February 2, 2017 (Ticket No. 17028477) to locate any underground facilities it had in the area where Full Bore, Inc. intended to install a CATV service on behalf of Comcast on or about February 7, 2017. The District then marked its 8" concrete sewer main and side sewer laterals, water mains and services, located in 30th Drive SE, Everett, Washington, in compliance with the requirements of Chapter 19.122 RCW.

On Saturday, April 15, 2017, the District was notified by a customer residing at 11009 30th Drive SE that sewage was surfacing behind the curb in the homeowner's front yard. The District immediately investigated the report and determined that sewage was surfacing from the ground on both sides of 30th Drive, and that sewage was backed up in the sewage main located in the right-of-way in 30th Drive SE and was approximately five feet deep in a manhole at the end of 30th Drive SE as depicted on as-built sewer design enclosed. District staff were unable to unplug the sewer main and immediate action was undertaken to prevent the manhole from over-flowing with sewage. At that time District staff observed sewage surfacing from the ground on both sides of 30th Drive SE.

While District staff were at the site, a homeowner advised that a contractor had bored across 30th Drive SE in February, 2017, in the area of the sewage, and had experienced considerable difficulty with the bore job, taking approximately twelve hours to complete the bore.

On Sunday, April 16, the District undertook further action to prevent the manhole from overflowing and emergency locates were called in at the site so that exploratory work could be performed to determine the reason for the sewer main back-up.

On Monday, April 17, 2017, work was undertaken to video inspect the sewer main which identified a section of the sewer main which had collapsed. The site was located approximately 100' south of intersection manhole and marked as 6.5 feet deep. Equipment was then brought to the site to excavate and repair the damaged sewer main. However, upon commencing excavation, an unmarked 2" PVC pipe installed at a depth of 8" under the asphalt was encountered and worked stopped. When excavation resumed, the broken sewer main was exposed and it was determined

the sewer main had a hole running through it. A bore hole was observed on each side of the broken pipe, in alignment with the 2" PVC installed crossing the road in that area. The sewer main break and hole are located directly below the unmarked 2" PVC pipe. Comcast then came to the site and the PVC pipe was repaired. Representatives from Full Bore were also contacted and came to the site. While on-site, District staff showed the Full Bore representative where the sewage was surfacing on both sides of 30th Drive SE where Full Bore had undertaken its boring activities. It is clear the sewage from the broken sewer main surfaced through the boring undertaken by Full Bore. See the attached photos which show the boring channel, the bore hole through the District sewer main, and the catastrophic damage to the sewer main. The District then repaired the broken sewer main and sewer service to the area was restored.

It is clear that Full Bore damaged the District sewer main through its boring activities in the area in February, 2017. Full Bore no doubt experienced difficulties in boring through the District's sewer main, extricating the boring tool from the sewer main, and then attempting to insert the 2" PVC for the CATV service through the sewer main. After many hours (12, as reported by witnesses), your crew then ceased attempting to install the PVC pipe at the deeper bore and simply bored under the asphalt at an 8" depth. However, your personnel failed to notify the call service that they had encountered an underground facility, and certainly did not contact the District despite the District's markings locating the District sewer main. These actions are actionable under applicable civil remedies for the damages that Full Bore inflicted on the District sewer main, as well as under the provisions of Chapter 19.122 RCW. However, it is fortunate the District through its immediate actions prevented a significant sewage overflow and environmental degradation.

The District incurred fees, costs and expenses to identify and fix the damage to its sewer main inflicted by Full Bore in the amount of **\$13,240.92** (see the attached invoice). Full Bore by law is responsible to pay to and reimburse the District for those damages. Please pay and reimburse to the District that amount within twenty days of the date of this letter to avoid the need for further proceedings.

Please call me if you have any questions or would like to discuss this matter further at 425-337-3647. Otherwise, please give this matter your immediate attention.

Sincerely,



Curt Brees
General Manager

Enclosures: May 10, 2017 Letter, Invoice #8284

Cc: May 10, 2017 Letter
John W. Milne, District Attorney
KLCOMPUTAX Inc., Registered Agent for Full Bore
Rod Youngren, Comcast

Invoice



Silver Lake Water & Sewer District

PO BOX 13888
MILL CREEK WA 98082-1888
425-337-3647

Date Invoice #
5/9/2017 8284

Bill To:

Full Bore, Inc.
Omar Lara
1546 NW 56th St
Seattle, WA 98107

P.O. No. Terms Project
Due upon receipt 11009 30th Dr SE

Description	Qty	Rate	Amount
Compensation To Silver Lake Water & Sewer District For Damages To Underground Sewage Facility.		13,240.92	13,240.92

Please include the invoice number on your check.

15205 41st Ave SE
Bothell, WA 98012-6114
P. 425.337.3647 F. 425.337.4399
Email service@slwsd.com web www.slwsd.com

Subtotal	\$13,240.92
Sales Tax (8.9%)	\$0.00
Total	\$13,240.92
Payments/Credits	\$0.00
Balance Due	\$13,240.92