Create summary bills
Establish input and output requirements
Create and distribute USW and Northwest contact lists
Identify client hours and holidays

(A)2. DEFINITIONS

- (A)2.1 "Access Service Request" or "ASR" means the industry standard forms and supporting documentation used for ordering Access Services and Local Interconnection Service.
- (A)2.2 "Access Services" refers to the Tariffed interstate and intrastate switched access and private line transport services offered for the origination and/or termination of interexchange traffic, including phone to phone voice interexchange traffic that is transmitted over a carriers' packet switched network using protocols such as TCP/IP (see each Party's appropriate state and interstate access Tariffs).
- (A)2.3 "Act" means the Communications Act of 1934 (47 U.S.C. 151 et. seq.), as amended by the Telecommunications Act of 1996, and as from time to time interpreted in the duly authorized rules and regulations of the FCC or a Commission within its state of jurisdiction.
- (A)2.4 "Automatic Number Identification" or "ANI" means a Feature Group D signaling parameter which refers to the number transmitted through a network identifying the billing number of the calling party.
- (A)2.5 "Basic Exchange Features" are optional end user switched services that include, but are not necessarily limited to: Automatic Call Back; Call Trace; Caller ID and Related Blocking Features; Distinctive Ringing/Call Waiting; Selective Call Forward; and Selective Call Rejection.
- (A)2.6 "Basic Exchange Telecommunications Service" means a service offered to end users which provides the end user with a telephonic connection to, and a unique local telephone number address on, the public switched telecommunications network, and which enables such end user to generally place calls to, or receive calls from, other stations on the public switched telecommunications network. Basic residence and business line services are Basic Exchange Telecommunications Services. As used solely in the context of this statement and unless otherwise agreed, Basic Exchange Telecommunications Service includes access to ancillary services such as 911, directory assistance and operator services.
- (A)2.7 "Bona Fide Request" or "BFR" means a request for a new interconnection or unbundled element not already available in this Agreement for the provision of local telecommunications services.
- (A)2.8 Busy Line Verify/Busy Line Interrupt or "BLV/BLI Traffic" means an operator service call in which the caller inquires as to the busy status of or requests an

- (A)2.37 "Point of Interface", "Point of Interconnection", or "POI" is a point of demarcation where the exchange of traffic between two LECs (including a LEC and a Co-Provider) takes place.
- (A)2.38 "Port" means an access point on a central office switch but does not include switch features.
- (A)2.39 "Rate Center" means the specific geographic point and its corresponding geographic area, (associated with one or more specific NPA-NXX codes and various Wire Centers), being used for billing and measuring Basic Exchange Telecommunications Service. For example, a Rate Center will normally include several Wire Centers within its geographic area, with each Wire Center having one or more NPA-NXXs.
- (A)2.40 "Rate Center Area" is the geographic area within which basic exchange services are provided for NPA-NXX designations associated with a particular Rate Center.
- (A)2.41 "Reseller" is a category of local exchange service provider that obtains dial tone and associated Telecommunications Services from another provider through the purchase of finished services for resale to its end users.
- (A)2.42 "Service Control Point" or "SCP" means a signaling end point that acts as a database to provide information to another signaling end point (i.e., Service Switching Point or another SCP) for processing or routing certain types of network calls. A query/response mechanism is typically used in communicating with a SCP.
- (A)2.43 "Signaling Transfer Point" or "STP" means a signaling point that performs message routing functions and provides information for the routing of messages between signaling end points. A STP transmits, receives and processes Common Channel Signaling ("CCS") messages.
- (A)2.44 "Switched Access Service" means the offering of transmission and switching services to Interexchange Carriers for the purpose of the origination or termination of telephone toll service. Switched Access Services include: Feature Group A, Feature Group B, Feature Group D, 8XX access, and 900 access and their successors or similar Switched Access services. Switched Access traffic, as specifically defined in USW's state and interstate Switched Access Tariffs, is traffic that originates at one of the Party's end users and terminates at an IXC point of presence, or originates at an IXC point of presence and terminates at one of the Party's end users, whether or not the traffic transits the other Party's network.
- (A)2.45 "Tariff' as used throughout this Agreement refers to USW interstate Tariffs and state Tariffs, price lists, price schedules and catalogs.
- (A)2.46 "Telecommunications Carrier" means any provider of Telecommunications Services, except that such term does not include aggregators of Telecommunications Services (as defined in Section 226 of the Act). A

Rates, terms and conditions for ordering and billing Private Line Transport Services are found in the state and interstate Private Line catalogs and Tariffs.

The Hub Location POI cannot be used to pick up/connect to UNEs.

(C)2. Reciprocal Traffic Exchange

(C)2.1 Description

- (C)2.1.1 Reciprocal traffic exchange addresses the exchange of traffic between Northwest's network and USW's network. If such traffic is Exchange Service (EAS/Local), the provisions of this Agreement shall apply. Where either Party acts as an Exchange Access (IntraLATA Toll) provider, each Party shall bill the other symmetrical rates using USW's Tariffed Switched Access rates as a surrogate. Where either Party interconnects and delivers traffic to the other from third parties, each Party shall bill such third parties the appropriate charges pursuant to its respective Tariffs or contractual offerings for such third party terminations. Absent a separately negotiated agreement to the contrary, the Parties will directly exchange traffic between their respective networks without the use of third party transit providers.
- (C)2.1.2 The traffic types to be exchanged under this Agreement include:
 - (C)2.1.2.1 Exchange Service (EAS/Local) traffic as defined in this Agreement.
 - (C)2.1.2.2 Exchange Access (IntraLATA Toll) traffic as defined in this Agreement.
 - (C)2.1.2.3 Jointly Provided Switched Access (InterLATA and IntraLATA presubscribed/dial around) traffic as defined in Access Tariffs and referenced in this Section.
 - (C)2.1.2.4 Transit traffic is any traffic that originates from one Telecommunications Carrier's network, transits another Telecommunications Carrier's network, and terminates to yet another Telecommunications Carrier's network. For the purposes of this Agreement, transit traffic does not include traffic carried by Interexchange Carriers. That traffic is defined as Jointly Provided Switched Access.

Transit service is provided by USW, as a local and access tandem provider, to Northwest to enable the

		propriate w. For cos			[EAS / Local 1 Reciprocal Comp					
	anges	, leave bla	ank:				Election	<u> </u>			Notes	
19	Rene	gotiation		e a die di anne ann			State Ordered	Rates		200000000	Notes	
		[4][4]										
				kiyildililii								
			·特特特制等	Hanishian	manan a	Para para mantana mana mana mana mana mana mana	Wholesale		Wholesale		200 1127	
PCE	esale						Discount		Discount			ĺ
1							Percentage		Percentage			L_
6.			e Discount R	ates			 		50.00%	- , 1		\vdash
\perp		6.1.1	General	· 4 DI			14.74% 7.97%		50.00% 50.00%	- ^ 		
		6.1.2 6.1.3		s Line (PAL) S	ctory Assistance		14.74%		50.00%	A		
ــــــــــــــــــــــــــــــــــــــ		0.1.5	It don't record	S LING (, L) S							\Box	匚
6.			r Transfer Ch				 			\longrightarrow		⊢
+-		6,2.1	CTC for POT				-}					┝
╁				Residential / Bu 6.2.1.1.1	First Line		 					
+				<u> </u>	6.2.1.1.1.1	Installation, Manual			\$21.24			\Box
			Ĺ		6.2.1.1.1.2	Intentionally Left Blank						١.,
Ŧ			─ ──		6.2.1.1.1.3	Installation, Mechanized			\$5.82			!
-				6.2.1.1.2	Each Additions 6.2.1.1.2.1	Installation, Manual	- -		\$7.83	-		
+		<u> </u>	 		6.2.1.1.2.2	Intentionally Left Blank						
士			<u> </u>		6.2.1.1.2.3	Installation, Mechanized			\$5.28			<u> </u>
T		6.2.2		ate Line Transp	port Services		+		\longrightarrow			\vdash
-		ļ		First Circuit	First Cleanit /24	/kune	+		\$44.19	\dashv		١-,
+		 		6.2.2.1.1 6.2.2.1.2	First Circuit (M First Circuit (M		 		\$36.98			
+					uit, per Circuit, S	eme CSR						匚
士				6.2.2.2.1	Additional Circ	ult, per Circuit, same CSR (Manual)			\$28.15			_
Ţ				6.2.2.2.2	Additional Circ	uit, per Circuit, same CSR (Mechanized)	 		\$26.15			\vdash
+		6.2.3		anced Commu Each Circuit, N		e (Frame Relay, ATM Cell Relay, or Transparent LAN	- -		\$27.64			t^-
+		 		Each Circuit, N			1		\$31.68			
		·	10.2.0.2									<u> </u>
In	ntercor	nection					_			6		╀
7.	<u>.1</u>		Facilities	1 001-1						-		╆
+		7.1.1	Intentionally DS1, Electric				\$76.70			A		\Box
+		11.1.4		Installation, Ma	anual				\$447.65			
+				Disconnection					\$98.34			L
\perp				Installation, Me					\$438.56 \$89.24	 		-
+		740		Disconnection	, Mechanized		\$314.05		309.24	A	\vdash	+
+		7.1.3	DS3, Electric 7.1.3.1	Installation, Ma	anual		1 40,430		\$556.56			
+		 		Disconnection					\$97.19			$oxed{\bot}$
			7.1.3.3	Installation, Me					\$547.75	ļ	ļ	╁
\Box		I	7.1.3.4	Disconnection	, Mechanized				\$88.37			╁╌
1-	7.2	LIS EICT					-}			. –		十
+	.2	7.2.1	Per DS1				\$0.00		\$0.00	5		
$^{+}$		7.2.2	Per DS3				\$0.00		\$0.00	5	<u> </u>	-
									ļ	6	 	╁
7	7.3		runked Trans								 	+-
+		7.3.1	Intentionally	Left Blank Ting Fixed & De	or Mile)		+					士
+		1.3.4		Over 0 to 8 M			\$33.12	\$0.51		A	Α	L
_				Over 8 to 25 N	Villes		\$33.12	\$0.65		Α	A	Ļ
			7.3.2.3	Over 25 to 50			\$33.13	\$2.30		A	A	+
\perp		I	7.3.2.4	Over 50 Miles		<u> </u>	\$33.13	\$2.70	 	<u> </u>		+-
+		7.3.3	DS3 (Recur 7.3.3.1	ring Fixed & pe			\$224.72	\$10.60		A	A	1
+	_	+	7.3.3.2	Over 8 to 25 l			\$225.41	\$11.55		Ā	Α	
			7.3.3.3	Over 25 to 50			\$231.08	\$30.34		A	A	1
			7.3.3.4	Over 50 Miles	1		\$233.13	\$34.70		<u> </u>	A	+
	7.4	Tage 41 C							 	 	 	+
1		Multiple), per Arrangen	nent		\$175.23			A	<u> </u>	\top
		7.4.1	7.4.1.1	Installation, M			1		\$212.11			I
			7.4.1.2	Disconnection					\$79.02			Ļ
		+		Installation, M	lechanized				\$202.19		₩	╀
			7,4.1.3						\$69.08	A	 	+
			7.4.1.4	Disconnection								
		7.4.2	7.4.1.4 DS3 to DS1	1, per Arrangen	nent		\$170.08		\$210 60		+	Т
		7.4.2	7.4.1.4 DS3 to DS1 7.4.2.1	I, per Arranger Installation, M	nent Aanual		\$170.08		\$219.60 \$79.02		 	+
		7.4.2	7.4.1.4 DS3 to DS1 7.4.2.1 7.4.2.2	1, per Arrangen	nent Ianual n, Manual		\$170.08		\$79.02 \$209.69			
		7.4.2	7.4.1.4 DS3 to DS1 7.4.2.1	I, per Arrangen Installation, M Disconnection Installation, M	nent Ianual n, Manual		\$170.08		\$79.02			Ŧ Ŧ

				AASUIUĞtou						
										W
										7.5
7.5		nrecurring C								├
+	7.5.1 7.5.2	Intentionally DS1 Interfact								┼─
+	12.2		First Trunk							1
				allation			\$235.62			1
				connection			\$118.94		<u> </u>	-
			Each Additional		-		\$4.53			╁╌
+-				taliation connection			\$4.53 \$1.11		 	╁╌
 	7.5.3	DS3 Interfac		201110001011						1
			First Trunk							
				allation			\$240.90		Ь——	↓_
+				connection			\$120.20			├
 		7.5.3.2	Each Additional 7.5.3.2.1	rik Lallation	·		\$9.82			+-
	+	 	7.5.3.2.2	connection			\$2.37		i —	1
7.6			AS/Local) Traffi						<u> </u>	
	7.6.1		Call Termination,		\$0.001178			#		┼
	7.6.2	Tandem Sw	vitched Transport	te of Use (Recurring Fixed & per Mile)	\$0.000690			#		┼─
+-	1.0.3	7.8.3.1	Over 0 to 8 Mile	no or over Transmin M i svori et has wine?	\$0.00026	\$0.00001	·	A	A	+
		7.6.3.2	Over 8 to 25 Mi		\$0.00026	\$0.00001		A	Α	
J		7.6.3.3	Over 25 to 50 M		\$0.00026	\$0.00001		Α	Α	L
		7.6.3.4	Over 50 Miles		\$0.00026	\$0.00001		Α	Α_	+-
7.7	Local Ta	Ma FAA	ISP Rate Caps			<u> </u>			 	+-
- '.'	7.7.1			03, rate in effect until further FCC action	\$0.0007			4		╁╴
	11.1.1	Initiate of o	730 dis Or Danio 15	DO, TOTO IT OTTO CO. CO. CO. CO. CO. CO. CO. CO. CO. CO	45.5551					1
7.8	Miscella	neous Charg								Ι
7	7.8.1	Expedite Ch	harge (LIS Trunk				Qwest's			
							Washington Access		1	1
						1	Service Tariff		í	
1	ı					1			<u> </u>	
	7.8.2	Cancellation	n Charge (LIS Tr	3)			Qwest's			Π
1		1		·			Washington	i i	l	1
		1					Access Service Tariff	İ	1	1
		1					0011100 12		l	
	7.8.3	Additional T	Testing (LIS Trun				Qwest's	1		Τ
1							Washington Access	1	l	1
1							Service Tariff		ĺ	1
		1						<u> </u>	<u> </u>	1_
	- I					<u> </u>		1	l	+-
7.0		raffic	wi ATA Toil Tran	er Minute of Lise	\$0,001092			60		╁╴
7.0	7.9.1	Local & Intri	raLATA Toll Tran	ner Minute of Use	\$0.001092			@		‡
7.0			y Left Blank	ver Minute of Use	\$0.001092					
7.0	7.9.1 7.9.2	Local & Intro Intentionally Intentionally Category 11	y Left Blank y Left Blank 1 Mechanized Re	d Charge, per Record				10		
7.0	7.9.1 7.9.2 7.9.3	Intentionally Intentionally	y Left Blank y Left Blank	d Charge, per Record	\$0.001092 \$0.0025					
	7.9.1 7.9.2 7.9.3 7.9.4	Local & Intro Intentionally Intentionally Category 1 7.9.4.1	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tra	d Charge, par Record Records				10		
7.10	7.9.1 7.9.2 7.9.3 7.9.4	Local & Introductionally Intentionally Category 1 7.9.4.1	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tra itched Access S	d Cherge, per Record Records				10		
	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P	Local & Introductionally intentionally Category 11 7.9.4.1 Provided Swi Mechanized	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tra itched Access S d Access Record	d Cherge, per Record Records	\$0.0025			2, 10		
	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P	Local & Introductionally Intentionally Category 1 7.9.4.1	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tra itched Access S d Access Record	d Cherge, per Record Records	\$0.0025 \$0.0025 Qwest s	Qwest s		2, 10		
7.10	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P	Local & Introductionally intentionally Category 11 7.9.4.1 Provided Swi Mechanized	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tra itched Access S d Access Record	d Cherge, per Record Records	\$0.0025 \$0.0025 Qwest a Washington	Washington		2, 10		
7.10	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P	Local & Introductionally intentionally Category 11 7.9.4.1 Provided Swi Mechanized	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tra itched Access S d Access Record	d Cherge, per Record Records	\$0.0025 \$0.0025 Qwest s Washington Access	Washington Access		2, 10		
7.10	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P	Local & Introductionally intentionally Category 11 7.9.4.1 Provided Swi Mechanized	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tra itched Access S d Access Record	d Cherge, per Record Records	\$0.0025 \$0.0025 Qwest a Washington	Washington Access		2, 10		
7.10	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P 7.10.1	Local & Introductionally intentionally Category 11 7.9.4.1 Provided Swi Mechanized	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tra itched Access S d Access Record	d Cherge, per Record Records	\$0.0025 \$0.0025 Qwest s Washington Access	Washington Access		2, 10		
7.10 7.11	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P 7.10.1	Local & Intri Intentionally Intentionally Intentionally Category 11 7.9.4.1 Provided Swi Mechanized	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tra itched Access S d Access Record	d Cherge, per Record Records	\$0.0025 \$0.0025 Qwest s Washington Access	Washington Access		2, 10		
7.10	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P 7.10.1 intral AT	Local & Intri Intentionally Intentionally Intentionally Intentionally Category 11 7.9.4.1 Provided Swi Mechanized A Toll Traffid	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tri tiched Access 8 d Access Record	d Cherge, per Record Records	\$0.0025 \$0.0025 Qwest s Washington Access	Washington Access		2, 10		
7.10 7.11	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P 7.10.1	Local & Intri Intentionally Intentionally Intentionally Intentionally Category 11 7.9.4.1 Provided Swi Mechanized A Toll Traffice Cation	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tra itiched Access 8 d Access Record id	d Cherge, per Record Records	\$0.0025 \$0.0025 Qwest s Washington Access	Washington Access		2, 10		
7.10 7.11	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P 7.10.1 intral AT	Local & Intri Intentionally Intentionally Category 11 7.9.4.1 Provided Swi Mechanized A Toli Traffid	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tra itched Access 8 d Access Record ic	d Cherge, per Record Records	\$0.0025 \$0.0025 Qwest s Washington Access	Washington Access	\$1,386.47	2,10		
7.10 7.11	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P 7.10.1 intral AT	Local & Intri Intentionally In	y Left Blank y Left Blank 1 Mechanized Re iMachanized Tra itched Access 8 d Access Record id Internationally Le iCable Augment active	d Cherge, per Record Records ices ank ote Preparation Fee	\$0.0025 \$0.0025 Qwest s Washington Access Service Terriff	Washington Access Service Tariff	\$1.386.47	2,10		
7.10 7.11	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P 7.10.1 IntraLAT	Local & Intri Intentionally Intentionally Intentionally Intentionally Category 11 7.9.4.1 Provided Swi Mechanized A Toll Traffic Mechanized A Toll Traffic Cation Planning at 8.1.1.1 8.1.2.1	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tra itched Access 8 d Access Record id Index Record id Index Record id Intentionally Le Cable Augment soliting Standard Share	d Cherge, per Record Records ices ank ots Preparation Fee	\$0.0025 \$0.0025 Cwest s Washington Access Service Terriff	Washington Access Service Tariff	\$1.386.47 \$941.87	2, 10 1		
7.10 7.11	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P 7.10.1 IntraLAT	Local & Intri Intentionally Intentionally Intentionally Intentionally Category 1* 7.9.4.1 Provided Swi Mechanized A Toll Traffid Cation Planning ar 8.1.1.1 8.1.2.2	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tra itched Access 8 d Access Record id Indexing the second id Intentionally Le Cable Augment sollity Standard Share CLEC Point of	ank ote Preparation Fee per Fiber frace, per Fiber	\$0.0025 \$0.0025 Cwest s Washington Access Service Tariff	Washington Access Service Tariff	\$1,386.47 \$941.87 \$1,382.46	2, 10 1 1 B B		
7.10 7.11	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P 7.10.1 IntraLAT	Local & Intrintentionally Intentionally Intentionally Intentionally Intentionally Intentionally Intentionally Intentionally Intentional In	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tri itched Access 8 d Access Record id Independent of the second	d Cherge, per Record Records Idea Idea Idea Idea Idea Idea Idea Idea	\$0.0025 \$0.0025 Cwest s Washington Access Service Tariff \$6.54 \$2.72 \$2.90	Washington Access Service Tariff	\$1,386.47 \$941.87 \$1,382.46 \$1,058.05	2, 10 1 1 B B B		
7.10 7.11	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P 7.10.1 IntraLAT	Local & Intrintentionally Intentionally Intentionally Intentionally Intentionally Intentionally Intentionally Intentionally Intentional In	y Left Blank y Left Blank 1 Mechanized Re iMachanized Tri itched Access 8 d Access Record id Independent of the Comment ind Engineering Intentionally Le iCable Augment active Standard Share CLEC Point Cross-Connect Cross-Connect	ank ote Preparation Fee per Fiber rface, per Fiber rt of Interface, per Fiber	\$0.0025 \$0.0025 Qwest s Washington Access Service Teriff \$6.54 \$2.79 \$2.90 \$1.41	Washington Access Service Tartiff	\$1,386,47 \$941.87 \$1,382.46 \$1,058.05 \$1,498.64	2, 10 1 1 B B B B		
7.10 7.11	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P 7.10.1 IntraLAT	Local & Intri Intentionally Intentionally Intentionally Intentionally Category 11 7.9.4.1 Provided Swi Mechanized A Toll Traffic Mechanized A Toll Traffic Mechanized A Toll Traffic Mechanized B 1.1.1 8.1.2.1 8.1.2.2 8.1.2.3 8.1.2.4 8.1.2.5	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tra itched Access 8 d Access Record id Independent of the second se	ank ota Preparation Fee per Fiber face, per Fiber of of Interface, per Fiber ar Cable	\$0.0025 \$0.0025 Cwest s Washington Access Service Terriff \$6.54 \$2.72 \$2.90 \$1.41 \$69.94	Washington Access Service Tariff	\$1,386,47 \$941.87 \$1,382.46 \$1,058.05 \$1,498.64 \$1,201.16	2,10 1 1 B B B B B		
7.10 7.11	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P 7.10.1 IntraLAT	Local & Intrintentionally Intentionally Intentionally Intentionally Intentionally Intentionally Intentionally Intentionally Intentional In	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tra itched Access 8 d Access Record id Intended Access 8 d Access Record id Intended Access Record Inten	ank ote Preparation Fee per Fiber rface, per Fiber rt of Interface, per Fiber	\$0.0025 \$0.0025 Qwest s Washington Access Service Teriff \$6.54 \$2.79 \$2.90 \$1.41	Washington Access Service Tariff	\$1,386.47 \$941.87 \$1,382.46 \$1,058.05 \$1,498.64 \$1,201.16 \$7,589.47	2, 10 1 1 8 8 8 8 8		
7.10 7.11	7.9.1 7.9.2 7.9.3 7.9.4 Jointly P 7.10.1 IntraLAT cation All Collo 8.1.1 8.1.2	Local & Intri Intentionally Intentionally Intentionally Intentionally Category 11 7.9.4.1 Provided Swi Mechanized A Toll Traffid Mechanized A Toll Traffid S. 1.1.1 8.1.2.1 8.1.2.2 8.1.2.3 8.1.2.4 8.1.2.5 8.1.2.6	y Left Blank y Left Blank 1 Mechanized Re Mechanized Tra itched Access 8 d Access Record id Intended Access 8 d Access Record id Intended Access Record Inten	ank ota Preparation Fee per Fiber face, per Fiber of of Interface, per Fiber ar Cable	\$0.0025 \$0.0025 Cwest s Washington Access Service Terriff \$6.54 \$2.72 \$2.90 \$1.41 \$69.94	Washington Access Service Tariff	\$1,386,47 \$941.87 \$1,382.46 \$1,058.05 \$1,498.64 \$1,201.16	2, 10 1 1 B B B B B B		

							A STATE OF THE STA	ソスカ すっかいみ アイア・ポイン 名添り			
			HERHEALDER								
									11		
		411211211					HER PARTIES.			建筑	
	8.1.4	Power									├
	ļ.,		Power Plant, pe	r Amp Ordered		\$9.34			<u>B</u>		╁╌
+	 		Power Usage 8.1.4.2.1	I ace Then 60 A	mps, per Amp Ordered	\$1.57			В	_	H
+	 		8.1.4.2.2		0 Amps, per Amp Ordered or Used	\$3.13			В		
+	 		8.1.4.2.3		nps, per Amp Ordered (see rate in 8.1.4.2.1)	\$1.57			12		\Box
	8.1.5	AC Power F									L
	<u> </u>	8.1.5.1	AC Power Feed		fonth						┡
			8.1.5.1.1	120 V		\$17.94			<u>B</u>	 	╀
4	 	ļ	8.1.5.1.2	208 V, Single P		\$31.09 \$53.79			<u>B</u>		╌
	 	}	8.1.5.1.3 8.1.5.1.4	208 V, Three P 240 V, Single P		\$35.88	. — —		B		1
+		 	8.1.5.1.5	240 V, Three P		\$62.06	-		В		Т
1	 		8.1.5.1.6	480 V, Three P		\$124.13			В		
_	 	8.1.5.2		, per Foot, per N							L
			8.1.5.2.1	20 Amp, Single		\$0.0118		\$8.01	B		╙
		I	8.1.5.2.2	20 Amp, Three		\$0.0146		\$9.93	В		↓_
			8.1.5.2.3	30 Amp, Single		\$0.0127		\$8.63	B		⊢
+	 	 	8.1.5.2.4	30 Amp, Three		\$0.0175 \$0.0150		\$11.86 \$10.15	В	\vdash	╁
	 	+	8.1.5.2.5 8.1.5.2.6	40 Amp, Single 40 Amp, Three		\$0.0206	· · · · · · · · · · · · · · · · · · ·	\$13.97	В	 	╁╴
+	+	 	8.1.5.2.7	50 Amp, Single		\$0.0200		\$12.04	В		t
+	+	† 	8.1.5.2.8	50 Amp, Three		\$0.0248		\$16.82	В		
1			8.1.5.2.9	60 Amp, Single		\$0.0201		\$13.62	В		F
			8.1.5.2.10	60 Amp, Three	Phase	\$0.0285		\$19.36	В		
		1	8.1.5.2.11	100 Amp, Sing		\$0.0248		\$16.86	B		L
	1	1	8.1.5.2.12	100 Amp, Thre	e Phase	\$0.0388		\$26.33	В		╁
	8.1.6		abor, per Half Ho					\$32.00			╁
+	 	8.1.6.1	Regular Hours	te, minimum 3 H	au co			\$41.20		 	╅┈
+	8.1.7	8.1,6.2 Channel Re	generation	te, minimum 3 m	ouis			<u> </u>			Т
+	0.1.7	8.1.7.1	DS1			\$0.00		\$0.00	15		
	 	8.1.7.2	DS3			\$0.00		\$0.00	15	I	
 											
	8.1.8	Collocation	Terminations							└	╄
	8.1.8	8.1.8.1	Intentionally Le								t
	8.1.8		Intentionally Le Block Terminat	ions							
	8.1.8	8.1.8.1	Intentionally Le	ions DS0	To all and an Oakle Dur.			\$240.09			
	8.1.8	8.1.8.1	Intentionally Le Block Terminat	ions DS0 8.1.8.2.1.1	Cable Pull, per Cable Run			\$210.08 \$41.61			
	8.1.8	8.1.8.1	Intentionally Le Block Terminat	DS0 8.1.8.2.1.1 8.1.8.2.1.2	Termination (unconnectorized), per 100 Pair	\$3.02		\$41.61	В		
	8.1.8	8.1.8.1	Intentionally Le Block Terminat	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3	Termination (unconnectorized), per 100 Pair Engineering				В		
	8.1.8	8.1.8.1	Intentionally Le Block Terminat	DS0 8.1.8.2.1.1 8.1.8.2.1.2	Termination (unconnectorized), per 100 Pair			\$41.61 \$75.43 \$41.61	В		
	8.1.8	8.1.8.1	Intentionally Le Block Terminat	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence (Cable Racking, per Cable Cable Racking Engineering	\$3.02		\$41.61 \$75.43 \$41.61 \$75.43			
	8.1.8	8.1.8.1	Intentionally Le Block Terminat	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Fool	\$3.02 \$1.48		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90	В		
	8.1.8	8.1.8.1	Intentionally Le Block Terminat 8.1.8.2.1	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence (Cable Racking, per Cable Cable Racking Engineering	\$3.02		\$41.61 \$75.43 \$41.61 \$75.43			
	8.1.8	8.1.8.1	Intentionally Le Block Terminat	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per	\$3.02 \$1.48		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90	В		
	8.1.8	8.1.8.1	Intentionally Le Block Terminat 8.1.8.2.1	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.2.1	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per	\$3.02 \$1.48		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90	В		
	8.1.8	8.1.8.1	Intentionally Le Block Terminat 8.1.8.2.1	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.1	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank	\$3.02 \$1.48		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01	В		
	8.1.8	8.1.8.1	Intentionally Le Block Terminat 8.1.8.2.1	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.2 8.1.8.2.2.2	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run	\$3.02 \$1.48		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90	В		
	8.1.8	8.1.8.1	Intentionally Le Block Terminat 8.1.8.2.1	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.1	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank	\$3.02 \$1.48 \$0.0026		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$1.11 \$75.43	B B		
	8.1.8	8.1.8.1	Intentionally Le Block Terminat 8.1.8.2.1	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.5 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.1 8.1.8.2.2.1 8.1.8.2.2.1 8.1.8.2.2.1	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence	\$3.02 \$1.48 \$0.0026 \$0.50		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$1.11	B B		
	8.1.8	8.1.8.1	Intentionally Le Block Terminat 8.1.8.2.1	DSO 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.1 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.3 8.1.8.2.2.4 8.1.8.2.2.5 8.1.8.2.2.6 8.1.8.2.2.6	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable	\$3.02 \$1.48 \$0.0026		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$1.11 \$75.43 \$41.61	B B		
	8.1.8	8.1.8.1	Intentionally Le Block Terminat 8.1.8.2.1	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.1 8.1.8.2.2.1 8.1.8.2.2.2 8.1.8.2.2.3 8.1.8.2.2.4 8.1.8.2.2.5 8.1.8.2.2.6 8.1.8.2.2.7 8.1.8.2.2.7	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking, per Cable	\$3.02 \$1.48 \$0.0026 \$0.50		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$11.11 \$75.43 \$41.61	B B B		
	8.1.8	8.1.8.1	Intentionally Le Block Terminat 8.1.8.2.1	DS0 DS0 DS0 DS0 S1.8.2.1.1 S1.8.2.1.2 S1.8.2.1.3 S1.8.2.1.4 S1.8.2.1.5 S1.8.2.1.6 S1.8.2.1.7 S1.8.2.1.8 DS1 S1.8.2.2.1 S1.8.2.2.2 S1.8.2.2.2 S1.8.2.2.3 S1.8.2.2.3 S1.8.2.2.4 S1.8.2.2.5 S1.8.2.2.6 S1.8.2.2.6 S1.8.2.2.6 S1.8.2.2.6 S1.8.2.2.6 S1.8.2.2.8 S1.8.2.2.8 S1.8.2.2.8 S1.8.2.2.8 S1.8.2.2.8 S1.8.2.2.8 S1.8.2.2.8	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking Engineering Cable Racking Engineering Cable Racking Installation, per Linear Foot	\$3.02 \$1.48 \$0.0026 \$0.50		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$1.11 \$75.43 \$41.61 \$75.43 \$33.90	B B B		
	8.1.8	8.1.8.1	Intentionally Le Biock Terminat 8.1.8.2.1	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.3 8.1.8.2.2.4 8.1.8.2.2.5 8.1.8.2.2.4 8.1.8.2.2.7 8.1.8.2.2.8 8.1.8.2.2.9 8.1.8.2.2.9	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking, per Cable	\$3.02 \$1.48 \$0.0026 \$0.50		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$11.11 \$75.43 \$41.61	B B B		
	8.1.8	8.1.8.1	Intentionally Le Block Terminat 8.1.8.2.1	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.1 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.3 8.1.8.2.2.4 8.1.8.2.2.5 8.1.8.2.2.7 8.1.8.2.2.7 8.1.8.2.2.8 8.1.8.2.2.8 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.2.9	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Racking, per Cable Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot Cable Racking Installation, per Linear Foot, per 28	\$3.02 \$1.48 \$0.0026 \$0.50		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$1.11 \$75.43 \$41.61 \$75.43 \$33.90	B B B		
	8.1.8	8.1.8.1	Intentionally Le Biock Terminat 8.1.8.2.1	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.3 8.1.8.2.2.4 8.1.8.2.2.6 8.1.8.2.2.6 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.2.10 DS3 8.1.8.2.3.1	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per 28 Intentionally Left Blank	\$3.02 \$1.48 \$0.0026 \$0.50		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$1.11 \$75.43 \$41.61 \$75.43 \$33.90	B B B		
	8.1.8	8.1.8.1	Intentionally Le Biock Terminat 8.1.8.2.1	DS0 DS0 DS0 DS0 DS0 DS0 B.1.8.2.1.1 B.1.8.2.1.3 B.1.8.2.1.3 B.1.8.2.1.4 B.1.8.2.1.5 B.1.8.2.1.6 B.1.8.2.1.7 B.1.8.2.1.8 DS1 B.1.8.2.2.1 B.1.8.2.2.1 B.1.8.2.2.2 B.1.8.2.2.2 B.1.8.2.2.3 B.1.8.2.2.4 B.1.8.2.2.6 B.1.8.2.2.6 B.1.8.2.2.6 B.1.8.2.2.7 B.1.8.2.2.8 B.1.8.2.2.9 B.1.8.2.2.9 B.1.8.2.2.10 DS3 B.1.8.2.3.1 B.1.8.2.3.2	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking Engineering Cable Racking Engineering Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot Cable (if supplied by Qwest), per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per 28 Intentionally Left Blank Intentionally Left Blank Intentionally Left Blank	\$3.02 \$1.48 \$0.0026 \$0.50		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$1.11 \$75.43 \$41.61 \$75.43 \$33.90	B B B		
	8.1.8	8.1.8.1	Intentionally Le Biock Terminat 8.1.8.2.1	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.3 8.1.8.2.2.4 8.1.8.2.2.6 8.1.8.2.2.6 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.2.10 DS3 8.1.8.2.3.1	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per 28 Intentionally Left Blank	\$3.02 \$1.48 \$0.0026 \$0.50		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$1.11 \$75.43 \$41.61 \$75.43 \$33.90 \$1.57	B B B B		
	8.1.8	8.1.8.1	Intentionally Le Biock Terminat 8.1.8.2.1	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.3 8.1.8.2.2.4 8.1.8.2.2.6 8.1.8.2.2.7 8.1.8.2.2.8 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.2 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.4	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot Cable Racking Engineering Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering	\$3.02 \$1.48 \$0.0026 \$0.50 \$1.48		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$1.11 \$75.43 \$41.61 \$75.43 \$33.90 \$1.57	B B B B B B B		
	8.1.8	8.1.8.1	Intentionally Le Biock Terminat 8.1.8.2.1	DS0 B.1.8.2.1.1 B.1.8.2.1.3 B.1.8.2.1.3 B.1.8.2.1.3 B.1.8.2.1.5 B.1.8.2.1.6 B.1.8.2.1.7 B.1.8.2.1.8 B.1.8.2.1.7 B.1.8.2.1.8 B.1.8.2.2.1 B.1.8.2.2.1 B.1.8.2.2.2 B.1.8.2.2.2 B.1.8.2.2.3 B.1.8.2.2.6 B.1.8.2.2.6 B.1.8.2.2.6 B.1.8.2.2.6 B.1.8.2.2.6 B.1.8.2.2.6 B.1.8.2.2.6 B.1.8.2.2.8 B.1.8.2.2.9 B.1.8.2.2.9 B.1.8.2.3.1 B.1.8.2.3.1 B.1.8.2.3.3	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking Engineering Cable Racking Engineering Cable Racking Engineering Cable Racking Engineering Cable (if supplied by Qwest), per Linear Foot Cable (if supplied by Gwest), per Linear Foot Cable (if supplied by Gwest), per Linear Foot Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence	\$3.02 \$1.48 \$0.0026 \$0.50 \$1.48 \$0.0023		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$1.11 \$75.43 \$41.61 \$75.43 \$33.90 \$1.57	B B B B B		
	8.1.8	8.1.8.1	Intentionally Le Biock Terminat 8.1.8.2.1	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.3 8.1.8.2.2.7 9.1.8.2.2.6 8.1.8.2.2.7 9.1.8.2.2.8 8.1.8.2.2.1 DS3 8.1.8.2.2.1 B.1.8.2.2.1 B.1.8.2.2.1 B.1.8.2.2.3 8.1.8.2.3.1 B.1.8.2.3.1 B.1.8.2.3.1 B.1.8.2.3.3 B.1.8.2.3.3 B.1.8.2.3.3 B.1.8.2.3.4 B.1.8.2.3.3 B.1.8.2.3.4 B.1.8.2.3.5 B.1.8.2.3.5 B.1.8.2.3.6 B.1.8.2.3.7	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Terminetion (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per 28 Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable	\$3.02 \$1.48 \$0.0026 \$0.50 \$1.48		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$1.11 \$75.43 \$41.61 \$75.43 \$33.90 \$1.57 \$1.57	B B B B B		
	8.1.8	8.1.8.1	Intentionally Le Biock Terminat 8.1.8.2.1	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.6 8.1.8.2.1.6 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.3 8.1.8.2.2.4 8.1.8.2.2.7 8.1.8.2.2.7 8.1.8.2.2.8 8.1.8.2.2.7 8.1.8.2.2.8 8.1.8.2.2.7 8.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.5 8.1.8.2.3.5 8.1.8.2.3.7 8.1.8.2.3.7 8.1.8.2.3.7 8.1.8.2.3.7	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Racking, per Cable Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot Cable (if supplied by Qwest), per Linear Foot Cable Racking Installation, per Linear Foot Cable Racking Installation Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking, per Cable	\$3.02 \$1.48 \$0.0026 \$0.50 \$1.48 \$0.0023		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$1.11 \$75.43 \$41.61 \$75.43 \$33.90 \$1.57 \$210.08 \$1.04 \$75.43 \$41.61	B B B B B		
	8.1.8	8.1.8.1	Intentionally Le Biock Terminat 8.1.8.2.1	DSO 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.1 8.1.8.2.2.2 8.1.8.2.2.3 8.1.8.2.2.4 8.1.8.2.2.7 8.1.8.2.2.6 8.1.8.2.2.7 8.1.8.2.2.8 8.1.8.2.2.9 8.1.8.2.2.9 8.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.2 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.5 8.1.8.2.3.6 8.1.8.2.3.6 8.1.8.2.3.7 8.1.8.2.3.8 8.1.8.2.3.8	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Facking, per Cable Cable Racking Installation, per Linear Foot Cable Racking Installation, per Linear Foot Cable Racking Installation, per Linear Foot, per Intentionally Left Blank Intentionally Left Blank (Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot, per 28 Intentionally Left Blank (Intentionally Left Blank (Intention	\$3.02 \$1.48 \$0.0026 \$0.50 \$1.48 \$0.0023		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$1.11 \$75.43 \$41.61 \$75.43 \$33.90 \$1.57 \$210.08 \$1.57	B B B B B B		
	8.1.8	8.1.8.1	Intentionally Le Biock Terminat 8.1.8.2.1	DS0 B.1.8.2.1.1 B.1.8.2.1.2 B.1.8.2.1.3 B.1.8.2.1.3 B.1.8.2.1.3 B.1.8.2.1.5 B.1.8.2.1.6 B.1.8.2.1.7 B.1.8.2.1.8 DS1 B.1.8.2.2.1 B.1.8.2.2.1 B.1.8.2.2.2 B.1.8.2.2.2 B.1.8.2.2.3 B.1.8.2.2.4 B.1.8.2.2.6 B.1.8.2.2.6 B.1.8.2.2.6 B.1.8.2.2.6 B.1.8.2.2.6 B.1.8.2.2.6 B.1.8.2.2.6 B.1.8.2.3.3 B.1.8.2.3.3 B.1.8.2.3.3 B.1.8.2.3.3 B.1.8.2.3.3 B.1.8.2.3.3 B.1.8.2.3.4 B.1.8.2.3.5 B.1.8.2.3.6 B.1.8.2.3.7 B.1.8.2.3.9 B.1.8.2.3.9 B.1.8.2.3.10	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking Engineering Cable Racking Engineering Cable Racking Engineering Cable (if supplied by Qwest), per Linear Foot Cable (if supplied by Qwest), per Linear Foot Cable (if supplied by Gwest), per Linear Foot Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Racking, per Cable Cable Racking, per Cable Cable Racking Engineering Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Connector	\$3.02 \$1.48 \$0.0026 \$0.50 \$1.48 \$0.0023 \$9.51 \$1.48		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$1.11 \$75.43 \$41.61 \$75.43 \$33.90 \$1.57 \$1.57 \$1.57	B B B B B B B		
	8.1.8	8.1.8.1	Intentionally Le Biock Terminat 8.1.8.2.1 8.1.8.2.2 8.1.8.2.2	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.1 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.3 8.1.8.2.2.7 8.1.8.2.2.6 8.1.8.2.2.7 8.1.8.2.2.6 8.1.8.2.2.7 8.1.8.2.2.8 8.1.8.2.2.1 DS3 8.1.8.2.2.1 8.1.8.2.2.1 B.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.3	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Facking, per Cable Cable Racking Installation, per Linear Foot Cable Racking Installation, per Linear Foot Cable Racking Installation, per Linear Foot, per Intentionally Left Blank Intentionally Left Blank (Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot, per 28 Intentionally Left Blank (Intentionally Left Blank (Intention	\$3.02 \$1.48 \$0.0026 \$0.50 \$1.48 \$0.0023		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$1.11 \$75.43 \$41.61 \$75.43 \$33.90 \$1.57 \$210.08 \$1.57	B B B B B B B		
	8.1.8	8.1.8.1	Intentionally Le Biock Terminat 8.1.8.2.1	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.4 8.1.8.2.1.6 8.1.8.2.1.6 8.1.8.2.1.6 8.1.8.2.1.8 DS1 8.1.8.2.1.8 DS1 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.3 8.1.8.2.2.4 8.1.8.2.2.5 8.1.8.2.2.7 8.1.8.2.2.7 8.1.8.2.2.7 8.1.8.2.2.8 8.1.8.2.2.7 8.1.8.2.3.3 8.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.3	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable Racking Installation, per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per 28 Intentionally Left Blank Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Racking, per Cable Run Termination (connectorized), per DS3 Engineering Cable Racking Installation, per Linear Foot Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Connector, per Cable Cable Racking Installation, per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest), per Linear Foot, per Cable (if supplied by Qwest	\$3.02 \$1.48 \$0.0026 \$0.50 \$1.48 \$0.0023 \$9.51 \$1.48		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$1.11 \$75.43 \$41.61 \$75.43 \$33.90 \$1.57 \$1.57 \$1.57	B B B B B B B B		
	8.1.8	8.1.8.1	Intentionally Le Biock Terminat 8.1.8.2.1 8.1.8.2.2 8.1.8.2.2	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.1 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.3 8.1.8.2.2.7 8.1.8.2.2.6 8.1.8.2.2.7 8.1.8.2.2.6 8.1.8.2.2.7 8.1.8.2.2.8 8.1.8.2.2.1 DS3 8.1.8.2.2.1 8.1.8.2.2.1 B.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.3	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking Engineering Cable Racking Engineering Cable Racking Engineering Cable (if supplied by Qwest), per Linear Foot Cable (if supplied by Qwest), per Linear Foot Cable (if supplied by Gwest), per Linear Foot Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Racking, per Cable Cable Racking, per Cable Cable Racking Engineering Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Connector	\$3.02 \$1.48 \$0.0026 \$0.50 \$1.48 \$0.0023 \$9.51 \$1.48		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$1.11 \$75.43 \$41.61 \$75.43 \$33.90 \$1.57 \$1.57 \$1.57 \$1.57 \$1.57 \$1.57 \$1.57	B B B B B B B B B B B B B B B B B B B		
	8.1.8	8.1.8.1	Intentionally Le Biock Terminat 8.1.8.2.1 8.1.8.2.2 8.1.8.2.2	DSO 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.3 8.1.8.2.2.4 8.1.8.2.2.7 8.1.8.2.2.7 8.1.8.2.2.7 8.1.8.2.2.7 8.1.8.2.2.7 8.1.8.2.2.8 8.1.8.2.2.7 8.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.1	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per 28 Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Racking Engineering Cable Racking installation, per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot Termination, per 12 Fibers Engineering	\$3.02 \$1.48 \$0.0026 \$0.50 \$1.48 \$0.0023 \$9.51 \$1.48 \$0.0023		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$1.11 \$75.43 \$41.61 \$75.43 \$33.90 \$1.94 \$75.43 \$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$1.94 \$75.43 \$41.61 \$75.43 \$41.61	B B B B B B B		
	8.1.8	8.1.8.1	Intentionally Le Biock Terminat 8.1.8.2.1 8.1.8.2.2 8.1.8.2.2	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.3 8.1.8.2.2.4 8.1.8.2.2.5 8.1.8.2.2.7 8.1.8.2.2.6 8.1.8.2.2.7 8.1.8.2.2.7 8.1.8.2.2.8 8.1.8.2.2.7 8.1.8.2.3.3 8.1.8.2.3.1 8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.6 8.1.8.2.3.7 8.1.8.2.3.8 8.1.8.2.3.9 8.1.8.2.3.1 Fiber 8.1.8.2.3.1 Fiber 8.1.8.2.3.1 Fiber 8.1.8.2.3.1 Fiber 8.1.8.2.4.1	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per 28 Intentionally Left Blank Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Racking, per Cable Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot DS3 Connector, per Connector Cable (if supplied by Connector) Cable (if supplied by Connector) Cable (if supplied by Connector) Cable Fire Retardant, per Occurrence	\$3.02 \$1.48 \$0.0026 \$0.50 \$1.48 \$0.0023 \$9.51 \$1.48 \$0.0023		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$1.11 \$75.43 \$41.61 \$75.43 \$33.90 \$1.57 \$1.57 \$1.57 \$1.57 \$1.57 \$1.57 \$1.57	B B B B B B B		
	8.1.8	8.1.8.1	Intentionally Le Biock Terminat 8.1.8.2.1 8.1.8.2.2 8.1.8.2.2	DSO 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.1 8.1.8.2.2.2 8.1.8.2.2.3 8.1.8.2.2.4 8.1.8.2.2.7 8.1.8.2.2.7 8.1.8.2.2.7 8.1.8.2.2.7 8.1.8.2.2.7 8.1.8.2.2.7 8.1.8.2.2.7 8.1.8.2.2.7 8.1.8.2.2.8 8.1.8.2.2.7 8.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.1 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.1	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable Racking Installation, per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per 28 Intentionally Left Blank Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Racking, per Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Cable Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot DS3 Connector, per Connector Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable Racking, per Cable	\$3.02 \$1.48 \$0.0026 \$0.50 \$1.48 \$0.0023 \$9.51 \$1.48 \$0.0023		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$11.11 \$75.43 \$41.61 \$75.43 \$33.90 \$1.57 \$10.08 \$13.90 \$1.57 \$75.43 \$41.61 \$75.43 \$41.61 \$75.43 \$41.61 \$75.43 \$41.61	В В В В В В В В В В В В В В В В В В В		E
	8.1.8	8.1.8.1	Intentionally Le Biock Terminat 8.1.8.2.1 8.1.8.2.2 8.1.8.2.2	DS0 8.1.8.2.1.1 8.1.8.2.1.2 8.1.8.2.1.3 8.1.8.2.1.3 8.1.8.2.1.4 8.1.8.2.1.5 8.1.8.2.1.6 8.1.8.2.1.6 8.1.8.2.1.7 8.1.8.2.1.8 DS1 8.1.8.2.2.1 8.1.8.2.2.2 8.1.8.2.2.2 8.1.8.2.2.3 8.1.8.2.2.4 8.1.8.2.2.5 8.1.8.2.2.7 8.1.8.2.2.6 8.1.8.2.2.7 8.1.8.2.2.7 8.1.8.2.2.8 8.1.8.2.2.7 8.1.8.2.3.3 8.1.8.2.3.1 8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.6 8.1.8.2.3.7 8.1.8.2.3.8 8.1.8.2.3.9 8.1.8.2.3.1 Fiber 8.1.8.2.3.1 Fiber 8.1.8.2.3.1 Fiber 8.1.8.2.3.1 Fiber 8.1.8.2.4.1	Termination (unconnectorized), per 100 Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per Intentionally Left Blank Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (unconnectorized), per Cable Pair Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Installation, per Linear Foot Cable (if supplied by Qwest), per Linear Foot, per 28 Intentionally Left Blank Intentionally Left Blank Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Racking, per Cable Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot DS3 Connector, per Connector Cable (if supplied by Connector) Cable (if supplied by Connector) Cable (if supplied by Connector) Cable Fire Retardant, per Occurrence	\$3.02 \$1.48 \$0.0026 \$0.50 \$1.48 \$0.0023 \$9.51 \$1.48 \$0.0023		\$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$2.01 \$210.08 \$1.11 \$75.43 \$41.61 \$75.43 \$33.90 \$1.94 \$75.43 \$41.61 \$75.43 \$41.61 \$75.43 \$33.90 \$1.94 \$75.43 \$41.61 \$75.43 \$41.61	B B B B B B B B B B B B B B B B B B B		

			Washington			_	
1040	Cassada	<u>, i</u>	8.1.8.2.4.9 Cable (if supplied by Qwest), per Linear Foot, per 12	\$0,0026	\$1.74	В.	
8.1.9	Security 8.1.9.1	Per Employee	ner Carri	\$0.84		В	
 	8.1.9.2		per Person, per Central Office, per Month	\$6.88		В	
8.1.10	Central Off	fice Clock Synch	ronization				
	8.1,10.1		n - Composite Clock, per Port	\$6.33		В	\vdash
8.1.11		ly Left Blank	·	ļ	2004.70		 -
8.1.12 8.1.13		ilability Report C Space Reserva		 	\$224.79 \$2,000.00		
8.1.14			Administration Fee		\$768.06		
8.1.15		Space Option I		\$2.00		2	
8.1.16		ntory Visit Fee, p	er Visit		\$1,610.12		
8.1.17		ly Left Blank					ļ
8.1.18		ly Left Blank		+			 -
8.1.19		ly Left Blank Mocation		 			
0.1.20	8.1.20.1	Tie Cable Rec	lassification	 	ICB		
	8.1.20.2	Splitter Shelf (\$5.92	\$584.11	1	
	8.1.20.3	Planning and					
		8.1.20.3.1	Splitter in the Common Area	 	\$667.44	<u> </u>	<u> </u>
+	8.1.20.4	8.1.20.3.2	Connection to Splitter on Frame	 	\$889,92		
1	0.1,20,4	B.1.20.4.1	Splitter in the Common Area - Data to 410 Block	\$5.22	\$3,160.41	В	
1		8.1.20.4.2	Splitter in the Common Area - Data Direct to CLEC	\$5.22	\$3,339.44		
		8.1.20.4.3	Splitter on the IDF - Data to 410 Block	\$1.30	\$783.62	В	
		8.1.20.4.4	Splitter on the IDF - Data Direct to CLEC	\$2.60	\$1,573.71		
		8.1.20.4.5	Splitter on the MDF - Data to 410 Block	\$2.19	\$1,322.85		 -
	94205	8.1.20.4.6	Splitter on the MDF - Data Direct to CLEC	\$3.09	\$1,869.84 ICB	В	
<u> </u>	8.1.20.5	Splitter Charge		 	108	 	
8.2 Virtua	I Collocation						
8.2.1	Planning a	ınd Engineering					
	8.2.1.1	Quote Prepara			\$4,195.90		
8.2.2		ce Labor, per Ha		 	\$28.07		+
+ + -	8.2.2.1 8.2.2.2	Regular Hours After Hours Ra		 	\$37.55		
8.2.3		abor, per Half Ho					
	8.2.3.1	Regular Hours			\$28.07		
8.2.4		t Bay, per Shelf		\$3.33		В	
8.2.5		ng Labor, per Ha		 	\$30.28	ļ	
	8.2.5.1 8.2.5.2	Regular Hours After Hours R		 	\$39.09		
8.2.6		Labor, per Half		! 			1 1
1 0.0.0	8.2.6.1	Regular Hours		1	\$32.00		
	8.2.6.2	After Hours R	ale		\$41.20		
8.2.7	Rent						
1 1000	8.2.7.1		ease, per Square Foot	\$2.97		В	 -
8.2.8	8.2.8.1	Equipment, per l Regular Hours		 	\$32.00		
+ + -	8.2.8.2	After Hours R			\$41.20		
1 1		C Power Cable,	per Feed				
8.2.9		20 Amp Feed		1	\$4,756.73	В	1
82.9	8.2.9.1			\$7.01			
8.2.9	8.2.9.2	30 Amp Feed		\$8.01	\$5,434.62	В	
8.2.9	8.2.9.2 8.2.9.3	30 Amp Feed 40 Amp Feed		\$8.01 \$9.77	\$5,434.82 \$8,630.37	B B	
82.9	8.2.9.2	30 Amp Feed		\$8.01	\$5,434.62	B B	
	8.2.9.2 8.2.9.3	30 Amp Feed 40 Amp Feed 60 Amp Feed		\$8.01 \$9.77	\$5,434.82 \$8,630.37	B B	
	8.2.9.2 8.2.9.3 8.2.9.4	30 Amp Feed 40 Amp Feed 60 Amp Feed Collocation and Engineering		\$8.01 \$9.77	\$5,434.62 \$8,630.37 \$8,271.88	B B B	
8.3 Cage 8.3.1	8.2.9.2 8.2.9.3 8.2.9.4 less Physical (Planning s 8.3.1.1	30 Amp Feed 40 Amp Feed 60 Amp Feed Collocation and Engineering Quote Prepar	ation Fee	\$8.01 \$9.77	\$5,434.82 \$8,630.37	B B B	B
8.3 Cage	8.2.9.2 8.2.9.3 8.2.9.4 less Physical 6 Planning 8 8.3.1.1 Space Co	30 Amp Feed 40 Amp Feed 60 Amp Feed Collocation and Engineering Quote Prepara	ation Fee ite Preparation	\$8.01 \$9.77 \$12.19	\$5,434.62 \$8,630.37 \$8,271.88 \$4,195.90	B B B	В
8.3 Cage 8.3.1	8.2.9.2 8.2.9.3 8.2.9.4 less Physical (Planning s 8.3.1.1 Space Co 8.3.2.1	30 Amp Feed 40 Amp Feed 60 Amp Feed Collocation and Engineering Quote Preparanstruction and Site Preparati	ation Fee ite Preparation on Fee	\$8.01 \$9.77 \$12.19	\$5,434.62 \$8,630.37 \$8,271.88 \$4,195.90	B B B	В
8.3 Cage 8.3.1	8.2.9.2 8.2.9.3 8.2.9.4 less Physical Planning s 8.3.1.1 Space Co 8.3.2.1 8.3.2.2	30 Amp Feed 40 Amp Feed 60 Amp Feed Collocation and Engineering Quote Preparinstruction and S Site Preparati	ation Fee ite Preparation on Fee uction for 2 Bays & 1 - 40 Amp Power Feed	\$8.01 \$9.77 \$12.19	\$5,434.62 \$8,630.37 \$8,271.88 \$4,195.90	B B B	В
8.3 Cage 8.3.1	8.2.9.2 8.2.9.3 8.2.9.4 less Physical (Planning s 8.3.1.1 Space Co 8.3.2.1	30 Amp Feed 40 Amp Feed 60 Amp Feed 60 Amp Feed Collocation and Engineering Quote Preparanstruction and Site Preparati Space Constructionally L	ation Fee ite Preparation on Fee uction for 2 Bays & 1 - 40 Amp Power Feed	\$8.01 \$9.77 \$12.19	\$5,434.62 \$8,630.37 \$8,271.88 \$4,195.90	3 8	B
8.3 Cage 8.3.1	8.2.9.2 8.2.9.3 8.2.9.4 less Physical (Planning s 8.3.1.1 Space Co 8.3.2.1 8.3.2.2 8.3.2.3 8.3.2.4 8.3.2.5	30 Amp Feed 40 Amp Feed 60 Amp Feed Collocation and Engineering Quote Preparastruction and S Site Preparati Space Construction Intentionally Adjustment fo Each Addition	ation Fee ite Preparation on Fee uction for 2 Bays & 1 - 40 Amp Power Feed eft Blank r a Single Bay - Change to Standard Dasign al Bay, per Bay	\$8.01 \$9.77 \$12.19 ICB \$44.35	\$5,434.62 \$8,630.37 \$8,271.88 \$4,195.90 ICB \$30,103.44	3 8	B
8.3 Cage 8.3.1	8.2.9.2 82.9.3 82.9.4 less Physical (Planning s 8.3.1.1 Space Co 8.3.2.1 8.3.2.2 8.3.2.3 8.3.2.4	30 Amp Feed 40 Amp Feed 60 Amp Feed 60 Amp Feed Collocation and Engineering Quote Preparanstruction and S Site Preparati Space Constructionally L Adjustment for	ation Fee ite Preparation on Fee uction for 2 Bays & 1 - 40 Amp Power Feed eft Blank r a Single Bay - Change to Standard Design al Bay, per Bay r Initial Power Feed - Change to Standard Design	\$8.01 \$9.77 \$12.19 ICB \$44.35 (\$5.19)	\$5,434.62 \$8,630.37 \$8,271.88 \$4,195.90 ICB \$30,103.44 (\$3,520.65) \$3,520.85	3 8	B
8.3 Cage 8.3.1	8.2.9.2 8.2.9.3 8.2.9.4 less Physical (Planning s 8.3.1.1 Space Co 8.3.2.1 8.3.2.2 8.3.2.3 8.3.2.4 8.3.2.5	30 Amp Feed 40 Amp Feed 60 Amp Feed 60 Amp Feed Collocation and Engineering Cuote Preparant Space Construction and S Site Preparati Space Construction Intentionally L Adjustment fo Each Addition Adjustment fo 8.3.2.6.1	ation Fee ite Preparation on Fee uction for 2 Bays & 1 - 40 Amp Power Feed eft Blank r a Single Bay - Change to Standard Design all Bay, per Bay r Initial Power Feed - Change to Standard Design	\$8.01 \$9.77 \$12.19 ICB \$44.35 (\$5.19) \$5.19	\$5,434.62 \$8,630.37 \$8,271.88 \$4,195.90 ICB \$30,103.44 (\$3,520.65) \$3,520.65	3 8 1 8	B
8.3 Cage 8.3.1	8.2.9.2 8.2.9.3 8.2.9.4 less Physical (Planning s 8.3.1.1 Space Co 8.3.2.1 8.3.2.2 8.3.2.3 8.3.2.4 8.3.2.5	30 Amp Feed 40 Amp Feed 60 Amp Feed Collocation and Engineering Quote Preparanstruction and S Site Preparati Space Construction and Internitionally L Adjustment to Each Addition Adjustment to 8.3.2.6.1	ation Fee Ite Preparation on Fee uction for 2 Bays & 1 - 40 Amp Power Feed eff Blank r a Single Bay - Change to Standard Dasign al Bay, per Bay r Initial Power Feed - Change to Standard Design [20 Amp Initial Power Feed Adjustment 30 Amp Initial Power Feed Adjustment	\$8.01 \$9.77 \$12.19 ICB \$44.35 (\$5.19) \$5.19 (\$2.76) (\$1.76)	\$5,434.62 \$8,630.37 \$8,271.88 \$4,195.90 ICB \$30,103.44 (\$3,520.65) \$3,520.85 (\$1,873.64) (\$1,195.75)	3 8 1 8	B
8.3 Cage 8.3.1	8.2.9.2 8.2.9.3 8.2.9.4 less Physical (Planning s 8.3.1.1 Space Co 8.3.2.1 8.3.2.2 8.3.2.3 8.3.2.4 8.3.2.5	30 Amp Feed 40 Amp Feed 60 Amp Feed Collocation and Engineering Quote Preparastruction and S Site Preparati Space Construction Intentionally L Adjustment fo Each Addition Adjustment fo 8.3.2.6.2 8.3.2.6.3	ation Fee its Preparation on Fee uction for 2 Bays & 1 - 40 Amp Power Feed eft Blank r a Single Bay - Change to Standard Design al Bay, per Bay r initial Power Feed - Change to Standard Design 20 Amp Initial Power Feed Adjustment 30 Amp Initial Power Feed Adjustment 40 Amp Initial Power Feed Adjustment	\$8.01 \$9.77 \$12.19 ICB \$44.35 (\$5.19) \$5.19 (\$2.76) (\$1.76)	\$5,434.62 \$8,630.37 \$8,271.88 \$4,195.90 ICB \$30,103.44 (\$3,520.65) \$3,520.85 (\$1,873.64) (\$1,195.75)	3 8 1 8	В
8.3 Cage 8.3.1	8.2.9.2 8.2.9.3 8.2.9.4 less Physical (Planning s 8.3.1.1 Space Co 8.3.2.1 8.3.2.2 8.3.2.3 8.3.2.4 8.3.2.5	30 Amp Feed 40 Amp Feed 60 Amp Feed 60 Amp Feed Collocation and Engineering Quote Preparati Space Construintentionally L Adjustment to Each Addition Adjustment fo 8.3.2.6.1 8.3.2.6.2 8.3.2.6.3 8.3.2.6.4	ation Fee ite Preparation on Fee uction for 2 Bays & 1 - 40 Amp Power Feed eft Blank r a Single Bay - Change to Standard Design al Bay, per Bay r Initial Power Feed - Change to Standard Design 20 Amp Initial Power Feed Adjustment 30 Amp Initial Power Feed Adjustment 40 Amp Initial Power Feed Adjustment 60 Amp Initial Power Feed Adjustment	\$8.01 \$9.77 \$12.19 ICB \$44.35 (\$5.19) \$5.19 (\$2.76) (\$1.76) N/A	\$5,434.62 \$8,630.37 \$8,271.88 \$4,195.90 ICB \$30,103.44 (\$3,520.65) \$3,520.85 (\$1,873.64) (\$1,195.75)	3 8 1 8 8 8 8 8 8	В
8.3 Cage 8.3.1	8.2.9.2 8.2.9.3 8.2.9.4 less Physical (Planning s 8.3.1.1 Space Co 8.3.2.1 8.3.2.2 8.3.2.3 8.3.2.4 8.3.2.5	30 Amp Feed 40 Amp Feed 60 Amp Feed Collocation and Engineering Quote Preparastruction and S Site Preparati Space Construction Intentionally L Adjustment fo Each Addition Adjustment fo 8.3.2.6.2 8.3.2.6.3	ation Fee its Preparation on Fee uction for 2 Bays & 1 - 40 Amp Power Feed eft Blank r a Single Bay - Change to Standard Design al Bay, per Bay r initial Power Feed - Change to Standard Design 20 Amp Initial Power Feed Adjustment 30 Amp Initial Power Feed Adjustment 40 Amp Initial Power Feed Adjustment	\$8.01 \$9.77 \$12.19 ICB \$44.35 (\$5.19) \$5.19 (\$2.76) (\$1.76)	\$5,434.62 \$8,630.37 \$8,271.88 \$4,195.90 ICB \$30,103.44 (\$3,520.65) \$3,520.65 (\$1,873.64) (\$1,195.75) N/A	3 8 1 8 8 8 8 8 8	В
8.3 Cage 8.3.1	8.2.9.2 8.2.9.3 8.2.9.4 less Physical (Planning s 8.3.1.1 Space Co 8.3.2.1 8.3.2.2 8.3.2.3 8.3.2.4 8.3.2.5	30 Amp Feed 40 Amp Feed 60 Amp Feed 60 Amp Feed Collocation and Engineering Quote Preparantstruction and S Site Preparati Space Construction Intentionally L Adjustment fo 8.3.2.6.1 8.3.2.6.2 8.3.2.6.4 8.3.2.6.5 8.3.2.6.6	ation Fee its Preparation on Fee uction for 2 Bays & 1 - 40 Amp Power Feed eft Blank r a Single Bay - Change to Standard Design al Bay, per Bay r initial Power Feed - Change to Standard Design 20 Amp Initial Power Feed Adjustment 30 Amp Initial Power Feed Adjustment 40 Amp Initial Power Feed Adjustment 100 Amp Initial Power Feed Adjustment 100 Amp Initial Power Feed Adjustment 200 Amp Initial Power Feed Adjustment 200 Amp Initial Power Feed Adjustment 300 Amp Initial Power Feed Adjustment	\$8.01 \$9.77 \$12.19 ICB \$44.35 (\$5.19) \$5.19 (\$2.76) (\$1.76) N/A \$2.42 \$2.36 \$12.40	\$5,434.62 \$8,630.37 \$8,271.88 \$4,195.90 ICB \$30,103.44 (\$3,520.65) \$3,520.85 (\$1,873.64) (\$1,195.75) N/A \$1,641.50 \$1,601.35 \$8,413.55 \$16,693.81	3 B B B B B B B B B B B B B B B B B B B	В
8.3 Cage 8.3.1	8.2.9.2 82.9.3 82.9.4 less Physical of Planning s 8.3.1.1 Space Co 8.3.2.1 8.3.2.2 8.3.2.3 8.3.2.4 6.3.2.5 8.3.2.6	30 Amp Feed 40 Amp Feed 40 Amp Feed 60 Amp Feed Collocation and Engineering Quote Preparati Space Constr Intentionally L Adjustment fo Each Addition Adjustment fo 8.3.2.6.1 8.3.2.6.2 8.3.2.6.3 8.3.2.6.4 8.3.2.6.5 8.3.2.6.6 8.3.2.6.7 8.3.2.6.7	ation Fee ite Preparation on Fee uction for 2 Bays & 1 - 40 Amp Power Feed eft Blank r a Single Bay - Change to Standard Design al Bay, per Bay r Initial Power Feed - Change to Standard Design 20 Amp Initial Power Feed Adjustment 30 Amp Initial Power Feed Adjustment 40 Amp Initial Power Feed Adjustment 50 Amp Initial Power Feed Adjustment 100 Amp Initial Power Feed Adjustment 200 Amp Initial Power Feed Adjustment 300 Amp Initial Power Feed Adjustment 300 Amp Initial Power Feed Adjustment 400 Amp Initial Power Feed Adjustment	\$8.01 \$9.77 \$12.19 ICB \$44.35 (\$5.19) \$5.19 (\$2.76) (\$1.76) N/A \$2.42 \$2.36 \$12.40	\$5,434.62 \$8,630.37 \$8,271.88 \$4,195.90 (CB \$30,103.44 (\$3,520.65) \$3,520.85 (\$1,873.64) (\$1,195.75) N/A \$1,841.50 \$1,601.35 \$8,413.58	3 B B B B B B B B B B B B B B B B B B B	B
8.3 Cage 8.3.1	8.2.9.2 8.2.9.3 8.2.9.4 less Physical (Planning s 8.3.1.1 Space Co 8.3.2.1 8.3.2.2 8.3.2.3 8.3.2.4 8.3.2.5	30 Amp Feed 40 Amp Feed 60 Amp Feed 60 Amp Feed Collocation and Engineering Quote Preparati Space Construction and S Site Preparati Intentionally L Adjustment fo 8.3.2.6.1 8.3.2.6.2 8.3.2.6.4 8.3.2.6.5 8.3.2.6.6 8.3.2.6.6 8.3.2.6.8 Intentionally L	ation Fee ite Preparation on Fee uction for 2 Bays & 1 - 40 Amp Power Feed eft Blank r a Single Bay - Change to Standard Design al Bay, per Bay r Initial Power Feed - Change to Standard Design 20 Amp Initial Power Feed Adjustment 30 Amp Initial Power Feed Adjustment 40 Amp Initial Power Feed Adjustment 50 Amp Initial Power Feed Adjustment 100 Amp Initial Power Feed Adjustment 200 Amp Initial Power Feed Adjustment 300 Amp Initial Power Feed Adjustment 300 Amp Initial Power Feed Adjustment 400 Amp Initial Power Feed Adjustment	\$8.01 \$9.77 \$12.19 ICB \$44.35 (\$5.19) \$5.19 (\$2.76) (\$1.76) N/A \$2.42 \$2.36 \$12.40	\$5,434.62 \$8,630.37 \$8,271.88 \$4,195.90 ICB \$30,103.44 (\$3,520.65) \$3,520.85 (\$1,873.64) (\$1,195.75) N/A \$1,641.50 \$1,601.35 \$8,413.55 \$16,693.81	3 B B B B B B B B B B B B B B B B B B B	B

17-203-71	र्वे कर जुला राज्ये हैं।	7-10 k (1) <u>1</u> 1 2 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3	रंग्ड के वास्त्रकार	washington Washington	Se proposition and appropriate	011 65 (1-323) 021 621 A (1-2)	10 (19 H	Bonie (B
	1		8.3.2.8.2	30 Amp Power Feed	\$8.01	\$5,434.62	В	
	Ţ		8.3.2.8.3	40 Amp Power Feed	\$9.77	\$6,630.37 \$8,271.88	B B	-
 	+	1	8.3.2.8.4 8.3.2.8.5	60 Amp Power Feed	\$12.19 \$12.13	\$8,231.73	В	
	1	1	8.3.2.8.6	200 Amp Power Feed	\$22.17	\$15,043.97	В	
			8.3.2.8.7	300 Amp Power Feed	\$34.37	\$23,324.18	В	
	0.00	51	8.3.2.8.8	400 Amp Power Feed	\$48.79 \$2.97	\$33,116.94	В	
	8.3.3	Trioor Space	e Lease, per So	uala rox	\$2.51			
8.4		hysical Coll						
 	8.4.1		nd Engineering			\$4,661.19	_	
 	8.4.2	8.4.1.1 Space Coo	Quote Prepara struction and Si			34,001.19		
1	10,72	8.4.2.1	Site Preparati		ICB	ICB	3	
		8.4.2.2	Intentionally L					-
	 	8.4.2.3	Intentionally L					
 	+	8.4.2.4	8.4.2.4.1	uction for Cage & 1 - 60 Amp Feed Cage: Up to 100 Sq. Ft.	\$64.51	\$43,779.97	В	
1	1	 	8.4.2.4.2	Cage: 101 to 200 Sq. Ft.	\$67.21	\$45,617.54	В	
<u> </u>			8.4.2.4.3	Cage: 201 to 300 Sq. Ft.	\$71.05	\$48,224.99	<u> </u>	├
+	+	8.4.2.5	8.4.2.4.4	Cage: 301 to 400 Sq. Ft. r Irritial Power Feed - Change to Standard Design	\$75.53	\$51,258.93	В	-
+	+	0,4.2.3	8.4.2.5.1	20 Amp Initial Power Feed Adjustment	(\$2.49)	(\$1,689.80)	В	
L			8.4.2.5.2	30 Amp Initial Power Feed Adjustment	(\$1.67)	(\$1,133.16)	В	
			8.4.2.5.3	40 Amp Initial Power Feed Adjustment	\$0.05	\$30.58	В	
 	+	 	8.4.2.5.4 8.4.2.5.5	60 Amp Initial Power Feed Adjustment 100 Amp Initial Power Feed Adjustment	N/A \$2.08	N/A \$1,410.52	В	 -
 		+	8.4.2.5.8	200 Amp Initial Power Feed Adjustment	\$12.12	\$8,222.76	В	
			8.4.2.5.7	300 Amp Initial Power Feed Adjustment	\$24.32	\$16,502.98	В	
	Ţ	1	8.4.2.5.8	400 Amp Initial Power Feed Adjustment	\$38.74	\$26,295.73	В	-
├	+	8.4.2.6	Intentionally L	ett Blank Power Cable, per Additional Feed - Does not apply to Initial Feed				\vdash
 	+	0.4,2.7	8.4.2.7.1	20 Amp Power Feed	\$7.56	\$5,131.40	В	
1			8.4.2.7.2	30 Amp Power Feed	\$8.38	\$5,688.04	8	
<u> </u>	Ţ	ļ	8.4.2.7.3	40 Amp Power Feed	\$10.10	\$6,851.78	B B	\vdash
├	+	1	8.4.2.7.4 8.4.2.7.5	60 Amp Power Feed 100 Amp Power Feed	\$10.05 \$12.13	\$6,821.20 \$8,231.73	В	
+	+	 	8.4.2.7.6	200 Amp Power Feed	\$22.17	\$15,043.97	В	
			8.4.2.7.7	300 Amp Power Feed	\$34.37	\$23,324.18	В	
			8.4.2.7.8	400 Amp Power Feed	\$48.79	\$33,116.94	В_	
	8.4.3 8.4.4		ly Left Blank se Lease, per Sc	nuara Food	\$2.97	·	В	-
+	8.4.5		ly Left Blank	pario / occ				
	8.4.6	Intentional	ly Left Blank					
	8.4.7		ly Left Blank					
+	8.4.8	Grounding 8.4.8.1	2/0 AWG, pe	e Cool	\$0.0201	\$13.63	В	
+		8.4.8.2	1/0 AWG, pt		\$0.0334	\$22.68	В	\vdash
		8.4.8.3	4 / 0 AWG, pe		\$0.0380	\$25.78	8	
		8.4.8.4	350 kcmil, pe		\$0.0527	\$35.76	8	┷
+	+	8.4.8.5	500 kcmil, per 750 kcmil, per		\$0.0587 \$0.0900	\$39.85 \$61.05	В	
1		[0.÷.0.0	i oo kamii pe	1,00	40.0000	401.00		
8.5	Adjacer	t Collocatio	n and Adjacen	t Remote Collocation	ICB	N/A	3	Į Ţ
10.0	D=	Callacatic						 -
8.6	8.6.1	Collocation Physical 8	Virtual Remote	Collocation				
1 -	1,000	8.6.1.1	Space		<u> </u>			
			8.6.1.1.1	Qwest owned Cabinet per Standard Mounting Unit	\$0.52	\$867.19	E	├ ──
+		0042	8.6.1.1.2	CLEC owned Cabinet per Standard Mounting Unit	N/A \$0.30	N/A \$558.38	E	
+	 	8.6.1.2 8.6.1.3		ions, per 25 Pair (see rates in 8.1.4.2)	30.30	\$330.36		
\dagger	 	10.0.1.0	8.6.1.3.1	Less Than 60 Amps, per Amp Ordered	\$1.57		12	
			8.6.1.3.2	Greater Than 60 Amps, per Amp Ordered or Used	\$3.13		12	1
ļ	 	10011	8.6.1.3.3	Equal To 60 Amps, per Amp Ordered	\$1.57	ICB	12	├
+-	8.6.2	8.6.1.4	Quote Prepar	ramon ree		ICB		
+-	8.6.3			Terminal Features				
		8.6.3.1	Flat Charge,	per Job		\$52.34		
		8.6.3.2		per Half Hour		\$35.83		ļ
		8.6.3.3		per Half Hour		\$29.55 \$29.55		+-+
+	i i	8.6.3.4	Installation, p			\$29.55		
+				I SERVI A TOP SERVI		720.00		
		8.6.3.5	11.0					11
8.7	CLEC-4	o-CLEC		tallation - No Cables				

111111111111111111111111111111111111111			Washington			
311377373		BEGER				
				<u> </u>		
			Flat Charge		\$643.93	
	8.7.2		ng, per Foot	20 44042		+
+		8.7.2.1 8.7.2.2	080 DS1	\$0.11043 \$0.12018		+
 -	+	8.7.2.3	DS3	\$0.09759	E	1
1-	 		Fiber	\$0.89135	E	
	8.7.3		ections (if Applicable - Connections Only; No Cables)			
		8.7.3.1	DS0, per 100 Connections		\$184,73	
ļ	 	8.7.3.2	DS1, per 28 Connections		\$86.51	
-	}	8.7.3.3	DS3, per 1 Connection		\$5.90 \$38.08	1 1
	8.7.4		Fiber, per Fiber Spliced (see rate in 8.1.3.2) If Applicable		\$455.44	- -
+	8.7.5		EC Cross-Connection	· · · · · · · · · · · · · · · · · · ·	¥19011.1	
1	1	8.7.5.1	Installation, Manual		\$129.47	
		8.7.5.2	Disconnection, Manual		\$61.19	
		8.7.5.3	Installation, Mechanized		\$117.96	
		8.7.5.4	Disconnection, Mechanized		\$49.68	
lo 6	N. 4	Man Diak	thuiles Franc (ICDE) Callegation			
8.8	8.8.1		ibution Frame (ICDF) Collocation aration Fee (see rate in 8.1.1.2)		\$1,386.47	+
+	8.8.2		per 200 Legs	\$19.84	\$2,222.44 1	
	8.8.3		per Two Legs	\$1.03	\$73.83 1	
	8.8.4		per Two Legs	\$9.92	\$1,199.14 1	
	8.8.5		, per Two Legs	\$2.48	\$240.36 1	
10.0	Io		·		QPF.	+
8.9	Collocati	ion Cancella	uon .		Prorated Job	j l
1					Costs	
1	8.9.1	Additional L	abor Orther, per Half Hour or fraction thereof (see rates in 9.20)			
		8.9.1.1	Additiona Labor - Basic		\$27.42	
		8.9.1.2	Additional Labor - Overtime		\$36.62	
4	1	8.9.1.3	Additional Labor - Premium		\$45.84	
+	8.9.2		ispatch, per Request (see rates in 9.20) Manual		\$46.59	
+-	+	8.9.2.1 8.9.2.2	Manual Mechanized	- - - 	\$43.39	- - ;
	ч	10.0.2.2				
8.10	Microwa	ve Entrance	Facility			
	8.10.1	Preliminary	Rooftop Engineering / Survey, per Site			
		8.10.1.1	Site Visit Request Fee		\$255.77	+
	1	8.10.1.2	Analysis Performed by Qwest	1	ICB	В
	0.40					
-	8.10.2	Space Ren		\$2 97	-	
	8.10.2	Space Ren 8.10.2.1	Rooftop Rent, per Square Foot	\$2.97	ICB B	В
	8.10.2 8.10.3	Space Ren 8.10.2.1 8.10.2.2	Rooftop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna	\$2.97	ICB	В
		Space Ren 8.10.2.1	Rooftop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna		ICB \$33.90	В
		Space Ren 8.10.2.1 8.10.2.2 Cable Raci 8.10.3.1 8.10.3.2	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna ng New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot	\$0.12625	ICB \$33.90 B	В
		Space Ren 8.10.2.1 8.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna ng New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot		\$33.90 B B	В
	8.10.3	Space Ren 8.10.2.1 8.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.4	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna ng New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot	\$0.12625	ICB \$33.90 B	B
		Space Ren 8.10.2.1 8.10.2.2 Cable Raci 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.4 Cable	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project	\$0.12625	\$33.90 B B \$75.43	6
	8.10.3	Space Ren 8.10.2.1 8.10.2.2 Cable Raci 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.4 Cable 8.10.4.1	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna Ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot	\$0.12625	\$33.90 B B	В
	8.10.3	Space Ren 8.10.2.1 8.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.4 Cable 8.10.4.1 8.10.4.2	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project	\$0.12625	\$33.90 B \$75.43	
	8.10.3	Space Ren 8.10.2.1 8.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.4 Cable 8.10.4.1 8.10.4.2 Technical E Building Pe	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) netration	\$0.12525 \$0.02842	\$33.90 \$ B	
	8.10.3 8.10.4 8.10.5	Space Ren 8.10.2.1 9.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.4 Cable 8.10.4.1 8.10.4.2 Technical E Building Pe 8.10.6.1	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna ng New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) netration 4 - Port Cable Entry Hatch, per Port	\$0.12525 \$0.02842 \$0.02842	\$33.90 B \$75.43 \$1,92 \$606.30 \$28.07	B
	8.10.3 8.10.4 8.10.5 8.10.6	Space Ren 8.10.2.1 8.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.3 6.10.3.4 Cable 8.10.4.1 8.10.4.2 Technical E Building Pe 8.10.6.2	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna Ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) Tetration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration	\$0.12525 \$0.02842	\$33.90 \$33.90 B \$75.43 \$1.92 \$606.30 \$28.07 \$1,216.38 B ICB B,	3 B
	8.10.3 8.10.4 8.10.5	Space Ren 8.10.2.1 9.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.4 Cable 8.10.4.1 8.10.4.2 Technical E Building Pe 8.10.6.1	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna Ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) Tetration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration	\$0.12525 \$0.02842 \$0.02842	\$33.90 B \$75.43 \$1,92 \$606.30 \$28.07	B
P44	8.10.3 8.10.4 8.10.5 8.10.6	Space Ren 8.10.2.1 9.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 9.10.3.3 6.10.3.4 Cable 8.10.4.1 9.10.4.1 9.10.6.2 Building Pe 8.10.6.1 9.10.6.2 Special Wo	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) netration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration k	\$0.12525 \$0.02842 \$0.02842	\$33.90 \$33.90 B \$75.43 \$1.92 \$606.30 \$28.07 \$1,216.38 B ICB B,	3 8
8.11	8.10.3 8.10.4 8.10.5 8.10.6	Space Ren 8.10.2.1 8.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.3 6.10.3.4 Cable 8.10.4.1 8.10.4.2 Technical E Building Pe 8.10.6.2	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) netration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration k	\$0.12525 \$0.02842 \$0.02842	\$33.90 \$33.90 B \$75.43 \$1.92 \$606.30 \$28.07 \$1,216.38 B ICB B,	3 8
8.11	8.10.3 8.10.4 8.10.5 8.10.6 8.10.7	Space Ren 8.10.2.1 8.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.4 Cable 9.10.4.1 8.10.4.2 Technical E 8.10.6.2 Special Wo	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) netration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration k	\$0.12525 \$0.02842 \$0.02842	\$33.90 \$33.90 B \$75.43 \$1,92 \$606.30 \$28.07 \$1,216.38 B ICB B,	3 8
	8.10.3 8.10.4 8.10.5 8.10.6 8.10.7 Intentior	Space Ren 8.10.2.1 9.10.2.2 Cable Raci 8.10.3.1 8.10.3.2 8.10.3.3 6.10.3.4 Cable 8.10.4.1 8.10.4.2 Technical E Building Pe 8.10.6.1 6.10.6.2 Special Wo	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna Ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) netration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration of K Ink	\$0.12525 \$0.02842 \$0.02842	\$33.90 \$33.90 B \$75.43 \$1.92 \$606.30 \$28.07 \$1,216.38 B ICB B,	3 B
	8.10.3 8.10.4 8.10.5 8.10.6 8.10.7 Intentior Facility 4 8.12.1 8.12.2	Space Ren 8.10.2.1 9.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 6.10.3.4 Cable 8.10.4.1 8.10.4.2 Technical E Building Pe 8.10.6.1 8.10.6.2 Special Wo	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna ng New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) netration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration k CC) Collocation aration Fee, per Request 1 Fee, per Job	\$0.12625 \$0.02842 \$0.02642 \$0.26 ICB	\$33.90 \$33.90 B \$75.43 \$1.92 \$606.30 \$28.07 \$1,216.38 B ICB B,	3 B
	8.10.4 8.10.5 8.10.6 8.10.7 Intentior Facility 9 8.12.1 8.12.2 8.12.2 8.12.2	Space Ren 8.10.2.1 8.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 6.10.3.4 Cable 8.10.4.1 8.10.4.2 Technical E Building Pe 8.10.6.2 Special Wo nelly Left Bis Connected (Quote Preg Engineerin Copper En	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna Ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) Instration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration Ink Inc. CC) Collocation aration Fee, per Request I Fee, per Job Pair	\$0.12625 \$0.02842 \$0.02842 \$0.26 ICB	\$33.90 \$33.90 B \$75.43 \$1,92 \$606.30 \$28.07 \$1,216.38 B ICB ICB ICB ICB ICB ICB ICB I	3 B
	8.10.3 8.10.4 8.10.5 8.10.6 8.10.7 Intentior Facility (8.12.1 8.12.2 8.12.3 8.12.4	Space Ren 8.10.2.1 8.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.3 6.10.4.1 8.10.4.1 8.10.4.2 Technical E Building Pe 8.10.6.2 Special Wo nelly Left Bla Connected (Quote Preg Engineerin Copper En	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna Ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) netration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration ix Ink Ink Ink Ink Ink Ink Ine Facility, per 100 Pair Ince Facility, per Cable, minimum 12 Strands (see rates in 8.1.2.1)	\$0.12625 \$0.02842 \$0.02842 \$0.26 ICB	\$33.90 \$33.90 B \$75.43 \$1,92 \$606.30 \$28.07 \$1,216.38 B ICB ICB ICB ICB ICB ICB ICB I	3 B B
	8.10.3 8.10.4 8.10.5 8.10.6 8.10.7 Intentior Facility (8.12.1 8.12.2 8.12.3 8.12.3 8.12.3	Space Ren 8.10.2.1 9.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 9.10.3.3 6.10.3.4 Cable 8.10.4.1 8.10.4.1 8.10.6.2 Special Wo nelly Left Bie Connected (Quote Prey Engineerin Copper En Fiber Entre Terminatio	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) netration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration rk ink CC) Collocation aration Fee, per Request 1 Fee, per Job rance Facility, per 100 Pair nece Facility, per 100 Pair nece Facility, per Cable, minimum 12 Strands (see rates in 8.1.2.1) 18 Block with Gas Protectors, per 100 Pairs	\$0.12625 \$0.02842 \$0.02842 \$0.26 ICB	\$33.90 \$33.90 \$ B \$75.43 \$1,92 \$606.30 \$28.07 \$1,216.38 B ICB ICB ICB ICB ICB ICB ICB IC	3 B B
	8.10.3 8.10.4 8.10.5 8.10.6 8.10.7 Intentior Facility 4 8.12.1 8.12.2 8.12.3 8.12.4 8.12.5 8.12.6	Space Ren 8.10.2.1 9.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 6.10.3.4 Cable 8.10.4.1 8.10.4.2 Technical E 8.10.6.2 Special Wo nally Left Bla Connected (Quote Preg Engineerin Copper En Fiber Entra	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna Ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) netration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration k CC) Collocation aration Fee, per Request 1 Fee, per Job rance Facility, per 100 Pair 1 Block with Gas Protectors, per 100 Pairs 1 Panel, per 12 Strands	\$0.12625 \$0.02842 \$0.02842 \$0.26 ICB ICB ICB ICB ICB	\$33.90 \$33.90 B \$75.43 \$1,92 \$606.30 \$28.07 \$1,216.38 B ICB ICB ICB ICB ICB ICB ICB I	3 B
	8.10.3 8.10.4 8.10.5 8.10.6 8.10.7 Intentior Facility (8.12.1 8.12.2 8.12.3 8.12.3 8.12.3	Space Ren 8.10.2.1 9.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 6.10.3.4 Cable 8.10.4.1 8.10.4.2 Technical E 8.10.6.2 Special Wo nally Left Bla Connected (Quote Preg Engineerin Copper En Fiber Entra	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) netration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration rk ink CC) Collocation aration Fee, per Request 1 Fee, per Job rance Facility, per 100 Pair nece Facility, per 100 Pair nece Facility, per Cable, minimum 12 Strands (see rates in 8.1.2.1) 18 Block with Gas Protectors, per 100 Pairs	\$0.12625 \$0.02842 \$0.02842 \$0.26 ICB	\$33.90 \$33.90 \$ B \$75.43 \$1.92 \$606.30 \$28.07 \$1,216.38 B ICB ICB ICB ICB ICB ICB ICB IC	3 B
	8.10.3 8.10.4 8.10.5 8.10.6 8.10.7 Intentior Facility 6 8.12.1 8.12.2 8.12.3 8.12.4 8.12.5 8.12.6 8.12.7	Space Ren 8.10.2.1 8.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.4 Cable 8.10.4.1 8.10.4.2 Technical E Building Pe 8.10.6.1 6.10.6.2 Special Wo melly Left Bia Connected (Quote Preg Engineerin Copper En Fiber Entre Terminatio DS1 Voltas	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna Ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) netration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration k CC) Collocation aration Fee, per Request 1 Fee, per Job rance Facility, per 100 Pair 1 Block with Gas Protectors, per 100 Pairs 1 Panel, per 12 Strands	\$0.12625 \$0.02842 \$0.02842 \$0.26 ICB ICB ICB ICB ICB	\$33.90 \$33.90 \$ B \$75.43 \$1.92 \$606.30 \$28.07 \$1,216.38 B ICB ICB ICB ICB ICB ICB ICB IC	3 B
8.12	8.10.3 8.10.4 8.10.5 8.10.6 8.10.7 Intentior Facility 6 8.12.1 8.12.2 8.12.3 8.12.4 8.12.5 8.12.6 8.12.7	Space Ren 8.10.2.1 8.10.2.1 8.10.2.2 Cable Raci 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.4 Cable 8.10.4.1 8.10.4.2 Technical E Building Pe 8.10.6.1 8.10.6.2 Special Wo nelly Left Ble Connected (Quote Prey Engineerin Copper En Fiber Entra Terminatio DS1 Volta; er Reduction Power Red	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna Ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Cable Racking Engineering, per Project Cable Placement Engineering, per Project cable Placement Engineering, per Project scort, per Half Hour (Business Hours) netration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration Ink FC) Collocation aration Fee, per Request I Fee, per Job rance Facility, per 100 Pair nece Facility, per Cable, minimum 12 Stranda (see rates in 8.1.2.1) I Block with Gas Protectors, per 100 Pairs I Panel, per 12 Strands I stolation, per DS1 I and Restoration	\$0.12625 \$0.02842 \$0.02842 \$0.26 ICB ICB ICB ICB ICB	\$33.90 \$33.90 \$ B \$75.43 \$1.92 \$606.30 \$28.07 \$1,216.38 B ICB ICB ICB ICB ICB ICB ICB I	3 B B
8.12	8.10.3 8.10.4 8.10.5 8.10.6 8.10.7 Intentior Facility (8.12.1 8.12.2 8.12.3 8.12.3 8.12.5 8.12.6 8.12.7	Space Ren 8.10.2.1 8.10.2.1 8.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.4 Cable 8.10.4.1 8.10.4.2 Technical E Building Pe 8.10.6.1 6.10.6.2 Special Wo mally Left Bia Connected (Quote Prey Engineerin Copper En Fiber Entre Terminatio DS1 Volta; or Reduction Power Red 8.13.1.1	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna Ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) netration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration k CC) Colfocation aration Fee, per Request I Fee, per Job rance Facility, per 100 Pair noe Facility, per Cable, minimum 12 Strands (see rates in 8.1.2.1) Block with Gas Protectors, per 100 Palrs I Panel, per 12 Strands I selociation, per DS1 and Restoration Uction Cutole Preparation Fee, per Office	\$0.12625 \$0.02842 \$0.02842 \$0.26 ICB ICB ICB ICB ICB	\$33.90 \$33.90 \$ B \$75.43 \$1.92 \$606.30 \$28.07 \$1,216.38 B ICB ICB ICB ICB ICB ICB ICB IC	3 B
8.12	8.10.3 8.10.4 8.10.5 8.10.6 8.10.7 Intentior Facility (8.12.1 8.12.2 8.12.3 8.12.3 8.12.5 8.12.6 8.12.7	Space Ren 8.10.2.1 8.10.2.1 8.10.2.2 Cable Raci 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.4 Cable 8.10.4.1 8.10.4.2 Technical E Building Pe 8.10.6.1 8.10.6.2 Special Wo nelly Left Ble Connected (Quote Prey Engineerin Copper En Fiber Entra Terminatio DS1 Volta; er Reduction Power Red	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna Ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) Instration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration Ink CC) Collocation aration Fee, per Request prece Facility, per 100 Pair noce Facility, per 100 Pair noce Facility, per Cable, minimum 12 Stranda (see rates in 8.1.2.1) Block with Gas Protectors, per 100 Pairs Panel, per 12 Strands e Isolation, per DS1 and Restoration Uction Coucle Preparation Fee, per Office Power Reduction, with or without Reservation, per Feed Set	\$0.12625 \$0.02842 \$0.02842 \$0.26 ICB ICB ICB ICB ICB	\$33.90 \$33.90 B \$B \$75.43 \$1,92 \$606.30 \$28.07 \$1,216.38 ICB ICB ICB ICB ICB ICB ICB IC	3 B B
8.12	8.10.3 8.10.4 8.10.5 8.10.6 8.10.7 Intentior Facility (8.12.1 8.12.2 8.12.3 8.12.3 8.12.5 8.12.6 8.12.7	Space Ren 8.10.2.1 8.10.2.1 8.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.4 Cable 8.10.4.1 8.10.4.2 Technical E Building Pe 8.10.6.1 6.10.6.2 Special Wo mally Left Bia Connected (Quote Prey Engineerin Copper En Fiber Entre Terminatio DS1 Volta; or Reduction Power Red 8.13.1.1	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) netration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration rk ink CC) Collocation aration Fee, per Request pree, per Job rance Facility, per 100 Pair noce Facility, per 100 Pair noce Facility, per Cable, minimum 12 Strands (see rates in 8.1.2.1) Block with Gas Protectors, per 100 Pairs Panel, per 12 Strands e Isolation, per DS1 and Restoration uction Cuote Preparation Fee, per Office Power Reduction, with or without Reservation, per Feed Set 8.13.1.2.1 Less Than 80 Amps	\$0.12625 \$0.02842 \$0.02842 \$0.26 ICB ICB ICB ICB ICB	ICB	3 B B
8.12	8.10.3 8.10.4 8.10.5 8.10.6 8.10.7 Intentior Facility (8.12.1 8.12.2 8.12.3 8.12.3 8.12.5 8.12.6 8.12.7	Space Ren 8.10.2.1 8.10.2.1 8.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.4 Cable 8.10.4.1 8.10.4.2 Technical E Building Pe 8.10.6.1 6.10.6.2 Special Wo mally Left Bia Connected (Quote Prey Engineerin Copper En Fiber Entre Terminatio DS1 Volta; or Reduction Power Red 8.13.1.1	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna Ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project Coaxial Placement Engineering, per Project Scort, per Half Hour (Business Hours) netration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration Ink Ink FC) Collocation aration Fee, per Request I Fee, per Job rance Facility, per 100 Pair nec Facility, per 100 Pair I Block with Gas Protectors, per 100 Pairs I Panel, per 12 Strands I I	\$0.12625 \$0.02842 \$0.02842 \$0.26 ICB ICB ICB ICB ICB	ICB \$33.90 B B \$75.43 \$1,92 \$606.30 \$28.07 \$1,216.38 B ICB ICB ICB ICB ICB ICB ICB ICB ICB IC	3 B B
8.12	8.10.3 8.10.4 8.10.5 8.10.6 8.10.7 Intentior Facility (8.12.1 8.12.2 8.12.3 8.12.3 8.12.5 8.12.6 8.12.7	Space Ren 8.10.2.1 8.10.2.1 8.10.2.2 Cable Rack 8.10.3.1 8.10.3.2 8.10.3.3 8.10.3.4 Cable 8.10.4.1 8.10.4.2 Technical E Building Pe 8.10.6.1 6.10.6.2 Special Wo mally Left Bia Connected (Quote Prey Engineerin Copper En Fiber Entre Terminatio DS1 Volta; or Reduction Power Red 8.13.1.1	Rooflop Rent, per Square Foot Existing Antenna Support Structure or Device, per Antenna ing New (Dedicated) Cable Racking Structure, per Foot New (Dedicated) Cable Racking Maintenance, per Foot Existing (Shared) Cable Racking, per Foot Cable Racking Engineering, per Project Coaxial Placement, per Linear Foot Cable Placement Engineering, per Project scort, per Half Hour (Business Hours) netration 4 - Port Cable Entry Hatch, per Port Other Building Penetration, per Penetration rk ink CC) Collocation aration Fee, per Request pree, per Job rance Facility, per 100 Pair noce Facility, per 100 Pair noce Facility, per Cable, minimum 12 Strands (see rates in 8.1.2.1) Block with Gas Protectors, per 100 Pairs Panel, per 12 Strands e Isolation, per DS1 and Restoration uction Cuote Preparation Fee, per Office Power Reduction, with or without Reservation, per Feed Set 8.13.1.2.1 Less Than 80 Amps	\$0.12625 \$0.02842 \$0.02842 \$0.26 ICB ICB ICB ICB ICB	ICB	3 B B

				Washington						
22.036 mm	CARL SERVICE	8.13.1.5	Location Change	from Power Board to BDFB			ICB			3
	8.13.2	Power Rest								
				n Fee, per Office	<u> </u>		\$840.24			_1_
		8.13.2.2		n, applies to Primary & Secondary Feed Power Restoration with Reservation						-
-		 		8.13.2.2.1.1 Less Than 60 Amps			\$675.98		$\neg \neg$	1
		·		8.13.2.2.1.2 Equal To 60 Amps			\$942.94			1
		<u> </u>		8.13.2.2.1.3 Greater Than 60 Amps			\$1,179.67	· ·		_1_
		0.000		Power Restoration without Reservation	ļ		ICB ICB			3
		8.13.2.3	Location Change	from Power Board to BDFB			ICB			_ `
8.14	Collocati	on Transfer	of Responsibility	· · · · · · · · · · · · · · · · · · ·						
	8.14.1	Intentionally	/ Left Blank							
	8.14.2	Assessmen	t Fee, per Reques	<u> </u>	<u> </u>		\$1,058.00 \$1,663.00			1
	8,14.3 8,14.4	Network Sy	Stem Administration	on Fee, per Request blies to Wireline & Wireless Local Interconnection Trunks, UDIT,	 	-	\$29.65			-
-+-	8.14.5			blies to Unbundled Loop, Subloop, Loop Splitting, Loop Mux Combo,		-	\$29.65			1.
	10.1 1.0	111010101	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							
8.15		on Available								
	8.15.1	Standard S		insting	+					
_		8.15.1.1	Removal of Terri 8.15.1.1.1	DS0, per 100 Terminations	 		ICB			3
- -		1		DS1, per Termination	1		ICB			3
			8.15.1.1.3	DS3, per Termination			ICB		\vdash	3_
				OCN, per 12 Fibers	 		ICB			3
	8.15.2	Special Site 8.15.2.1	Special Site Ass	essment Fee	 		\$1,058.00			1.
	-	8.15.2.2		s Assessment Fee	f		\$1,683.00			1
		8.15.2.3	Site Survey Fee				\$150.00			1
	8.15.3	Re-usable			↓		ICB		_	3
	8.15.4	8.15.4.1	Cageless (see n			-	\$4,195.90			11
	_	8.15.4.2	Caged (see rate		 	, 	\$4,561.19			11
		101101112	100,000,0000,000							
8.16			nissioning (see r		ļ					
	8.16.1			laff Hour or fraction thereof	 		\$27.42		-	12
		8.16.1.1 8.16.1.2	Additional Labor	Other - Overtime	+		\$36.62			12
		8.16.1.3		Other - Premium	T		\$45.84			12
	8.16.2		Dispatch, per Orde							- 40
		8.16.2.1	Manual		ļ		\$46.59 \$43.39		-	12 12
		8.16.2.2	Mechanized				#43.35		-	
8.17	Joint Te	sting								
	8.17.1	Set-Up Fee		1.1 with a one hour minimum)			\$56.14			12
	8,17.2	Test Time	Fee, per Half Hou	r (see rate in 8.2.2.1)			\$28.07		-	12
9.0 Unb	undled Netw	ork Element	e (IMEe)		 				1-	
9.1			Pairs (ITP) - Per	Connection						
	9.1.1	DS0			\$0.98			В		
	9.1.2	DS1			\$1.29			B B		
	9.1.3	DS3			\$15.26					
9.2	Unbund	led Loops			T					
	9.2.1	Analog Loc	ops				See 9.2.4			
		9.2.1.1	2-Wire Voice Gr		ļ					├
		+	9.2.1.1.1	Zone 1 Zone 2	\$11.26 \$13.63			F		$\vdash \vdash$
-+	-	+	9.2.1.1.2 9.2.1.1.3	Zone 2 Zone 3	\$16.92			F	1	
$\overline{}$		1	9.2.1.1.4	Zone 4	\$28.23			F		
			9.2.1.1.5	Zone 5	\$67.77		L	F		
		9.2.1.2		ade Loop when ordered with Port	 	 		F	 	├
			9.2.1.2.1	Zone 1 Zone 2	\$11.07 \$13.44		 	F		$\vdash \vdash$
		+	9.2.1.2.2	Zone 3	\$16.73			F	t	
			9.2.1.2.4	Zone 4	\$28.04			F		
			9.2.1.2.5	Zone 5	\$67.58	ļ		F		
		9.2.1.3	4-Wire Voice G		\$21.38			F	 	\vdash
		+	9.2.1.3.1	Zone 1 Zone 2	\$26.29		 	F	 	
		1	9.2.1.3.3	Zone 3	\$32.69			F		
			9.2.1.3.4	Zone 4	\$54.66		[F		
			9.2.1.3.5	Zone 5	\$131.68		0.00	F		
	9.2.2	Nonloaded			+		See 9.2.4	 	├	
		9.2.2.1	2-Wire Nonload		\$11.26	 	 	F	\vdash	
		+	9.2.2.1.1 9.2.2.1.2	Zone 1 Zone 2	\$13.63		1	F	t	
			14.5.5. 1.4	1 7-1	Ţ.5.W					

200											
	<u> </u>		9.2.2.1.3	Zone 3		\$16.92			F	<u> </u>	
+	 		9.2.2.1.4 9.2.2.1.5	Zone 5		\$28.23 \$67.77			F	 	╁
		9.2.2.2	Intentionally Le			\$0,.,,	"		<u> </u>	1 -	t
		9.2.2.3	4-Wire Nonload								
			9.2.2.3.1	Zone 1		\$21.38			_F		
			9.2.2.3.2	Zone 2		\$26.29			F_		⊢
	├		9.2.2.3.3	Zone 3		\$32.69			F	-	┼─
 	 	-	9.2.2.3.4 9.2.2.3.5	Zone 4 Zone 5	<u></u>	\$54.66 \$131.66			F		+
	<u> </u>	9.2.2.4	Cable Unloading			0101.00		\$304.12			A
		9.2.2.5	Bridge Tap Rer					\$147.37			A
	9.2.3	Digital Cap									╙
	ļ	9.2.3.1		N / xDSL-I Capa	able	244.00		See 9.2.4			╌
		 	9.2.3.1.1	Zone 1 Zone 2	· · · · · · · · · · · · · · · · · · ·	\$11.26 \$13.63			F		⊢
	 	 	9.2.3.1.2 9.2.3.1.3	Zone 2		\$16.92			F	 	╁
+-			9.2.3.1.4	Zone 4	· · · · · · · · · · · · · · · · · · ·	\$28.23			F		✝
			9.2.3.1.5	Zone 5		\$67.77			F		
		9.2.3.2	Basic Rate ISD	ON Loop when or	dered with Port			See 9.2.4			
	ļ		9.2.3.2.1	Zone 1		\$11.07			F	 	╀
-+	1	ļ	9.2.3.2.2	Zone 2		\$13,44	—		F	 	+-
+	 	-	9.2.3.2.3	Zone 3 .		\$16.73			F	-	┼
+	 	 	9.2.3.2.4 9.2.3.2.5	Zone 4 Zone 5		\$28.04 \$67.58			F	 	╁
	 	9.2.3.3	OS1 Capable L			- JUL 38		See 9.2.5		 	1
	\vdash		9.2.3.3.1	Zone 1		\$68.86			#		
		Ĺ	9.2.3.3.2	Zone 2		\$69.41			#		\Box
			9.2.3.3.3	Zone 3		\$69.08			#		╄
	ļ	 	9.2.3.3.4	Zone 4		\$68.96			#	<u> </u>	╀
+-	<u> </u>	9.2.3.4	9.2.3.3.5	Zone 5		\$74.33		See 9.2.6	#	 	╁
+	 	9.2.3.4	DS3 Capable L 9.2.3.4.1	Zone 1		\$745.93	 	366 5.2.0	*	\vdash	╁╌
+	 	_	9.2.3.4.2	Zone 2	 	\$758.45	 		#		1
1	1		9.2.3.4.3	Zone 3		\$750.87			*		
	ļ., .		9.2.3.4.4	Zone 4		\$748.20			#	T	Т
			01210111	-CO 10 1				·			_
	I		9.2.3.4.5	Zone 5		\$870.32			#		t
		9.2.3.5	9.2.3.4.5 Intentionally Le	Zone 5 eft Blank		\$870.32			#		E
	9.2.4	9.2.3.6 Loop instal	9.2.3.4.5 Intentionally Le 2-Wire Extension lation and Disco	Zone 5 of Blank on Technology nnection Charge	s for 2 & 4-Wire Analog / Nonloaded, ISDN BRI ng is not required.						
	9.2.4	9.2.3.6 Loop instal	9.2.3.4.5 Intentionally Le 2-Wire Extension and Discording Control Capable, vince the Capable of Ca	Zone 5 eft Blank ion Technology nnection Charge where conditioning		\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,			#		
	9.2.4	9.2.3.6 Loop instal Capable, x	9.2.3.4.5 Intentionally Le 2-Wire Extensionand Discontinuous DSL-I Capable, e	Zone 5 off Blank ion Technology nnection Charge where conditioni on First	ng is not required.	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,			#		
	9.2.4	9.2.3.6 Loop Instal Capable, x	9.2.3.4.5 Intentionally Le 2-Wire Extension and Discording Control Capable, vince the Capable of Ca	Zone 5 eft Blank ion Technology nnection Charge where conditioni on First 9.2.4.1.1.1	ng is not required.	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$45.70	#		
	9.2.4	9.2.3.6 Loop Instal Capable, x	9.2.3.4.5 Intentionally Le 2-Wire Extension and Discording Control Capable, vince the Capable of Ca	Zone 5 eft Blank ion Technology nnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2	installation or Change, Manual Disconnection, Manual	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$26.51	#		
	9.2.4	9.2.3.6 Loop Instal Capable, x	9.2.3.4.5 Intentionally Le 2-Wire Extension and Discording Control Capable, vince the Capable of Ca	Zone 5 aft Blank on Technology more conditions on First 9.2.4.1.1.1 9.2.4.1.1.2	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$26.51 \$37.53	#		
	9.2.4	9.2.3.6 Loop Instal Capable, x	9.2.3.4.5 Intentionally Le 2-Wire Extension and Discording Control Capable, vince the Capable of Ca	Zone 5 off Blank ion Technology innection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.3	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$26.51	#		
	9.2.4	9.2.3.6 Loop Instal Capable, x	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bastion and Discou DSL-I Capable, v Basic Installatio 9.2.4.1.1	Zone 5 eff Blank on Technology nnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.3 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1	installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized at Installation or Change, Mechanized	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$26.51 \$37.53 \$14.41 \$34.78	#		
	9.2.4	9.2.3.6 Loop Instal Capable, x	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bastion and Discou DSL-I Capable, v Basic Installatio 9.2.4.1.1	Zone 5 sft Blank on Technology mnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.3 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.1	installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Installation or Change, Manual Disconnection, Manual	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$26.51 \$37.53 \$14.41 \$34.78 \$16.33	# A		
	9.2.4	9.2.3.6 Loop Instal Capable, x	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bastion and Discou DSL-I Capable, v Basic Installatio 9.2.4.1.1	Zone 5 aft Blank on Technology mnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.3 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.1 9.2.4.1.2.2	installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized al Installation or Change, Manual Disconnection, Mechanized al Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$26.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78	# A		
	9.2.4	9.2.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatk 9.2.4.1.1	Zone 5 off Blank ion Technology mnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.1 9.2.4.1.2.2 9.2.4.1.2.3 9.2.4.1.2.3	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized at Installation or Change, Manual Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$26.51 \$37.53 \$14.41 \$34.78 \$16.33	# A		
	9.2.4	9.2.3.6 Loop Instal Capable, x	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatic 9.2.4.1.1	Zone 5 eff Blank on Technology mnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.3 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.1 9.2.4.1.2.2 9.2.4.1.2.3 9.2.4.1.2.4 on with Performs	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized at Installation or Change, Manual Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$26.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78	# A		
	9.2.4	9.2.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatk 9.2.4.1.1	Zone 5 off Blank ion Technology mnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.1 9.2.4.1.2.2 9.2.4.1.2.3 9.2.4.1.2.3	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized at Installation or Change, Manual Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$26.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78	# A		
	9.2.4	9.2.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatic 9.2.4.1.1	Zone 5 eff Blank on Technology mnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.2 9.2.4.1.2.3 on with Performs First	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Manual Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Manual Disconnection, Manual	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$28.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78 \$13.99 \$118.09 \$28.51	# A		
	9.2.4	9.2.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatic 9.2.4.1.1	Zone 5 eff Blank on Technology mnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.3 9.2.4.1.2.1 9.2.4.1.2.1 9.2.4.1.2.1 9.2.4.1.2.2 9.2.4.1.2.3 9.2.4.1.2.4 on with Performatifiest 9.2.4.2.1.1 9.2.4.2.1.2 9.2.4.2.1.2	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized al Installation or Change, Manual Disconnection, Menual Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Manual Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$28.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78 \$13.99 \$118.09 \$28.51 \$109.82	# A		
	9.2.4	9.2.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatio 9.2.4.1.1	Zone 5 eft Blank on Technology nnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.2 9.2.4.1.2.3 9.2.4.1.2.4 on with Performs First 9.2.4.2.1.1 9.2.4.2.1.3 9.2.4.2.1.1	installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized al Installation or Change, Mechanized al Installation or Change, Manual Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized ance Testing Installation or Change, Manual Installation or Change, Manual Installation or Change, Manual Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$28.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78 \$13.99 \$118.09 \$28.51	# A		
	92.4	9.2.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatic 9.2.4.1.1	Zone 5 off Blank ion Technology innection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.3 9.2.4.1.2.4 9.2.4.1.2.4 9.2.4.1.2.4 0n with Performations First 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Manual Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$28.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78 \$13.99 \$118.09 \$28.51 \$109.82 \$16.33	# A		
	9.2.4	9.2.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatio 9.2.4.1.1	Zone 5 eff Blank ion Technology mnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.3 9.2.4.1.2.4 on with Performs First 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Manual Installation or Change, Manual Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Installation or Change, Menual	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$28.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78 \$13.99 \$118.09 \$28.51 \$109.82 \$16.33	# A		
	9.2.4	9.2.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatio 9.2.4.1.1	Zone 5 eff Blank on Technology mnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.1 9.2.4.1.2.3 9.2.4.1.2.4 on with Performs First 9.2.4.2.1.1 9.2.4.2.1.2 9.2.4.2.1.1 9.2.4.2.1.2 9.2.4.2.1.1 9.2.4.2.1.2 9.2.4.2.1.3 9.2.4.2.1.4 Each Additions 9.2.4.2.1.1	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized al Installation or Change, Manual Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized ance Testing Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Installation or Change, Manual Disconnection, Mechanized Disconnection, Mechanized	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$28.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78 \$13.99 \$118.09 \$28.51 \$109.82 \$16.33 \$66.37 \$16.33	A		
	9.2.4	9.2.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatio 9.2.4.1.1	Zone 5 eff Blank ion Technology mnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.3 9.2.4.1.2.4 on with Performs First 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Manual Installation or Change, Manual Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Installation or Change, Menual	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$28.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78 \$13.99 \$118.09 \$28.51 \$109.82 \$16.33	A		
	9.2.4	9.2.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatic 9.2.4.1.1 9.2.4.1.2 Basic Installatic 9.2.4.2.1	Zone 5 off Blank In Technology Innection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.3 9.2.4.1.2.4 on with Performatifiers 9.2.4.2.1 9.2.4.2.1.1 9.2.4.2.1.2 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized al Installation or Change, Manual Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized ance Testing Installation or Change, Manual Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Manual Disconnection, Menual Installation or Change, Menual Disconnection, Manual Installation or Change, Mechanized	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$28.51 \$37.53 \$14.41 \$34.76 \$16.33 \$34.76 \$13.99 \$118.09 \$28.51 \$109.82 \$16.33 \$66.37	A		
	9.2.4	92.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatic 9.2.4.1.1 9.2.4.1.2 Basic Installatic 9.2.4.2.1 Coordinated In	Zone 5 off Blank on Technology mnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.1 9.2.4.1.2.3 9.2.4.1.2.4 on with Performa First 9.2.4.2.1.1 9.2.4.2.1.2 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.4 Each Additions 9.2.4.2.1.1 9.2.4.2.1.2 9.2.4.2.2.3 9.2.4.2.2.3 9.2.4.2.2.1 9.2.4.2.2.3 9.2.4.2.2.3 9.2.4.2.2.4 pstallation with C	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$28.51 \$37.53 \$14.41 \$34.76 \$16.33 \$34.76 \$13.99 \$118.09 \$28.51 \$109.82 \$16.33 \$66.37	A		
	9.2.4	92.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatic 9.2.4.1.1 9.2.4.1.2 Basic Installatic 9.2.4.2.1	Zone 5 eff Blank on Technology mnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.3 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.1 9.2.4.1.2.2 9.2.4.1.2.3 9.2.4.1.2.3 9.2.4.1.2.4 on with Performations First 9.2.4.2.1.1 9.2.4.2.1.2 9.2.4.2.1.3 9.2.4.2.1.4 Each Additions 9.2.4.2.1.4 Each Additions 9.2.4.2.1.3 9.2.4.2.1.4 Each Additions 9.2.4.2.2.1 9.2.4.2.2.1 9.2.4.2.2.3 9.2.4.2.2.4 stallation with C	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Manual Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Manual Installation or Change, Manual Disconnection, Mechanized Installation or Change, Manual Disconnection, Mechanized	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$28.51 \$37.53 \$14.41 \$34.76 \$16.33 \$34.76 \$13.99 \$118.09 \$28.51 \$109.82 \$16.33 \$66.37 \$16.33	A		
	9.2.4	92.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatic 9.2.4.1.1 9.2.4.1.2 Basic Installatic 9.2.4.2.1 Coordinated In	Zone 5 off Blank on Technology onnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.3 9.2.4.1.2.4 9.2.4.1.2.4 9.2.4.1.2.4 on with Performatifiers 9.2.4.2.1.1 9.2.4.2.1.2 9.2.4.2.1.3 9.2.4.2.1.4 Each Additions 9.2.4.2.1.1 9.2.4.2.1.2 9.2.4.2.2.3 9.2.4.2.2.1 9.2.4.2.2.1 9.2.4.2.2.3 9.2.4.2.2.4 pstallation with C	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Menual Disconnection, Menual Disconnection, Menual Disconnection, Menual Disconnection, Menual Disconnection, Menual Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Menual	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$28.51 \$37.53 \$14.41 \$34.76 \$16.33 \$34.78 \$13.99 \$118.09 \$28.51 \$109.82 \$16.33 \$66.37 \$16.33	A		
	9.2.4	92.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatic 9.2.4.1.1 9.2.4.1.2 Basic Installatic 9.2.4.2.1 Coordinated In	Zone 5 eff Blank on Technology mnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.3 9.2.4.1.2.4 on with Performs First 9.2.4.2.1.1	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Installation or Change, Manual Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Manual Installation or Change, Menual Disconnection, Manual	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$28.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78 \$13.99 \$28.51 \$109.82 \$16.33 \$66.37 \$16.33 \$66.37 \$16.33	# A		
	9.2.4	92.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatic 9.2.4.1.1 9.2.4.1.2 Basic Installatic 9.2.4.2.1 Coordinated In	Zone 5 off Blank	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Disconnection, Mechanized	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$28.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78 \$13.99 \$28.51 \$109.82 \$16.33 \$66.37 \$16.33 \$66.37 \$16.33	# A		
	9.2.4	92.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatic 9.2.4.1.1 9.2.4.1.2 Basic Installatic 9.2.4.2.1 9.2.4.2.1	Zone 5 eff Blank on Technology mnection Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.1 9.2.4.1.2.2 9.2.4.1.2.3 9.2.4.1.2.4 on with Performa First 9.2.4.2.1.1 9.2.4.2.1.2 9.2.4.2.1.3 9.2.4.2.1.1 9.2.4.2.1.3 9.2.4.2.1.4 Each Additions 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.2.1.3 9.2.4.3.1.1	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Manual Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$28.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78 \$13.99 \$28.51 \$109.82 \$16.33 \$66.37 \$16.33 \$66.37 \$16.33	# A		
	9.2.4	92.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatic 9.2.4.1.1 9.2.4.1.2 Basic Installatic 9.2.4.2.1 Coordinated In	Zone 5 off Blank	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Manual Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$28.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78 \$13.99 \$28.51 \$109.82 \$16.33 \$66.37 \$16.33 \$66.37 \$16.33	A		
	9.2.4	92.3.6 Loop instal Capable, x 9.2.4.1	9.2.3.4.5 Intentionally Le 2-Wire Extensis Bation and Discou DSL-I Capable, v Basic Installatic 9.2.4.1.1 9.2.4.1.2 Basic Installatic 9.2.4.2.1 9.2.4.2.1	Zone 5 off Blank con Technology misction Charge where conditions on First 9.2.4.1.1.1 9.2.4.1.1.2 9.2.4.1.1.4 Each Additions 9.2.4.1.2.1 9.2.4.1.2.3 9.2.4.1.2.4 9.2.4.1.2.4 on with Performatifiers First 9.2.4.2.1.1 9.2.4.2.1.2 9.2.4.2.1.3 9.2.4.2.1.1 9.2.4.2.1.2 9.2.4.2.1.3 9.2.4.2.1.4 Each Additions 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.2 9.2.4.2.1.3 9.2.4.2.1.4 Each Additions 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.2.1.1 9.2.4.3.1.1 9.2.4.3.1.1	Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Manual Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Disconnection, Menual Installation or Change, Mechanized Disconnection, Menual Disconnection, Menual Disconnection, Menual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Menual Disconnection, Manual Installation or Change, Mechanized Disconnection, Menual Disconnection, Menual Disconnection, Menual Disconnection, Menual	\$870.32 \$20.73 See 9.2.1, 9.2.2, 9.2.3.1,		\$28.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78 \$13.99 \$118.09 \$28.51 \$109.82 \$16.33 \$66.37 \$16.33 \$66.37 \$16.33	# A		

					Washington	_		
14 14 14 14 14 14 14 14 14 14 14 14 14 1	1 25 1 1 25 1 2 1 2 -	9.2.4.4	Coordinated in	stallation without	Cooperative Testing / Project Coordinated Installation		F15 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -	
		 	20111	- Teit-				
	 	 	9.2.4.4.1	First 9.2.4.4.1.1	Installation	 	\$59.81	
				9.2.4.4.1.2	Disconnection		\$0.00	
			9.2.4.4.2	Each Additional	Installation		\$53.32	-
	+	 	 	9.2.4.4.2.1 9.2.4.4.2.2	Disconnection	 	\$0.00	
		9.2.4.5		on with Cooperati				
			9.2.4.5.1	First	The state of Change Manual	 	\$111.29	
	+	 	 	9.2.4.5.1.1 9.2.4.5.1.2	Installation or Change, Manual Disconnection, Manual	 	\$30.30	
		,		9.2.4.5.1.3	Installation or Change, Mechanized		\$88.49	
				9.2.4.5.1.4	Disconnection, Mechanized		\$16.89	
			9.2.4.5.2	Each Additional 9.2.4.5.2.1	Installation or Change, Manual	 	\$54.28	
	1			9.2.4.5.2.2	Disconnection, Manual		\$16.89	
		ļ		9.2,4.5.2.3	Installation or Change, Mechanized		\$54.28 \$16.89	
	9.2.5	DS1Loop	Installation Char	9.2.4.5.2.4	Disconnection, Mechanized	See 9.2.3.3	\$10.08	
	92.5	9.2.5.1	Basic Installati			000 012.0.0		
			9.2.5.1.1	First			8404.00	
	+	 	 	9.2.5.1.1.1 9.2.5.1.1.2	Installation or Change, Manual Disconnection, Manual	 	\$104.82 \$32.51	
	+	+	+	9.2.5.1.1.2	Installation or Change, Mechanized	<u> </u>	\$96.68	
				9.2.5.1.1.4	Disconnection, Mechanized		\$27.99	
			9.2.5.1.2	Each Additiona 9.2.5.1.2.1	Installation or Change, Manual	 	\$98,27	
	+	-	 	9.2.5.1.2.2	Disconnection, Manual	 	\$14.64	
				9.2.5.1.2.3	Installation or Change, Mechanized		\$94.66	
		0050	D-to to stallet	9.2.5.1.2.4 tion with Performs	Disconnection, Mechanized	┼──┤	\$12.83	
+		9.2.5.2	9.2.5.2.1	First	ice resuite			
				9.2.5.2.1.1	Installation or Change, Manual		\$300.55	
	-			9.2.5.2.1.2	Disconnection, Manual	 	\$32.51 \$292.42	
		 	 	9.2.5.2.1.3 9.2.5.2.1.4	Installation or Change, Mechanized Disconnection, Mechanized		\$27.99	
			9.2.5.2.2	Each Additiona	1			
				9.2.5.2.2.1	Installation or Change, Manual		\$270.43 \$14.64	
	+	 	+	9.2.5.2.2.2	Disconnection, Manual Installation or Change, Mechanized	 	\$266.81	
	1	+		9.2.5.2.2.4	Disconnection, Mechanized		\$12.83	
		9.2.5.3	Coordinated In	nstallation with Co	coperative Testing / Project Coordinated Installation	1		
		 	9.2.5.3.1	First		 		
+		+	9.2.3.3.1	9.2.5.3.1.1	Installation or Change, Manual	<u> </u>	\$340.47	
				9.2.5.3.1.2	Disconnection, Manual		\$32.51	
				9.2.5.3.1.3	Installation or Change, Mechanized Disconnection, Mechanized		\$332.34 \$27.99	
	+	+	9.2.5.3.2	9.2.5.3.1.4 Each Additiona		<u> </u>	421.33	
				9.2.5.3.2.1	Installation or Change, Manual	ļ	\$309.75	
	4	4		9.2.5.3.2.2	Disconnection, Manual Installation or Change, Mechanized	 -	\$14.84 \$306.14	
		+	+	9.2.5.3.2.4	Disconnection, Mechanized	 	\$12.83	
_	 	9.2.5.4	Coordinated I		Cooperative Testing / Project Coordinated Installation			
			<u> </u>	Terr		 		
		+	9.2.5.4.1	First 9.2.5.4.1.1	Installation or Change, Manual	+	\$109.87	
	1			9.2.5.4.1.2	Disconnection, Manual		\$32.51	
		Ţ		9.2.5.4.1.3	Installation or Change, Mechanized		\$101.74	
			9.2.5.4.2	9.2.5.4.1.4 Each Additions	Disconnection, Mechanized	1	\$27.99	
	+	+	3.4.3.4.4	9.2.5.4.2.1	Installation or Change, Manual		\$103.33	
				9.2.5.4.2.2	Disconnection, Manual		\$14.64	
			 	9.2.5.4.2.3	Installation or Change, Mechanized Disconnection, Mechanized	 	\$99.72 \$12.83	
	+	9.2.5.5	Basic Installa	9.2.5.4.2.4 Ition with Coopera			\$12.03	
_	1		9.2.5.5.1	First				
\Box				9.2.5.5.1.1	Installation or Change, Manual	 	\$213.72	
_		+	 	9.2.5.5.1.2 9.2.5.5.1.3	Disconnection, Manual Installation or Change, Mechanized	 	\$24.01 \$204.07	
-+-	+		+	9.2.5.5.1.4	Disconnection, Mechanized		\$22.49	
			9.2.5.5.2	Each Addition	al			
				9.2.5.5.2.1	Installation or Change, Manual		\$187.23 \$11.99	
	1	_i	_1	9.2.5.5.2.2	Disconnection, Manual			
-				9.2.5.5.2.3	Installation or Change, Mechanized		\$186.34	

					wasnington						
Copyright Backs		DC2 Lass Is	MANAGEMENT Character	MANAGEMENT OF THE PROPERTY OF		See 9.2.3.4	11111		2312121011	2000	100
	9.2.8		staliation Charge Basic Installation			366 6.2.3.4					
				First					_		_
	 		3.2.0.1.1	9.2.6.1.1.1	Installation or Change, Manual			\$104.82	-		С
	\vdash			9.2.6,1.1.2	Disconnection, Manual			\$32.51			C
	 			9.2.6.1.1.3	Installation or Change, Mechanized			\$96.68			Ç
				9.2.6.1.1.4	Disconnection, Mechanized			\$27.99			С
			9.2.6.1.2	Each Additional							
				9.2.6.1.2.1	Installation or Change, Manual			\$98.27			C
				9.2.6.1.2.2	Disconnection, Manual	I		\$14.64	 -∔		C
				9.2.6.1.2.3	Installation or Change, Mechanized	ļ		\$94.66			č
				9.2.6.1.2.4	Disconnection, Mechanized	 	_	\$12.83	$-\!\!+$		С
	↓	9.2.6.2		n with Performa	nce Testing	 			+		
		ļ	9.2.6.2.1	First	1			\$200 FF			C.
		ļ		9.2.6.2.1.1	Installation or Change, Manual			\$300.55 \$32.51	 +		÷
	ļ	 		9.2.6.2.1.2	Disconnection, Manual	-		\$292.42	-		č
	 		ļ	9.2.6.2.1.3	Installation or Change, Mechanized Disconnection, Mechanized			\$27.99			č
	 	-	9.2.6.2.2	9.2.6.2.1.4 Each Additiona		 		45, 33	+		
	 	 	3.2.0.2.2	9.2.6.2.2.1	Installation or Change, Manual	 		\$270.43	-+		С
	 	 	 	9.2.6.2.2.1	Disconnection, Manual	 		\$14.64			Ċ
	+	+	 	9.2.6.2.2.3	Installation or Change, Mechanized			\$266.81			Ċ
	 	 	 	9.2.6.2.2.4	Disconnection, Mechanized	 		\$12.83		-	č
- -	+	9.2.6.3	Coordinated Inc		operative Testing / Project Coordinated Installation	1		\$12.50			
1	!	3.2.0.3		STATES OF THE CO	operative results in reject containated material.						
-	+-	+	9.2.6.3.1	First				 			
	+-	+	. J. Z. U. J. I	9,2.6.3.1.1	Installation or Change, Manual		- :	\$340.47	+		Ç
	+-	 		9.2.6.3.1.2	Disconnection, Manual			\$32.51			Ċ
-	+	+		9.2.6.3.1.3	Installation or Change, Mechanized			\$332.34			C
	 	 		9.2.6.3.1.4	Disconnection, Mechanized			\$27.99			C
	 	+	9.2.6.3.2	Each Additions		-		1			
	 	 	5.2.0.0.2	9.2.8.3.2.1	Installation or Change, Manual			\$309.75		1	_ <u>c</u>
		 		9.2.6.3.2.2	Disconnection, Manual			\$14.64			С
-	+	 		9.2.6.3.2.3	Installation or Change, Mechanized			\$306.14			С
	+	1		9.2.6.3.2.4	Disconnection, Mechanized	†		\$12.83			Ç
	 	9.2.6.4	Coordinated In:		Cooperative Testing / Project Coordinated Installation			1			7
	ł				• • • • • • • • • • • • • • • • • • • •	, ,		1 1]		
	+	1	9.2.6.4.1	First							
	+	 	1	9.2.6.4.1.1	Installation or Change, Manual			\$109.87			С
		+		9.2.6.4.1.2	Disconnection, Manual			\$32.51			С
		1		9.2.6.4.1.3	Installation or Change, Mechanized			\$101.74			С
	 	 	ļ	9.2.6.4.1.4	Disconnection, Mechanized			\$27.99			С
		 	9.2.6.4.2	Each Additiona							
	<u> </u>	1		9.2.6.4.2.1	installation or Change, Manual			\$103.33			С
				9.2.6.4.2.2	Disconnection, Manual			\$14.64			С
				9.2.6.4.2.3	Installation or Change, Mechanized			\$99.72			C
		1	-	9.2.6.4.2.4	Disconnection, Mechanized			\$12.83			C
		9.2.6.5	Basic Installation	on with Cooperat	ive Testing			,			
			9.2.6.5.1	First							
	 			9.2.6.5.1.1	Installation or Change, Manual			\$213.72			E
	 	1		9.2.6.5.1.2	Disconnection, Manual			\$24.01	I		Е
			1.	9.2.6.5.1.3	Installation or Change, Mechanized			\$204.07	I		E
				9.2.6.5.1.4	Disconnection, Mechanized		L	\$22.49			E
			9,2.6.5.2	Each Additiona							
				9.2.6.5.2.1	installation or Change, Manual			\$187.23			Ε.
1	L			9.2.6.5.2.2	Disconnection, Manual		<u></u>	\$11.99			E
			<u> </u>	9.2.6.5.2.3	Installation or Change, Mechanized	1	ļ	\$186.34			E
				008534	Disconnection, Mechanized						E
	1			9.2.6.5.2.4	Disconnection, wiconstructed			\$11.99			
	9.2.7		y Left Blank								_
	9.2.7 9.2.8				Loop Conversion (as is)			\$11.99 \$36.86			1
											1
9.3		Private Line	e / Special Acces	ss to Unbundled	Loop Conversion (as is)						1
9.3	9.2.8	Private Line	e / Special Acces		Loop Conversion (as is)						1
9.3	9.2.8 Subloo	Private Line 2-Wire Ana	e / Special Accession and Nonload	ss to Unbundled	Loop Conversion (as is)			\$36.86			
9.3	9.2.8 Subloo	Private Line 2-Wire Ana	e / Special Acces	ss to Unbundled ded Distribution L	Loop Conversion (as is) cop Change, Manual			\$36.86 \$65.99			C
9.3	9.2.8 Subloo	Private Line 2-Wire Ana	log and Nonload First 9.3.1.1.1 9.3.1.1.2	ss to Unbundled ded Distribution to Installation or Disconnection	Loop Conversion (as is) cop Change, Manual Manual			\$36.86 \$65.99 \$18.81			C
9.3	9.2.8 Subloo	Private Line 2-Wire Ana	log and Nonload	ss to Unbundled ded Distribution I Installation or Disconnection Installation or	Loop Conversion (as is) cop Change, Manual Manual Change, Mechanized			\$36.86 \$65.99 \$16.81 \$58.94			CCC
9.3	9.2.8 Subleo	Private Line 2-Wire Ana	log and Nonload First 9.3.1.1.1 9.3.1.1.2	ss to Unbundled ded Distribution to Installation or Disconnection	Loop Conversion (as is) cop Change, Manual Manual Change, Mechanized			\$36.86 \$65.99 \$18.81			CCC
9.3	9.2.8 Subleo	Private Line 2-Wire Ana	b / Special Access log and Nonload First 9.3.1.1.1 9.3.1.1.2	ded Distribution I Installation or Disconnection Installation or Disconnection	Loop Conversion (as is) cop Change, Manual Manual Change, Mechanized			\$36.86 \$65.99 \$18.81 \$58.94 \$5.42			CCCC
9.3	9.2.8 Subleo	Private Line 2-Wire Ana 9.3.1.1	log and Nonload First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4	ded Distribution to Disconnection Installation or Disconnection Installation or Disconnection at the state of	Loop Conversion (as is) cop Change, Manual Manual Change, Mechanized			\$36.86 \$65.99 \$16.81 \$58.94			CCCC
9.3	9.2.8 Subleo	Private Line 2-Wire Ana 9.3.1.1	log and Nonload First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additions 9.3.1.2.1	ded Distribution to Disconnection Installation or Disconnection Installation or Disconnection at the state of	Loop Conversion (as is) Change, Manual Manual Change, Mechanized Mechanized Change, Menual			\$36.86 \$65.99 \$18.81 \$58.94 \$5.42			CCCC
9.3	9.2.8 Subleo	Private Line 2-Wire Ana 9.3.1.1	log and Nonload First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additions 9.3.1.2.1 9.3.1.2.2	ded Distribution I Installation or Disconnection Installation or Disconnection Installation or Disconnection	Loop Conversion (as is) Change, Manual Manual Change, Mechanized Mechanized Change, Menual			\$36.86 \$65.99 \$16.81 \$58.94 \$5.42			CCCC
9.3	9.2.8 Subleo	Private Line 2-Wire Ana 9.3.1.1	log and Nonload First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additions 9.3.1.2.1 9.3.1.2.2	ded Distribution I Installation or Disconnection Installation or Disconnection Installation or Disconnection	Loop Conversion (as is) Change, Manual Manual Change, Mechanized Mechanized Change, Menual Manual Change, Menual Manual Change, Mechanized			\$36.86 \$65.99 \$16.81 \$58.94 \$5.42 \$21.83 \$18.81			C
9.3	9.2.8 Subleo	2-Wire Ana 9.3.1.1	log and Nonloso First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additions 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3	ded Distribution I installation or Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection Disconnection	Loop Conversion (as is) Change, Manual Manual Manual Change, Mechanized Mechanized Manual Manual Change, Mechanized Mechanized Mechanized Mechanized			\$36.86 \$65.99 \$18.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78			0000
9.3	9.2.8 Subleo	Private Line 2-Wire Ana 9.3.1.1	log and Nonload First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additions 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribu	ded Distribution I Installation or Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection Installation or	Loop Conversion (as is) Change, Manual Manual Change, Mechanized Mechanized Change, Menual Manual Change, Menual Manual Change, Mechanized	\$6.67		\$36.86 \$65.99 \$18.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78			0000
9.3	9.2.8 Subleo	2-Wire Ana 9.3.1.1	log and Nonloso First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additions 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3	ded Distribution I installation or Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection Disconnection	Loop Conversion (as is) Change, Manual Manual Manual Change, Mechanized Mechanized Manual Manual Change, Mechanized Mechanized Mechanized Mechanized	\$8.67 \$8.27		\$36.86 \$65.99 \$18.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78			0000

					Washington						
				MATERIAL PROPERTY OF THE PROPERTY OF THE		والمتعاد المتعاد المتعاد					
	ļ			Zone 4		\$19.02 \$48.37			- F		
	9.3.2	Intentionally		Zone 5		340.07					
	9.3.3		Cable (2-Wire C			\$0.91			С		
	ļ <u> </u>		No Dispatch, Firs 9.3.3.1.1	installation		- 		\$7.01			- 1
	 			Disconnection				\$7.01			_1
			No Dispatch, Ea			1 1		\$7.01			
 	├			Installation Disconnection		 		\$7.01			1
	9.3.4	Intentionally	Left Blank								
	9.3.5			TE) Terminal Subloop Access POI Site Inventory, per Reques		- 		\$276.15	-	-	<u> </u>
 	 			angement of Facilities				ICB			3
		9.3.5.3	MTE - POI Cons	truction of New SPOI		ICB			-3		
 	9.3.6	Intentionally	Left Blank ction Point (FCP)								
 	9.3.7			Quote Preparation Fee				\$430.00			С
			FCP Set-up, per					\$3,336.93 \$14.07			1
 	 		FCP Splicing, pe FCP Reclassification			 		\$544.09			
		10.0.1.7	. v. 1300045011C								\Box
9.4	Shared S					 					
	9.4.1 9.4.2	Intentionally Intentionally									
	9.4.3	Loop Splittin	c								
				Charge for Loop Splitting	 			\$45.70			1
	+		9.4.3.1.1 9.4.3.1.2	Installation, Manual Disconnection, Manual				\$26.51			1
			9.4.3.1.3	Installation, Mechanized				\$37.53 \$14.41			1
<u> </u>		<u> </u>	9.4.3.1.4	Disconnection, Mechanized				314.41			
9.5	Network	Interface De	vice (NID)			\$0.41			A, 7_		
	9.5.1	Manual						\$66.71 \$59.67			C
1	9.5.2	Mechanized	<u> </u>					405.01			
9.6			Interoffice Tra								
⊢	9.6.1	DS0 UDIT (I	Recurring Fixed Over 0 to 8 Mile			\$16.59	\$0.10		Ā	A	
	 		Over 8 to 25 Mil			\$16.59	\$0.07		Α	Ā	
		9.6.1.3	Over 25 to 50 M			\$16.58	\$0.07 \$0.14		A	A	
	+-	9.6.1.4 9.6.1.5	Over 50 Miles Installation, Mar	vial		\$16.59	30.14	\$217.71		_^	С
	+	9.6.1.6	Disconnection,					\$90.86			C
			Installation, Med				<u> </u>	\$201.08 \$74.23	-		C
	9.6.2		Disconnection, I Recurring Fixed					<u> </u>			
		9.6.2.1	Over 0 to 8 Mile	\$		\$33.12			A	A	
\ <u> </u>		9.6.2.2	Over 8 to 25 Mil Over 25 to 50 M			\$33.12 \$33.13			A	A	
 	+	9.6.2.4	Over 50 Miles			\$33.13			A	Α	
		9.6.2.5	Installation, Mai					\$260.80 \$91.37		-	C
	+	9.6.2.6 9.6.2.7	Disconnection, Installation, Med			_		\$244.14			č
	1	9.6.2.8	Disconnection,					\$74.74			С
	9.6.3		Recurring Fixed			\$224.72	\$10.60		A	A	
	+	9.6.3.1	Over 8 to 25 Mile			\$225.41	\$11.55		Α	Α	
		9.6.3.3	Over 25 to 50 N			\$231.08			A	A	
—	+	9.6.3.4 9.6.3.5	Over 50 Miles Installation, Ma	mual		\$233.13	\$34.70	\$260.80	A_	 ^	c
	+	9.6.3.6	Disconnection,					\$91.37			C
		9.6.3.7	installation, Me	chanized			 	\$244.14 \$74.74		 	C
 	9.6.4	9.6.3.8	Disconnection, y Left Blank	mecrianized				\$17.74			
	9.6.5	Intentional	y Left Blank				· ·				\perp
	9.6.6		y Left Blank			+	 		 	\vdash	_
 	9.6.7	9.6.7,1		Channelization (No Multiplexim	3)	\$11.23			С		
	9.6.8	intentional	y Left Blank				<u> </u>		ļ. —	<u> </u>	
1	9.6.9		y Left Blank y Left Blank				 		\vdash		
	9.6.10 9.6.11	UDIT Rean									
			D\$0, Dual Office				<u> </u>	\$154.39	 	\vdash	E
: <u> </u>	+-		9.6.11.1.1	Manual Mechanized		- 	 	\$142.88			E
 	+-	9.6.11.2	DS0, Single Of								

					wasnington				
			9.6.11.2.1	Manual			\$124.7		
┼		0.6.44.2	9.6.11.2.2 High Capacity,	Mechanized			\$113.2	7	
+	+	9.6.11.3	9.6.11.3.1	Manual	·····		\$186.8	6	 -
			9.6.11.3.2	Mechanized			\$175.3	5	
		9.6.11.4	High Capacity,				\$167.7	-	
+		 	9.6.11.4.1 9.6.11.4.2	Manual Mechanized			\$156.2		
	9.6.12			s to UDIT Conver	slon (as is)		\$126.0		
	Trans	- d m - d - Fib -	- (1155)						 -
9.7	9.7.1	Initial Recov	ds Inquiry (IRI)					+	
+	0		Simple				\$159.3		
		9.7.1.2	Complex				\$203.1		
+-	9.7.2		ation and Quote Verification	Preparation (FV)	<u>№</u>		\$1,483.7 \$239.1		
+	9.7.4	UDF - Singl					GEOU.	<u> </u>	<u> </u>
		9.7.4.1	UDF - Interoffic		IOF) Single Strand			\Box	
—	+		9.7.4.1.1		er First Strand / Route / Order	<u> </u>	\$355.0	<u> </u>	
+	+	 	 	9.7.4.1.1.2	Disconnection, Manual		\$355.4		
<u> </u>				9.7.4.1.1.3	Installation, Mechanized		\$339.3		
		1	07440	9.7.4.1.1.4	Disconnection, Mechanized each Additional Strand / Route / Order	 	\$198,	71	 -
+	+	+	9.7.4.1.2	Order Charge, E 9.7.4.1.2.1	instellation, Manual	 	\$200.9	96	
		<u> </u>	<u> </u>	9.7.4.1.2.2	Disconnection, Manual		\$80.	4	
		1		9.7.4.1.2.3	Installation, Mechanized		\$200.9		<u> </u>
+		+	9.7.4.1.3	9.7.4.1.2.4 Fiber Transport	Disconnection, Mechanized per Strand / Routs / Mile	\$40.88	\$80.	(4) E	 -
			9.7.4.1.4	Termination, Fix	ted, per Strand / Mile	\$3.08		Ε	
			9.7.4.1.5		nect (Minimum of 2 Cross-Connects Apply), per	\$1.71		E	
+-		+	ļ	9.7.4.1.5.1 9.7.4.1.5.2	Installation Disconnect		\$11.i		
_	9.7.5	UDF - per F	air	3.7,4.1.0.2	Discompact				†
		9.7.5.1	UDF - Interoffic	ce Facilities (UDF	-IOF), per Pair			$oldsymbol{oldsymbol{oldsymbol{\Box}}}$	
4	<u> </u>	 	9.7.5.1.1	Order Charge, p 9.7.5.1.1.1	per First Pair / Route / Order		\$355.		
+-	+	+		9.7.5.1.1.2	Disconnection, Manual		\$215.		
			<u> </u>	9.7.5.1.1.3	Installation, Mechanized		\$339.	31	
				9.7.5.1.1.4	Disconnection, Mechanized		\$198.	77	
		+	9.7.5.1.2	Order Charge, t 9.7.5.1.2.1	Each Additional Pair / Route / Order		\$200.	96	╁
+	+	 	 	9.7.5.1.2.2	Disconnection, Manual		\$80.		
				9.7.5.1.2.3	Installation, Mechanized		\$200.		
		 	9.7.5.1.3	9.7.5.1.2.4 Fiber Transport	Disconnection, Mechanized	\$53.14	\$80.	C	1
	+	 	9.7.5.1.4	Termination, Fix	ted, per Pair / Office	\$6.16		T c	1
			9.7.5.1.5	Fiber Cross-Co	nnect (Minimum of 2 Cross-Connects Apply), per Pair	\$3,42		C	
┵		 		9.7.5.1.5.1	Installation Discorrection	 	\$11. \$5.		
+	9.7.6	Dark Fiber	Splice	9.7.5.1.5.2	Principal acres (Control of Control of Contr	 	\$472		
	9.7.7	UDF MTE				(CB	IC	B 3	
	10.4=- **							- 	\vdash
9.8	Intention	selly Left Bia	ınık			 			
9.9	Intentio	nally Left Bla	ink						
16.75		-16							1
9.10	Intentio	nally Left Bla	en K			-		+	
9.11	Intentio	nally Left Bla	ınk					\perp	
- 12									
9.12	Intentio	nally Left Bla	rok -			 		+-	
9.13	Intentio	nalty Left Bla	enk					\pm	
								\bot	
	Intentio	nally Left Bla	ank			 			+
9.14			ank			 		+-	
9.14	Intentio	nally Left Fit						$\overline{}$	
	Intentio	nally Left Bl							
9.14		nally Left Bla						1	
9.14 9.15 9.16	Intentio	nally Left Bi	ank .						
9.14	Intentio		ank .						
9.14 9.15 9.16	Intentio	nally Left Bi	enk ank						
9.14 9.15 9.16 9.17	Intentio	nally Left Bi	enk enk ank						

+		9.19.1.1 <u>[</u>]	Records Quote P Construction Quo	reparation Fee					\$358.88 \$891.78			
 	9.19.2				r Space for Access	to or use of UNEs	ICB		ICB	3		_
In 20	Misselles						_	_				
		eous Charge Additional En	gineering, per H	alf Hour or fraction	on thereof							_
		9.20.1.1	Additional Engine	eering - Basic					\$31.46			_
+			Additional Engine				 		\$38.91			
		9.20.2.1	Additional Labor	installation - Ove	ertime				\$8.94			
1	9.20,3		Additional Labor		mium Half Hour or fracti	on thereof			\$17.89			
	3.20.0	9.20.3.1	Additional Labor	Other (Optional	Testing) - Basic				\$27.42			
		9.20.3.2 9.20.3.3	Additional Labor	Other (Optional	Testing) - Overtime Testing) - Premium	<u> </u>			\$36.62 \$45.84			_
+	9.20.4	Intentionally		Other (Optional	resurg) - Premium				943.04			
	9.20.5	Intentionally										_
	9.20.6				er Half Hour or fra ce Testing - Basic	ction thereof			\$29.13			
		9.20.6.2	Additional Coope	rative Acceptan	ce Testing - Overti				\$38.91			
+	9.20.7				ce Testing - Premi Hour or fraction the				\$48.69		├	-
 	g.£Ų.I	9.20.7.1	Nonscheduled C	ooperative Testi	ng - Basic				\$29.13			
		9.20.7.2	Nonscheduled C	ooperative Testi	ng - Overtime				\$38.91 \$48.69			-
+	9.20.8		Nonscheduled C		ng - Premium or fraction thereof	 	<u> </u>		3-10.09			
		9.20.8.1	Nonscheduled M	anual Testing - I	Basic				\$29.13		L	F
+			Nonscheduled M Nonscheduled M						\$38.91 \$48.69		\vdash	┝
	9.20.9	Intentionally	Left Blank	ariour rooting	1 (0111011							
	9.20.10	Intentionally Additional Di										┝
+	9.20.11	9.20.11.1							\$46.59			
		9.20.11.2	Mechanized						\$43.39		_	L
	9.20.12		ation Charge, per During Business				-		\$28.07			
		9.20.12.2	After Business H						\$37.55			L
	9.20.13	Design Char 9.20.13.1	nge, per Order Manual						\$53.65		-	┝
		9.20.13.2							\$50.45			
		Expedite Ch							ICB			┝
		Cancellation Maintenance	charge of Service, per	Half Hour or frac	tion thereof				108			
		9.20.16.1	Maintenance of	Service - Basic					\$27.42			L
		1	Maintenance of Maintenance of						\$36.62 \$45.84		-	
	9.20.17	Installation of	of Equipment, per	Half Hour								Г
			During Business After Business H					 	\$32.00 \$41.20			┝
	9.20.18		uipment, per Ha						¥41,20			
		9.20.18.1	During Business	Hours					\$32.00		<u></u>	┡
	9.20.19	9.20.18.2 Intentionally	After Business H Left Blank	IOUIS				-	\$41.20			
												F
	Channel 9.21.1	Regeneration DS1	n				\$0.00		\$0.00	15	 	H
	9.21.2	DS3				······	\$0.00		\$0.00			Г
		ally Left Bla	nk					ļ	-			\vdash
14.44	•								1			F
	UNE Cor 9.23.1	nbinations Intentionally	I eft Blank				 	 	 	 	-	H
	19.20.1	Enhanced E	xtended Loop (E			······································						
	9.23.2		EEL Loop, DS0		a Installation				<u> </u>	 		┞
	9.23.2			CCI 2 M6 1				 	+		 	+-
	9.23.2			EEL 2-Wire Loo 9.23.2.1.1.1	First							-
	9.23.2				First 9.23.2.1.1.1,1	Installation, Manual			\$226.09			F
	9.23.2				First 9.23.2.1.1.1.1 9.23.2.1.1.1.2	Disconnection, Manual			\$226.09 \$73.38 \$213.16			
	9.23.2		9.23.2.1.1	9.23.2.1.1.1	First 9.23.2.1.1.1.1 9.23.2.1.1.1.2 9.23.2.1.1.1.3 9.23.2.1.1.1.4				\$73.38			
	9.23.2		9.23.2.1.1		First 9.23.2.1.1.1.1 9.23.2.1.1.1.2 9.23.2.1.1.1.3 9.23.2.1.1.1.4 Each Additional	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized			\$73.38 \$213.16 \$60.45			
	9.23.2		9.23.2.1.1	9.23.2.1.1.1	First 9.23.2.1.1.1.1 9.23.2.1.1.1.2 9.23.2.1.1.1.3 9.23.2.1.1.1.4	Disconnection, Manual Installation, Mechanized			\$73.38 \$213.16 \$60.45 \$156.43 \$48.29			
	9.23.2		9.23.2.1.1	9.23.2.1.1.1	First 9.23.2.1.1.1.1 9.23.2.1.1.1.2 9.23.2.1.1.1.3 9.23.2.1.1.1.4 Each Additional 9.23.2.1.1.2.1	Disconnection, Manual Installation, Mechanizad Disconnection, Mechanized Installation, Manual			\$73.38 \$213.16 \$60.45 \$156.43			

						wasnington						
		HOME					(244.910.91881					
												W.
											F1 51	
180,190,2											民語	
				9.23.2.1.2.2	Zone 2		\$13.63			12		
	-			9.23.2.1.2.3	Zone 3		\$16.92			12 12		
	 			9.23.2.1.2.4 9.23.2.1.2.5	Zone 4 Zone 5		\$28.23 \$67.77			12		
	 	9.23.2.2	EEL Loop, DS0		ZUNES		907.77					
	1		9.23.2.2.1	EEL 4-Wire Loo	o Installation		+ -		i			
	1			9.23.2.2.1.1	First							
	T				9.23.2.2.1.1.1	Installation, Manual			\$226.09			_ <u>c</u>
_	1				9.23.2.2.1.1.2	Disconnection, Manual			\$73.38			_ <u>c</u>
	╃━━┼				9.23.2.2.1.1.3	Installation, Mechanized	+		\$213.16 \$60.45			<u>c</u>
	+			9.23.2.2.1.2	9.23.2.2.1.1.4 Each Additional	Disconnection, Mechanized	 		300.40	-		
	1 1			8.23.2,2.1.2	9.23.2.2.1.2.1	Installation, Manual	+		\$156.43	\neg		С
	† 				9.23.2.2.1.2.2	Disconnection, Manual			\$46.29			С
					9.23.2.2.1.2.3	Installation, Mechanized			\$156.43			Ç
					9.23.2.2.1.2.4	Disconnection, Mechanized			\$46.29			<u> </u>
	 		9.23.2.2.2		oop (see rates in 9	9.2.1.3)	I					
				9.23.2.2.2.1	Zone 1		\$21.38 \$26.29			12 12	-	
	 			9.23.2.2.2.2 9.23.2.2.2.3	Zone 2 Zone 3		\$32.69			12		
	+			9.23.2.2.2.4	Zone 4	· ·	\$54.66			12	 †	
	+			9.23.2.2.2.5	Zone 5		\$131.66			12		
	1	9.23.2.3	EEL Loop, DS1									
			9.23.2.3.1	EEL DS1 Loop	Installation							
				9.23.2.3.1.1	First		_ T		14			
					9.23.2.3.1.1.1	Installation, Manual	 		\$279.35			
	┿┈┈┼			 	9.23.2.3.1.1.2	Disconnection, Manual Installation, Mechanized			\$71.93 \$266.42			- 0
	+ +		 		9.23.2.3.1.1.4	Disconnection, Mechanized	+		\$58.99			-
	+			9.23.2.3.1.2	Each Additional	Discorping in the Control of the Con	+					Ť
					9.23.2.3.1.2.1	Installation, Manual	<u> </u>		\$204.74			ď
					9.23.2.3.1.2.2	Disconnection, Manual			\$30.68			9
				<u> </u>	9.23.2.3.1.2.3	Installation, Mechanized			\$204.74	_		0
	 		2 2 2 2 2	2010 1111	9.23.2.3.1.2.4	Disconnection, Mechanized	+		\$30.68			٩
	+		9.23.2.3.2	9.23.2.3.2.1	oop (see rates in 9 Zone 1	.2.3.3)	\$68.86			12		_
				9.23.2.3.2.2	Zone 2		\$69.41			12		Π
	+			9.23.2.3.2.3	Zone 3	 	\$69.08			12		
	1 1			9.23.2.3.2.4	Zone 4		\$68.96			12		
				9.23.2.3.2.5	Zone 5		\$74.33			12		
		9.23.2.4	EEL Loop, DS3								\longrightarrow	
			9.23.2.4.1	EEL DS3 Loop								
				9.23.2.4.1.1	First 9.23.2.4.1.1.1	Installation, Manual	+		\$298.16	_		_
	+ +		 	 -	9.23.2.4.1.1.2	Disconnection, Manual	+		\$74.96			7
_	i			·	9.23.2.4.1.1.3	Installation, Mechanized			\$285.22			
	+			 	9.23.2.4.1.1.4	Disconnection, Mechanized	1		\$62.03			-
	1 1			9.23.2.4.1.2	Each Additional							
					9.23.2.4.1.2.1	Installation, Manual			\$223.54			1
				1	9.23.2.4.1.2.2	Disconnection, Manual	4		\$33.71			۲
	4-4		ļ	 	9.23.2.4.1.2.3	Installation, Mechanized	+		\$223.54			\vdash
	+		0.22.24.2	Des Canable !	9.23.2.4.1.2.4	Disconnection, Mechanized	+	····	\$33.71			۳-
	+ +		9.23.2.4.2	9.23.2.4.2.1	oop (see rates in 9 Zone 1	.2.3.7)	\$745.93			12		-
	+		 	9.23.2.4.2.2	Zone 2		\$758.45	_		12		\vdash
_	+			9.23.2.4.2.3	Zone 3		\$750.87			12		
	1 1			9.23.2.4.2.4	Zопе 4		\$748.20			12		
				9.23.2.4.2.5	Zone 5		\$870.32			12		
		9.23.2.5			EEL Conversion (as is)	\bot		\$36.86	<u> </u>	ļ	.
	\perp	9.23.2.6	EEL Rearrange							<u> </u>		⊢
			9.23.2.6.1	DS0					\$135.13 \$153.38			\vdash
		0 00 0 7	9.23.2.6.2 EEL Transport	High Capacity					a 133.36	 		-
	-				Fixed & per Mile\	(see rates in 9.6.1)			 	Ι		H
		9.23.2.7	19.23.2.7 1				\$16.59	\$0.10		12	12	
		9.23.2.7	9.23.2.7.1	9.23.2.7.1.1	Over 0 to 8 Miles					12	12	
		9.23.2.7	9.23.2.7.1		Over 0 to 8 Miles Over 8 to 25 Miles		\$16.59	\$0.07				
		9.23.2.7	9.23.2.7.1	9.23.2.7.1.1 9.23.2.7.1.2 9.23.2.7.1.3	Over 8 to 25 Mile Over 25 to 50 Mile	98	\$16.58	\$0.07		12	12	╙
		9.23.2.7		9.23.2.7.1.1 9.23.2.7.1.2 9.23.2.7.1.3 9.23.2.7.1.4	Over 8 to 25 Mile Over 25 to 50 Miles Over 50 Miles	les					12 12	L
		9.23.2.7	9.23.2.7.2	9.23.2.7.1.1 9.23.2.7.1.2 9.23.2.7.1.3 9.23.2.7.1.4 DS1 (Recurring	Over 8 to 25 Miles Over 25 to 50 Miles Over 50 Miles Fixed & per Mile)	les (uses rates from 9.6.2)	\$16.58 \$16.59	\$0.07 \$0.14		12 12	12	
		9.23.2.7		9.23.2.7.1.1 9.23.2.7.1.2 9.23.2.7.1.3 9.23.2.7.1.4 DS1 (Recurring 9.23.2.7.2.1	Over 8 to 25 Miles Over 25 to 50 Miles Over 50 Miles Fixed & per Mile) Over 0 to 8 Miles	es les (uses rates from 9.6.2)	\$16.58 \$16.59 \$33.12	\$0.07 \$0.14 \$0.51		12 12 12	12	E
		9.23.2.7		9.23.2.7.1.1 9.23.2.7.1.2 9.23.2.7.1.3 9.23.2.7.1.4 DS1 (Recurring 9.23.2.7.2.1 9.23.2.7.2.2	Over 8 to 25 Miles Over 25 to 50 Miles Over 50 Miles Fixed & per Mile) Over 0 to 8 Miles Over 8 to 25 Mile	es les (uses rates from 9.6.2)	\$16.58 \$16.59 \$33.12 \$33.12	\$0.07 \$0.14 \$0.51 \$0.66		12 12 12 12	12 12 12	
		9.23.2.7		9.23.2.7.1.1 9.23.2.7.1.2 9.23.2.7.1.3 9.23.2.7.1.4 DS1 (Recurring 9.23.2.7.2.1 9.23.2.7.2.2 9.23.2.7.2.3	Over 8 to 25 Miles Over 25 to 50 Miles Over 50 Miles Fixed & per Mile) Over 0 to 8 Miles Over 8 to 25 Mile Over 25 to 50 Miles	es les (uses rates from 9.6.2)	\$16.58 \$16.59 \$33.12 \$33.12 \$33.13	\$0.07 \$0.14 \$0.51 \$0.65 \$2.30		12 12 12 12 12	12 12 12 12	
		9.23.2.7	9.23.2.7.2	9.23.2.7.1.1 9.23.2.7.1.2 9.23.2.7.1.3 9.23.2.7.1.4 DS1 (Recurring 9.23.2.7.2.1 9.23.2.7.2.2 9.23.2.7.2.3 9.23.2.7.2.4	Over 8 to 25 Miles Over 25 to 50 Miles Fixed & per Mile) Over 0 to 8 Miles Over 8 to 25 Mile Over 25 to 50 Mil Over 50 Miles	es les (uses rates from 9.6.2) : : :	\$16.58 \$16.59 \$33.12 \$33.12	\$0.07 \$0.14 \$0.51 \$0.66		12 12 12 12	12 12 12	
		9.23.2.7		9.23.2.7.1.1 9.23.2.7.1.2 9.23.2.7.1.3 9.23.2.7.1.4 DS1 (Recurring 9.23.2.7.2.1 9.23.2.7.2.2 9.23.2.7.2.3 9.23.2.7.2.4 DS3 (Recurring	Over 8 to 25 Miles Over 50 Miles Fixed & per Mile) Over 0 to 8 Miles Over 8 to 25 Miles Over 8 to 25 Miles Over 50 Miles Fixed & per Mile)	(uses rates from 9.6.2) ses les (uses rates from 9.6.2) (uses rates from 9.6.3)	\$16.58 \$16.59 \$33.12 \$33.12 \$33.13 \$33.13	\$0.07 \$0.14 \$0.51 \$0.65 \$2.30 \$2.70		12 12 12 12 12 12 12	12 12 12 12 12	
		9.23.2.7	9.23.2.7.2	9.23.2.7.1.1 9.23.2.7.1.2 9.23.2.7.1.3 9.23.2.7.1.4 DS1 (Recurring 9.23.2.7.2.1 9.23.2.7.2.2 9.23.2.7.2.3 9.23.2.7.2.4	Over 8 to 25 Miles Over 25 to 50 Miles Fixed & per Mile) Over 0 to 8 Miles Over 8 to 25 Mile Over 25 to 50 Mil Over 50 Miles	(uses rates from 9.6.2) is les (uses rates from 9.6.2) (uses rates from 9.6.3)	\$16.58 \$16.59 \$33.12 \$33.12 \$33.13	\$0.07 \$0.14 \$0.51 \$0.65 \$2.30		12 12 12 12 12	12 12 12 12	

					Washington						
				9.23.2.7.3.4	Over 50 Miles	\$233.13	\$34.70		12	12	├
+		9.23.2.8	EEL Multiplexin 9.23.2.8.1	DS1 to DS0		\$175.23			Α		├
+-	+	 -	19.23.2.0.1	9.23.2.8.1.1	Installation, Manual	\$175.23		\$202.05			c
	 		 	9.23.2.8.1.2	Disconnection, Manual			\$74.96			c
		<u> </u>		9.23.2.8.1.3	Installation, Mechanized			\$189.11			C
				9.23.2.8.1.4	Disconnection, Mechanized			\$62.03			
		ļ	9.23.2.8.2	DS3 to DS1		\$170.08			Α	<u> </u>	⊢₋
-		 -	 	9.23.2.8.2.1	installation, Manual	 		\$202.05 \$74.96			- 2
+	┿		-	9.23.2.8.2.2 9.23.2.8.2.3	Disconnection, Manual Installation, Mechanized	 		\$189.11		-	-
+		 	 	9.23.2.8.2.4	Disconnection, Mechanized	 		\$62,03			
		9.23.2.9	EEL DS0 Chan		(uses rates from 9.6.7)	1					
			9.23.2.9.1	DS0 Low Side (Channelization	\$11.23			С		
			9.23.2.9.2	DS1 / DS0 Low	Side Channelization	\$6,41			С		<u> </u>
9.24	Intentior	ally Left Bla	ınk	 -		├				\vdash	├
9.25		x Combinat				ļ					_
	9.25.1		DS0 2-Wire Analo			 				 	⊢
-		9.25.1.1	LMC 2-Wire Lo 9.25.1.1.1	op Installation First		 	 		_		1
	+	+	18.23.1.1.1	9.25.1.1.1.1	Installation, Manual	 		\$126.75		\vdash	1
_	+	 	 	9.25.1.1.1.2	Disconnection, Manual			\$32.79			1
1 -			<u> </u>	9.25.1.1.1.3	Installation, Mechanized			\$107.93			Г
				9.25.1.1.1.4	Disconnection, Mechanized			\$23.56			匚
			9.25.1.1.2	Each Additional							Ĺ
		ļ	 	9.25.1.1.2.1	Installation, Manual	 		\$89.66		<u> </u>	⊢
	4		<u> </u>	9.25.1.1.2.2	Disconnection, Manual			\$14.61 \$86.70		· · · · · ·	╀
			 	9.25.1.1.2.3 9.25.1.1.2.4	Installation, Mechanized Disconnection, Mechanized			\$13.06			┢
		9.25.1.2	2-Wire Analog I	Loop (see rates in		 		<u> </u>			t
	\neg	0.20.1.2	9.25.1.2.1	Zone 1		\$11.26			12		Г
+		1	9.25.1.2.2	Zone 2		\$13.63			12		
			9.25.1.2.3	Zone 3		\$16.92			12		
			9.25.1.2.4	Zone 4		\$28.23			12		١.
	<u> </u>		9.25.1.2.5	Zone 5		\$28.23 \$67.77			12 12		
	9.25.2		9.25.1.2.5 DS0 4-Wire Anal	Zone 5 og							
	9.25.2	Loop Mux 9.25.2.1	9.25.1,2.5 DS0 4-Wire Anal LMC 4-Wire Lo	Zone 5 og op Installation							
	9.25.2		9.25.1.2.5 DS0 4-Wire Anal	Zone 5 og op Installation First	Installation Manual			\$126.75			
	9.25.2		9.25.1,2.5 DS0 4-Wire Anal LMC 4-Wire Lo	Zone 5 og op Installation First 9.25.2.1.1.1	Installation, Manual Disconnection, Manual			\$126.75 \$32.79			
	9.25.2		9.25.1,2.5 DS0 4-Wire Anal LMC 4-Wire Lo	Zone 5 og op Installation First	Installation, Manual Disconnection, Manual Installation, Mechanized			\$32.79 \$107.93			
	9.25.2		9.25.1.2.5 DS0 4-Wire Anald LMC 4-Wire Lo 9.25.2.1.1	Zone 5 og lnstallation First 9.25.2.1.1.1 9.25.2.1.1.2 9.25.2.1.1.3 9.25.2.1.1.4	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized			\$32,79			
	9.25.2		9.25.1,2.5 DS0 4-Wire Anal LMC 4-Wire Lo	Zone 5 og pristallation First 9.25.2.1.1.1 9.25.2.1.1.2 9.25.2.1.1.3 9.25.2.1.1.4 Each Additional	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized			\$32.79 \$107.93 \$23.56			
	9.25.2		9.25.1.2.5 DS0 4-Wire Anald LMC 4-Wire Lo 9.25.2.1.1	Zone 5 og op Installation First 9.25.2.1.1.1 9.25.2.1.1.2 9.25.2.1.1.3 9.25.2.1.1.4 Each Additional 9.25.2.1.2.1	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Installation, Manual			\$32.79 \$107.93 \$23.56 \$89.66			
	9.25.2		9.25.1.2.5 DS0 4-Wire Anald LMC 4-Wire Lo 9.25.2.1.1	Zone 5 og op Installation First 9,25.2.1.1.1 9,25.2.1.1.2 9,25.2.1.1.3 9,25.2.1.1.4 Each Additional 9,25.2.1.2.1 9,25.2.1.2.1	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Installation, Manual Disconnection, Manual			\$32.79 \$107.93 \$23.56 \$89.66 \$14.61			
	9.25.2		9.25.1.2.5 DS0 4-Wire Anald LMC 4-Wire Lo 9.25.2.1.1	Zone 5 og op Installation First 9,25,2,1,1,1 9,25,2,1,1,2 9,25,2,1,1,3 9,25,2,1,1,4 Each Additional 9,25,2,1,2,1 9,25,2,1,2,2 9,25,2,1,2,2	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Installation, Manual Disconnection, Manual Installation, Mechanized			\$32.79 \$107.93 \$23.56 \$89.66 \$14.61 \$86.70			
	9.25.2	9.25.2.1	9.25.1.2.5 DS0 4-Wire Anali LMC 4-Wire Lo 9.25.2.1.1	Zone 5 op Installation First 9.25.2.1.1.1 9.25.2.1.1.2 9.25.2.1.1.4 Each Additional 9.25.2.1.2.1 9.25.2.1.2.1 9.25.2.1.2.2 9.25.2.1.2.3 9.25.2.1.2.3	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Installation, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized			\$32.79 \$107.93 \$23.56 \$89.66 \$14.61			
	9.25.2		9.25.1.2.5 DS0 4-Wire Anali LMC 4-Wire Lo 9.25.2.1.1	Zone 5 og op Installation First 9,25,2,1,1,1 9,25,2,1,1,2 9,25,2,1,1,3 9,25,2,1,1,4 Each Additional 9,25,2,1,2,1 9,25,2,1,2,2 9,25,2,1,2,2	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Installation, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized			\$32.79 \$107.93 \$23.56 \$89.66 \$14.61 \$86.70	12		
	9.25.2	9.25.2.1	9.25.1.2.5 DS0 4-Wire Analo LMC 4-Wire Lo 9.25.2.1.1 9.25.2.1.2	Zone 5 og op Installation First 9,25.2.1.1.1 9,25.2.1.1.2 9,25.2.1.1.4 Each Additional 9,25.2.1.2.1 9,25.2.1.2.2 9,25.2.1.2.2 9,25.2.1.2.3 9,25.2.1.2.4 Loop (see rates is	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Installation, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized	\$67.77		\$32.79 \$107.93 \$23.56 \$89.66 \$14.61 \$86.70	12		
	9.25.2	9.25.2.1	9.25.1.2.5 DS0 4-Wire Analog LMC 4-Wire Lo 9.25.2.1.1 9.25.2.1.2 4-Wire Analog 9.25.2.2.1 9.25.2.2.2 9.25.2.2.2	Zone 5 Og Op Installation First 9,25.2.1.1.1 9,25.2.1.1.2 9,25.2.1.1.4 Each Additional 9,25.2.1.2.1 9,25.2.1.2.1 9,25.2.1.2.2 9,25.2.1.2.3 9,25.2.1.2.4 Loop (see rates in Zone 1 Zone 2 Zone 3	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Installation, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized	\$67.77 \$21.38 \$26.29 \$32.69		\$32.79 \$107.93 \$23.56 \$89.66 \$14.61 \$86.70	12 12 12 12 12 12		
	9.25.2	9.25.2.1	9.25.1.2.5 DS0 4-Wire Analog LMC 4-Wire Lo 9.25.2.1.1 9.25.2.1.2 4-Wire Analog 9.25.2.2.1 9.25.2.2.1 9.25.2.2.3 9.25.2.2.3	Zone 5 og op Installation First 9,25.2.1.1.1 9,25.2.1.1.2 9,25.2.1.1.4 Each Additional 9,25.2.1.2.1 9,25.2.1.2.2 9,25.2.1.2.3 9,25.2.1.2.3 19,25.2.1.2.4 Loop (see rates in Zone 1 Zone 2 Zone 3 Zone 4	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Installation, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66		\$32.79 \$107.93 \$23.56 \$89.66 \$14.61 \$86.70	12 12 12 12 12 12 12		
		9.25.2.1	9.25.1.2.5 DS0 4-Wire Analog 9.25.2.1.1 9.25.2.1.2 9.25.2.1.2 4-Wire Analog 9.25.2.2.1 9.25.2.2.2 9.25.2.2.3 9.25.2.2.4 9.25.2.2.5	Zone 5 Og Op Installation First 9,25.2.1.1.1 9,25.2.1.1.2 9,25.2.1.1.4 Each Additional 9,25.2.1.2.1 9,25.2.1.2.1 9,25.2.1.2.2 9,25.2.1.2.3 9,25.2.1.2.4 Loop (see rates in Zone 1 Zone 2 Zone 3	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Installation, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized	\$67.77 \$21.38 \$26.29 \$32.69		\$32.79 \$107.93 \$23.56 \$89.66 \$14.61 \$86.70	12 12 12 12 12 12		
	9.25.2	9.25.2.1 9.25.2.2 Loop Mux,	9.25.1.2.5 DS0 4-Wire Analog LMC 4-Wire Lo 9.25.2.1.1 9.25.2.1.2 4-Wire Analog 9.25.2.2.1 9.25.2.2.2 9.25.2.2.3 9.25.2.2.3 9.25.2.2.4 9.25.2.2.5 DS1	Zone 5 Op Installation First 9,25,2,1,1,1 9,25,2,1,1,3 9,25,2,1,1,4 Each Additional 9,25,2,1,2,1 9,25,2,1,2,1 9,25,2,1,2,2 9,25,2,1,2,4 Loop (see rates in Zone 1 Zone 2 Zone 3 Zone 4 Zone 5	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Installation, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized n 9.2.1.3)	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66		\$32.79 \$107.93 \$23.56 \$89.66 \$14.61 \$86.70	12 12 12 12 12 12 12		
		9.25.2.1	9.25.1.2.5 DS0 4-Wire Analog 9.25.2.1.1 9.25.2.1.2 9.25.2.1.2 4-Wire Analog 9.25.2.2.1 9.25.2.2.2 9.25.2.2.3 9.25.2.2.4 9.25.2.2.5 DS1 LMC DS1 Loop	Zone 5 Og Op Installation First 9,25.2.1.1.1 9,25.2.1.1.2 9,25.2.1.1.4 Each Additional 9,25.2.1.2.1 9,25.2.1.2.1 9,25.2.1.2.2 9,25.2.1.2.3 19,25.2.1.2.4 Loop (see rates in Zone 1 Zone 2 Zone 3 Zone 4 Zone 5	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Installation, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66		\$32.79 \$107.93 \$23.56 \$89.66 \$14.61 \$86.70	12 12 12 12 12 12 12		
		9.25.2.1 9.25.2.2 Loop Mux,	9.25.1.2.5 DS0 4-Wire Analog LMC 4-Wire Lo 9.25.2.1.1 9.25.2.1.2 4-Wire Analog 9.25.2.2.1 9.25.2.2.2 9.25.2.2.3 9.25.2.2.3 9.25.2.2.4 9.25.2.2.5 DS1	Zone 5 Og Op Installation First 9.25.2.1.1.1 9.25.2.1.1.2 9.25.2.1.1.4 Each Additional 9.25.2.1.2.1 9.25.2.1.2.1 9.25.2.1.2.2 20.2.2.1.2.3 9.25.2.1.2.3 9.25.2.1.2.4 Loop (see rates is Zone 1 Zone 2 Zone 3 Zone 4 Zone 5	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Installation, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized n 9.2,1.3)	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66		\$32.79 \$107.93 \$23.56 \$89.66 \$14.61 \$86.70	12 12 12 12 12 12 12		
		9.25.2.1 9.25.2.2 Loop Mux,	9.25.1.2.5 DS0 4-Wire Analog 9.25.2.1.1 9.25.2.1.2 9.25.2.1.2 4-Wire Analog 9.25.2.2.1 9.25.2.2.2 9.25.2.2.3 9.25.2.2.4 9.25.2.2.5 DS1 LMC DS1 Loop	Zone 5 Og Op Installation First 9,25.2.1.1.1 9,25.2.1.1.2 9,25.2.1.1.4 Each Additional 9,25.2.1.2.1 9,25.2.1.2.1 9,25.2.1.2.2 9,25.2.1.2.3 19,25.2.1.2.4 Loop (see rates in Zone 1 Zone 2 Zone 3 Zone 4 Zone 5	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Installation, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized n 9.2.1.3)	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66		\$32.79 \$107.93 \$23.56 \$89.66 \$14.61 \$86.70 \$13.06	12 12 12 12 12 12 12		
		9.25.2.1 9.25.2.2 Loop Mux,	9.25.1.2.5 DS0 4-Wire Analog 9.25.2.1.1 9.25.2.1.2 9.25.2.1.2 4-Wire Analog 9.25.2.2.1 9.25.2.2.2 9.25.2.2.3 9.25.2.2.4 9.25.2.2.5 DS1 LMC DS1 Loop	Zone 5 Og Op Installation First 9,25.2.1.1.1 9,25.2.1.1.2 9,25.2.1.1.4 Each Additional 9,25.2.1.2.1 9,25.2.1.2.1 9,25.2.1.2.2 9,25.2.1.2.4 Loop (see rates in Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Installation First 9,25.3.1.1.1 9,25.3.1.1.1 9,25.3.1.1.1 9,25.3.1.1.2	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Installation, Manual Disconnection, Manual Disconnection, Mechanized Disconnection, Mechanized n 9.2.1.3) Installation, Manual Disconnection, Manual	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66		\$32.79 \$107.93 \$23.56 \$89.68 \$14.61 \$86.70 \$13.06 \$172.99 \$31.84 \$154.17	12 12 12 12 12 12 12 12		
		9.25.2.1 9.25.2.2 Loop Mux,	9.25.1.2.5 DS0 4-Wire Analog 9.25.2.1.1 9.25.2.1.2 4-Wire Analog 9.25.2.2.1 9.25.2.2.2 9.25.2.2.3 9.25.2.2.4 9.25.2.2.4 9.25.2.2.5 DS1 LMC DS1 Loop 9.25.3.1.1	Zone 5 og op Installation First 9.25.2.1.1.1 9.25.2.1.1.2 9.25.2.1.1.4 Each Additional 9.25.2.1.2.1 9.25.2.1.2.1 9.25.2.1.2.2 20.25.2.1.2.3 9.25.2.1.2.4 Loop (see rates is Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Installation First 9.25.3.1.1.1 9.25.3.1.1.1 9.25.3.1.1.3 9.25.3.1.1.3	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Installation, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Manual Disconnection, Manual Disconnection, Mechanized Disconnection, Mechanized	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66		\$32.79 \$107.93 \$23.56 \$89.66 \$14.81 \$86.70 \$13.06 \$172.99 \$31.84	12 12 12 12 12 12 12 12		
		9.25.2.1 9.25.2.2 Loop Mux,	9.25.1.2.5 DS0 4-Wire Analog 9.25.2.1.1 9.25.2.1.2 9.25.2.1.2 4-Wire Analog 9.25.2.2.1 9.25.2.2.2 9.25.2.2.3 9.25.2.2.4 9.25.2.2.5 DS1 LMC DS1 Loop	Zone 5 og op Installation First 9,25.2.1.1.1 9,25.2.1.1.2 9,25.2.1.1.4 Each Additional 9,25.2.1.2.1 9,25.2.1.2.1 9,25.2.1.2.2 9,25.2.1.2.3 9,25.2.1.2.4 Loop (see rates in Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Installation First 9,25.3.1.1.1 9,25.3.1.1.1 9,25.3.1.1.4 Each Additional	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Installation, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized n 9.2.1.3) Installation, Manual Installation, Manual Disconnection, Manual Disconnection, Manual Disconnection, Manual Disconnection, Manual Disconnection, Mechanized Disconnection, Mechanized	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66		\$32.79 \$107.93 \$23.56 \$89.66 \$14.61 \$86.70 \$13.06 \$172.99 \$31.84 \$154.17 \$22.61	12 12 12 12 12 12 12 12		
		9.25.2.1 9.25.2.2 Loop Mux,	9.25.1.2.5 DS0 4-Wire Analog 9.25.2.1.1 9.25.2.1.2 4-Wire Analog 9.25.2.2.1 9.25.2.2.2 9.25.2.2.3 9.25.2.2.4 9.25.2.2.4 9.25.2.2.5 DS1 LMC DS1 Loop 9.25.3.1.1	Zone 5 Op Installation First 9,25,2,1,1,1 9,25,2,1,1,2 9,25,2,1,1,4 Each Additional 9,25,2,1,2,1 9,25,2,1,2,1 9,25,2,1,2,2 9,25,2,1,2,4 Loop (see rates is Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Installation First 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 Each Additional 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 Each Additional 9,25,3,1,1,1 Each Additional 9,25,3,1,1,1 Each Additional 9,25,3,1,1,1 Each Additional 9,25,3,1,1,1	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized n 9.2.1.3) Installation, Manual Disconnection, Manual Disconnection, Manual Disconnection, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66		\$32.79 \$107.93 \$23.56 \$89.68 \$14.61 \$86.70 \$13.06 \$172.99 \$31.84 \$154.17 \$22.61	12 12 12 12 12 12 12 12		
		9.25.2.1 9.25.2.2 Loop Mux,	9.25.1.2.5 DS0 4-Wire Analog 9.25.2.1.1 9.25.2.1.2 4-Wire Analog 9.25.2.2.1 9.25.2.2.2 9.25.2.2.3 9.25.2.2.4 9.25.2.2.4 9.25.2.2.5 DS1 LMC DS1 Loop 9.25.3.1.1	Zone 5 Og Op Installation First 9,25.2.1.1.1 9,25.2.1.1.2 9,25.2.1.1.4 Each Additional 9,25.2.1.2.1 9,25.2.1.2.1 9,25.2.1.2.4 Loop (see rates in Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Installation First 9,25.3.1.1.1 9,25.3.1.1.1 9,25.3.1.1.1 9,25.3.1.1.2 9,25.3.1.1.3 9,25.3.1.1.4 Each Additional	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Manual Disconnection, Manual Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Manual Disconnection, Manual Disconnection, Manual Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Manual Disconnection, Manual Disconnection, Manual	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66		\$32.79 \$107.93 \$23.56 \$89.68 \$14.61 \$86.70 \$13.06 \$172.99 \$31.84 \$154.17 \$22.61 \$13.66	12 12 12 12 12 12 12		
		9.25.2.1 9.25.2.2 Loop Mux,	9.25.1.2.5 DS0 4-Wire Analog 9.25.2.1.1 9.25.2.1.2 4-Wire Analog 9.25.2.2.1 9.25.2.2.2 9.25.2.2.3 9.25.2.2.4 9.25.2.2.4 9.25.2.2.5 DS1 LMC DS1 Loop 9.25.3.1.1	Zone 5 Og Op Installation First 9.25.2.1.1.1 9.25.2.1.1.2 9.25.2.1.1.4 Each Additional 9.25.2.1.2.1 9.25.2.1.2.1 9.25.2.1.2.3 9.25.2.1.2.4 Loop (see rates is Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Installation First 9.25.3.1.1.1 9.25.3.1.1.1 9.25.3.1.1.1 9.25.3.1.1.2 9.25.3.1.1.4 Each Additional 9.25.3.1.2.1	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized n 9.2.1.3) Installation, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Manual Installation, Mechanized	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66		\$32.79 \$107.93 \$23.56 \$89.68 \$14.61 \$86.70 \$13.06 \$31.84 \$154.17 \$22.61 \$13.590 \$13.66 \$132.94	12 12 12 12 12 12 12		
		9.25.2.1 9.25.2.2 Loop Mux, 9.25.3.1	9.25.1.2.5 DS0 4-Wire Analog 9.25.2.1.1 9.25.2.1.2 4-Wire Analog 9.25.2.2.1 9.25.2.2.1 9.25.2.2.3 9.25.2.2.4 9.25.2.2.5 DS1 LMC DS1 Loop 9.25.3.1.1	Zone 5 Og Op Installation First 9,25,2,1,1,1 9,25,2,1,1,3 9,25,2,1,1,3 9,25,2,1,2,1 9,25,2,1,2,1 9,25,2,1,2,2 9,25,2,1,2,3 9,25,2,1,2,4 Loop (see rates in Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Onstallation First 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,2,1 9,25,3,1,2,1 9,25,3,1,2,1	Disconnection, Manual (Installation, Mechanized Disconnection, Mechanized Disconnection, Manual Disconnection, Manual (Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Manual (Installation, Manual Disconnection, Manual (Installation, Mechanized Disconnection, Menual Disconnection, Menual Disconnection, Menual (Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66		\$32.79 \$107.93 \$23.56 \$89.68 \$14.61 \$86.70 \$13.06 \$172.99 \$31.84 \$154.17 \$22.61 \$13.66	12 12 12 12 12 12 12		
		9.25.2.1 9.25.2.2 Loop Mux,	9.25.1.2.5 DS0 4-Wire Analog 9.25.2.1.1 9.25.2.1.2 4-Wire Analog 9.25.2.2.1 9.25.2.2.1 9.25.2.2.3 9.25.2.2.4 9.25.2.2.5 DS1 LMC DS1 Loop 9.25.3.1.1	Zone 5 Og Op Installation First 9.25.2.1.1.1 9.25.2.1.1.2 9.25.2.1.1.4 Each Additional 9.25.2.1.2.1 9.25.2.1.2.1 9.25.2.1.2.3 9.25.2.1.2.4 Loop (see rates is Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Installation First 9.25.3.1.1.1 9.25.3.1.1.1 9.25.3.1.1.1 9.25.3.1.1.2 9.25.3.1.1.4 Each Additional 9.25.3.1.2.1	Disconnection, Manual (Installation, Mechanized Disconnection, Mechanized Disconnection, Manual Disconnection, Manual (Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Manual (Installation, Manual Disconnection, Manual (Installation, Mechanized Disconnection, Menual Disconnection, Menual Disconnection, Menual (Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66		\$32.79 \$107.93 \$23.56 \$89.68 \$14.61 \$86.70 \$13.06 \$31.84 \$154.17 \$22.61 \$13.590 \$13.66 \$132.94	12 12 12 12 12 12 12		
		9.25.2.1 9.25.2.2 Loop Mux, 9.25.3.1	9.25.1.2.5 DS0 4-Wire Analog 9.25.2.1.1 9.25.2.1.2 4-Wire Analog 9.25.2.1.2 9.25.2.2.1 9.25.2.2.2 9.25.2.2.3 9.25.2.2.3 9.25.2.2.4 9.25.2.2.5 DS1 LMC DS1 Loop 9.25.3.1.1	Zone 5 Op Installation First 9,25,2,1,1,1 9,25,2,1,1,2 9,25,2,1,1,4 Each Additional 9,25,2,1,2,1 9,25,2,1,2,1 9,25,2,1,2,2 9,25,2,1,2,3 9,25,2,1,2,4 Loop (see rates in Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Installation First 9,25,3,1,1,1 9,25,3,1,2,1 9,25,3,1,2,1 9,25,3,1,2,1	Disconnection, Manual (Installation, Mechanized Disconnection, Mechanized Disconnection, Manual Disconnection, Manual (Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Manual (Installation, Manual Disconnection, Manual (Installation, Mechanized Disconnection, Menual Disconnection, Menual Disconnection, Menual (Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66		\$32.79 \$107.93 \$23.56 \$89.68 \$14.61 \$86.70 \$13.06 \$31.84 \$154.17 \$22.61 \$13.590 \$13.66 \$132.94	12 12 12 12 12 12 12 12 12 12		
		9.25.2.1 9.25.2.2 Loop Mux, 9.25.3.1	9.25.1.2.5 DS0 4-Wire Analog 9.25.2.1.1 9.25.2.1.2 4-Wire Analog 9.25.2.1 9.25.2.2.1 9.25.2.2.1 9.25.2.2.3 9.25.2.2.4 9.25.2.2.3 9.25.2.3.1.1 DS1 Capable L 9.25.3.2.1 9.25.3.2.2 9.25.3.2.2 9.25.3.2.2 9.25.3.2.3	Zone 5 og op Installation First 9,25,2,1,1,1 9,25,2,1,1,3 9,25,2,1,1,3 9,25,2,1,2,1 9,25,2,1,2,1 9,25,2,1,2,2 9,25,2,1,2,3 9,25,2,1,2,4 Loop (see rates in Zone 4 Zone 3 Zone 4 Zone 5 or Installation First 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,2 9,25,3,1,1,3 9,25,3,1,1,2 9,25,3,1,2,1 9,25,3,1,2,1 9,25,3,1,2,1 9,25,3,1,2,1 9,25,3,1,2,1 9,25,3,1,2,1 9,25,3,1,2,1 9,25,3,1,2,1 9,25,3,1,2,1 9,25,3,1,2,2 9,25,3,1,2,3 9,25,3,1,2,4 oop (see rates in Zone 1 Zone 2 Zone 3	Disconnection, Manual (Installation, Mechanized Disconnection, Mechanized Disconnection, Manual Disconnection, Manual (Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Manual (Installation, Manual Disconnection, Manual (Installation, Mechanized Disconnection, Menual Disconnection, Menual Disconnection, Menual Disconnection, Menual (Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66		\$32.79 \$107.93 \$23.56 \$89.68 \$14.61 \$86.70 \$13.06 \$31.84 \$154.17 \$22.61 \$13.590 \$13.66 \$132.94	12 12 12 12 12 12 12 12 12 12 12 12 12 1		
		9.25.2.1 9.25.2.2 Loop Mux, 9.25.3.1	9.25.1.2.5 DS0 4-Wire Analog LMC 4-Wire Lo 9.25.2.1.1 9.25.2.1.2 4-Wire Analog 9.25.2.1.2 4-Wire Analog 9.25.2.2.2 9.25.2.2.3 9.25.2.2.3 9.25.2.2.4 9.25.2.2.5 DS1 LMC DS1 Loop 9.25.3.1.1 9.25.3.1.2 DS1 Capable L 9.25.3.2.1 9.25.3.2.3 9.25.3.2.3 9.25.3.2.3	Zone 5 Op Installation First 9,25,2,1,1,1 9,25,2,1,1,2 9,25,2,1,1,4 Each Additional 9,25,2,1,2,1 9,25,2,1,2,1 9,25,2,1,2,2 9,25,2,1,2,4 Loop (see rates in Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 D Installation First 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,1 9,25,3,1,1,2 9,25,3,1,2,3	Disconnection, Manual (Installation, Mechanized Disconnection, Mechanized Disconnection, Manual Disconnection, Manual (Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Manual (Installation, Manual Disconnection, Manual (Installation, Mechanized Disconnection, Menual Disconnection, Menual Disconnection, Menual Disconnection, Menual (Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66		\$32.79 \$107.93 \$23.56 \$89.68 \$14.61 \$86.70 \$13.06 \$31.84 \$154.17 \$22.61 \$13.590 \$13.66 \$132.94	12 12 12 12 12 12 12 12 12 12 12 12 12 1		
	9.25.3	9.25.2.1 9.25.2.2 Loop Mux, 9.25.3.1	9.25.1.2.5 DS0 4-Wire Analog LMC 4-Wire Lo 9.25.2.1.1 9.25.2.1.2 4-Wire Analog 9.25.2.1.2 4-Wire Analog 9.25.2.2.3 9.25.2.2.3 9.25.2.2.4 9.25.2.2.5 DS1 LMC DS1 Loog 9.25.3.1.1 DS1 Capable L 9.25.3.2.1 9.25.3.2.2 9.25.3.2.3 9.25.3.2.4 9.25.3.2.4	Zone 5 Og	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Manual Disconnection, Manual Disconnection, Mechanized Disconnection, Manual Disconnection, Manual Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66		\$32.79 \$107.93 \$23.56 \$89.68 \$14.61 \$86.70 \$13.06 \$13.06 \$31.84 \$154.17 \$22.61 \$13.590 \$13.66 \$132.94 \$12.11	12 12 12 12 12 12 12 12 12 12 12 12 12 1		
	9.25.3	9.25.2.2 9.25.2.2 Loop Mux, 9.25.3.1	9.25.1.2.5 DS0 4-Wire Analog LMC 4-Wire Lo 9.25.2.1.1 9.25.2.1.2 4-Wire Analog 9.25.2.2.1 9.25.2.2.2 9.25.2.2.3 9.25.2.2.4 9.25.2.2.3 9.25.2.2.4 9.25.3.1.1 DS1 Capable L 9.25.3.1.2 DS1 Capable L 9.25.3.2.1 9.25.3.2.3 9.25.3.2.4 9.25.3.2.5 19.25.3.2.5 19.25.3.2.5 19.25.3.2.5 19.25.3.2.5 19.25.3.2.5 19.25.3.2.5 19.25.3.2.5 19.25.3.2.5 19.25.3.2.5	Zone 5 Og Op Installation First 9,25.2.1.1.1 9,25.2.1.1.2 9,25.2.1.1.4 Each Additional 9,25.2.1.2.1 9,25.2.1.2.1 9,25.2.1.2.3 9,25.2.1.2.3 19,25.2.1.2.4 Loop (see rates in Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Onstallation First 9,25.3.1.1.1 9,25.3.1.1.1 9,25.3.1.1.1 Each Additional 9,25.3.1.2.2 9,25.3.1.2.3 9,25.3.1.2.4 Loop (see rates in Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Done 1 Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Sone 5	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized n 9.2.1.3) Installation, Manual Disconnection, Mechanized	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66		\$32.79 \$107.93 \$23.56 \$89.68 \$14.61 \$86.70 \$13.06 \$31.84 \$154.17 \$22.61 \$13.590 \$13.66 \$132.94	12 12 12 12 12 12 12 12 12 12 12 12 12 1		
	9.25.3	9.25.2.2 9.25.2.2 Loop Mux, 9.25.3.1	9.25.1.2.5 DS0 4-Wire Analog LMC 4-Wire Lo 9.25.2.1.1 9.25.2.1.2 4-Wire Analog 9.25.2.1.2 4-Wire Analog 9.25.2.2.3 9.25.2.2.3 9.25.2.2.4 9.25.2.2.5 DS1 LMC DS1 Loog 9.25.3.1.1 DS1 Capable L 9.25.3.2.1 9.25.3.2.2 9.25.3.2.3 9.25.3.2.4 9.25.3.2.4	Zone 5 Og Op Installation First 9.25.2.1.1.1 9.25.2.1.1.2 9.25.2.1.1.4 Each Additional 9.25.2.1.2.1 9.25.2.1.2.1 9.25.2.1.2.3 9.25.2.1.2.3 9.25.2.1.2.4 Loop (see rates is Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Onstallation First 9.25.3.1.1.1 9.25.3.1.1.1 9.25.3.1.1.2 9.25.3.1.1.3 9.25.3.1.2.4 Loop (see rates is Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Onstallation First 9.25.3.1.1.1 Each Additional 9.25.3.1.2.1 9.25.3.1.2.2 9.25.3.1.2.3 9.25.3.1.2.4 Loop (see rates in Zone 1 Zone 1 Zone 1 Zone 1 Zone 1 Zone 5 So Lutto Convector So Individual Zone 5 So Individ	Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Manual Disconnection, Manual Installation, Mechanized Disconnection, Mechanized Disconnection, Mechanized n 9.2.1.3) Installation, Manual Disconnection, Mechanized	\$67.77 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66		\$32.79 \$107.93 \$23.56 \$89.68 \$14.61 \$86.70 \$13.06 \$13.06 \$31.84 \$154.17 \$22.61 \$13.590 \$13.66 \$132.94 \$12.11	12 12 12 12 12 12 12 12 12 12 12 12 12 1		

57174-35 (X 178)	****************	Washington อาจารครามสายสายสายสายสายสายสายสายสายสายสายสายสายส	अस्तार के बार का विक	18 17 14 TH 12 4 B 4 F 19 19 1	100100010001000	4 pt 13 s 4 s	y. (c:33°a)	
9	25.6	MC Rearrangement					理機	
		25.6.1 DS0			\$135.13			L
		.25.6.2 High Capacity			\$153.38			⊢
Ancillary	Services							E
	ocal Nur	ber Portability						Г
1	0.1.1	NP Queries	See FCC Tariff #1 Section 13 & 20		See FCC Tariff #1 Section 13 & 20			
 1	0.1.2	NP Managed Cuts	- 20					
		0.1.2.1 Standard Managed Cuts, per Person, per Half Hour			\$27.38			L
		0.1.2.2 Overtime Managed Cuts, per Person, per Half Hour	 _		\$35,43		ļ.—	⊢
		0.1.2.3 Premium Managed Cuts, per Person, per Half Hour			\$43.49			┢
10.2	11 / E91		 	 	1			T
		911 / E911 - Calling	No Charge		No Charge			Г
								┞-
		es Directory Listings, Facility Based Providers	No Charan		No Charge		-	\vdash
	0.3.1	Primary Listing Premium / Privacy Listings	No Charge General	 	General		\vdash	+
	J.J.2	reminent to transfer manife	Exchange		Exchange		l	l
1 1			Tariff Rate,		Tariff Rate,		1	
] [Less	1	Less		l	ı
[Wholesale		Wholesale		1	1
			Discount	 	Discount		 	╁╴
10.4	Olrectory	Assistance, Facility Based Providers		-	 		 	t
	0.4.1	ocal Directory Assistance, per Call	\$0.34			2		L
1	10.4.2	National Directory Assistance, per Call	\$0.34			2	L	Ļ
	10.4.3	ntentionally Left Blank		 			├	╄
	10.4.4	ntentionally Left Blank	****	 	 	-	<u> </u>	╁
1	10.4.5	Call Completion, per Call	\$0.04	-	 	┝╧	 	۲
10.5	Directory	Assistance List Information	t		1	\vdash	1	T
	10.5.1	nitial Database Load, per Listing	\$0.0073			E		Γ
1	10.5.2	Reload of Database, per Listing	\$0.0073		<u> </u>	ш		Ĺ
	10.5.3	Daily Updates, per Listing	\$0.0171	 	407.1-	E_	 	╀
	10.5.4 10.5.5	One-time Set-Up Fee, per Hour Media Charges for File Delivery	 	 	\$67.43	 -	+	+
+ +	10.5.5	10.5.5,1 Electronic Transmission (provided by the Company), per Listing	\$0.002	 		E	-	t
<u> </u>		CO.O. I LOSSON I TRICKING TO THE CO.O. I CO.O.	1					Γ
10.6	foll and	asistance Operator Services, Facility Based Providers					<u> </u>	╀
	10.6.1	Operator Assistance, per Call	\$0.35		ļ	2	├ ──	╀
	10.6.2	Busy Line Verify, per Cali	\$0.73 \$0.87			2	├	╁
	10.6.3 10.6.4	Busy Line Interrupt Call Branding, Set-Up & Recording	30.67	 	\$10,500.00		 	t
	10.6.5	Loading Brand, per Switch		1	\$175.00	 		t
								Γ
		Poles, Ducts, Conduits and Rights of Way (ROW)				L	<u> </u>	Ĺ
	10.7.1	Pole Inquiry Fee, per Mile	 -		\$322.64	⊢–	 	╀
	10.7.2	Innerduct Inquiry Fee, per Mile	 	 	\$387.83 \$334.65		1-	+
	10.7. <u>3</u> 10.7.4	ROW Inquiry Fee, per linguiry ROW Document Preparation Fee	 	† · · · · ·	\$99.24		 	+
	10.7.5	Field Verification Fee, per Pole	†		\$35.83			İ
		Field Verification Fee, per Manhole		<u> </u>	\$143.33			Γ
	10.7.7	Planner Verification, per Manhole			\$11.07		<u> </u>	+
	10.7.8	Manhole Verification Inspector, per Manhole	}	 	\$74.43			╀
	10.7.9	Manhole Make-Ready Inspector, per Manhole Transfer of Responsibility	 	 -	\$198.48 \$120.15		 	+
		Pole Attachment Fee, per Foot, per Year	 	 	¥120.10	-	+	t
+	. 4:1:1.	10.7.11.1 Urban	\$2.63	3	1	4		Ι
		10.7.11.2 Non-Urban	\$3.97			4		T
	10.7.12	Innerduct	<u> </u>			L.	 	4
\perp		10.7.12.1 Microduct Occupancy Fee, per Mircoduct, per Foot, per Year	\$0.1971		 	1-1-		+
+	40.7.40	10.7.12.2 Innerduct Occupancy Fee, per Foot, per Year	\$0.3876		\$10.00	4	+	╁
		Access Agreement Consideration Make Ready	 	 	ICB		+	+
	10.1.14	(TRACTOR TANGET)	 	 	1	1	İ	Ť
Operation	nal Sup	Drt Systems						I
			L				1	Ţ
	Develop	ent and Enhancements, per LSR Request	1	-	\$3.27	-	↓ —	+
12.1			ı	1		1	 	+
		Malatan and CO Demont		1	40	:		
		Maintenance, per LSR Request		ļ	\$3.76	 	┼─	+
12.2	Ongoing	Maintenance, per LSR Request ge Record File, per Record	\$0.001	1	\$3.76	-	 	‡

12.	.4	Trouble Isolation Charge See 9.20	
17.0 Bo	na Fi	de Request Process	
17.	.1	Processing Fee \$1,667.18	E
	_		
NOTES:			
	*	Unless otherwise Indicated, all rates are pursuant to Washington Utilities and Transportation Commission Dockets:	
	Α	Generic Cost Docket, UT-960369	
		Docket UT-003013, Part A	
		Docket UT-003013, Part B	
		Docket UT-003013, Part C Docket UT-003013, Part D	
		Docket UT-023003	
	•		
	#	Denotes voluntary rate reduction. These rates are not subject to true up and will be applied on a going forward besis. Desveraged loop and subloop (distribution	
		and feeder) rates are pursuant 37th supplemental order in Docket UT-003013.	
		Rate not addressed in a cost proceeding (Estimated TELRIC)	
		Market based rates not addressed in the Cost Docket.	
		Individual Case Basis	
		Rate per FCC guidelines. Qwest has agreed to a bill and keep arrangement for EICT, pursuant to 271 workshops.	
	6	When Intrastate tariffed DS3 Private Line Transport (PLTS), Local Interconnection Service (LIS) or EEL share the same PLTS multiplexed DS3, the fraction of	
ļ	•	DS0's dedicated to LIS, EEL, or intrastate PLTS is divided by 672 and multiplied by the applicable products' DS3 rate elements. The Owest mechanized	
		Implementation team will notify the Qwest Service Delivery LIS process manager of this customer-specific requirement.	1
	7	Owest has not implemented the NID recurring charge but reserves the right to assess such a charge in the future.	
	8	Intentionally Left Blank	
	9	Intentionally Left Blank	
	10	The provision of transiting services is not required pursuant to Section 251 of the Telecommunications Act. Qwest has chosen to offer this service as part of its	- 1
	44	interconnection agreement, but this service is not required to be priced according to a TELRIC methodology.	
	11_	Rate was ordered for a similar element and is being used because the costs for this element are the same.	
	12 13	Rate was previously ordered for this element in a different section of Exhibit A. The preliminary engineering and planning costs are included in the virtual, caged and cageless space construction charges. These engineering and planning	
	13	charges are also included in the virtual, caged and cageless quote preparation fees. Upon completion of the collocation construction, the quote preparation fee	
1		(QPF) will be credited to the final space construction charge for the colocation lob.	1
	14	Owest is reinstating the Cable Unloading and Bridge Tap Removal Charges effective 3/14/05. Because Owest can t currently bill the existing rate structure,	
		customers will be charge the Lower Bridge Tap Removal rate for either Cable Unloading or Bridge Tap Removal	
	15	Effective 8/1/03 Qwest will no longer charge for Channel Regeneration for both recurring and nonrecurring charges. Contract amendments to remove the charge is	
		not required. Owest reserves the right to revert back to the contractual rate only after appropriate notice is given. Future regulatory ruling and/or events may be	1
		subject to the conditions described under "Change in Law Provisions" of the SGAT (Section 2.2) or the applicable interconnection agreement.	- 1
	Ø.	Negotiated Rate	

PART H - WASHINGTON RATES

Rate Element	R	ates
H1. Resale		
- Services not available		
for resale	mont (congrately or in a page	kogo)
Customer Premises Equip Enhanced Services	tient (separately or in a pao	kage)
Deregulated Services (Inside	de Wire, including installatio	on sale or maintenance)
USW Calling Card		,,
Concession Service		
 Promotions of less than 90 	days	
- Wholesale Discount	Wholesale	Wholesale Discount %
Rates		
·	Discount %	Nonrecurring Charges
	Recurring Charges	
- All USW Telecommunications	16%	N/A
Services with the		
exception of the		
services not available		
for resale above and as	·	
qualified below. (Cost		
Docket Discount Level		•
14.69%) - The following services are	available only to the same	doce of austomar aligible to
purchase that service from		siass of customer eligible to
Grandfathered		
Residence		
Lifeline/Link-up		
- The following service is av in the wholesale pricing refle		Agreement but is not included
Private Line Used for		
Special Access		
the lower of the 16% discouldiscount.		lume discount are available at undiscounted volume
- IntraLATA Toll Charges: [Co-Provider] shall have the	ir choice of obtaining USW
		providing their own intraLATA
toll. Whichever toll provision		
		der]) shall apply uniformly to
all lines resold by [Co-Provi		
- Customer Transfer	Recurring Charge	Nonrecurring Charge
- Customer Transfer Charge (CTC)		
The following nonrecurring Provider] account or when or		rting a USW account to a [Co- one Co-Provider to another.
- Residence or		
Business		
- 1 st line, Mechanized	N/A	\$ 14.56
- Additional Line, Mechanized	N/A	\$ 6.57
- 1 st line, Manual	N/A	\$ 27.52
- Additional Line,	N/A	\$ 7.12
- Additional Line,	1 14/2	1 47.12

Manual

Rate Element	Ra	ates
- Private Line Transport Services		
- First Circuit	N/A	\$ 45.08
 Additional Circuit, per circuit, same CSR 	N/A	\$ 31.19
- Advanced Communications Services, per circuit	N/A	\$ 50.48
- Product Specific Nonrecuri	ing Charges: As set forth in	
trunks are added or when t trunks.	he end user adds features of	r services to existing lines or
H2. Reciprocal		
Traffic Exchange		l
- Entrance Facilities	Recurring Charge	Nonrecurring Charge
- Per DS1	\$ 90.50	\$ 557.25
- Per DS3	\$ 370.58	\$ 667.25
- LIS EICT		
- Per DS1	\$ 8.52	\$ 323.50
- Per DS3	\$ 29.86	\$ 32 5.34
- Direct Trunked Transport	Fixed	Per Mile
- DS0 per month	\$ 4.26	N/A
- DS1 Facility	Recurring Charge	Nonrecurring Charge
- First Trunk	N/A	\$ 323.03
- Each Additional Trunk	N/A	\$ 10.21
	Fixed	Per Mile
- 0 miles	None	None
- Over 0 to 8 miles	\$ 41.72	\$ 0.67
- Over 8 to 25 miles	\$ 41.72	\$ 0.84
- Over 25 to 50 miles	\$ 41.73	\$ 2.97
- Over 50 miles	\$ 41.73	\$ 3.49
- DS3 Facility	Recurring Charge	Nonrecurring Charge
- First Trunk	N/A	\$ 331.71
- Each Additional Trunk	N/A	\$ 18.27
0 7710	Fixed	Per Mile
- 0 miles	None \$ 283.30	None \$ 13.83
- Over 0 to 8 miles - Over 8 to 25 miles	\$ 284.17	\$ 15.03
- Over 25 to 50 miles	\$ 291.31	\$ 19.03
- Over 50 miles	\$ 293.91	\$ 44.74
- Multiplexing	Recurring Charge	Nonrecurring Charge
- DS3 to DS1	\$ 218.58	\$ 418.45
- Local Traffic	\$2.10.50	\$410.40
- Call Termination, Per	\$ 0.0018	N/A
- Tandem Switched Transport		
- Tandem Switching, per MOU	\$ 0.0014	N/A
- Tandem Transmission, per minute	\$ 0.00088	N/A

Rate Element	Rates				
	Fixed	Per Mile			
- 0 miles	None	None			
- Over 0 to 8 miles	\$ 0.000411	\$ 0.000009			
- Over 8 to 25 miles	\$ 0.000411	\$ 0.000007			
- Over 25 to 50 miles	\$ 0.000408	\$ 0.00008			
- Over 50 miles	\$ 0.000409	\$ 0.000015			
- Cancellation Charge (LIS Trunks)	Applicable State S	Switched Access Tariff			
- Expedite Charge	Applicable State S	Switched Access Tariff			
- Construction Charges	ICB	ICB			
	Recurring Charge	Nonrecurring Charge			
- IntraLATA Toll	USW's Switch	ched Access Tariff			
- Transit Traffic					
- Local Transit	\$ 0.002190				
- InterLATA Toll	USW's Switch	ched Access Tariff			
- Jointly Provided Switched Access	Applicable Sw	itched Access Tariff			
H3. Collocation					
- All Collocation					
- Quote Prep. Fee	N/A	\$ 2437.30			
- Collocation Entrance Facility- 2 Fibers	\$ 2.07	\$ 1307.45			
- Collocation Entrance					
- Manhole, per month, per manhole	\$ 27.61	N/A			
- Handhole, per month, per handhole	\$ 15.22	N/A			
- Conduit/Interduct Entrance Enclosure to Cable vault, per foot per	\$ 0.42	N/A			
- Core drill, per core	N/A	\$ 363.13			
- Riser, vault to equipment, per foot per month	\$ 0.47	NA			
- Fiber Optic cable, per 24 fiber increments, per foot per month	\$ 0.05	N/A			
- Fiber Placement in conduit and riser, per foot	N/A	\$ 1.66			
- Copper 25 pair, per foot	\$ 0.012	N/A			
- Copper Cable splicing, per splice	N/A	\$ 91.27			
- Copper Cable placement conduit and riser, per foot	N/A	\$ 1.66			
- Coax Cable RG59 placement, per foot per month	\$ 0.20	N/A			
- Cable Splicing					
- Per set-up	N/A	\$ 103.59			

	Recurring Charge	Nonrecurring Charge
- Per fiber spliced	N/A	\$ 12.95
-Power (all)		
- 48 Volt DC Power, per	\$ 13.45	N/A
ampere per month	·	
- 48 Volt DC Power, per		
ampere, per foot, per A		
and B feeder		
- 20 Ampere Capacity	\$ 0.15	\$ 68.37
- 40 Ampere Capacity	\$ 0.20	\$ 92.71
- 60 Ampere Capacity	\$ 0.22	\$ 104.42
- 100 Ampere Capacity	\$ 0.35	\$ 152.97
- 200 Ampere Capacity	\$ 0.54	\$ 239.62
- 300 Ampere Capacity	\$ 0.75	\$ 330.93
- 400 Ampere Capacity	\$ 0.97	\$ 427.98
- Inspector, per 1/2 hour		
- During business hours	N/A	\$ 28.62
- After business hours	N/A	\$ 37.20
- ICDF (Interconnection	IN/A	\$ 37.20
Distribution Frame was		
previously known as		
SPOT Frame)		
- Per Termination		
- DS0	\$ 0.0103	\$ 5.56
- DS1	\$ 0.0276	\$ 13.16
- DS3	\$ 0.4187	\$ 199.38
- Block Terminations	\$ 0.4107	\$ 100.00
- DS0	\$ 1.40	\$ 751.65
- DS1	\$ 1.21	\$ 577.27
- DS3	\$ 0.6804	\$ 324.00
- Security *	\$ 0.0004	Ψ 324.00
- Per Employee, Per	\$ 6.23	N/A
C.O.	<u> </u>	105
	nal charges will apply on ar	
- Heating and Air	ICB	ICB
Conditioning		
- Cable Racking, per		
foot, per termination	21/4	0.0444
- Per DS0 2-Wire	N/A	\$ 0.0144
- Per DS0 4-Wire	N/A	\$ 0.0287
- Per DS1	N/A	\$ 0.0431
- Per DS3	N/A	\$ 0.7182
- Channel Regeneration		
- DS1 EICT	\$ 14.38	\$ 405.02
Regeneration	85454	6 400.00
- DS3 EICT	\$ 94.24	\$ 433.23
Regeneration		
- Virtual Collocation	 	_
- Maintenance Labor, per		
½ hour		0.05.00
- During business	N/A	\$ 25.36
hours	5.47A	8.00.70
- After business hours	N/A	· · · · · · · · · · · · · · · · · · ·
- Training Labor, per 1/2	N/A	\$ 25.36
hour	<u> </u>	1

- Engineering, per 1/2	Recurring Charge	Nonrecurring Charge
- During business hours	N/A	\$ 24.73
- After business hours	N/A	\$ 33.09
- Installation, per 1/2 hour		
- During business hours	N/A	\$ 28.62
- After business hours	N/A	\$ 37.20
- Equip. Bay, per shelf	N/A	\$ 8.58
- Physical Collocation		
- Floor Space Lease		······································
- Rent (w/	\$ 2.75	N/A
Maintenance) – per sq. ft.	Q s	
- Zone 1		
- Rent (w/	\$ 2.26	N/A
Maintenance) – per sq. ft.		
-Zone 2		
- Rent (w/	\$ 2.06	N/A
Maintenance) – per sq. ft.	i	
-Zone 3		
- Back-up AC Power, per foot		
- 20 Amp, Single Phase	\$ 0.03	\$ 11.23
- 20 Amp, Three Phase	\$ 0.03	\$ 12.72
- 30 Amp, Single Phase	\$ 0.03	\$ 11.72
- 30 Amp, Three Phase	\$ 0.03	\$ 14.21
- 40 Amp, Single Phase	\$ 0.03	\$ 12.89
- 40 Amp, Three Phase	\$ 0.04	\$ 15.86
- 50 Amp, Single Phase	\$ 0.03	\$ 14.37
- 50 Amp, Three Phase	\$ 0.04	\$ 18.06
- 60 Amp, Single Phase	\$ 0.04	\$ 15.58
- 60 Amp, Three Phase	\$ 0.05	\$ 20.04
- 100 Amp, Single	\$ 0.04	\$ 18.11
Phase	1	1
- 100 Amp, Three	\$ 0.06	\$ 25.46
Phase		
- Grounding		
- 2 AWG	\$ 0.1868	\$ 6.85
- 1/0 AWG	\$ 0.2758	\$ 10.12
- 4/0 AWG	\$ 0.3280	\$ 12.03
- 350 kcmil	\$ 0.5051	\$ 18.53
- 500 kcmil	\$ 0.5890	\$ 21.61
- 750 kcmil	\$ 0.7310	\$ 26.81
- Cageless Physical Collocation	N/A	\$4656.22
H4. UNEs		
(Unbundled Network		
, ·		
Elements)		
- EICT (Expanded		
Interconnection Channel		
Termination)	<u> </u>	l

- EICT, Per Termination	Recurring Charge	Nonrecurring Charge
- 2 wire DS0 EICT	\$ 1.41	\$ 339.61 *
- 4 wire DS0 EICT	\$ 1.79	\$ 339.61 *
Analog		•
- DS1 EICT	\$ 9.12	\$ 405.02 *
- DS3 EICT	\$ 31.93	\$ 433.23 *
- EICT Regeneration		
- DS1	\$ 14.38	\$ 405.02 *
- DS3	\$ 94.24	\$ 433.23 *
* Nonrecurring EICT charge	waived if ordered with other	service
- E-UDIT (Extended		
Unbundled Dedicated		
Interoffice Transport)		
- DS1 EUDIT	\$ 55.81	\$ 448.36
- DS3 EUDIT	\$ 271.53	\$ 448.36
- OC-3 EUDIT	\$ 1012.42	\$ 448.36
- OC-12 EUDIT	\$ 1348.21	\$ 448.36
- UDIT (Unbundled		
Dedicated Interoffice		
Transport) - DS0, DS1,	ļ i	
DS3	N/A	\$ 293.55
- DS0 per month		
	Fixed	Per Mile
- 0 miles	\$0	\$0
- Over 0 to 8 miles	\$ 4.26	\$0
- Over 8 to 25 miles	\$ 4.26	\$0
- Over 25 to 50 miles	\$ 4.26	\$ 0
- Over 50 miles	\$ 4.26	\$0
	Recurring Charge	Nonrecurring Charge
- DS1 Facility	N/A	\$ 302.91
	Fixed	Per Mile
- 0 miles	None	None
- Over 0 to 8 miles	\$ 41.72	\$ 0.67
- Over 8 to 25 miles	\$ 41.72	\$ 0.84
- Over 25 to 50 miles	\$ 41.73	\$ 2.97
- Over 50 miles	\$ 41.73	\$ 3.49
	Recurring Charge	Nonrecurring Charge
- DS3 Facility	N/A	\$ 302.91
	Fixed	Per Mile
- 0 miles	None	None
- Over 0 to 8 miles	\$ 283.30	\$ 13.83
- Over 8 to 25 miles	\$ 284.17	\$ 15.03
- Over 25 to 50 miles	\$ 291.31	\$ 39.19
- Over 50 miles	\$ 293.91	\$ 44.74
	Recurring Charge	Nonrecurring Charge
- OC-3 UDIT	N/A	\$ 331.92
1 00-5 OBIT		Per Air Mile
O reiles	Fixed	
- 0 miles	None Copy 40	None
- Over 0 to 8 miles	\$ 805.40	\$ 220.86
- Over 8 to 25 miles	\$ 812.20	\$ 68.65
- Over 25 to 50 miles	\$ 775.46	\$ 84.52
- Over 50 miles	\$ 804.62	\$ 59.00
	Recurring Charge	Nonrecurring Charge
- OC-12 UDIT	l N/A	\$ 331.92

	Fixed	Per Air Mile
- 0 miles	None	None
- Over 0 to 8 miles	\$ 1742.89	\$ 134.47
- Over 8 to 25 miles	\$ 1695.72	\$ 147.69
- Over 25 to 50 miles	\$ 1998.17	\$ 83.81
- Over 50 miles	\$ 1956.61	\$ 90.16
	Recurring Charge	Nonrecurring Charge
- DS0 UDIT Low Side	\$ 6.48	NA
Channelization	\$ 0. 10	TWA .
- Multiplexing		
		4 207 40
- DS1 to DS0	\$ 206.78	\$ 297.13
- DS3 to DS1	\$ 218.58	\$ 418.45
- DS1/DS0 Mux Low	\$ 3.24	\$ 231.47
Side Channelization		
Regeneration	240.45	A14A
DS1	\$13.45	N/A
DS3	\$88.14	N/A
- Unbundled Loops		
- Analog Loops		
- 2-wire loop	\$ 23.04	N/A
- 4-wire loop	\$ 41.93	N/A_
- Non-loaded Loops		
- 2- wire Non-loaded	\$ 23.04	N/A
Loops		
- 4- wire Non-loaded	\$ 41.93	N/A
Loops		
Unloading/Conditioning Charge	N/A	\$ 590.94
- Digital Capable Loops		
- Basic rate ISDN	\$ 23.04	N/A
capable Loop		
- DS1 capable Loop	\$ 90.50	N/A
- Regeneration		
- DS1	\$ 13.45	N/A
- DS3	\$ 88.14	N/A
- Extension Technology	\$ 24.45	N/A
- Loop Installation	ļ	
Charges	ļ	
- Basic Installation		
- First DS1 Loop	N/A	\$ 136.97
- First Analog Loop	N/A	\$ 51.94
- Each Additional		\$ 52.18
Analog	ļ	
- Basic Installation w/	1	
Performance Testing		
- First Loop	N/A	\$ 128.78
- Each additional Loop	N/A	\$ 84.41
- Coordinated		
Installation w/		
Cooperative Testing		
- First Loop	N/A	\$ 182.84
- Each additional Loop	N/A	\$ 138.48
- Coordinated		
Installation w/o		
Cooperative Testing	<u></u>	
- First Analog Loop	N/A	\$ 125.24

Pack additional	AUA I	<u> </u>
- Each additional Analog Loop	N/A	\$ 63.40
- NID (Network Interface	\$ 0.53	N/A
Device)		
- Tandem Switching	Recurring Charge	Nonrecurring Charge
- DS1 Message Trunk	N/A	\$ 337.96
Port		
- Trunk Group-First	N/A	\$ 278.91
Trunk		
- Message Trunk Group- Each Additional Trunk	N/A	\$ 8.64
- Per MOU	\$ 0.00140	N/A
- Local Switching	\$ 0.00140	19/0
- Analog Line Side Port	\$ 1.04	\$ 45.85
- Each Additional Port	N/A	\$ 45.85
- Vertical Features		
	\$ 0.0569	N/A
- Call Hold - Call Transfer	\$ 0.0568 \$ 0.2166	N/A N/A
- Call Transfer - Three Way Calling	\$ 0.0963	N/A
- Call Pickup	\$ 0.0577	N/A
- Call Waiting-	\$ 0.1330	N/A
Terminating/Cancel Call	• 3	
Waiting		
- Distinctive Ringing	\$ 0.0797	N/A
- Speed Call Long-	\$ 0.0654	N/A
Customer Changeable		
- Station Dial	\$ 1.0508	N/A
Conferencing (6 way) - Call Forwarding-	\$ 0,1386	N/A
Busy Line	\$ 0.1300	IN/A
- Call Forwarding-	\$ 0.1696	N/A
Don't Answer	\$ 51.1555	
- Call Forwarding-	\$ 0.1414	N/A
Variable		
- Call Forwarding-	\$ 0.1128	N/A
Variable Remote	2 2 2 7 1 2	2142
- CLASS Call Waiting	\$ 0.0519	N/A
- CLASS Calling	\$ 0.1915	N/A
Name and Number	\$ 0.1913	170
- CLASS Calling	\$ 0.0808	N/A
Number Delivery		
- CLASS Calling	\$ 0.3822	N/A
Number Delivery-Blocking		
- CLASS Continuous	\$ 0.5008	N/A
Redial		<u> </u>
- CLASS Last Call	\$ 0.4258	N/A
Return - CLASS Priority	£ 1 0920	N/A
- CLASS Priority Calling	\$ 1.0829) NA
- CLASS Selective Call	\$ 0,9206	N/A
Forwarding	\$ 0.0200	1
- CLASS Selective Call	\$ 1.7651	N/A
Rejection		
- CLASS Anonymous	\$ 0.3937	N/A
Call Rejection		
- Call Park (Basic-	\$ 0.1289	N/A
Store and Retrieve)	<u>L</u>	<u> </u>

- Message Waiting Indication AV	\$ 0.0662	N/A
- Subsequent Order Charge	N/A	\$ 12.75
	Recurring Charge	Nonrecurring Charge
- Digital Line Side Port	\$ 17.13	gog
- First Port	N/A	\$ 277.13
- Each Additional Port	N/A	\$ 277.13
- Digital Trunk Port		
- DS1 Message Trunk Port	N/A	\$ 337.96
- Message Trunk Group-First Trunk	N/A	\$ 278.91
- Each Additional Trunk	N/A	\$ 8.64
- DS0 Analog Trunk Port	ICB	ICB
- Local originating usage, per MOU	\$ 0.0018	N/A
- Customized Routing	N/A	ICB
- Development of	N/A	ICB
Custom Line Class Code		
 Installation Charge, per switch 	N/A	ICB
- Common Channel		
Signaling/SS7		
- STP Port	\$ 425.00	N/A
- STP Port, Per Message	\$ 0.00004	N/A
- Options Activation Charge	}	
- Basic Translations		
- First Point Code	N/A	\$ 107.17
- Each additional	N/A	\$ 7.32
Point Code	TWA	\$1.02
- Database		
Translations		
- First Point Code	N/A	\$ 121.82
- Each additional	N/A	\$ 43.95
Point Code		
- Signal Formulation,	\$ 0.00198	N/A
ISUP, per call set-up request		
- Signal Transport,	\$ 0.00145	N/A
ISUP, per call set-up	\$ 0.00140	170
request	:	
- Signal Transport,	\$ 0.00047	N/A
TCAP, per data request		L
- Signal Switching,	\$ 0.00146	N/A
ISUP, per call set-up		
request		
- Signal Switching,	\$ 0.00048	N/A
TCAP, per data request	A 45 04	N145
- Signaling Link- per Link per month	\$ 45.81	N/A
- Signaling Link- First Link	N/A	\$ 504.68
- Signaling Link - Additional Link	N/A	\$ 72.42

1 2000	4.0.000	
- SCP/Databases – Per Message	\$ 0.00095	N/A
- Construction Charges	ICB	ICB
H5. INP (Interim	Recurring Charge	Nonrecurring Charge
Number Portability)	researring charge	tomeouring onlinge
- Service Establishment.	N/A	\$ 43.80
Per switch, per Co-	1	4 10.00
Provider route		
- Service Establishment	N/A	\$ 9.49
Additional numbers ported		
or changes to existing number, Per Ported		
Number		
- Service Establishment,	N/A	\$ 7.05
Additional numbers ported		
on same account,		
consecutive number, per ported number		
- Coordinated Out of	N/A	\$ 59.73 per hour per person
Hours Cut, non	1877	2 30.70 por flour por pordon
Sunday/Holiday		
- Coordinated Out of	N/A	\$ 73.74 per hour per person
Hours Cut on		
Sunday/Holidays		
H6. LNP (Local		
Number Portability) - LNP Queries	See FCC Tariff #5	
- LINE Quelles	See FCC Tailli #5	
H7. 911/E911	No Charge	
110 5: 1	Rate Per Call	
H8. Directory	Rate Per Call	
Assistance		
- Regional Directory	\$ 0.340	
Assistance, per call - National Directory	\$ 0.385	
Assistance, per call	\$ 0.000	
White Pages Directory		
Listings		
- Primary Listings, White	No Charge	
Pages - Premium/Privacy	General Evohange Tariff E	Rate, less wholesale discount
Listings	General Exchange Family	rate, less wildlesale discoult
Directory Assistance		
List Information		
- Initial Database Load,	\$ 0.05	N/A
per Listing	2004 41	
- Reload of Database, per Listing	20% discount off initial load	N/A
	Recurring Charge	Nonrecurring Charge
- Daily Updates, per	\$ 0.06	N/A
Listing		<u> </u>
- Daily Updates, per	\$ 0.05	N/A
Listing for agents serving	1	
multiple Co-Providers	A.F.A.	6.04.00"
- One-time Set Up Fee	N/A \$ 0.002	\$ 64.06/hour
- Electronic transmission	\$ 0.002	N/A

- Tapes (charges only	\$ 30/tape	N/A
apply if this is selected as	·	
the normal delivery		
medium for daily updates)		
- Shipping Charges (for	Rate charged by carrier	N/A
tape delivery)	selected	
H9. Toll and		
Assistance		
Operator Services	1	
- Option A - Per Message		
- Operator Handled	\$ 0.46	N/A
Calling Card		
- Machine Handled Call	\$ 0.18	N/A
- Station Call	\$ 0.84	N/A
- Person Call	\$ 2.05	N/A
- Connect to Directory	\$ 0.55	N/A
Assistance		
- Busy Line Verify	\$ 0.72	N/A
- Busy Line Interrupt	\$ 0.87	N/A N/A
- Operator Assistance - Option B - Per Work	\$ 0.36	N/A
Second and Computer	1	
Handled Calls	1	
- Operator Handled	\$ 0.181	N/A
- Machine Handled Call	\$ 0.13	N/A
H10. Access to		
Poles, Ducts,]	
,		
Conduits and Right		
of Way		
- Pole Inquiry Fee, per	N/A	\$ 114.00
mile		- 471.00
- Innerduct Inquiry Fee,	N/A	\$ 171.00
per mile - Field Verification Fee	N/A	ICB
- Make-Ready Work	N/A	ICB
- Wake-Iteady Work	1	100
	Recurring Charge	Nonrecurring Charge
- Pole Attachment Fee,	\$ 2.81	Nonrecurring Charge
per foot, per year	\$ 2.81	NA
- Innerduct Occupancy	\$ 0.47	N/A
Fee, per foot, per year -	0.41	13// 1
, 35, ps. 1004, ps. yes.		
H11. 8XX Database	Rate Per Query	
	rate i ei queiy	
Query	C 0 00117066	N/A
- Per query, per attempt - POTS (Plain Old	\$ 0.00117966 \$ 0.00005115	N/A N/A
Telephone Service)	\$ U.UUUU.U &	N/A
Translation		
- Call Handling and	\$ 0.00004194	N/A
Destination		
	1	
H12. ICNAM		
(InterNetwork		
1 '		
Calling Name)	1	
per query	\$ 0.016	N/A

H13. BFR (Bona Fide Request) Processing		
- Processing Fee	N/A	\$ 2128.00
Daily Usage Record File	\$ 0.0011	N/A
Category 11 Mechanized Record	\$ 0.0025	N/A

- (C)2.3.2.2.4 Fixed Charges per DS1 or per DS3 and per mile charges are defined for DTT in Part H of this Agreement.
- (C)2.3.2.3 When the Parties elect to establish two-way trunks, the compensation for such jointly used, shared facilities shall be adjusted as follows.

The provider of the DTT will always bill 100% of the charges for the facility to the other Party, who will in turn, bill the provider 50% of the DTT charges. Payments according to this 50/50 allocation of traffic will continue until either Party provides actual minutes of use data to substantiate a change in the allocation.

- (C)2.3.2.4 Multiplexing options (DS1/DS3 Mux) are available at rates described in Part H of this Agreement.
- (C)2.3.3 Trunk Nonrecurring Charges
 - (C)2.3.3.1 Installation nonrecurring charges may be assessed by USW for each LIS trunk ordered by Northwest, at the rates specified in Part H of this Agreement.
 - (C)2.3.3.2 Rearrangement nonrecurring charges may be assessed by USW for each LIS trunk rearrangement ordered by Northwest, at one-half the rates specified in Part H of this Agreement.
- (C)2.3.4 Exchange Service (EAS/local) Traffic
 - (C)2.3.4.1 End Office Call Termination
 - (C)2.3.4.1.1 The Parties agree that per minute of use call termination rates as described in Part H of this Agreement will apply reciprocally for the termination of Exchange Service (EAS/Local) traffic.
 - (C)2.3.4.1.2 For purposes of call termination, the Northwest switch(es) shall be treated as end office switch(es), unless Northwest's switch(es) meet the definition of tandem switch in this Agreement.
 - (C)2.3.4.1.3 As set forth above, the Parties agree that reciprocal compensation only applies to Local Traffic and further agree that the FCC has determined that traffic originated by either

Party (the "Originating Party") and delivered to the other Party, which in turn delivers the traffic to an enhanced service provider (the "Delivering Party") is primarily interstate in nature. Consequently, the Delivering Party must identify which, if any, of this traffic is Local Traffic. The Originating Party will only pay reciprocal compensation for the traffic the Delivering Party has substantiated to be Local Traffic. In the absence of such substantiation, such traffic shall be presumed to be interstate.

(C)2.3.4.1.4 Neither Party shall be responsible to the other for call termination charges associated with third party traffic that transits such Party's network.

(C)2.3.4.2 Tandem Switched Transport

- (C)2.3.4.2.1 For traffic delivered through a USW or Northwest local tandem switch (as defined in this Agreement), the tandem switching rate and the tandem transmission rate in Part H of this Agreement shall apply per minute in addition to the end office call termination rate described above.
- (C)2.3.4.2.2 Mileage shall be measured for the tandem transmission rate elements based on V&H coordinates between the local tandem and terminating end office. If actual mileage cannot be measured, an assumed one mile will be used.
- (C)2.3.4.2.3 When Northwest terminates traffic to a USW remote office, additional tandem transmission rates will be applied for the mileage between the USW host office and the USW remote office.

(C)2.3.5 Miscellaneous Charges

- (C)2.3.5.1 Cancellation charges will apply to cancelled LIS trunk orders, based upon rates, terms and conditions described in State Access tariffs.
- (C)2.3.5.2 Expedites for LIS trunk orders are allowed only on an exception basis with USW executive approval within the same timeframes as USW provides for other designed services. When expedites are approved,