

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Samnang Phin
<samtime.worldwide@gmail.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Samnang Phin
4028 S 148th St
Tukwila, WA 98168-4323

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of John Pearce
<jdpearce@comcast.net>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

John Pearce
4512 Shellridge Rd NW
Olympia, WA 98502-9598
(360) 866-6881

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Toniann Reading <toni.reading@gmail.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur. As President Obama noted in a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Toniann Reading
PO Box 372
Sultan, WA 98294-0372
(425) 337-0965

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Ralph Christ <chrisral@comcast.net>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Ralph Christ
865 11th Avenue Fi
Fox Island, WA 98333-9642
(253) 549-2262

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Joanna Fowler <joannafowler@earthlink.net>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Joanna Fowler
6367 208th Ave NE
Redmond, WA 98053-7808
(425) 868-8310

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Susan Walker <jeffsusanw@comcast.net>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Susan Walker
3832 24th Ave W
Seattle, WA 98199-1504

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Kurt Fickeisen <kurtfick@gmail.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Kurt Fickeisen
13024 37th Ave NE
Seattle, WA 98125-4651

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Jim Unwin <jimunwin50@gmail.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Jim Unwin
15024 Pacific Way
Long Beach, WA 98631-6202
(360) 642-3324

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Kathy & Leonard Rodenberg <rodenberg98119@yahoo.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Kathy & Leonard Rodenberg
3401 13th Ave W
Seattle, WA 98119-1610
(206) 388-2448

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Brad Mcneil
<bradlym@gmail.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Brad Mcneil
1413 3rd St
Snohomish, WA 98290-2707
(360) 563-0457

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Delia Surprenant <liawia@gmail.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Delia Surprenant
26107 11th Pl S
Des Moines, WA 98198-9141

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Leisa Quinton <leisaquinton@gmail.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

2013 AUG 12 AM 8:45
UTC DL RECORDS CENTER

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Leisa Quinton
10012 4th Ave W
Everett, WA 98204-2762
(425) 221-2183

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of David & Donna Robbins <dbrobbins@hotmail.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

David & Donna Robbins
6548 51st Ave NE
Seattle, WA 98115-7741
(206) 522-6301

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Christopher Juhl <juhlfaustus@yahoo.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Christopher Juhl
6001 30th Ave SW
Seattle, WA 98126-2980

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Josh Nakroshis <josh.nakroshis@gmail.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Josh Nakroshis
14104 123rd Ave NE
Kirkland, WA 98034-1412

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Deborah Rawlings <rawlings1841@msn.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Deborah Rawlings
5264 NE 121st Ave Apt 228
Vancouver, WA 98682-2180

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Tim Foster
<tim_foster@patrioticmotors.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Tim Foster
3164 W Daisy Ave
Spokane, WA 99205-5920
(509) 326-8253

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Phillip Joyner <pjoyner@comcast.net>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Phillip Joyner
18211 64th Ave NE
Kenmore, WA 98028-7901
(425) 205-5232

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Loanne Harmeling <lharmeling@gmail.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

A solar panel on the top of every industrial warehouse would be a better place to start...think of all of the energy that could have been produced this summer. If Germany can go solar and if Sweden can exist on burning garbage, then what is PSE's rationale for coal?

Sincerely,

Loanne Harmeling
12106 SE 276th PI
Kent, WA 98030-8850

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Cindy Cook <cindyleighcook@me.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Cindy Cook
3408 E 28th Ave
Spokane, WA 99223-5705

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Jack Zektzer <haramosh@msn.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Jack Zektzer
5921 38th Ave SW
Seattle, WA 98126-2839
(206) 935-2619

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Jennifer Careaga <careaga@comcast.net>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Jennifer Careaga
14325 20th Avenue Ct S
Spanaway, WA 98387-9013

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Theresa Carey <care2@mrsccarey.net>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Theresa Carey
7521 Leaside Dr
Blaine, WA 98230-9619
(360) 371-8099

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Chad Stemm
<meristem@clear.net>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Chad Stemm
4505 NW Washington St
Vancouver, WA 98663-1254
(360) 909-1226

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Dwane Goodell <dwaleegoo@yahoo.com>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Dwane Goodell
705 W 33rd St
Vancouver, WA 98660-1805

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Lowell Bushey <petalflower12345@yahoo.com>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Lowell Bushey
1615 SE Bleasner Dr Apt 11
Pullman, WA 99163-5472
(509) 330-4201

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Mary Fiddler <telapa@wildblue.net>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Mary Fiddler
PO Box 1106
Oak Harbor, WA 98277-1106
(360) 240-8474

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Mark Simpson <bravoshark44@gmail.com>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Mark Simpson
1313 W Cota St
Trlr 9
Shelton, WA 98584-3812
(360) 868-2077

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Timothy Dewitt <timothy_dewitt@comcast.net>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Timothy Dewitt
903 S Salish Ct
Spokane, WA 99224-8358

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Jean Longspaugh <jean.longspaugh@gmail.com>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Jean Longspaugh
17120 Marine Dr
Stanwood, WA 98292-9128

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Michael Vilardi <michael@smilingwoodsyrts.com>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Michael Vilardi
95 S Fork Gold Creek Rd
Carlton, WA 98814

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Christian Ford <christianford@me.com>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I strongly oppose Puget Sound Energy's plan to continue financing the obsolete, expensive and unjustifiable Colstrip facility for another 20 years. There are monetary and regulatory reasons, enumerated below, but the most powerful argument is that not moving to cleaner alternatives is, bluntly, immoral.

The lives of my children, and your children, will be dominated by the fact that when given the choice of doing something about the problem now or shipping it to the future that they will live in -- in worse form -- we didn't make the hard choices.

This choice, however, isn't even that hard. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Christian Ford
490 Grow Pl NW
Bainbridge Island, WA 98110-1725

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Sally Mikulas-Serletti <sallym-s@comcast.net>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Sally Mikulas-Serletti
18215 35th Pl S
Seatac, WA 98188-4984

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Aaryn Goodwin <rynwin@hotmail.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Aaryn Goodwin
2576 152nd Ave NE
Redmond, WA 98052-0702

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Ronald Seratte <icomanchei@hotmail.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Ronald Seratte
120 SE Everett Mall Way
1114c
Everett, WA 98208-3204
(425) 346-6991

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Mike Fermon <mike@mikefermon.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

Puget Sound Energy should adopt a strategic plan to eliminate the use of coal powered energy plants as quickly as possible.

Puget Sound Energy should invest in cleaner alternative resources including wind, water, and, yes, even solar to meet Washington's energy needs in the future..

Sincerely,

Mike Fermon
11313 67th Ave NW
Gig Harbor, WA 98332-8560
(253) 858-4408

2013 AUG 12 AM 8:43

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Inga Walker <ingalula@yahoo.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Inga Walker
3312 S Lane St
Seattle, WA 98144-3239
(206) 250-8859

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Mark Dix
<dixmj@lundeng.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Mark Dix
10900 Forest Ave S
Seattle, WA 98178-3205
(206) 772-0123

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Jake Mandt
<mkmandt@comcast.net>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Jake Mandt
1408 N 26th St
Renton, WA 98056-2551

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of George Dilg <plgrd@yahoo.com>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

George Dilg
9909 NE 1st St Apt 401
Bellevue, WA 98004-5651
(425) 990-8477

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Stephen Hadley <stevehadley@comcast.net>
Sent: Sunday, August 11, 2013 6:17 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Stephen Hadley
828 K St
Washougal, WA 98671-1139
(360) 977-6211

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Marsha Robbins
<robbins.marsha@gmail.com>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Marsha Robbins
PO Box 977
Wauna, WA 98395-0977

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Colleen Isbell
<headtoad@msn.com>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years. And here's a link to proof of what a bad investment coal will be in the very near future. Coal investment only puts off the inevitable. Invest NOW in clean energy options and here's why.

<http://grist.org/climate-energy/goldman-sachs-says-coal-export-terminals-are-a-bad-investment/>

Sincerely,

Colleen Isbell
2119 NW 85th St
Seattle, WA 98117-3711
(206) 789-3115

2013 AUG 12 AM 8:41

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Paul Brower <busboy72@gmail.com>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Paul Brower
1007 E Maple St
Bellingham, WA 98225-5228

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Roderick Wilde <roderick@vgcparts.com>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Roderick Wilde
PO Box 427
Carlsborg, WA 98324-0427

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Anthony Jacobs <tonyjacob53@yahoo.com>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Anthony Jacobs
423 Sargent Rd
Winlock, WA 98596-9201
(360) 785-3375

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Andrea Maxand <amaxand@yahoo.com>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Andrea Maxand
2301 W Lynn St
Seattle, WA 98199-3548

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Jeff Esfeld <jeff@viamotors.com>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Jeff Esfeld
7977 SE 67th St
Mercer Island, WA 98040-5207

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Mary Sebek
<mamasebek@yahoo.com>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Mary Sebek
331 N 78th St
Seattle, WA 98103-4617
(206) 706-8268

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Charles Page <waynepage1234@yahoo.com>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Charles Page
8417 NE 65th Cir
Vancouver, WA 98662-4383

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Desiree Driscoll <desdriscoll2@hotmail.com>
Sent: Sunday, August 11, 2013 5:47 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Desiree Driscoll
110 Enchanted Valley Dr S
Vader, WA 98593-9506
(360) 749-6739