



PEOPLE FOR PEOPLE

October 14, 2016

Washington Utilities and Transportation Commission
Attn: Gregory J. K PTA, Administrative Law Judge
PO Box 47250
Olympia, WA 98504-7250

RE: WUTC Penalty Assessment: TE-161100 Contest of Penalty Assessment

People For People (PFP) is contesting the penalty assessment of \$700 and denying that the following violation has been committed:

“Seven violations of CFR Part 396.17(a) – using a commercial motor vehicle not periodically inspected. These are repeat violations, and thus the Commission assesses a penalty of \$100 for each occurrence, for a total of \$700.”

PFP’s contest of the occurrence of the above violation is indicated in “Attachment A. Penalty Assessment TE-161100 Document.” This letter and its attachments present evidence that annual inspections are conducted in accordance with regulations, as opposed to findings made by Wayne Gilbert, Special Investigator of the Washington Utilities and Transportation Commission. Mr. Gilbert’s 9/13/2016 compliance review report finding stated: “Using a commercial motor vehicle not periodically inspected. Vehicles at Moses Lake facility do not have any proof of annual inspections being conducted.” Mr. Gilbert based his finding on his compliance review of seven People For People’s vehicles in the Moses Lake region: vehicle numbers 910, 911, 912, 1301, 1302, 1303, and 1304.

PFP has determined that its inspection procedures are in compliance with CFR Part 396.17(a) based on the evidence below.

- 1.) Qualified technicians inspect all vehicles for PFP. Vehicle numbers 910, 911, 912, 1301, 1302, 1303, and 1304 are inspected multiple times per year by Central Washington Regional Transportation Co-op (CWR), a school district operated cooperative hired by People For People to perform preventative maintenance and periodic inspections.


CWR provided a letter confirming that People For People vehicles all meet the safety standards as required by law and CWR deems that People For People’s vehicles are safe and inspections are conducted multiple times per year from CWR. This letter is included as Attachment B.

- 2.) People For People has documentation showing that inspections were completed on these vehicles more than once during the annual period. People For People’s forms, showing proof of annual inspections on these vehicles, are included as Attachment C.
- 3.) PFP vehicles are inspected at a higher frequency than once a year. The frequency of inspections is based on the vehicle’s mileage. The seven vehicles Mr. Gilbert reviewed had been inspected from

304 West Lincoln, Yakima, WA 98902, (509) 248-6726

We are an Equal Opportunity Agency and provider of employment & training and social services. Auxiliary aids and services are available upon request to individuals with disabilities. TTY 711

2016 OCT 18 AM 11:39
COMMUNICATIONS SECTION
WUTC



PEOPLE FOR PEOPLE

two to six times during the past year – the period of time used by Mr. Gilbert for the review. In summary, inspections have occurred on each of the seven vehicles as follows:

- Vehicle Number 910, Ford Cut-Away. “A” Service: 5,000 mile inspections conducted by CWR on 12/16/15 and 3/29/16. “D” Service: 45,000 mile inspection conducted by CWR on 6/15/16.
 - Vehicle Number 911, Ford Cut-Away. “A” Service: 5,000 mile inspections conducted by CWR on 9/2/15, 10/29/15, 1/21/16, and 3/7/16. “B” Service: 15,000 mile inspection conducted by CWR on 5/6/16.
 - Vehicle Number 912, Ford Cut-Away. “A” Service: 5,000 mile inspections conducted by CWR on 9/15/15, 11/5/15, 1/11/16, and 6/8/16. “C” Service: 30,000 mile inspection conducted by CWR on 3/30/16.
 - Vehicle Number 1301, Chevy Goshen “A” Service. 7,500 mile inspections conducted by CWR on 9/30/15, 12/10/15, 2/26/16, and 7/18/16.
 - Vehicle Number 1302, Chevy Goshen “A” Service. 7,500 mile inspections conducted by CWR on 8/24/15, 10/16/15, 2/12/16, and 3/29/16. B” Service: 45,000 mile inspection conducted by CWR on 5/13/16.
 - Vehicle Number 1303, Chevy Goshen “A” Service. 7,500 mile inspections conducted by CWR on 9/11/15 and 4/11/16.
 - Vehicle Number 1304, Chevy Goshen “A” Service. 7,500 mile inspections conducted by CWR on 10/5/15, 12/03/15, and 2/29/16. B” Service: 45,000 mile inspection conducted by CWR on 5/23/16.
- 4.) PFP inspection records are in accordance with CFR Part 396.21. The records of periodic inspections are conducted by qualified inspectors and inspection reports identify the required information.
- 5.) PFP inspections are consistent with the requirements of CFR Part 396.17: Periodic inspection and Appendix G to Subchapter B of Chapter III – Minimum Periodic Inspection Standards. See Attachment B. CWR Letter Regarding Inspections.
- 6.) In accordance with CFR Part 396.21(b)(1), records are kept where the vehicle is housed: People For People’s Moses Lake Transportation Office and where the vehicle is maintained: CWR in Moses Lake. Having records at the place where the vehicle is housed or at the place where the vehicle is maintained also meets requirements of CFR Part 396.17(c)(1), therefore not requiring a sticker or decal of inspection physically located on the vehicle.
- 7.) PFP’s safety record and safety procedures show that our transportation services are safe. PFP has not had any “reportable accidents” during the past year, meaning no fatalities, no bodily injuries, and no disabling damage to a vehicle. Minor incidents that did occur during the past five years are shown in Attachment D, People For People Losses.

Customer safety is one of PFP’s highest priorities. We conduct regular inspections and maintenance to make sure our customers are safe. PFP uses an Asset Management Plan to ensure

304 West Lincoln, Yakima, WA 98902, (509) 248-6726

We are an Equal Opportunity Agency and provider of employment & training and social services. Auxiliary aids and services are available upon request to individuals with disabilities. TTY 711



PEOPLE FOR PEOPLE

that all vehicles are maintained on the required schedule. PFP has updated the vehicle maintenance plan to address all of the updated WUTC requirements. PFP also uses daily vehicle inspection records, with drivers conducting daily pre and post trip inspections to make sure all vehicles are in excellent operating condition. PFP's program of maintaining safe vehicles, well trained drivers, and safety procedures have resulted in a highly respected safety record.

PFP takes pride in its safety record and appreciates the opportunity to prove adherence to safety regulations. PFP also welcomes feedback and monitoring and makes every effort to be cooperative and responsive. Please accept this written evidence that the violation of "using seven commercial motor vehicles not periodically inspected" did not occur. PFP requests the Commission decision to be based solely on the information provide in this letter and attachments.

Thank you,

Janette D. Ollivier, Transportation Contracts Manager

304 West Lincoln, Yakima, WA 98902, (509) 248-6726

We are an Equal Opportunity Agency and provider of employment & training and social services. Auxiliary aids and services are available upon request to individuals with disabilities. TTY 711



PEOPLE FOR PEOPLE

Attachment A.

Penalty Assessment TE-161100 Document

304 West Lincoln, Yakima, WA 98902, (509) 248-6726

We are an Equal Opportunity Agency and provider of employment & training and social services. Auxiliary aids and services are available upon request to individuals with disabilities. TTY 711

WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION
PENALTY ASSESSMENT TE-161100

PLEASE NOTE: You must complete and sign this document, and send it to the Commission within 15 days after you receive the penalty assessment. Use additional paper if needed.

I have read and understand RCW 9A.72.020 (printed below), which states that making false statements under oath is a class B felony. I am over the age of 18, am competent to testify to the matters set forth below and I have personal knowledge of those matters. I hereby make, under oath, the following statements.

1. **Payment of penalty.** I admit that the violation occurred and enclose \$ _____ in payment of the penalty.

2. **Contest the violation.** I believe that the alleged violation did not occur for the reasons I describe below:

a) I ask for a hearing to present evidence on the information I provide above to an administrative law judge for a decision

OR b) I ask for a Commission decision based solely on the information I provide above.

3. **Application for mitigation.** I admit the violation, but I believe that the penalty should be reduced for the reasons set out below:


a) I ask for a hearing to present evidence on the information I provide above to an administrative law judge for a decision

OR b) I ask for a Commission decision based solely on the information I provide above.

I declare under penalty of perjury under the laws of the State of Washington that the foregoing, including information I have presented on any attachments, is true and correct.

Dated: 10/14/2010 [month/day/year], at Ellensburg, WA [city, state]

People For People
Name of Respondent (company) – please print


Signature of Applicant



PEOPLE FOR PEOPLE

Attachment B.

CWR Letter Regarding Inspections

304 West Lincoln, Yakima, WA 98902, (509) 248-6726

We are an Equal Opportunity Agency and provider of employment & training and social services. Auxiliary aids and services are available upon request to individuals with disabilities. TTY 711

Central Washington Region



Transportation

Co-op

CWR Transportation Co-op

940 E Yonezawa Blvd

Moses Lake, WA 98837

MLSD Transportation

PH:(509)793-7200



10/2016

To Whom It May Concern,

I know all of the "People for People" Vehicles have met all of

The Safety Standards required by Law (see page 199 of the WUTC Manual)

And are safe to operate,

They have a regular Inspection schedule and People for People are very strict on

Keeping them Inspected and Serviced On time.

For the last 3 years every inspection has had the park brakes and service brake


Inspected and Tested and they are inspected multiple time a year

By Qualified Personal as per "WUTC Standards".

Shop Forman

Lanny Knopp

10/13/16



PEOPLE FOR PEOPLE

Attachment C.

**Inspection Records of People For People Vehicles
910, 911, 912, 1301, 1302, 1303, and 1304
2014-2016**

304 West Lincoln, Yakima, WA 98902, (509) 248-6726

We are an Equal Opportunity Agency and provider of employment & training and social services. Auxiliary aids and services are available upon request to individuals with disabilities. TTY 711

Ford CUT-AWAY "F" Service
100,000 Mile

DATE	MILEAGE	VEHICLE NUMBER	OK	ACTION REQUIRED
8-28-14	99509	910		
INSPECTED BY: Mike Friedbauer				
REVIEW DEFECTS AND MAINTENANCE HISTORY			✓	
ROAD TEST			✓	
CHANGE OIL & OIL FILTER			✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS			✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS			✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES			✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED			✓	Cleaned
CHECK WIPER SYSTEM			✓	
CHECK ALL FLUID LEVELS			✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING			✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER			✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE			✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)			✓	
CHECK FOR OIL AND FLUID LEAKS			✓	
CHECK ENGINE AIR FILTER			✓	
INSPECT EXHAUST SYSTEM			X	Repaired
INSPECT STEERING & LINKAGE			✓	
INSPECT ACCESSORY DRIVE BELTS			✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE			✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED			✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION			✓	
CHANGE REAR AXLE LUBRICANT			✓	
REPLACE ACCESSORY DRIVE BELTS			✓	
REPLACE PCV VALVE			✓	
REPLACE SPARK PLUGS & SPARK PLUG BOOTS			✓	
ROAD TEST			✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES			✓	
CHECK FOR SEAT BELT CUTTER			X	no Belt cutter
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS			✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS			✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS			✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN			✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT			✓	

COMPLETED BY SIGNATURE: Mike Friedbauer
DATE: 8-29-2014

SUPERVISOR INITIALS: Fire Fred Depth

7qt 5w/20
1372
4 1/2qt 75w/90

Front L = 15 70psi Rt = 15 70psi

Rears = 8 60psi ~~X~~ 6 60psi = outboard
6 60psi 7 60psi

Ford CUT-AWAY "B" Service
15,000 Mile

PFP

DATE 10-28-14 MILEAGE 104702 VEHICLE NUMBER 910	OK	ACTION REQUIRED
INSPECTED BY: <i>BH</i>		
REVIEW DEFECTS AND MAINTENANCE HISTORY		
ROAD TEST		
CHANGE OIL & OIL FILTER <i>1372 7 qts 5W-50</i>	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS	✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES	✓	
ROAD TEST	✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER <i>SLK-8705</i>	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: *Bob Nury*
DATE: *10-28-14*
SUPERVISOR INITIALS: _____

oil level full
brakes front and rear *1/4"*

Tire Tread Depth

Front L = *13/32"* 65 / *13/32"* Rt = 70 / 65 lbs
Rears = *8/32* 58/65 / *7/32* 6.6/65 = outbrd
7/32 58/65 / *7/32* 58/65 = inbrd

Ford CUT-AWAY "A" Service

5,000 Mile

DATE <u>1-12-15</u> MILEAGE <u>109 896</u> VEHICLE NUMBER <u>910</u>	OK	ACTION REQUIRED
INSPECTED BY:		
REVIEW DEFECTS AND MAINTENANCE HISTORY	✓	
ROAD TEST	✓	
CHANGE OIL & OIL FILTER <u>7qt 5W-20</u> <u>Filter 1372</u>	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
ROAD TEST	✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: VL-BN
 DATE: 1-12-15
 SUPERVISOR INITIALS: _____

Front Brakes $\frac{1}{8}$ " - $\frac{3}{16}$ "
 oil checked OK

Tire Tread Depth

Front L = $\frac{12}{32}$ 64" 65" Rt = $\frac{11}{32}$ 64" 65"

 Rears = $\frac{6}{32}$ 67" 65" $\frac{6}{32}$ 62" 65" = outbrd

 $\frac{6}{32}$ 63" 65" $\frac{6}{32}$ 63" 65"

Over →

MINIVAN "A" Service
7,500 MILE

DATE 7-7-15 MILEAGE 114520 VEHICLE NUMBER 910	OK	ACTION REQUIRED
INSPECTED BY: V.L.		
REVIEW DEFECTS AND MAINTENANCE HISTORY	✓	
ROAD TEST	✓	
CHANGE OIL & OIL FILTER 1372 7qt Sw-20	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
INSPECT BRAKE SYSTEM	✓	
LUBRICATE BODY COMPONENTS	✓	
CHECK PASSENGER COMPARTMENT AIR FILTER AND REPLACE IF NEEDED	✓	
INSPECT THROTTLE SYSTEM	✓	
INSPECT FUEL SYSTEM FOR DAMAGE/LEAKS	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK RAMP FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
ROAD TEST	✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: V.L. - MF
 DATE: 7-7-15
 SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = $\frac{10}{32}$ 64* 65** | Rt = $\frac{10}{32}$ 65**

Rears = $\frac{5}{32}$ 65* | $\frac{4}{32}$ 64* 65** =outbrd
 $\frac{5}{32}$ 65* | $\frac{6}{32}$ 66# - 65** =inbrd

Ford CUT-AWAY "A" Service
5,000 Mile

PPP

DATE	MILEAGE	VEHICLE NUMBER	OK	ACTION REQUIRED
12-16-15	125596	910		
INSPECTED BY: <u>DG</u>				
REVIEW DEFECTS AND MAINTENANCE HISTORY				
ROAD TEST				
CHANGE OIL & OIL FILTER 1372 7 Qts 5020				
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS				
CHECK ALL INTERIOR/EXTERIOR LIGHTS				
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES				
CHECK BATTERY & CLEAN POSTS IF NEEDED				
CHECK WIPER SYSTEM				
CHECK ALL FLUID LEVELS <u>Tranny Below Add Safe mix</u>				
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING				
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER				
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE				
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)				
CHECK FOR OIL AND FLUID LEAKS				
CHECK ENGINE AIR FILTER				
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS				
INSPECT STEERING & LINKAGE				
INSPECT ACCESSORY DRIVE BELTS				
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE				
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED				
CHECK FRONT AND REAR A/C & HEATER OPERATION				
ROAD TEST				
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES				
CHECK FOR SEAT BELT CUTTER				
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS				
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS				
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS				
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN				
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT				

Right Rear
Countdown
25
Gold

COMPLETED BY SIGNATURE: [Signature]

DATE: 12-17-15

SUPERVISOR INITIALS: _____

Add 1 Qt VERSATRAN

Left front

Tire appears to be separating
Cupping Band
So replaced front

Shocks Part # 555031
Dgr 1.5 CR.5

Tire Tread Depth

Front L =

3/32"	75PSI	1/2"	75PSI
3/32"	80PSI	3/32"	80PSI
3/32"	80PSI	3/32"	80PSI

=outbrd
=inbrd

Ford CUT-AWAY "A" Service
5,000 Mile

PPD

DATE <u>3-29-16</u> MILEAGE <u>129787</u> VEHICLE NUMBER - <u>910</u>	OK	ACTION REQUIRED
INSPECTED BY: <u>IL/B.N.</u>		
REVIEW DEFECTS AND MAINTENANCE HISTORY	✓	
ROAD TEST	✓	
CHANGE OIL & OIL FILTER <u>1372</u> 7/20/15	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
ROAD TEST	✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: IL/B.N.
 DATE: 3-30-16
 SUPERVISOR INITIALS: _____

15 mins Wash B.N.

Tire Tread Depth

Front L = 15/32" Rt = 14/32"
76/75 / 76/75

Rears = 14/32" =outbrd
14/32" / 13/32" =inbrd

Ford CUT-AWAY "D" Service
45,000 Mile

DATE	MILEAGE	VEHICLE NUMBER	OK	ACTION REQUIRED
6-15-16	134786	- 910		
INSPECTED BY: DLG				
REVIEW DEFECTS AND MAINTENANCE HISTORY				
ROAD TEST				
CHANGE OIL & OIL FILTER 1372 7 Qts 5W 20				
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS				
CHECK ALL INTERIOR/EXTERIOR LIGHTS <i>Stepwell light out.</i>				
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES				
CHECK BATTERY & CLEAN POSTS IF NEEDED				
CHECK WIPER SYSTEM				
CHECK ALL FLUID LEVELS				
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING				
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER				
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE				
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)				
CHECK FOR OIL AND FLUID LEAKS				
CHECK ENGINE AIR FILTER				
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS				
INSPECT STEERING & LINKAGE				
INSPECT ACCESSORY DRIVE BELTS				
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE				
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED				
CHECK FRONT AND REAR A/C & HEATER OPERATION				
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM				
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS				
INSPECT ENGINE COOLING SYSTEM AND HOSES				
CHANGE ENGINE COOLANT AFTER FIRST 135000 MILES				
ROAD TEST				
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES				
CHECK FOR SEAT BELT CUTTER				
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS				
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS				
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS				
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN				
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT.				

COMPLETED BY SIGNATURE: 

DATE: 6-29-16

SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L =

1 1/32" 75 PSI / 1 10/32" 75 PSI

1 1/32 80 PSI Rears = 1 10/32" 80 PSI

1 1/32 80 PSI / 1 10/32" 80 PSI =outbrd
=inbrd

Replaced Stepwell light
30700C Lamp-Myc noll 30
50-30700-3 GREAT MIDL 30
DLG 25

Replaced OEL & IN COOLANT.
WASHED BY HAND DLG. 5.

CWR-25628

Ford CUT-AWAY "A" Service PFP
5,000 Mile

DATE 1-23-15	MILEAGE 139962	VEHICLE NUMBER 911	OK	ACTION REQUIRED
INSPECTED BY: VL-BN				
REVIEW DEFECTS AND MAINTENANCE HISTORY				
ROAD TEST				
CHANGE OIL & OIL FILTER 1372 7qts 5W-20				
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS				
CHECK ALL INTERIOR/EXTERIOR LIGHTS				
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES				
CHECK BATTERY & CLEAN POSTS IF NEEDED				
CHECK WIPER SYSTEM				
CHECK ALL FLUID LEVELS				
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING				
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER				
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE				
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)				
CHECK FOR OIL AND FLUID LEAKS				
CHECK ENGINE AIR FILTER				
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS				
INSPECT STEERING & LINKAGE				
INSPECT ACCESSORY DRIVE BELTS				
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE				
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED				
CHECK FRONT AND REAR A/C & HEATER OPERATION				
ROAD TEST				
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES				
CHECK FOR SEAT BELT CUTTER				
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS				
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS Seal broken				
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS				
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN				
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT				

COMPLETED BY SIGNATURE: V.L. / B.N.

DATE: 1-23-15

SUPERVISOR INITIALS:

Added .75 gal gold anti freeze

Lubed Eng. -> Check IVE switch

oil level OK

Front Brakes 1/4" -

broken exhaust manifold bolts both sides

Added 1qt Versa LV to Trans

Lift need new rams works most of the time

Tire Tread Depth

Front L =

Rt =

11/32 62" / 65"

11/32 55" / 65"

Rears =

11/32 62" / 65"

11/32 70" / 65" =outbrd

11/32 70" / 65"

11/32 70" / 65" =inbrd

Ford CUT-AWAY "D" Service
45,000 Mile

PPP

DATE 4-13-15 MILEAGE 134,694 VEHICLE NUMBER 911	OK	ACTION REQUIRED
INSPECTED BY: Mike Friedbauer		
REVIEW DEFECTS AND MAINTENANCE HISTORY	✓	
ROAD TEST	✓	
CHANGE OIL & OIL FILTER	✓	1372 6/2015
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	5.9/12
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS	✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES	✓	
CHANGE ENGINE COOLANT AFTER FIRST 135000 MILES	✓	3 1/2 gal Gold
ROAD TEST	✓	Pressure
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: Mike Friedbauer
 DATE: 4-13-15
 SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = _____ Rt = _____
 13 65psi / 13 65psi
 Rears = _____
 14 65 / 13 65 =outbrd
 13 65 / 13 65 =inbrd

Ford CUT-AWAY "D" Service
45,000 Mile

PFP

DATE	MILEAGE	VEHICLE NUMBER	OK	ACTION REQUIRED
6/3/15	139605	911		
INSPECTED BY: DF/VL				
REVIEW DEFECTS AND MAINTENANCE HISTORY				
ROAD TEST				
CHANGE OIL & OIL FILTER #1372 oil Filter 6 1/2 qt 5W-20				
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS				
CHECK ALL INTERIOR/EXTERIOR LIGHTS				
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES				
CHECK BATTERY & CLEAN POSTS IF NEEDED				
CHECK WIPER SYSTEM				
CHECK ALL FLUID LEVELS				
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING				
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER				
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE				
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)				
CHECK FOR OIL AND FLUID LEAKS				
CHECK ENGINE AIR FILTER				
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS				
INSPECT STEERING & LINKAGE				
INSPECT ACCESSORY DRIVE BELTS				
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE				
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED				
CHECK FRONT AND REAR A/C & HEATER OPERATION				
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM				
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS				
INSPECT ENGINE COOLING SYSTEM AND HOSES				
CHANGE ENGINE COOLANT AFTER FIRST 135000 MILES 4 gal Gold				
ROAD TEST				
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES				
CHECK FOR SEAT BELT CUTTER				
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS				
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS				
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS				
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN				
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT				

COMPLETED BY SIGNATURE: VL / L.K.

DATE: 6-4-15

SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = Rt =

13/32 62# 70" / 11/32 62# 70"

Rears =

11/32 63# 70" / 12/32 63# 70" =outbrd

12/32 63# 70" / 12/32 63# 70" =inbrd

trans cooler line leaks, tightened line and cleaned v.l. need to get a different spec of extinguisher, can not remove. Does not fit bracket.

Lift will not unfold, toe kick will not

Ford CUT-AWAY "A" Service
5,000 Mile

PFP

DATE	MILEAGE	VEHICLE NUMBER	OK	ACTION REQUIRED
9-2-15	144999	411		
INSPECTED BY: DF				
REVIEW DEFECTS AND MAINTENANCE HISTORY			✓	
ROAD TEST			✓	
CHANGE OIL & OIL FILTER Filter 1372			✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS			✓	
* CHECK ALL INTERIOR/EXTERIOR LIGHTS (2) 9 light Bulbs			X	to repl done light
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES			✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED			✓	
CHECK WIPER SYSTEM			✓	
CHECK ALL FLUID LEVELS			✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING			✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER			✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE			✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)			✓	
CHECK FOR OIL AND FLUID LEAKS			✓	
CHECK ENGINE AIR FILTER			✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS			✓	
INSPECT STEERING & LINKAGE			✓	
INSPECT ACCESSORY DRIVE BELTS			✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE			✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED			✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION			✓	
ROAD TEST			✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES			✓	
CHECK FOR SEAT BELT CUTTER			✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS			✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS			✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS			✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN			✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT			✓	

COMPLETED BY SIGNATURE: V.L.
DATE: 9-2-15
SUPERVISOR INITIALS: _____

Replaced flasher bulb PFP 64002
Fire extinguisher NOT secure, extinguisher too large for bracket
replaced RT rear Turn & light w/one from PFP stock

Tire Tread Depth

Front L = 10/32 64# - 65# / 10/32 65# Rt =
Rears = 10/32 65# / 10/32 65# =outbrd
9/32 64# - 65# / 9/32 65# =inbrd

149 672

Ford CUT-AWAY "A" Service 5,000 Mile PFP

DATE 10-29-15 MILEAGE 149 672 VEHICLE NUMBER 911	OK	ACTION REQUIRED
INSPECTED BY: DG		
REVIEW DEFECTS AND MAINTENANCE HISTORY	✓	
ROAD TEST	✓	
CHANGE OIL & OIL FILTER 1572 6.5 Qts 5W20	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM 9120 x 2 DG 625	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS) Fronts ✓/Do	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
ROAD TEST		
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: Dillon G. BBA
 DATE: 11-3-15
 SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = 9/32" 70-75 PSI Rt = 9/32" 70-75 PSI
 Rears = 9/32" 70-80 PSI / 7/32" 70-80 PSI =outbrd
9/32" 70-80 PSI / 7/32" 70-80 PSI =inbrd

Ford CUT-AWAY "A" Service

5,000 Mile

DATE <u>1-21-16</u> MILEAGE <u>154621</u> VEHICLE NUMBER - <u>911</u>	OK	ACTION REQUIRED
INSPECTED BY: <u>DLA</u>		
REVIEW DEFECTS AND MAINTENANCE HISTORY	<input checked="" type="checkbox"/>	
ROAD TEST	<input checked="" type="checkbox"/>	
CHANGE OIL & OIL FILTER <u>1372 6.5 QTS SAUO</u>	<input checked="" type="checkbox"/>	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	<input checked="" type="checkbox"/>	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	<input checked="" type="checkbox"/>	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	<input checked="" type="checkbox"/>	
CHECK BATTERY & CLEAN POSTS IF NEEDED	<input checked="" type="checkbox"/>	
CHECK WIPER SYSTEM	<input checked="" type="checkbox"/>	
CHECK ALL FLUID LEVELS	<input checked="" type="checkbox"/>	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	<input checked="" type="checkbox"/>	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	<input checked="" type="checkbox"/>	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	<input checked="" type="checkbox"/>	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	<input checked="" type="checkbox"/>	
CHECK FOR OIL AND FLUID LEAKS	<input checked="" type="checkbox"/>	
CHECK ENGINE AIR FILTER	<input checked="" type="checkbox"/>	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	<input checked="" type="checkbox"/>	
INSPECT STEERING & LINKAGE	<input checked="" type="checkbox"/>	
INSPECT ACCESSORY DRIVE BELTS	<input checked="" type="checkbox"/>	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	<input checked="" type="checkbox"/>	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	<input checked="" type="checkbox"/>	
CHECK FRONT AND REAR A/C & HEATER OPERATION	<input checked="" type="checkbox"/>	
ROAD TEST	<input checked="" type="checkbox"/>	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	<input checked="" type="checkbox"/>	
CHECK FOR SEAT BELT CUTTER	<input checked="" type="checkbox"/>	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	<input checked="" type="checkbox"/>	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	<input checked="" type="checkbox"/>	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	<input checked="" type="checkbox"/>	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	<input checked="" type="checkbox"/>	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	<input checked="" type="checkbox"/>	

COMPLETED BY SIGNATURE: [Signature]

DATE: 1-21-16

SUPERVISOR INITIALS: _____

*Will drop off
after Rd today
4-trade buses
911 for 907
1/21/16*

Tire Tread Depth

Front L = _____ Rt = _____

4/32" 65-75 / 4/32"

Rears = _____
6/32" 75-80 / 6/32" =outbrd

4/32" 70-80 / 6/32" =inbrd
Page 1 of 1

Ford CUT-AWAY "A" Service
5,000 Mile

PAP

DATE 3-7-16	MILEAGE 159920	VEHICLE NUMBER - 911	OK	ACTION REQUIRED
INSPECTED BY: DC				
REVIEW DEFECTS AND MAINTENANCE HISTORY			✓	
ROAD TEST			✓	
CHANGE OIL & OIL FILTER 372 6.5 QK 5W20			✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS			✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS 2 clearance lights top Center Right			X	need better ground
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES			✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED			✓	
CHECK WIPER SYSTEM			✓	
CHECK ALL FLUID LEVELS			✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING			✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER			✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE			✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)			✓	
CHECK FOR OIL AND FLUID LEAKS			✓	
CHECK ENGINE AIR FILTER			✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS			✓	
INSPECT STEERING & LINKAGE			✓	
INSPECT ACCESSORY DRIVE BELTS			✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE			✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED			✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION			✓	
ROAD TEST			✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES			✓	
CHECK FOR SEAT BELT CUTTER			✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS			✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS			✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS			✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN			✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT			✓	

COMPLETED BY SIGNATURE: 
 DATE: 3-7-16
 SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = 3/32 1512 / 7/32 1512
 Rt = 3/32 1512 / 7/32 1512
 Rears = 7/32 1512 / 7/32 1512 =outbrd
7/32 1512 / 7/32 1512 =inbrd

Ford CUT-AWAY "B" Service
15,000 Mile

PPF

DATE 5-6-16 MILEAGE 164 934 VEHICLE NUMBER - 911	OK	ACTION REQUIRED
INSPECTED BY: <i>[Signature]</i>		
REVIEW DEFECTS AND MAINTENANCE HISTORY	✓	
ROAD TEST	✓	
CHANGE OIL & OIL FILTER 1572 6.5 on 5W20	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	X	★
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS	✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES	✓	
ROAD TEST	✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: *[Signature]*

DATE: 5-9-16

SUPERVISOR INITIALS: _____

★ looks like might be from oil gettingy split while trying to add oil to Eng. cleaned off. DA.25

Ran through Carwash then scrubbed by hand DA.5

Tire Tread Depth

Front L =

Rt =

5/32" 75PSI / 4/32 75PSI
Rears =
5/32" 80PSI / 5/32" 80PSI =outbrd
3/32" 80PSI / 3/32" 80PSI =inbrd

gettingy

Ford CUT-AWAY "E" Service
60,000 Mile

DATE	MILEAGE	VEHICLE NUMBER	OK	ACTION REQUIRED
9-3-14	119504	912		
INSPECTED BY: <i>BM VL</i>				
REVIEW DEFECTS AND MAINTENANCE HISTORY				
ROAD TEST				
CHANGE OIL & OIL FILTER <i>1572</i> <i>6129ts</i> <i>5w-20</i>				
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS				
CHECK ALL INTERIOR/EXTERIOR LIGHTS				
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES				
CHECK BATTERY & CLEAN POSTS IF NEEDED				
CHECK WIPER SYSTEM				
CHECK ALL FLUID LEVELS				
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING				
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER				
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE				
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)				
CHECK FOR OIL AND FLUID LEAKS				
CHECK ENGINE AIR FILTER				
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS				
INSPECT STEERING & LINKAGE				
INSPECT ACCESSORY DRIVE BELTS				
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE				
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED				
CHECK FRONT AND REAR A/C & HEATER OPERATION				
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM				
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS				
INSPECT ENGINE COOLING SYSTEM AND HOSES				
CHANGE AUTOMATIC TRANSMISSION FLUID & EXTERNAL FILTER (IF EQUIPPED)				
REPLACE FUEL FILTER <i>3595</i> <i>6418</i> <i>Air Filter</i>				
REPLACE ENGINE AIR FILTER				
INSPECT/ADJUST FRONT WHEEL BEARINGS				
REPLACE GREASE & GREASE SEALS				
ROAD TEST				
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES				
CHECK FOR SEAT BELT CUTTER				
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS				
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS				
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS				
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN				
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT				

COMPLETED BY SIGNATURE: *Bob May*

DATE: _____

SUPERVISOR INITIALS: _____

*Trans Fluid
gts Versatrans LV*

** left rear brake 3/8" -
** 7 1/2 gts Versatrans LV*

CWR -25282

Coyne

Ford CUT-AWAY "A" Service
5,000 Mile

DATE	MILEAGE	VEHICLE NUMBER	OK	ACTION REQUIRED
11-19-14	124627	912		
INSPECTED BY: BN / VL				
REVIEW DEFECTS AND MAINTENANCE HISTORY				
ROAD TEST				
CHANGE OIL & OIL FILTER 1372 7qt SW-20				
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS				
CHECK ALL INTERIOR/EXTERIOR LIGHTS				
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES				
CHECK BATTERY & CLEAN POSTS IF NEEDED				
CHECK WIPER SYSTEM				
CHECK ALL FLUID LEVELS				
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING				
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER				
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE				
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)				
CHECK FOR OIL AND FLUID LEAKS				
CHECK ENGINE AIR FILTER				
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS				
INSPECT STEERING & LINKAGE				
INSPECT ACCESSORY DRIVE BELTS				
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE				
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED				
CHECK FRONT AND REAR A/C & HEATER OPERATION				
ROAD TEST				
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES				
CHECK FOR SEAT BELT CUTTER				
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS				
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS				
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS				
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN				
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT				

✓ Rear Htr Noisy

COMPLETED BY SIGNATURE: VL - BN
DATE: 11-18-14
SUPERVISOR INITIALS: _____

Broken exhaust manifold bolts
Left rear brake 3/16"

Oil not add line

Tire Tread Depth

Front L = $\frac{4}{32}$ 60[#]/66[#] $\frac{5}{32}$ Rt = 60[#]/66[#]

Rears = $\frac{14}{32}$ 68[#] $\frac{14}{32}$ 72[#]/68[#] =outbrd
 $\frac{14}{32}$ 68[#] $\frac{14}{32}$ 68[#] =inbrd

Ford CUT-AWAY "A" Service
5,000 Mile

APP

DATE 4-15-15 MILEAGE 129,500 VEHICLE NUMBER 912	OK	ACTION REQUIRED
INSPECTED BY: <i>mike Friedbauer</i>		
REVIEW DEFECTS AND MAINTENANCE HISTORY	✓	
ROAD TEST	✓	
CHANGE OIL & OIL FILTER	✓	1372 6.50x 5/20
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	AC may need Recharge
ROAD TEST	✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

1372 6.50x 5/20

Left Lower Ball Joint Bad

AC may need Recharge

COMPLETED BY SIGNATURE: *Mike Friedbauer*
DATE: 4-15-15
SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = 5/32 65 Rt = 4/32 65
Rears = 12/32 65 / 12/32 65 =outbrd
12/32 65 / 12/32 65 =inbrd

Ford CUT-AWAY "D" Service
45,000 Mile

DATE <u>6-24-15</u> MILEAGE <u>134739</u> VEHICLE NUMBER <u>912</u>	OK	ACTION REQUIRED
INSPECTED BY: <u>V.L.</u>		
REVIEW DEFECTS AND MAINTENANCE HISTORY	✓	
ROAD TEST	✓	
CHANGE OIL & OIL FILTER <u>1372</u> <u>6 1/2 qts 5w-20</u>	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS	✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES	✓	
CHANGE ENGINE COOLANT AFTER FIRST 135000 MILES <u>4 1/2 gals Gold</u>	✓	
ROAD TEST	✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: V.L.

DATE: 6-24-15

SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = Rt =

15/32 74" - 75" 11/32 73" - 75"

Rears =

11/32 60" - 75" 10/32 60" - 75" =outbrd

Page 1 of 1 10/32 58" - 75" 11/32 60" - 75" =inbrd

Ford CUT-AWAY "A" Service

5,000 Mile

DATE <u>9-15-15</u> MILEAGE <u>139566</u> VEHICLE NUMBER - <u>912</u>	OK	ACTION REQUIRED
INSPECTED BY: <u>DG JJK</u>		
REVIEW DEFECTS AND MAINTENANCE HISTORY	<input checked="" type="checkbox"/>	
ROAD TEST	<input checked="" type="checkbox"/>	
CHANGE OIL & OIL FILTER	<input checked="" type="checkbox"/>	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	<input checked="" type="checkbox"/>	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	<input checked="" type="checkbox"/>	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	<input checked="" type="checkbox"/>	
CHECK BATTERY & CLEAN POSTS IF NEEDED	<input checked="" type="checkbox"/>	
CHECK WIPER SYSTEM	<input checked="" type="checkbox"/>	
CHECK ALL FLUID LEVELS	<input checked="" type="checkbox"/>	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	<input checked="" type="checkbox"/>	<u>crack in windshield</u>
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	<input checked="" type="checkbox"/>	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	<input checked="" type="checkbox"/>	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	<input checked="" type="checkbox"/>	
CHECK FOR OIL AND FLUID LEAKS	<input checked="" type="checkbox"/>	
CHECK ENGINE AIR FILTER	<input checked="" type="checkbox"/>	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	<input checked="" type="checkbox"/>	<u>broken hanger</u>
INSPECT STEERING & LINKAGE	<input checked="" type="checkbox"/>	
INSPECT ACCESSORY DRIVE BELTS	<input checked="" type="checkbox"/>	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	<input checked="" type="checkbox"/>	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	<input checked="" type="checkbox"/>	<u>worn struts</u>
CHECK FRONT AND REAR A/C & HEATER OPERATION	<input checked="" type="checkbox"/>	
ROAD TEST	<input checked="" type="checkbox"/>	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	<input checked="" type="checkbox"/>	
CHECK FOR SEAT BELT CUTTER	<input checked="" type="checkbox"/>	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	<input checked="" type="checkbox"/>	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	<input checked="" type="checkbox"/>	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	<input checked="" type="checkbox"/>	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	<input checked="" type="checkbox"/>	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	<input checked="" type="checkbox"/>	

COMPLETED BY SIGNATURE: Kevin Phypers - Dillon Griffith

DATE: _____

SUPERVISOR INITIALS: _____

** windshield crack drives side in shaded area*
** replaced wiper blades (2) 91-20*
** replaced broken hanger - top part wiper*

Tire Tread Depth

Front L =

Rt =

GS-7975 12/30"

GS-7975 11 30"

Rears =

GS-8075 12/30"

GS-8075 11 30"

=outbrd

GS-8175 12/30"

GS-8075 11 30"

=inbrd

** wheel chair 110 studs out Max*
5 lbs - no light on front - replaced
main arm L & R struts
#(2) 29130A 5-11-15

3:30 pm

Ford CUT-AWAY "A" Service
5,000 Mile

PPP

DATE 11-5-15	MILEAGE 144802	VEHICLE NUMBER 912	OK	ACTION REQUIRED
INSPECTED BY: <i>Dillon Griffith</i>				
REVIEW DEFECTS AND MAINTENANCE HISTORY				
ROAD TEST				
CHANGE OIL & OIL FILTER <i>1372 6505W20</i>				
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS				
CHECK ALL INTERIOR/EXTERIOR LIGHTS				
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES				
CHECK BATTERY & CLEAN POSTS IF NEEDED				
CHECK WIPER SYSTEM				
CHECK ALL FLUID LEVELS				
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING				
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER				
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE				
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)				
CHECK FOR OIL AND FLUID LEAKS				
CHECK ENGINE AIR FILTER				
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS				
INSPECT STEERING & LINKAGE				
INSPECT ACCESSORY DRIVE BELTS				
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE				
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED				
CHECK FRONT AND REAR A/C & HEATER OPERATION <i>Heat ex. valve warm</i>				
ROAD TEST				
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES				
CHECK FOR SEAT BELT CUTTER				
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS				
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS				
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS				
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN				
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT				

COMPLETED BY SIGNATURE: *[Signature]*

DATE: *11-5-15*

SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = *9/32" 75Psi* / Rt = *9/32" 75Psi*

Rears = *7/32" 80Psi* / *6/32" 80Psi* = outbrd

7/32" 80Psi / *7/32" 80Psi* = inbrd

Dash lights on left side need replaced

small leak left side of bottom of Radiator. (Positive)

Sawed Battery cable "Y" on frame Body

Rear Battery DA .25

Ford CUT-AWAY "A" Service

5,000 Mile

DATE <u>1-11-16</u> MILEAGE <u>150160</u> VEHICLE NUMBER <u>912</u>	OK	ACTION REQUIRED
INSPECTED BY: <u>DG</u>		
REVIEW DEFECTS AND MAINTENANCE HISTORY	✓	
ROAD TEST	✓	
CHANGE OIL & OIL FILTER <u>6.5 Oil SW 70</u>	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
ROAD TEST	✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: _____

DATE: 1-11-16

SUPERVISOR INITIALS: _____

*washed Belts
By hand-DG.S*

Tire Tread Depth

Front L =	Rt =
<u>6/32"</u> 70-75PSI	<u>4/32"</u> 70-75PSI
Rears =	
<u>6/32"</u> 70-80PSI	<u>4/32"</u> 75-80PSI
<u>6/32"</u> 70-80PSI	<u>6/32"</u> 75-80PSI
	=outbrd
	=inbrd

Ford CUT-AWAY "C" Service

30,000 Mile

DATE <u>3-30-16</u> MILEAGE <u>154629</u> VEHICLE NUMBER - <u>912</u>	OK	ACTION REQUIRED
INSPECTED BY: <u>ML/BN</u>		
REVIEW DEFECTS AND MAINTENANCE HISTORY		
ROAD TEST		
CHANGE OIL & OIL FILTER <u>1572 6 1/2 qts 5W-20</u>	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS	✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES	✓	
CHANGE AUTOMATIC TRANSMISSION FLUID & EXTERNAL FILTER (IF EQUIPPED)	✓	
CHANGE AUTOMATIC TRANSMISSION INTERNAL FILTER (150,000 MILES) <u>1-5249</u>	✓	
REPLACE FUEL FILTER <u>3595</u>	✓	
REPLACE ENGINE AIR FILTER <u>6418</u>	✓	
ROAD TEST		
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: *Bob Jones*

DATE: 3-30-16

SUPERVISOR INITIALS: _____

Left rear brake pad $3/16"$

Trans oil - $7 1/2$ qts
Versal LV

tire tread
→

Exhaust manifold bolt broke
on left side
15 min wash

Ford CUT-AWAY "A" Service PPP
5,000 Mile

DATE <u>6-8-16</u> MILEAGE <u>159660</u> VEHICLE NUMBER - <u>912</u>	OK	ACTION REQUIRED
INSPECTED BY: <u>DG</u>		
REVIEW DEFECTS AND MAINTENANCE HISTORY	<input checked="" type="checkbox"/>	
ROAD TEST	<input checked="" type="checkbox"/>	
CHANGE OIL & OIL FILTER <u>1372</u> <u>6.5 Qts 5W20</u>	<input checked="" type="checkbox"/>	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	<input checked="" type="checkbox"/>	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	<input checked="" type="checkbox"/>	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	<input checked="" type="checkbox"/>	
CHECK BATTERY & CLEAN POSTS IF NEEDED	<input checked="" type="checkbox"/>	
CHECK WIPER SYSTEM	<input checked="" type="checkbox"/>	
CHECK ALL FLUID LEVELS	<input checked="" type="checkbox"/>	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	<input checked="" type="checkbox"/>	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	<input checked="" type="checkbox"/>	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	<input checked="" type="checkbox"/>	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	<input checked="" type="checkbox"/>	
CHECK FOR OIL AND FLUID LEAKS	<input checked="" type="checkbox"/>	
CHECK ENGINE AIR FILTER	<input checked="" type="checkbox"/>	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	<input checked="" type="checkbox"/>	
INSPECT STEERING & LINKAGE	<input checked="" type="checkbox"/>	
INSPECT ACCESSORY DRIVE BELTS	<input checked="" type="checkbox"/>	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	<input checked="" type="checkbox"/>	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	<input checked="" type="checkbox"/>	<u>OK</u>
CHECK FRONT AND REAR A/C & HEATER OPERATION	<input checked="" type="checkbox"/>	<u>OK</u>
ROAD TEST	<input checked="" type="checkbox"/>	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	<input checked="" type="checkbox"/>	
CHECK FOR SEAT BELT CUTTER	<input checked="" type="checkbox"/>	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	<input checked="" type="checkbox"/>	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	<input checked="" type="checkbox"/>	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	<input checked="" type="checkbox"/>	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	<input checked="" type="checkbox"/>	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	<input checked="" type="checkbox"/>	

COMPLETED BY SIGNATURE: [Signature]
 DATE: 6-8-16
 SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = 1 3/32" 75 PSI / Rt = 1 3/32" 75 PSI
 Rears = 1 3/32" 75-80 PSI / 1 4/32" 75-80 PSI =outbrd
1 3/32" 80 PSI / 1 3/32" 75-80 PSI =inbrd

Seen on FIRST AID kit
Broken
few items gone
 Resistor for front Blower
 Bad. ~~REPAIR~~ **A FIXED**
 Ran thru CARWASH And
 scrubbed BY HAND DG, S

Chevy Goshen "A" Service

7,500 Mile

DATE 9-16-14 MILEAGE 37126	VEHICLE NUMBER 1301	OK	ACTION REQUIRED
INSPECTED BY: BN / VL			
REVIEW DEFECTS AND MAINTENANCE HISTORY			
ROAD TEST			
CHANGE OIL & OIL FILTER	5766 57060 796		
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	5766 5W-30		DEXOS
CHECK ALL INTERIOR/EXTERIOR LIGHTS			
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES			
CHECK BATTERY & CLEAN POSTS IF NEEDED			
CHECK WIPER SYSTEM			
CHECK ALL FLUID LEVELS			
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING			
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER			
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE			
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)			
CHECK FOR OIL AND FLUID LEAKS			
CHECK ENGINE AIR FILTER			
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS			
INSPECT STEERING & LINKAGE			
INSPECT ACCESSORY DRIVE BELTS			
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE			
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED			
CHECK FRONT AND REAR A/C & HEATER OPERATION			
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM			
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS			
INSPECT ENGINE COOLING SYSTEM AND HOSES			
ROAD TEST			
PERFORM SAFETY INSPECTION AS FOLLOWS:			
CHECK EMERGENCY TRIANGLES			
CHECK FOR SEAT BELT CUTTER			
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS			
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS			
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS			
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN			
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT			

COMPLETED BY SIGNATURE: BN / VL
 DATE: 9/16/14
 SUPERVISOR INITIALS: VL

Please WASH

Tire Tread Depth

Front L = 10/32 70" / 65" Rt = 12/32 70" / 65"
 Reprs = 5/32 65" / 32 62" / 65" = outbrd
6/32 62" / 65" / 32 62" / 65" = inbrd

2013 Chevy Goshen "B" Service

44551 45,000 Mile

DATE 1-5-15	MILEAGE 37076	VEHICLE NUMBER 1301	OK	ACTION REQUIRED
INSPECTED BY:				
REVIEW DEFECTS AND MAINTENANCE HISTORY				
ROAD TEST				
CHANGE OIL & OIL FILTER 57060 PFP 6.5 5-30				
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS				
CHECK ALL INTERIOR/EXTERIOR LIGHTS				
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES				
CHECK BATTERY & CLEAN POSTS IF NEEDED				
CHECK WIPER SYSTEM				
CHECK ALL FLUID LEVELS				
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING				
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER				
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE				
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)				
CHECK FOR OIL AND FLUID LEAKS				
CHECK ENGINE AIR FILTER				
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS				
INSPECT STEERING & LINKAGE				
INSPECT ACCESSORY DRIVE BELTS				
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE				
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED				
CHECK FRONT AND REAR A/C & HEATER OPERATION				
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM				
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS				
INSPECT ENGINE COOLING SYSTEM AND HOSES				
CHANGE AUTOMATIC TRANSMISSION FLUID 2x6 5.5 qts				
CHANGE AUTOMATIC TRANSMISSION INTERNAL FILTER 1-8853				
INSPECT EVAPORATIVE CONTROL SYSTEM				
REPLACE ENGINE AIR FILTER 6573				
ROAD TEST				
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES				
CHECK FOR SEAT BELT CUTTER				
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS				
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS				
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS				
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN				
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT				

COMPLETED BY SIGNATURE: _____

DATE: _____

SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = Rt =

10/32 73"/65" / 11/32 72"/65"

Rears =

4/32 72"/65" / 4/32 74"/65" =outbrd

5/32 72"/65" / 5/32 72"/65" =inbrd

Part: 57060 pfp:Filter -oil Chevy / 7060



57060 pfp
Room: 203 Aisle: 1 Row: B
Shelf: 2

Chevy Goshen "A" Service
7,500 Mile

DATE 4-22-15 MILEAGE 52025 VEHICLE NUMBER 1301 OK ACTION REQUIRED

REVIEW DEFECTS AND MAINTENANCE HISTORY		
ROAD TEST		
CHANGE OIL & OIL FILTER		✓
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	<u>1060 65 69/5 SW-30</u>	✓
CHECK ALL INTERIOR/EXTERIOR LIGHTS		✓
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES		✓
CHECK BATTERY & CLEAN POSTS IF NEEDED		✓
CHECK WIPER SYSTEM		✓
CHECK ALL FLUID LEVELS		✓
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING		✓
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER		✓
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE		✓
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)		✓
CHECK FOR OIL AND FLUID LEAKS		✓
CHECK ENGINE AIR FILTER		✓
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS		✓
INSPECT STEERING & LINKAGE		✓
INSPECT ACCESSORY DRIVE BELTS		✓
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE		✓
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED		✓
CHECK FRONT AND REAR A/C & HEATER OPERATION		✓
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM		✓
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS		✓
INSPECT ENGINE COOLING SYSTEM AND HOSES		✓
ROAD TEST		✓
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES		✓
CHECK FOR SEAT BELT CUTTER		✓
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS		✓
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS		✓
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS		✓
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN		✓
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT		✓

COMPLETED BY SIGNATURE: V.L. / B.N.
 DATE: 4-22-15
 SUPERVISOR INITIALS: _____

1 at add mark

Tire Tread Depth

Front L = $\frac{10}{32}$ 66[#] Rt = $\frac{8}{32}$ 66[#]

Rears = $\frac{3}{32}$ 65[#] $\frac{3}{32}$ 65[#] =outbrd

$\frac{3}{32}$ 65[#] $\frac{3}{32}$ 64[#] / 65[#] =inbrd

Chevy Goshen "A" Service
7,500 Mile

PAP

DATE <u>9-30-15</u> MILEAGE <u>59623</u> VEHICLE NUMBER <u>1301</u>	OK	ACTION REQUIRED
INSPECTED BY:		
REVIEW DEFECTS AND MAINTENANCE HISTORY	<input checked="" type="checkbox"/>	
ROAD TEST	<input checked="" type="checkbox"/>	
CHANGE OIL & OIL FILTER 7060 <u>filter 7060 65 5-21-30</u>	<input checked="" type="checkbox"/>	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	<input checked="" type="checkbox"/>	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	<input checked="" type="checkbox"/>	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	<input checked="" type="checkbox"/>	
CHECK BATTERY & CLEAN POSTS IF NEEDED <u>Pos. Side post stripped out need patch</u>	<input checked="" type="checkbox"/>	
CHECK WIPER SYSTEM <u>Replaced Wipers 9-22 09.25</u>	<input checked="" type="checkbox"/>	
CHECK ALL FLUID LEVELS	<input checked="" type="checkbox"/>	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	<input checked="" type="checkbox"/>	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	<input checked="" type="checkbox"/>	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	<input checked="" type="checkbox"/>	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	<input checked="" type="checkbox"/>	
CHECK FOR OIL AND FLUID LEAKS	<input checked="" type="checkbox"/>	
CHECK ENGINE AIR FILTER	<input checked="" type="checkbox"/>	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS <u>Second to last weld joint</u>	<input checked="" type="checkbox"/>	
INSPECT STEERING & LINKAGE	<input checked="" type="checkbox"/>	
INSPECT ACCESSORY DRIVE BELTS <u>there is a chirping / squeaking sound</u>	<input checked="" type="checkbox"/>	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	<input checked="" type="checkbox"/>	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	<input checked="" type="checkbox"/>	
CHECK FRONT AND REAR A/C & HEATER OPERATION	<input checked="" type="checkbox"/>	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	<input checked="" type="checkbox"/>	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS.	<input checked="" type="checkbox"/>	
INSPECT ENGINE COOLING SYSTEM AND HOSES	<input checked="" type="checkbox"/>	
ROAD TEST	<input checked="" type="checkbox"/>	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	<input checked="" type="checkbox"/>	
CHECK FOR SEAT BELT CUTTER	<input checked="" type="checkbox"/>	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	<input checked="" type="checkbox"/>	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	<input checked="" type="checkbox"/>	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	<input checked="" type="checkbox"/>	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	<input checked="" type="checkbox"/>	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	<input checked="" type="checkbox"/>	

has a pinhole in it.

COMPLETED BY SIGNATURE: [Signature]
DATE: 10-2-15
SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = 7/32 60-65psi Rt = 3/32 60-65psi
Rears = 12/32 63-65psi 11/32 70-65psi = outbrd
12/32 63-65psi 12/32 54-65psi = inbrd

Belt is running on outside edge of Airder pulley
Rear Right Shock (leaking) needs new Rear Shocks next time it comes in
(74 in ones)

Chevy Goshen "A" Service
7,500 Mile

DATE 12-10-15 MILEAGE 67481 VEHICLE NUMBER - 1301	OK	ACTION REQUIRED
INSPECTED BY: DG		
REVIEW DEFECTS AND MAINTENANCE HISTORY	✓	
ROAD TEST	✓	
CHANGE OIL & OIL FILTER 7060 6.7Qts 5W-30	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS	✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES	✓	
ROAD TEST	✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: [Signature]
 DATE: 12-9-15
 SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L =	Rt =
5/32" 65psi	3/32" 65psi
Rears =	
10/32" 60-65psi	9/32" 65psi =outbrd
10/32" 65psi	10/32" 65psi =inbrd

~~Front Rear belt w/ front~~
 Tires front
 Tires need Replaced soon
~~Water wet area~~

Chevy Goshen "A" Service
7,500 Mile

DATE	MILEAGE	VEHICLE NUMBER	1301	OK	ACTION REQUIRED
INSPECTED BY: <i>Dea</i>					
REVIEW DEFECTS AND MAINTENANCE HISTORY					
ROAD TEST					
CHANGE OIL & OIL FILTER					
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS					
CHECK ALL INTERIOR/EXTERIOR LIGHTS <i>Left Side (Right) out</i>					
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES					
CHECK BATTERY & CLEAN POSTS IF NEEDED					
CHECK WIPER SYSTEM					
CHECK ALL FLUID LEVELS					
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING					
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER					
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE					
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)					
CHECK FOR OIL AND FLUID LEAKS					
CHECK ENGINE AIR FILTER					
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS					
INSPECT STEERING & LINKAGE					
INSPECT ACCESSORY DRIVE BELTS					
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE					
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED					
CHECK FRONT AND REAR A/C & HEATER OPERATION					
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM					
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS					
INSPECT ENGINE COOLING SYSTEM AND HOSES					
ROAD TEST					
PERFORM SAFETY INSPECTION AS FOLLOWS:					
CHECK EMERGENCY TRIANGLES					
CHECK FOR SEAT BELT CUTTER					
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS					
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS					
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS					
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN					
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT					

COMPLETED BY SIGNATURE: *[Signature]*
 DATE: 3-4-16
 SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = _____ Rt = _____

Rears = _____

_____ = outbrd
 _____ = inbrd

Chevy Goshen "A" Service

7,500 Mile

DATE <u>7-18-16</u> MILEAGE <u>82211</u> VEHICLE NUMBER - <u>1301</u>	OK	ACTION REQUIRED
INSPECTED BY: <u>Da</u>		
REVIEW DEFECTS AND MAINTENANCE HISTORY	✓	
ROAD TEST	✓	
CHANGE OIL & OIL FILTER <u>7060 6.5 5W30</u>	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS	✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES	✓	
ROAD TEST	✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: _____

DATE: _____

SUPERVISOR INITIALS: _____

*noticed wheel chair lift light was out
replaced*

Tire Tread Depth

Front L = _____ Rt = _____

1 7/32" 50-65PS | 1 3/32" 50-65PS

50-65PS Rears = _____ 65PS

1 1/32" 60-65PS = outbrd

1 1/32" 60-65PS = inbrd

Part: SOECVCBLTST-768:Light - LED curb entry



SOECVCBLTST-768

Room: 203

Aisle: 1

Row: C

Shelf: 12

Washed by hand

Chevy Goshen "A" Service
7,500 Mile

DATE <u>9-23-14</u> MILEAGE <u>29558</u> VEHICLE NUMBER <u>1302</u>	OK	ACTION REQUIRED
INSPECTED BY:		
REVIEW DEFECTS AND MAINTENANCE HISTORY	✓	
ROAD TEST	✓	
CHANGE OIL & OIL FILTER <u>57060</u> <u>6qt 5W-30 Dexos</u>	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS	✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES	✓	
ROAD TEST	✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: VL / BN
 DATE: 9-23-14
 SUPERVISOR INITIALS: _____

L&F+ RT.
 $\frac{3}{32}$ $\frac{62}{65}$ # $\frac{7}{32}$ $\frac{62}{65}$ #
 IS IS OS
 $\frac{7}{32}$ $\frac{6}{32}$ $\frac{5}{32}$ $\frac{4}{32}$
 $\frac{62}{65}$ # $\frac{60}{65}$ # $\frac{64}{65}$ # $\frac{62}{65}$ #

Oil level just below full
 Two courtesy lights out
 one for service door, one
 for wheel chair lift.

Chevy Goshen "A" Service

7,500 Mile

DATE <u>1-5-15</u> MILEAGE <u>37076</u> VEHICLE NUMBER <u>1302</u>	OK	ACTION REQUIRED
INSPECTED BY:		
REVIEW DEFECTS AND MAINTENANCE HISTORY	✓	
ROAD TEST		
CHANGE OIL & OIL FILTER <u>1 qt. 5w-30 Filter 57060</u>	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	<i>See Below</i>
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS <u>Ask Bob</u>	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS		
INSPECT ENGINE COOLING SYSTEM AND HOSES	✓	
ROAD TEST		
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: _____

DATE: _____

SUPERVISOR INITIALS: _____

Part: **57060 pfp:Filter -oil Chevy / 7060**



57060 pfp

Room: 203

Aisle: 1

Row: B

Shelf: 2

Tire Tread Depth

Front L =

Rt =

7/32 58th / 65th

7/32 60th / 65th

Rears =

7/32 58th / 65th

7/32 58th / 65th = outbrd

Cords showing

7/32 60th / 65th

7/32 60th / 65th = inbrd

Chevy Goshen "A" Service
7,500 Mile

PFP
1300

DATE <u>6-30-15</u> MILEAGE <u>52061</u> VEHICLE NUMBER	OK	ACTION REQUIRED
INSPECTED BY: <u>V.L.</u>		
REVIEW DEFECTS AND MAINTENANCE HISTORY		
ROAD TEST	✓	
CHANGE OIL & OIL FILTER <u>7060</u> <u>6qt 5w-30</u>	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS	✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES	✓	
ROAD TEST	✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: V.L.

DATE: 6-30-15

SUPERVISOR INITIALS: _____

valve stem gafors
slant leak on heater hose, tightened

Tire Tread Depth

clamp. Front L = $\frac{11}{32}$ 66[#] Rt = $\frac{13}{32}$ 66[#]

Rears = $\frac{10}{32}$ 66[#] $\frac{11}{32}$ 66[#] = outbrd

$\frac{12}{32}$ 66[#] $\frac{10}{32}$ 66[#] = inbrd

Chevy Goshen "A" Service

7,500 Mile

PP

DATE <u>8-24-15</u> MILEAGE <u>59880</u> VEHICLE NUMBER - <u>1302</u>	OK	ACTION REQUIRED
INSPECTED BY: <u>V.L.</u>		
REVIEW DEFECTS AND MAINTENANCE HISTORY		
ROAD TEST	✓	
CHANGE OIL & OIL FILTER <u>Filter 7060 oil 6qt 5w-30</u>	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS	✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES	✓	
ROAD TEST	✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: V.L.

DATE: 8-24-15

SUPERVISOR INITIALS: _____

Two courtesy lights, cert.

Tire Tread Depth

Front L =

Rt =

7/32 59" - 65

9/32 59" - 65

Rears =

8/32 60" - 65

9/32 60" - 65 = outbrd

10/32 60" - 65

8/32 60" - 65 = inbrd

Chevy Goshen "A" Service
7,500 Mile

DATE	MILEAGE	VEHICLE NUMBER	OK	ACTION REQUIRED
10-16-15	67051	1302		
INSPECTED BY: <i>Dillon Goshen</i>				
REVIEW DEFECTS AND MAINTENANCE HISTORY				
ROAD TEST				
CHANGE OIL & OIL FILTER <i>1040</i> <i>6 QTS SU30</i>				
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS				
CHECK ALL INTERIOR/EXTERIOR LIGHTS				
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES				
CHECK BATTERY & CLEAN POSTS IF NEEDED				
CHECK WIPER SYSTEM <i>Replaced wiper blades 9/1-22 On 25</i>				
CHECK ALL FLUID LEVELS				
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING				
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER				
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE				
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)				
CHECK FOR OIL AND FLUID LEAKS <i>Lower oil cooler line has small leak</i>				
CHECK ENGINE AIR FILTER				
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS <i>F&W Small leaks</i>				
INSPECT STEERING & LINKAGE				
INSPECT ACCESSORY DRIVE BELTS				
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE				
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED				
CHECK FRONT AND REAR A/C & HEATER OPERATION				
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM				
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS				
INSPECT ENGINE COOLING SYSTEM AND HOSES <i>Heater pump leaking & hose pinched</i>				
ROAD TEST				
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES				
CHECK FOR SEAT BELT CUTTER				
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS				
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS				
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS				
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN				
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT				

COMPLETED BY SIGNATURE: *[Signature]*
 DATE: 10-19-15
 SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = 1/32" 60-65psi / Rt = 1/32" 60-65psi
 Rears = 1/32" 60-65psi / 1/32" 60-65psi = outbrd
1/32" 60-65psi / 1/32" 60-65psi = inbrd

*Playoff
 Small pin hole
 Exigut leaks
 in last section of
 Exigut*

*Frnt Left
 Tire needs Repl
 behind is out of spec
 until then ~~second~~
 Secondary future is so
 front Right should go
 Replaced maybe get
 on front end alignment*

Chevy Goshen "A" Service
7,500 Mile

PFP

DATE <u>2-12-16</u> MILEAGE <u>74879</u> VEHICLE NUMBER - <u>1302</u>	OK	ACTION REQUIRED
INSPECTED BY:		
REVIEW DEFECTS AND MAINTENANCE HISTORY		
ROAD TEST	✓	
CHANGE OIL & OIL FILTER <u>17060</u> <u>6 qts 5W-30</u>	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (<u>140 FT LBS</u>)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS	✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES	✓	
ROAD TEST	✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: *Bob [Signature]*
 DATE: 2-12-16
 SUPERVISOR INITIALS: _____

Tire Tread Depth

washed BN .25

Front L = 12 44/65 / 13 Rt = 52/65

 Rears = 6 60/65 / 6 62/65 =outbrd

6 62/65 / 6 62/65 =inbrd

Chevy Goshen "A" Service

7,500 Mile

DATE <u>3-27-16</u> MILEAGE <u>82867</u> VEHICLE NUMBER - <u>1302</u>	OK	ACTION REQUIRED
INSPECTED BY:		
REVIEW DEFECTS AND MAINTENANCE HISTORY		
ROAD TEST		
CHANGE OIL & OIL FILTER <u>7060</u> <u>6 qts 5w-30</u>	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS	✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES	✓	
ROAD TEST		
PERFORM SAFETY INSPECTION AS FOLLOWS:	✓	
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: VL / BN

DATE: 3-29-16

SUPERVISOR INITIALS: _____

Front tires need rotated

15 minutes with air

Sawyer

Front L =	9/32	50/65	9/32	60/65
Rt =	9/32	50/65	9/32	60/65
Rears =	4/32	62/65	4/32	63/65
=inbrd	4/32	62/65	4/32	65
=outbrd	4/32	62/65	4/32	65

2013 Chevy Goshen "B" Service

45,000 Mile

DATE 5-13-16	MILEAGE 10149	VEHICLE NUMBER - 1302	OK	ACTION REQUIRED
INSPECTED BY: DG				
REVIEW DEFECTS AND MAINTENANCE HISTORY			✓	
ROAD TEST			✓	
CHANGE OIL & OIL FILTER 7060 6 QTS 5W30			✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS			✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS			✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES			✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED			✓	
CHECK WIPER SYSTEM			✓	
CHECK ALL FLUID LEVELS .25 Gal Install Reel.			✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING			✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER			✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE			✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)			✓	
CHECK FOR OIL AND FLUID LEAKS			✓	
CHECK ENGINE AIR FILTER			✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS			✓	
INSPECT STEERING & LINKAGE			✓	
INSPECT ACCESSORY DRIVE BELTS			✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE			✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED			✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION			✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM			✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS			✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES			✓	
CHANGE AUTOMATIC TRANSMISSION FLUID 16 QTS VERSAT Trans LV			✓	
CHANGE AUTOMATIC TRANSMISSION INTERNAL FILTER 1-5050			✓	
INSPECT EVAPORATIVE CONTROL SYSTEM			✓	
REPLACE ENGINE AIR FILTER 76573			✓	
ROAD TEST			✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES			✓	
CHECK FOR SEAT BELT CUTTER			✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS			✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS			✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS			✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN			✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT			✓	

COMPLETED BY SIGNATURE: *[Signature]*

DATE: 5-13-16

SUPERVISOR INITIALS: _____

2 Gators 73001533 VL .25

Tire Tread Depth

*Washed
Run through
car wash and
by hand
Dec 5*

Front L = $\frac{1}{32}$ 40[#] - 65[#] / $\frac{6}{32}$ 70[#] - 65[#]
 Rears = $\frac{3}{32}$ 70[#] - 65[#] / $\frac{2}{32}$ 70[#] - 65[#] = outbrd
 $\frac{3}{32}$ 70[#] - 65[#] / $\frac{3}{32}$ 70[#] - 65[#] = inbrd

*10/32
6/32*

Part: 1-5950:Filter - trans - '13 chev
 1-5950
 Room: 203
 Shelf: 4
 Aisle: 1
 Row: E

FRONTS
 ARSE Cupping
 + Shocks
 ... MEENT!

Chevy Goshen "A" Service

7,500 Mile

DATE	MILEAGE	VEHICLE NUMBER	OK	ACTION REQUIRED
10/10/14	37139	1303		
INSPECTED BY: <u>BN</u>				
REVIEW DEFECTS AND MAINTENANCE HISTORY				
ROAD TEST				
CHANGE OIL & OIL FILTER	57060	6qt 5W-30	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS			✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS			✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES			✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED			✓	
CHECK WIPER SYSTEM			✓	
CHECK ALL FLUID LEVELS			✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING			✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER			✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE			✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)			✓	
CHECK FOR OIL AND FLUID LEAKS			✓	
CHECK ENGINE AIR FILTER			✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS			✓	
INSPECT STEERING & LINKAGE			✓	
INSPECT ACCESSORY DRIVE BELTS			✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE			✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED			✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION			✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM			✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS			✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES			✓	
ROAD TEST			✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES			✓	
CHECK FOR SEAT BELT CUTTER			✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS			✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS			✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS			✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN			✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT			✓	

COMPLETED BY SIGNATURE: *Bob May*

DATE: 10-10-14

SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L =

Rt =

70/65 6/32 / 72/65 3/32

Rears =

70/65 4/32 / 70/65 3/32 = outbrd

72/65 4/32 / 74/65 4/32 = inbrd

Oil level good
Tires not very good
Repl. wipers 2 91-22

2013 Chevy Goshen "B" Service

45,000 Mile

DATE	MILEAGE	VEHICLE NUMBER	OK	ACTION REQUIRED
1-12-15	44833	1303		
INSPECTED BY: V.L. B.N				
REVIEW DEFECTS AND MAINTENANCE HISTORY				
ROAD TEST				
CHANGE OIL & OIL FILTER <i>6qt 5w-30</i> 1060 <i>7060</i>				
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS				
CHECK ALL INTERIOR/EXTERIOR LIGHTS				
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES				
CHECK BATTERY & CLEAN POSTS IF NEEDED				
CHECK WIPER SYSTEM				
CHECK ALL FLUID LEVELS				
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING				
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER				
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE				
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)				
CHECK FOR OIL AND FLUID LEAKS				
CHECK ENGINE AIR FILTER				
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS				
INSPECT STEERING & LINKAGE				
INSPECT ACCESSORY DRIVE BELTS				
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE				
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED				
CHECK FRONT AND REAR A/C & HEATER OPERATION				
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM				
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS				
INSPECT ENGINE COOLING SYSTEM AND HOSES				
CHANGE AUTOMATIC TRANSMISSION FLUID <i>5qt 95 DEX6</i>				
CHANGE AUTOMATIC TRANSMISSION INTERNAL FILTER <i>1-5950</i>				
INSPECT EVAPORATIVE CONTROL SYSTEM				
REPLACE ENGINE AIR FILTER <i>6573</i>				
ROAD TEST				
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES				
CHECK FOR SEAT BELT CUTTER				
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS				
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS				
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS				
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN				
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT				

COMPLETED BY SIGNATURE: VL-BN
 DATE: 1-13-15
 SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = $\frac{14}{32}$ 66" / Rt = $\frac{14}{32}$ 70" 66"
 Rears = $\frac{11}{32}$ 75" / 66" / $\frac{11}{32}$ 72" / 66" =outbrd
 $\frac{11}{32}$ 75" / 66" / $\frac{11}{32}$ 74" / 66" =inbrd

Chevy Goshen "A" Service
7,500 Mile

PFP

DATE <u>3/30/15</u> MILEAGE <u>52148</u> VEHICLE NUMBER <u>1303</u>	OK	ACTION REQUIRED
INSPECTED BY:		
REVIEW DEFECTS AND MAINTENANCE HISTORY	✓	
ROAD TEST	✓	
CHANGE OIL & OIL FILTER # <u>7060 oil filter</u> <u>6 Qts 5W/30</u>	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS	✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES	✓	
ROAD TEST	✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: Don Fisher

DATE: 3/30/15

SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = 13 / 75 Rt = 12 / 76

Rears = 8 / 70 9 / 76 = outbrd

9 / 75 9 / 75 = inbrd

→ washed Bus .5

Chevy Goshen "A" Service

7,500 Mile

DATE <u>9/11/15</u> MILEAGE <u>64846</u> VEHICLE NUMBER - <u>1303</u>	OK	ACTION REQUIRED
INSPECTED BY: <u>Dillon Griffith</u>		
REVIEW DEFECTS AND MAINTENANCE HISTORY		
ROAD TEST		
CHANGE OIL & OIL FILTER 7/11/15		
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS		
CHECK ALL INTERIOR/EXTERIOR LIGHTS		
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES		
CHECK BATTERY & CLEAN POSTS IF NEEDED		
CHECK WIPER SYSTEM		
CHECK ALL FLUID LEVELS		
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING		
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER		
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE		
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)		
CHECK FOR OIL AND FLUID LEAKS		
CHECK ENGINE AIR FILTER		
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS		
INSPECT STEERING & LINKAGE		
INSPECT ACCESSORY DRIVE BELTS		
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE		
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED		
CHECK FRONT AND REAR A/C & HEATER OPERATION		
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM		
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS		
INSPECT ENGINE COOLING SYSTEM AND HOSES		
ROAD TEST		
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES		
CHECK FOR SEAT BELT CUTTER		
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS		
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS		
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS		
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN		
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT		

COMPLETED BY SIGNATURE: Dillon Griffith

DATE: 9/11/15

SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = _____ Rt = _____
 =inbrd = _____
 =outbrd = _____
 =inbrd = _____
 =outbrd = _____

Chevy Goshen "A" Service

7,500 Mile

DATE <u>4-11-16</u> MILEAGE <u>7500</u> VEHICLE NUMBER - 1303	OK	ACTION REQUIRED
INSPECTED BY: <u>DL</u>		
REVIEW DEFECTS AND MAINTENANCE HISTORY	✓	
ROAD TEST	✓	
CHANGE OIL & OIL FILTER <u>7060</u> <u>6 QTS</u> <u>5W30</u>	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS	✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES	✓	
ROAD TEST	✓	
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: [Signature]

DATE: 4-11-16

SUPERVISOR INITIALS: _____

How to use it: Align part check...

Wash (Run through car wash then scrub it) DL 15

Tire Tread Depth

Front L = 9/32" Rt = 9/32"

Rears =

4/32" (outbrd) =outbrd

4/32" (inbrd) =inbrd

Chevy Goshen "A" Service

7,500 Mile

DATE	MILEAGE	VEHICLE NUMBER	OK	ACTION REQUIRED
8-25-14	37161	1304		
INSPECTED BY: <u>BN</u>				
REVIEW DEFECTS AND MAINTENANCE HISTORY				
ROAD TEST				
CHANGE OIL & OIL FILTER <u>57060</u> <u>Castrol 5W-30 Dexos</u>				
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS				
CHECK ALL INTERIOR/EXTERIOR LIGHTS				
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES				
CHECK BATTERY & CLEAN POSTS IF NEEDED				
CHECK WIPER SYSTEM				
CHECK ALL FLUID LEVELS				
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING				
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER				
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE				
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)				
CHECK FOR OIL AND FLUID LEAKS				
CHECK ENGINE AIR FILTER				
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS				
INSPECT STEERING & LINKAGE				
INSPECT ACCESSORY DRIVE BELTS				
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE				
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED				
CHECK FRONT AND REAR A/C & HEATER OPERATION				
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM				
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS				
INSPECT ENGINE COOLING SYSTEM AND HOSES				
ROAD TEST				
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES				
CHECK FOR SEAT BELT CUTTER				
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS				
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS				
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS				
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN				
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT				

COMPLETED BY SIGNATURE: *Robert Dwyer*

DATE: 8-25-14

SUPERVISOR INITIALS: _____

Oil level at full mark

Tire Tread Depth

Front L = Rt =

11/32 64 | 7/32 64

Rears =

6 64 | 4 64 =outbrd

4 64 | 6 64 =inbrd

2013 Chevy Goshen "B" Service
45,000 Mile

DATE <u>2-17-15</u> MILEAGE <u>44546</u> VEHICLE NUMBER <u>1304</u>	OK	ACTION REQUIRED
INSPECTED BY: <u>V.L.</u>		
REVIEW DEFECTS AND MAINTENANCE HISTORY	✓	
ROAD TEST	✓	
CHANGE OIL & OIL FILTER <u>7060</u> <u>6qts 5W-30</u>	✓	<u>Dexos</u>
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS	✓	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS	✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES	✓	
CHANGE AUTOMATIC TRANSMISSION FLUID		
CHANGE AUTOMATIC TRANSMISSION INTERNAL FILTER <u>1-5950 Shepb</u>	✓	<u>Dex6 PFP</u>
INSPECT EVAPORATIVE CONTROL SYSTEM	✓	
REPLACE ENGINE AIR FILTER <u>6573</u>	✓	
ROAD TEST		
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: _____

DATE: _____

SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = $\frac{14}{32}$ 76th Rt = $\frac{15}{32}$ 78th

Rears = $\frac{14}{32}$ 78th / 66th $\frac{14}{32}$ 78th / 66th = outbrd

$\frac{14}{32}$ 82th / 66th $\frac{14}{32}$ 76th / 66th = inbrd

Chevy Goshen "D" Service
45,000 Mile

DATE	MILEAGE	VEHICLE NUMBER	OK	ACTION REQUIRE D
4-29-15	52122	1304		
INSPECTED BY: VL - BN				
REVIEW DEFECTS AND MAINTENANCE HISTORY				
ROAD TEST <i>Nept 7060</i>				
CHANGE OIL & OIL FILTER <i>6qt 5W-30</i>				
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS				
CHECK ALL INTERIOR/EXTERIOR LIGHTS				
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES				
CHECK BATTERY & CLEAN POSTS IF NEEDED				
CHECK WIPER SYSTEM				
CHECK ALL FLUID LEVELS				
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING				
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER				
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE				
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)				
CHECK FOR OIL AND FLUID LEAKS				
CHECK ENGINE AIR FILTER				
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS				
INSPECT STEERING & LINKAGE				
INSPECT ACCESSORY DRIVE BELTS				
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE				
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED				
CHECK FRONT AND REAR A/C & HEATER OPERATION				
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM				
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS				
INSPECT ENGINE COOLING SYSTEM AND HOSES				
CHANGE ENGINE COOLANT AND BRAKE FLUID <i>Brake Fluid 1qt Dot 3</i>				
ROAD TEST <i>1 gal. Dex Cool 35-0321 Conserve 28408 mixed 50/50</i>				
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES				
CHECK FOR SEAT BELT CUTTER				
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS				
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS <i>No seal</i>				
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS				
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN				
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT				

COMPLETED BY SIGNATURE: _____

DATE: 4-29-15

SUPERVISOR INITIALS: _____

Replaced Back-up horn 3311 BN 12

Tire Tread Depth

Front L =

Rt =

13/32 74" / 65"

14/32 74" / 65"

Rears =

13/32 74" / 65"

13/32 74" / 65"

=outbrd

13/32 74" / 65"

12/32 74" / 65"

=inbrd

*No drain on the Rad.
Drained from heater hose.
Use at discharge of heat pump bent
at 90°, pump is leaking.
Bypassed heat pump, splice 30-303
4' of 5/8 heater hose*

Chevy Goshen "A" Service
7,500 Mile

PPF

DATE 7-15-15 MILEAGE 59538 VEHICLE NUMBER 1304	OK	ACTION REQUIRED
INSPECTED BY: <i>V. X.</i>		
REVIEW DEFECTS AND MAINTENANCE HISTORY		
ROAD TEST		
CHANGE OIL & OIL FILTER <i>7060 696 5w-30</i>		
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS		
CHECK ALL INTERIOR/EXTERIOR LIGHTS		
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES		
CHECK BATTERY & CLEAN POSTS IF NEEDED		
CHECK WIPER SYSTEM		
CHECK ALL FLUID LEVELS		
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING		
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER		
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE		
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)		
CHECK FOR OIL AND FLUID LEAKS		
CHECK ENGINE AIR FILTER		
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS		
INSPECT STEERING & LINKAGE		
INSPECT ACCESSORY DRIVE BELTS		
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE		
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED		
CHECK FRONT AND REAR A/C & HEATER OPERATION		
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM		
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS		
INSPECT ENGINE COOLING SYSTEM AND HOSES		
ROAD TEST		
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES		
CHECK FOR SEAT BELT CUTTER		
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS		
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS		
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS		
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN		
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT		

COMPLETED BY SIGNATURE: *V. X.*

DATE: 7-15-15

SUPERVISOR INITIALS: _____

4 valve stem gators

Tire Tread Depth

Front L = $\frac{9}{32}$ 78# - 65# Rt = $\frac{12}{32}$ 78# - 65#

Rears = $\frac{10}{32}$ 80# - 65# $\frac{9}{32}$ 78# - 65# = outbrd

$\frac{10}{32}$ 80# - 65# $\frac{10}{32}$ 78# - 65# = inbrd

Chevy Goshen "A" Service
7,500 Mile

PFP

DATE <u>10-5-15</u> MILEAGE <u>67052</u> VEHICLE NUMBER - <u>1304</u>	OK	ACTION REQUIRED
INSPECTED BY:		
REVIEW DEFECTS AND MAINTENANCE HISTORY	✓	
ROAD TEST	✓	
CHANGE OIL & OIL FILTER <u>7060</u> <u>6Qts 5W30</u>	✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS	✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS	✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES	✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED	✓	
CHECK WIPER SYSTEM <u>Replaced wiper blades 912c x2 DG-25</u>	✓	
CHECK ALL FLUID LEVELS	✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING	X	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER	✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE	✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)	✓	
CHECK FOR OIL AND FLUID LEAKS	✓	
CHECK ENGINE AIR FILTER	✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS <u>Small exhaust leak patched</u>	X	
INSPECT STEERING & LINKAGE	✓	
INSPECT ACCESSORY DRIVE BELTS	✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE	✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED	✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION	✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM	✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS	✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES	✓	
ROAD TEST		
PERFORM SAFETY INSPECTION AS FOLLOWS:		
CHECK EMERGENCY TRIANGLES	✓	
CHECK FOR SEAT BELT CUTTER	✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS	✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS	✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS	✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN	✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT	✓	

COMPLETED BY SIGNATURE: [Signature]

DATE: 10-5-15

SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L = _____ Rt = _____

7/32" 60-65 psi / 6/32" 60-65 psi

Rears = _____

8/32" 60-65 psi / 7/32" 60-65 psi = outbrd

5/32" 65 psi / 7/32" 65 psi = inbrd

ran through car wash & scrubbed by hand

733-5978 3" Exhaust


Clamp DG-25


TO small rock chips in wind shield

Chevy Goshen "A" Service

7,500 Mile

DATE	MILEAGE	VEHICLE NUMBER	OK	ACTION REQUIRED
12-3-15	74503	1304		
INSPECTED BY: Dillon Griffith				
REVIEW DEFECTS AND MAINTENANCE HISTORY			✓	
ROAD TEST			✓	
CHANGE OIL & OIL FILTER 7060 6 Qts 5W-30			✓	
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS			✓	
CHECK ALL INTERIOR/EXTERIOR LIGHTS			✓	
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES			✓	
CHECK BATTERY & CLEAN POSTS IF NEEDED			✓	
CHECK WIPER SYSTEM			✓	
CHECK ALL FLUID LEVELS			✓	
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING			✓	
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER			✓	
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE			✓	
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)			✓	
CHECK FOR OIL AND FLUID LEAKS			✓	
CHECK ENGINE AIR FILTER			✓	
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS			✓	
INSPECT STEERING & LINKAGE			✓	
INSPECT ACCESSORY DRIVE BELTS			✓	
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE			✓	
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED			✓	
CHECK FRONT AND REAR A/C & HEATER OPERATION			✓	
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM			✓	
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS			✓	
INSPECT ENGINE COOLING SYSTEM AND HOSES			✓	
ROAD TEST				
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES			✓	
CHECK FOR SEAT BELT CUTTER			✓	
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS			✓	
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS			✓	
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS			✓	
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN			✓	
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT			✓	

COMPLETED BY SIGNATURE: 
 DATE: 12-3-15
 SUPERVISOR INITIALS: _____

Rotated outside Rear ~~to~~ Left with front left -25


PAP

Chevy Goshen "A" Service 1304

7,500 Mile

DATE	MILEAGE	VEHICLE NUMBER	OK	ACTION REQUIRED
2-29-16	82159	1304		
INSPECTED BY: [Signature]				
REVIEW DEFECTS AND MAINTENANCE HISTORY				
ROAD TEST				
CHANGE OIL & OIL FILTER 70600 6.5 Qts 5W30				
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS				
CHECK ALL INTERIOR/EXTERIOR LIGHTS				
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES				
CHECK BATTERY & CLEAN POSTS IF NEEDED				
CHECK WIPER SYSTEM				
CHECK ALL FLUID LEVELS				
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING				
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER				
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE				
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)				
CHECK FOR OIL AND FLUID LEAKS				
CHECK ENGINE AIR FILTER				
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS				
INSPECT STEERING & LINKAGE				
INSPECT ACCESSORY DRIVE BELTS				
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE				
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED				
CHECK FRONT AND REAR A/C & HEATER OPERATION				
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM				
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS				
INSPECT ENGINE COOLING SYSTEM AND HOSES				
ROAD TEST				
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES				
CHECK FOR SEAT BELT CUTTER				
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS				
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS				
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS				
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN				
CHECK FOR COMPLETE BODY FLUID CLEAN-UP KIT				

COMPLETED BY SIGNATURE: [Signature]

DATE: 2-29-16

SUPERVISOR INITIALS: _____

Tire Tread Depth

Front L =

Rt =

Rears =

=outbrd

=inbrd

Cracks in silicone above lift door filled in w/new clear silicone DA.25

RETIRED DA.5

PPF 1304

2013 Chevy Goshen "B" Service

45,000 Mile

DATE	MILEAGE	VEHICLE NUMBER	OK	ACTION REQUIRED
5/23/16	89558	1304		
INSPECTED BY: V.L. - BN				
REVIEW DEFECTS AND MAINTENANCE HISTORY				
ROAD TEST				
CHANGE OIL & OIL FILTER 6 qt 5w-30 7060				
CHECK HORN, TURN SIGNALS, HAZARD WARNING LIGHTS				
CHECK ALL INTERIOR/EXTERIOR LIGHTS				
CHECK RADIATOR, HEATER/AIR CONDITIONING PIPING & HOSES				
CHECK BATTERY & CLEAN POSTS IF NEEDED				
CHECK WIPER SYSTEM				
CHECK ALL FLUID LEVELS				
CHECK WINDSHIELD & ALL GLASS FOR CRACKS, CHIPS & PITTING				
CHECK TIRES FOR TREAD DEPTH & PRESSURE PER TIRE MANUFACTURER				
INSPECT SHOCKS, STRUTS & SUSPENSION COMPONENTS FOR LEAKS/DAMAGE				
CHECK WHEEL LUG NUT TORQUE (140 FT LBS)				
CHECK FOR OIL AND FLUID LEAKS				
CHECK ENGINE AIR FILTER				
INSPECT EXHAUST SYSTEM AND HEAT SHIELDS				
INSPECT STEERING & LINKAGE				
INSPECT ACCESSORY DRIVE BELTS				
CHECK LAP/SHOULDER BELTS FOR WEAR/DAMAGE				
CHECK LIFT FOR DAMAGE & LUBRICATE AS REQUIRED				
CHECK FRONT AND REAR A/C & HEATER OPERATION				
INSPECT BRAKE PADS, ROTORS, LINES/HOSES, AND PARKING BRAKE SYSTEM				
INSPECT/LUBRICATE ALL NON-SEALED STEERING LINKAGE, BALL JOINTS, SUSPENSION JOINTS, DRIVE SHAFTS, AND U-JOINTS				
INSPECT ENGINE COOLING SYSTEM AND HOSES				
CHANGE AUTOMATIC TRANSMISSION FLUID 5 1/2 qts DEX 6				
CHANGE AUTOMATIC TRANSMISSION INTERNAL FILTER 6573				
INSPECT EVAPORATIVE CONTROL SYSTEM				
REPLACE ENGINE AIR FILTER				
ROAD TEST				
PERFORM SAFETY INSPECTION AS FOLLOWS:				
CHECK EMERGENCY TRIANGLES				
CHECK FOR SEAT BELT CUTTER				
CHECK WHEEL CHAIR RESTRAINTS & TIE DOWN POINTS				
CHECK FIRST AID KITS FOR BROKEN SEAL/MISSING ITEMS				
CHECK ALL EMERGENCY EXITS FOR PROPER OPERATION & DECALS				
CHECK FIRE EXTINGUISHER FOR CERT. DATE, SECURITY & SAFETY PIN				
CHECK FOR COMPLETE BODY FLUID CLEANUP KIT				

COMPLETED BY SIGNATURE: V.L. - BN

DATE: 5-23-16

SUPERVISOR INITIALS: _____


3 gators 73001533
 Transfilter 1-5950
 Air Filter 6573

Tire Tread Depth

Front L = Rt =
 3/32 68" - 66" / 3/32 66"
 Rears =
 3/32 65" 66" / 3/32 66" = outbrd
 3/32 55" 66" / 3/32 68" - 66" = inbrd

Replaced license plate light out of PPF stock, 15hr. v.l.

Front A/c does not get cold.



PEOPLE FOR PEOPLE

Attachment D.

People For People's Record of Five Years of Vehicle Incidents

304 West Lincoln, Yakima, WA 98902, (509) 248-6726

We are an Equal Opportunity Agency and provider of employment & training and social services. Auxiliary aids and services are available upon request to individuals with disabilities. TTY 711

Claim Type	Claim Number	Event Date	Date of Claim	Date Closed	Department Name	Event Loc. City	Event Loc. State	Event Description	Claimant Full Name	Status	Pool Paid	Member Deductible / Collection	Pool Reserve Balance	Pool Incurred Sum	Excess / Reinsurance Paid	Excess / Reinsurance Incurred	Grand Total
ABI	NPPeopF201203425C	1/13/2012	1/31/2012	2/15/2012	People For People	Moses Lake	WA	IV hit OV	Unknown	C	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NPPeopF201306382	3/23/2013	1/20/2013	8/5/2014	People For People	Moses Lake	WA	Claimant fell out of seat	Presley, Crystal	C	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NPPeopF2015041358	1/12/2015	1/22/2015	3/24/2015	People For People	Moses Lake	WA	Car hit on bus	Jones, Marin	C	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NPPeopF2016045497	3/21/2016	3/12/2016	6/16/2016	People For People	Moses Lake	WA	Claimant tripped on lift	Willitt, Jeanne	C	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
4											\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
ACOL	NPPeopF201303922	1/13/2012	1/31/2012	2/15/2012	People For People	Moses Lake	WA	IV hit OV	People For People	C	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NPPeopF20130425A	1/14/2014	1/21/2014		People For People	Moses Lake	WA	OV backed into IV	People For People	O	\$0.00	\$0.00	\$1,500.00	\$1,500.00	\$0.00	\$0.00	\$1,500.00
	NPPeopF2014039422				People For People	Moses Lake	WA		People For People		\$0.00	\$0.00	\$1,500.00	\$1,500.00	\$0.00	\$0.00	\$1,500.00
	2										\$0.00	\$0.00	\$1,500.00	\$1,500.00	\$0.00	\$0.00	\$1,500.00
ACOMP	NPPeopF201303857	8/19/2012	1/14/2012	2/7/2012	People For People	Moses Lake	WA	Wind caught IV door	People For People	C	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NPPeopF201304022	7/1/2013	7/17/2013	7/24/2013	People For People	Moses Lake	WA	Windshield damage	People For People	C	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NPPeopF201304022	7/9/2013	7/17/2013	7/24/2013	People For People	Moses Lake	WA	Windshield damage	People For People	C	\$61.33	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$61.33
	NPPeopF201303924	8/29/2013	7/17/2013	7/24/2013	People For People	Moses Lake	WA	Windshield damage	People For People	C	\$53.95	\$0.00	\$0.00	\$53.95	\$0.00	\$0.00	\$53.95
	NPPeopF201303925	7/9/2013	7/17/2013	7/24/2013	People For People	Moses Lake	WA	Windshield damage	People For People	C	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NPPeopF201303858	7/23/2013	8/1/2013	8/21/2013	People For People	Moses Lake	WA	Windshield damage	People For People	C	\$102.51	\$0.00	\$0.00	\$102.51	\$0.00	\$0.00	\$102.51
	NPPeopF201303922	12/11/2013	12/10/2013	3/13/2015	People For People	Moses Lake	WA	Theft of truck	People For People	C	\$27,174.95	(\$500.00)	\$0.00	\$27,674.95	\$0.00	\$0.00	\$27,674.95
	NPPeopF201404059	6/28/2014	7/2/2014	7/18/2014	People For People	Moses Lake	WA	Windshield damage	People For People	C	\$53.95	\$0.00	\$0.00	\$53.95	\$0.00	\$0.00	\$53.95
	NPPeopF201404059B	8/22/2014	8/25/2014	8/25/2014	People For People	Moses Lake	WA	Windshield damage	People For People	C	\$53.95	\$0.00	\$0.00	\$53.95	\$0.00	\$0.00	\$53.95
	NPPeopF201504255	7/28/2015	7/29/2015	10/14/2015	People For People	Moses Lake	WA	Windshield damage	People For People	C	\$53.95	\$0.00	\$0.00	\$53.95	\$0.00	\$0.00	\$53.95
	NPPeopF201504256	7/31/2015	7/31/2015	10/14/2015	People For People	Moses Lake	WA	Windshield damage	People For People	C	\$53.95	\$0.00	\$0.00	\$53.95	\$0.00	\$0.00	\$53.95
	NPPeopF201504257	7/18/2015	7/19/2015	10/1/2015	People For People	Moses Lake	WA	Windshield damage	People For People	C	\$53.95	\$0.00	\$0.00	\$53.95	\$0.00	\$0.00	\$53.95
	NPPeopF201604239A	11/23/2015	11/23/2015	2/22/2016	People For People	Moses Lake	WA	Windshield damage	People For People	C	\$53.90	\$0.00	\$0.00	\$53.90	\$0.00	\$0.00	\$53.90
	NPPeopF2016043000	8/28/2015	8/29/2015	1/21/2016	People For People	Moses Lake	WA	Windshield chip	People For People	C	\$53.95	\$0.00	\$0.00	\$53.95	\$0.00	\$0.00	\$53.95
	NPPeopF2016043880	4/12/2016	4/12/2016	8/30/2016	People For People	Moses Lake	WA	Windshield damage	People For People	C	\$48.56	\$0.00	\$0.00	\$48.56	\$0.00	\$0.00	\$48.56
	NPPeopF2016043891	4/4/2016	4/4/2016	6/30/2016	People For People	Moses Lake	WA	Windshield damage	People For People	C	\$64.74	\$0.00	\$0.00	\$64.74	\$0.00	\$0.00	\$64.74
16											\$22,903.24	\$0.00	\$22,403.24	\$0.00	\$0.00	\$22,403.24	
ALPD	NPPeopF2012034425B	1/13/2012	1/31/2012	2/15/2012	People For People	Moses Lake	WA	IV hit OV	Unknown	C	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	NPPeopF201504229A	8/12/2015	8/12/2015	10/29/2015	People For People	Moses Lake	WA	IV rolled into OV	Estrella, Frank	C	\$1,087.29	(\$1,087.29)	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	2										\$1,087.29	(\$1,087.29)	\$0.00	\$0.00	\$0.00	\$0.00	
Count:											\$23,990.53	(\$1,587.29)	\$22,403.24	\$0.00	\$0.00	\$22,403.24	