

Service Date: February 12, 2024

WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION

NOTICE OF PENALTIES INCURRED AND DUE  
FOR VIOLATIONS OF LAWS AND RULES



PENALTY ASSESSMENT: DG-240061

PENALTY AMOUNT: \$2,500

Investigation # 8850

EMAIL SERVICE

April Rodarte  
Rodarte Construction, Inc.  
17 East Valley Highway East  
Auburn, WA 98092  
[April@rodarteconstruction.com](mailto:April@rodarteconstruction.com)

WASH. UT. & TP. COMM

UBI: 600-264-803  
Phone: (253) 939-0532

YOU MUST RESPOND WITHIN 15 DAYS OF THIS NOTICE

The Washington Utilities and Transportation Commission (Commission) believes that Rodarte Construction, Inc. (Rodarte or Company) violated Revised Code of Washington (RCW) 19.122.055(1)(a) by failing to notify the one-number locate service and causing damage to an underground gas facility.

RCW 19.122.055(1)(a) states, in part, that excavators who fail to notify a one-number locator service and cause damage to an underground gas facility are subject to a civil penalty of not more than \$10,000 for each violation.

Commission staff (Staff) conducted an investigation that included reviewing damage reports, investigation reports, the One Call Center database, and communications with the Company. The documents reviewed identified a natural gas event that involved Rodarte damaging a natural gas facility while excavating without a valid locate ticket.

The Commission reviewed findings and recommendations made by Staff and hereby notifies you that it is assessing a \$2,500 penalty (Penalty Assessment) against you on the following grounds:

- Alleged Violation:**  
On August 7, 2023, Rodarte was excavating at 19021 20<sup>th</sup> Ave NW, Shoreline, Washington. While excavating, Rodarte workers struck and damaged an underground Puget Sound Energy (PSE) natural gas facility. The Damage Information Reporting Tool (DIRT) report submitted by PSE on September 19, 2023, indicated that Rodarte was excavating without a valid request to locate underground utilities.
- Analysis:**  
The alleged violation concerns RCW 19.122.055(1)(a), which states, in part, that an excavator must contact the one-number locate center before beginning excavation. On August 7, 2023, Rodarte was excavating for a storm drain when it struck a 1 1/8" natural

gas service line. The GFR report from PSE states Rodarte was operating a backhoe and did not expose the line by hand. The report from ELM states that Rodarte was excavating outside the area identified on the Company's locate ticket. Upon review of the One Call Center database Staff did not find a valid locate ticket for the location of this damage incident. Staff communicated by email with the Company on January 5, 25, and 31, 2024, requesting further information. The Company responded by providing photos and a copy of locate ticket #23295172. Staff compared all photos and the ticket to the Google Earth map and verified the damage incident was not covered by the parameters as indicated on the locate ticket.

The Commission considered the following factors in determining the appropriate penalty amount for the violation:

1. **How serious or harmful the violation is to the public.**  
This incident could have been significantly more harmful to Rodarte workers, utility technicians, nearby homeowners, and the public, and could have resulted in severe injury and/or loss of property.
2. **Whether the violation is intentional.**  
The violation appears to be due to negligence rather than a lack of knowledge of Washington State's dig law. Over the past 12 months, Rodarte has submitted 197 requests to the One Call Center for locates. This demonstrates Rodarte's knowledge of requirements and its responsibility to contact the one-number locate service before beginning excavation.
3. **Whether the company self-reported the violation.**  
Rodarte did not self-report the violation. The Commission became aware of the violation when PSE filed a DIRT report.
4. **The likelihood of recurrence.**  
Rodarte is currently under compliance status for a previous penalty assessment that was issued on September 18, 2023, *See* Docket DG-230686. One of the compliance requirements is to avoid any further violations of the Dig Law for 12 months. This current damage incident is a new Dig Law violation within the 12 month window and will result in the imposition of the suspended penalty for the previous case. The likelihood of recurrence depends on the Company's actions going forward and its willingness to display due diligence by ensuring that it notifies the one-number locate service every time before beginning excavation.
5. **The Company's previous violations and penalties.**
  - **Warning Letter**
    - On May 23, 2023, July 2, 2021, September 13, 2018, June 17, 2017, October 19, 2016, October 9, 2013, and September 9, 2013, the Commission mailed Alleged Violation of Washington Dig Law letters to Rodarte. The letters included detailed information about Washington State's underground utility damage prevention act, requirements for submitting utility locate requests before excavating, and the possibility of penalties for each violation. The Commission mailed the letters after receiving a report of damage caused by Rodarte that

occurred because the Company failed to submit a request to locate underground utilities before excavating.

- **Penalty Assessments**

- On September 18, 2023, the Commission issued Rodarte a Penalty Assessment of \$2,500 for one violation of RCW 19.122.055(1)(a). *See* Docket DG-230686.
- On May 16, 2019, the Commission issued Rodarte a Penalty Assessment of \$2,000 for one violation of RCW 19.122.055(1)(a). *See* Docket DG-190249.
- On October 30, 2018, the Commission issued Rodarte a Penalty Assessment of \$1,000 for one violation of RCW 19.122.055(1)(a). *See* Docket DG-180828.

The Commission has considered these factors and determined that it should penalize Rodarte as follows:

- \$2,500 penalty for one violation of RCW 19.122.055(1)(a) that occurred on August 7, 2023.

These facts, if proven at a hearing and not rebutted or explained, are sufficient to support the Penalty Assessment.

Your penalty is due and payable now. If you believe the violation did not occur, you may deny committing the violation and contest the penalty through evidence presented at a hearing or in writing. Or, if there is a reason for the violation that you believe should excuse you from the penalty, you may ask for mitigation (reduction) of the penalty through evidence presented at a hearing or in writing. The Commission will grant a request for a hearing only if material issues of law or fact require consideration of evidence and resolution in a hearing. Any request to contest the violation or for mitigation of the penalty must include a written statement of the reasons supporting that request. Failure to provide such a statement will result in denial of the request. *See* RCW 81.04.405.

If you properly present your request for a hearing and the Commission grants that request, the Commission will review the evidence supporting your dispute of the violation or application for mitigation in a Brief Adjudicative Proceeding before an administrative law judge. The administrative law judge will consider the evidence and will notify you of their decision.

**You must act within 15 days after receiving this Penalty Assessment** to do one of the following:

- Pay the \$2,500 penalty amount due; or
- Request a hearing to contest the occurrence of the violations; or
- Request mitigation to reduce the amount of the penalty.

Please indicate your selection on the enclosed form and submit it electronically through the Commission's web portal at <https://efiling.utc.wa.gov/Form> **within FIFTEEN (15) days** after you receive this Penalty Assessment. If you are unable to use the web portal, you may submit it via email to [records@utc.wa.gov](mailto:records@utc.wa.gov). If you are unable to submit the form electronically, you may send a

paper copy to the Washington Utilities and Transportation Commission, PO Box 47250, Olympia, Washington 98504-7250.

If you wish to make your payment online, please use this link: [Make a Payment Now \(wa.gov\)](#).<sup>1</sup>

**If you do not act within 15 days**, the Commission may refer this matter to the Office of the Attorney General for collection.

DATED at Lacey, Washington, and effective February 12, 2024.

*/s/Michael Howard*  
MICHAEL HOWARD  
Director, Administrative Law Division

---

<sup>1</sup> <https://www.utc.wa.gov/documents-and-proceedings/online-payments/make-payment-now>.

WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION  
PENALTY ASSESSMENT DG-240061 Investigation # 8850

**PLEASE NOTE:** You must complete and sign this document and send it to the Commission within 15 days after you receive the penalty assessment. Use additional paper if needed.

I have read and understand RCW 9A.72.020 (printed below), which states that making false statements under oath is a class B felony. I am over the age of 18, am competent to testify to the matters set forth below, and I have personal knowledge of those matters. I hereby make, under oath, the following statements:

- 1. **Payment of penalty.** I admit that the violation occurred:
  - Enclose \$2,500 in payment of the penalty.
  - OR  Attest that I have paid the penalty in full through the Commission’s payment portal.
  
- 2. **Contest the violation.** I believe that the alleged violation did not occur for the reasons I describe below (if you do not include reasons supporting your contest here, your request will be denied):
  - a) I ask for a hearing to present evidence on the information I provide above to an administrative law judge for a decision.
  - OR  b) I ask for a Commission decision based solely on the information I provide above.
  
- 3. **Request mitigation.** I admit the violation, but I believe that the penalty should be reduced for the reasons set out below (if you do not include reasons supporting your application here, your request will be denied): *see attached*
  - a) I ask for a hearing to present evidence on the information I provide above to an administrative law judge for a decision.
  - OR  b) I ask for a Commission decision based solely on the information I provide above.

I declare under penalty of perjury under the laws of the state of Washington that the foregoing, including information I have presented on any attachments, is true and correct.

Dated: 2/26/24 [Month/Day/Year], at Auburn wa [City, State]

Caleb Bryant, PM  
Name of Respondent (Company) – please print

*Caleb Bryant*  
Signature of Applicant

RCW 9A.72.020 "Perjury in the first degree."

- (1) A person is guilty of perjury in the first degree if in any official proceeding he or she makes a materially false statement which he or she knows to be false under an oath required or authorized by law.
- (2) Knowledge of the materiality of the statement is not an element of this crime, and the actor's mistaken belief that his or her statement was not material is not a defense to a prosecution under this section.
- (3) Perjury in the first degree is a class B felony.


According to the Penalty assessment DG-240061 under the investigation number 8850 the Washington utilities and transportation commission has directed Rodarte Construction the penalty amount of \$2500 for the damages that took place on august seventh 2023.

Rodarte is requesting that the penalty be dropped under the following conditions of the good faith effort that was made by Rodarte Construction to outline the work area in white paint and to call in to a one-number locator service.

According to RCW 19.122.055(1)(a) Rodarte Construction did notify a one-number Locator service of the expected excavation that was to take place on the street of 20<sup>th</sup> Ave in shoreline Washington. Rodarte had active one call tickets along the street of 20<sup>th</sup> Ave. It looks as though the locate tickets that Rodarte submitted on the dig safe WA website was cut off before the end of our project. Missing between along 20<sup>th</sup> Ave NW from NW 190<sup>th</sup> St and NW 192nd St. approximately 400 feet short of the actual dig site a clerical oversight within the onecall system.

Attached are photos demonstrating that there was a good faith effort made to show that white paint was placed down by Rodarte to best show the excavation limits of the project within the area of the damage. Attached is also an additional photo that shows the damage that took place and shows there are locate marks on the ground from other utilities.

Before the excavation began, Rodarte had a conversation with the PSE locating service onsite placing locate marks on the project. There was a discussion of the project that was taking place where the new storm lines are being placed in addition to the beginning and end of the construction project limits.



# RODARTE CONSTRUCTION, Inc.

17 E. Valley Highway East – Auburn, WA 98092



Office (253) 939-0532  
RODARTE#225D9

“Rodarte Construction, Inc. is an Equal Opportunity Employer”



# **RODARTE CONSTRUCTION, Inc.**

17 E. Valley Highway East – Auburn, WA 98092



Office (253) 939-0532  
RODARTE#225D9

"Rodarte Construction, Inc. is an Equal Opportunity Employer"

## April Rodarte

**From:** wa@occinc.com  
**Sent:** Tuesday, July 25, 2023 2:36 PM  
**To:** April Rodarte  
**Subject:** Ticket: 23295172

### WASHINGTON UTILITY NOTIFICATION CENTER

\*\*\*DO NOT REPLY TO THIS EMAIL\*\*\*

This ticket is valid for 45 days from the legal start date and time. The expiration date and time is 09/08/2023 2:45 PM .

Washington Ticket#:	23295172	2 FULL BUSINESS DAYS	
Transmit Date:	7/25/23	Time:	2:35 PM
Original Call Date:	7/25/23	Time:	2:35 PM
Work to Begin Date:	7/28/23	Time:	12:00 AM

#### Caller Information

Company:	RODARTE CONSTRUCTION INC	Type:	CONTRACTOR
Contact Name:	APRIL RODARTE	Phone:	(253) 939-0532 Ext.:302
Alt. Contact:	CALEB - CALL FIRST	Phone:	(253) 308-4024
Best Time:		Fax:	(253) 939-0557
Address:	17 EAST VALLEY HIGHWAY EAST; AUBURN, WA 98092		
Caller Email:	april@rodarteconstruction.com		

#### Dig Site Information

Type of Work:	CITY OF SHORELINE
Work Being Done For:	STORM MAINLINE INSTALLATION

#### Dig Site Location

County:	KING	State:	WA
Place:	SHORELINE		
Address / Street:	20TH AVE NW		
Nearest Intersection:	NW 195TH ST		

#### Location of Work:

MARKING INSTRUCTIONS: FROM THE INTERSECTION OF NW 195TH ST HEAD N 3 FEET ON 20TH AVE NW TO THE BEGINNING OF THE ROUTE. MARK 20 FEET EITHER SIDE OF THE CENTERLINE OF 20TH AVE NW FOLLOWING THE ROUTE S FOR 711 FEET.

#### Remarks:

AREA MARKED IN WHITE PAINT  
Type of Excavator: CONTRACTOR  
Directional Drilling: NO  
Type(s) of Excavation Equipment: BACKHOE / TRACKHOE

Map Twp:	26N	Rng:	3E	Sect-Qtr:	2-SE-NE		
Excavation Coordinates for # Polygons: 1							
Poly 1: NW Lat:	47.7707218	Lon:	-122.3827465	SE Lat:	47.7686647	Lon:	-122.3825474

#### Members Notified

District	Company	Marking Concerns	Customer Service	Repair
GTE01	ZIPLY FIBER	(800)778-9140	(866)947-5995	(866)947-5995
KCMTRO01	KING CNTY METRO SEWER	(206)263-5722	(206)263-3700	(206)263-3840
PUGG03	PUGET SOUND ENERGY GAS	(888)728-9343	(888)225-5773	(888)225-5773
SEACL01	SEATTLE CITY LIGHT	(206)684-4239	(206)684-4239	(206)684-3000
SEAH2001	SEATTLE PUBLIC UTILITIES-WATER	(206)386-1849	(206)386-1800	(206)386-1800
SHRWST01	CITY OF SHORELINE	(800)778-9140	(206)801-2700	(206)801-2572

### Excavator Responsibilities

- Please click on the following link to verify and confirm that the area covered represents the correct and complete work site area.  
[Link To Map for C\\_EMAIL](#)
- If the area covered is incomplete or inaccurate, it is your responsibility to notify the center immediately to update and correct the locate. Failure to do so could result in a delay or an incomplete utility locate.
- Any other utilities or notification centers not listed, you will need to contact separately.
- To review this ticket, see the full status history and any future status updates, visit Search and Status ?? on [www.managetickets.com](http://www.managetickets.com)