

**COMMENT FORM FOR: WILLIAM CLARK - ID# 3031**

Consumer Information	
Confidential Comment	<input type="radio"/> Yes <input checked="" type="radio"/> No
Name	WILLIAM CLARK
Organization Company	
Address City, State, Zip Code	[REDACTED] EASTSOUND WASHINGTON 98245
Email	[REDACTED]
Primary Phone #	Fax #
Secondary Phone #	

Comment Information	
Theme	Drastic Increase
Filing Support	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Undecided
Source	<input type="radio"/> Email <input type="radio"/> Mail <input type="radio"/> Phone <input checked="" type="radio"/> Web
Public Involvement Lead	John Cupp
Duplicate Comment	<input type="radio"/> Yes <input type="radio"/> No
Description	A rate increase of this magnitude in the order of 62% should require a careful audit of all records kept by RU in regard to income and expenses in serving their customers. It would be unconscionable to allow such a rate hike without a thorough investigation of the reason(s) put forth by RU. There are some who wonder whether RU is requesting such a hike to make the sale of the water system more appealing to any potential buyer. Moreover, to hold a hearing on this matter in Olympia not only places a hardship on those wishing to attend by also prohibits those interested parties (customers) who find it impossible to attend. It was seem only fair because of the financial strain a 62% rate increase would place on many of the customers served by RU to hold the hearing on Orcas Island. Your attention to this matter is appreciated. Sincerely, William Clark
Attachments	

Follow-Up Information	Other Follow-Up Information
Follow-Up	Other Follow-Up
Follow-Up Staff	Other Follow-Up Staff
Follow-Up Complete	