



Energy Efficiency

Exhibit 5 2013 Prescriptive Measures

January 1, 2013



PUGET SOUND ENERGY

The Energy To Do Great Things

2013 Annual Conservation Plan
Exhibit 5 -- BEM Rebates prescriptive measures

Schedule	EESector	FuelType	MeasureCategory	CategoryDescription	DescriptionDetails	kWhSavingsEESClaims	Therm SavingsEESClaims	SavingsType	SavingsUOM
E255	Commercial/Industrial	Electric	Lamps	CFL	Equal to or greater than 40 Watt CFL	209.00	0.00	PSE Deemed	Per unit
E255	Commercial/Industrial	Electric	Lamps	CFL	26 Watt to 39 Watt CFL	149.00	0.00	PSE Deemed	Per unit
E255	Commercial/Industrial	Electric	Lamps	CFL	< 26 Watt	139.00	0.00	PSE Deemed	Per unit
E255	Commercial/Industrial	Electric	Lamps	CFL	Specialty, 26 Watt to 39 Watt CFL	149.00	0.00	PSE Deemed	Per unit
E255	Commercial/Industrial	Electric	Lamps	CFL	Specialty, < 26 Watt	139.00	0.00	PSE Deemed	Per unit
E255	Commercial/Industrial	Electric	Lamps	T8 Lamps	Low wattage, Less than or equal to 25 Watts	26.00	0.00	PSE Deemed	Per unit
E255	Commercial/Industrial	Electric	Lamps	T8 Lamps	Low wattage, 26 to 28 Watts	15.00	0.00	PSE Deemed	Per unit
E255	Commercial/Industrial	Electric	Lamps	Integral LED Lamps and Recessed Down Lighting	MR 16	159.00	0.00	PSE Deemed	Per unit
E255	Commercial/Industrial	Electric	Lamps	Integral LED Lamps and Recessed Down Lighting	PAR 20	127.00	0.00	PSE Deemed	Per unit
E255	Commercial/Industrial	Electric	Lamps	Integral LED Lamps and Recessed Down Lighting	PAR 30	112.00	0.00	PSE Deemed	Per unit
E255	Commercial/Industrial	Electric	Lamps	Integral LED Lamps and Recessed Down Lighting	PAR 38 & 40 and screw in Recessed Can Retrofit Kits	122.00	0.00	PSE Deemed	Per unit
E255	Commercial/Industrial	Electric	Lamps	Integral LED Lamps and Recessed Down Lighting	Omnidirectional	157.00	0.00	PSE Deemed	Per unit
E255	Commercial/Industrial	Electric	Lamps	Integral LED Lamps and Recessed Down Lighting	Decorative	96.00	0.00	PSE Deemed	Per unit
E255	Commercial/Industrial	Electric	Lighting Fixtures	LED Fixtures	Hard Wired Recessed Can Retrofit Kits	122.00	0.00	PSE Deemed	Each
E255	Commercial/Industrial	Electric	Device Controllers and Sensors	Lighting	Occupancy Sensors and timers controlling 100-199 watts		0.00	PSE Deemed	Multiple variables
E255	Commercial/Industrial	Electric	Device Controllers and Sensors	Lighting	Occupancy Sensors and timers controlling greater than or equal to 200 watts		0.00	PSE Deemed	Multiple variables
E262	Commercial/Industrial	Electric	Fryers	Energy Star®	Any qualified model or configuration	1,024.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Ovens	Electric	Existing electric convection oven	2,262.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Ovens	Electric	Existing electric combination oven	18,432.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Steamers	Connectionless	3 pan	8,023.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Steamers	Connectionless	4 pan	10,697.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Steamers	Connectionless	5 pan	13,371.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Steamers	Connectionless	6 pan	16,046.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Aerator	Restaurant or other commercial	0.5 gpm aerators, annual savings	2,423.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Clothes Washers	High-Efficiency, high use, MF laundries	CEE Qualified, PSE gas WH/PSE gas dryer using PSE electric	229.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Clothes Washers	High-Efficiency, high use, MF laundries	CEE Qualified, PSE electric WH/PSE elect dryer	2,167.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Clothes Washers	High-Efficiency, high use, MF laundries	CEE Qualified, PSE gas for WH/PSE elect for dryer	479.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Spray Heads	Pre-Rinse Electric	1.6 gpm xn if head not prev supplied	8,742.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Spray Heads	Pre-Rinse Electric	1.6 gpm xn if 2.2 gpm prev xn'd	2,898.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Spray Heads	Pre-Rinse Electric	1.6 gpm xn if 2.6 gpm prev xn'd	5,844.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Spray Heads	Pre-Rinse Electric	1.0 gpm xn if 2.6 gpm prev xn'd	6,984.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Spray Heads	Pre-Rinse Electric	1.0 gpm xn if 2.2 gpm prev xn'd	4,038.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Spray Heads	Pre-Rinse Electric	0.6 gpm xn if 1.6 gpm prev xn'd	2,613.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Spray Heads	Pre-Rinse Electric	0.6 gpm xn if 2.2 gpm prev xn'd	5,511.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Spray Heads	Pre-Rinse Electric	0.6 gpm xn if 2.6 gpm prev xn'd	8,457.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Spray Heads	Pre-Rinse Electric	0.6 gpm xn if head not prev supplied	11,355.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Spray Heads	Pre-Rinse Electric	1.0 gpm xn if 1.6 gpm prev xn'd	1,140.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Spray Heads	Pre-Rinse Electric	1.0 gpm xn if head not prev supplied	9,882.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Signs	LED Exit	Retrofit CFL to LED--Retrofit applications only (considered standard for new construction)	123.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Signs	LED Exit	Retrofit incandescent fixture to LED	254.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Signs	LED Exit	Incandescent to LED	254.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Signs	LED Exit	CFL to LED exit sign	123.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Under Counter, PSE provides electricity	Low Temperature, elect WH	1,195.00	0.00	PSE Deemed	Per unit

2013 Annual Conservation Plan
Exhibit 5 -- BEM Rebates prescriptive measures

Schedule	EESector	FuelType	MeasureCategory	CategoryDescription	DescriptionDetails	kWhSavingsEESClaims	Therm SavingsEESClaims	SavingsType	SavingsUOM
E262	Commercial/Industrial	Electric	Dishwashers	Under Counter, PSE provides electricity	Low Temperature, elec WH	1,196.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Under Counter, PSE provides electricity	High Temperature, elect WH, elec booster	7,369.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Under Counter, PSE provides electricity	High Temperature, elec WH, gas booster	4,689.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Under Counter, PSE provides electricity	High Temperature, gas WH, elec booster	2,680.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Door Type, PSE provides electricity	Low Temperature, elec WH	11,969.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Door Type, PSE provides electricity	Low Temperature, elec WH	11,969.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Door Type, PSE provides electricity	High Temperature, elec WH, elec booster	13,950.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Door Type, PSE provides electricity	High Temperature, elec WH, gas booster	8,948.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Door Type, PSE provides electricity	High Temperature, gas WH, elec booster	5,197.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Single Tank Conveyor, PSE provides electricity	Low Temperature, elec WH	11,228.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Single Tank Conveyor, PSE provides electricity	Low Temperature, elect WH	11,228.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Single Tank Conveyor, PSE provides electricity	High Temperature, elec WH, elec booster	18,972.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Single Tank Conveyor, PSE provides electricity	High Temperature, elect WH, gas booster	12,701.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Single Tank Conveyor, PSE provides electricity	High Temperature, gas WH, elec booster	7,998.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Multi Tank Conveyor, PSE provides electricity	Low Temperature, elec WH	17,225.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Multi Tank Conveyor, PSE provides electricity	Low Temperature, elec WH	17,225.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Multi Tank Conveyor, PSE provides electricity	High Temperature, elec WH, elec booster	33,685.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Multi Tank Conveyor, PSE provides electricity	High Temperature, elec WH, gas booster	17,225.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Dishwashers	Multi Tank Conveyor, PSE provides electricity	High Temperature, gas WH, elec booster	12,249.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Lamps	CFL	Ceramic Metal Halide 22-28 watts	172.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Lamps	CFL	Equal to or greater than 40 Watt CFL	209.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Lamps	CFL	26 Watt to 39 Watt CFL	149.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Lamps	CFL	< 26 Watt	139.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Lamps	CFL	Specialty, 26 Watt to 39 Watt CFL	149.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Lamps	CFL	Specialty, < 26 Watt	139.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Aerator	Hospitality	0.5gpm aerators, annual savings	124.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Lamps	Integral LED Lamps and Recessed Down Lighting	MR 16	159.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Lamps	Integral LED Lamps and Recessed Down Lighting	PAR 20	127.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Lamps	Integral LED Lamps and Recessed Down Lighting	PAR 30	112.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Lamps	Integral LED Lamps and Recessed Down Lighting	PAR 38 & 40 and Screw in Recessed Can Retrofit Kits	122.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Lamps	Integral LED Lamps and Recessed Down Lighting	Omnidirectional	157.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Lamps	Integral LED Lamps and Recessed Down Lighting	Decorative	96.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Lamps	T8 Lamps	Low wattage, Less than or equal to 25 Watts	26.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Lamps	T8 Lamps	Low wattage, 26 to 28 Watts	15.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Device Controllers and Sensors	CoolerMisers	Refrigerator beverage cooler controller	1,160.00	0.00	PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Lighting Fixtures	LED Fixtures	Hard Wired Recessed Can Retrofit Kits	122.00	0.00	PSE Deemed	Each
E262	Commercial/Industrial	Electric	Device Controllers and Sensors	HVAC	Occupancy Sensor Hospitality, Limited Service	250.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Device Controllers and Sensors	HVAC	Occupancy Sensor Hospitality, Full Service	500.00		PSE Deemed	Per unit
E262	Commercial/Industrial	Electric	Device Controllers and Sensors	Thermostat, Portable Classroom, 365-day Programmable	Incentive is 100% of thermostat cost up to maximum.	3,548.00		PSE Deemed	multiple variables

2013 Annual Conservation Plan
Exhibit 5 -- BEM Rebates prescriptive measures

Schedule	EESector	FuelType	MeasureCategory	CategoryDescription	DescriptionDetails	kWhSavingsEESClaims	Therm SavingsEESClaims	SavingsType	SavingsUOM
E262	Commercial/Industrial	Electric	Device Controllers and Sensors	Thermostat, Portable Classroom, 365-day Programmable	The addition of lighting controls to 365-day thermostat	315.00		PSE Deemed	multiple variables
E262	Commercial/Industrial	Electric	Device Controllers and Sensors	Thermostat, Portable Classroom, 365-day Programmable	The addition of occupancy based damper controls to 365-day thermostat	765.00		PSE Deemed	multiple variables
E262	Commercial/Industrial	Electric	Device Controllers and Sensors	Lighting	Occupancy Sensors controlling indoor lighting (100W Controlled)	103.00	0.00	PSE Deemed	Each
E262	Commercial/Industrial	Electric	Device Controllers and Sensors	Lighting	Occupancy Sensors controlling indoor lighting (150W Controlled)	154.00	0.00	PSE Deemed	Each
E262	Commercial/Industrial	Electric	Device Controllers and Sensors	Lighting	Occupancy Sensors controlling indoor lighting (200W Controlled)	205.00	0.00	PSE Deemed	Each
E262	Commercial/Industrial	Electric	Device Controllers and Sensors	Thermostat	Seven-Day Programmable Thermostat	1,086.00	0.00	PSE Deemed	Each
E262	Commercial/Industrial	Electric	Showerheads	Reduced- Flow Showerhead	Electrically- heated DHW	203.00	0.00	PSE Deemed	Each
E262	Commercial/Industrial	Electric	Signs	LED Open Sign	LED Open Sign replacing Neon	125.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	T8 Fluorescent	F40T12 to F28T8 .78 Ballast Factor- 1 Lamp fixture	99.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	T8 Fluorescent	F40T12 to F28T8 .78 Ballast Factor- 2 Lamp fixture	181.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	T8 Fluorescent	F40T12 to F28T8 .78 Ballast Factor- 3 Lamp fixture	279.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	T8 Fluorescent	F40T12 to F28T8 .78 Ballast Factor- 4 Lamp fixture	366.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	T8 Fluorescent	F34T12 to F28T8 .78 Ballast Factor- 1 Lamp fixture	86.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	T8 Fluorescent	F34T12 to F28T8 .78 Ballast Factor- 2 Lamp fixture	115.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	T8 Fluorescent	F34T12 to F28T8 .78 Ballast Factor- 3 Lamp fixture	201.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	T8 Fluorescent	F34T12 to F28T8 .78 Ballast Factor- 4 Lamp fixture	234.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	T8 Fluorescent	F96T12 to F28T8 .78 Ballast Factor- 1 Lamp fixture	123.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	T8 Fluorescent	F96T12 to F28T8 .78 Ballast Factor- 2 Lamp fixture	148.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	T8 Fluorescent	F96T12HO to F28T8 .88 Ballast Factor- 1 Lamp fixture	304.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	T8 Fluorescent	F96T12HO to F28T8 .88 Ballast Factor- 2 Lamp fixture	444.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	T8 Fluorescent	2 lamp Incandescent (80W) to 2' T8 in Restroom	209.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	T8 Fluorescent	3 lamp Incandescent (120W) to 2' T8 in Restroom	370.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	T8 Fluorescent	4 lamp Incandescent (160W) to 3' T8 in Restroom	477.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	T8 Fluorescent	6 lamp Incandescent (240W) to 4' T8 in Restroom	805.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Insulation	Water Heater	Water heater Insulation	539.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lamps	CFL	<26 Watt CFL	155.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lamps	CFL	< 26 Watt reflector	155.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lamps	CFL	< 26 Watt specialty lamp- globe	155.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	Linear Fluorescent Retrofit Delamp	3 Lamp F40T12 to 2 Lamp F28T8 .78 Ballast Factor	370.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	Linear Fluorescent Retrofit Delamp	3 Lamp F40T12ES to 2 Lamp F28T8 .78 Ballast Factor	292.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	Linear Fluorescent Retrofit Delamp	4 Lamp F40T12 to 3 Lamp F28T8 .78 Ballast Factor	452.00	0.00	PSE Deemed	

2013 Annual Conservation Plan
Exhibit 5 -- BEM Rebates prescriptive measures

Schedule	EESector	FuelType	MeasureCategory	CategoryDescription	DescriptionDetails	kWhSavingsEESClaims	Therm SavingsEESClaims	SavingsType	SavingsUOM
E262	Commercial/Industrial	Electric	Lighting Fixtures	Linear Fluorescent Retrofit Delamp	4 Lamp F40T12ES to 3 Lamp F28T8 .78 Ballast Factor	320.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	Linear Fluorescent Retrofit Delamp	4 Lamp F40T12 to 2 Lamp F28T8 .78 Ballast Factor	542.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	Linear Fluorescent Retrofit Delamp	4 Lamp F40T12ES to 2 Lamp F28T8 .78 Ballast Factor	411.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Lighting Fixtures	Linear Fluorescent Retrofit Delamp	2 Lamp F96T12 to 2 Lamp F28T8 .78 Ballast Factor	325.00	0.00	PSE Deemed	
E262	Commercial/Industrial	Electric	Holding Cabinet	Hot Food, Energy Star® qualified	7 to <12 cubic feet (1/2 size)	876.00	0.00	RTF Deemed	Per unit
E262	Commercial/Industrial	Electric	Holding Cabinet	Hot Food, Energy Star® qualified	12 to 20 cubic feet (3/4 size)	1,314.00	0.00	RTF Deemed	Per unit
E262	Commercial/Industrial	Electric	Holding Cabinet	Hot Food, Energy Star® qualified	> 20 cubic feet (full size)	1,752.00	0.00	RTF Deemed	Per unit
E262	Commercial/Industrial	Electric	Device Controllers and Sensors	PC Power Manager	Software; networked or local; installed on enterprise servers	115.00		RTF Deemed	Per unit
G262	Commercial/Industrial	Gas	Fryers	Energy Star®	Any qualified model or configuration		292.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Ovens	Natural gas	Existing gas convection oven		323.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Ovens	Natural gas	Existing gas single rack oven		1,034.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Ovens	Natural gas	Existing gas double rack oven		2,104.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Steamers	Connectionless	3 pan		340.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Steamers	Connectionless	4 pan		306.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Steamers	Connectionless	5 pan		276.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Steamers	Connectionless	6 pan		244.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Aerator	Restaurant or other commercial	0.5 gpm aerators, annual savings		136.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Spray Heads	Pre-Rinse Gas	1.6 gpm xn if head not prev supplied		492.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Spray Heads	Pre-Rinse Gas	1.6 gpm xn if 2.2 gpm prev xn'd		163.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Spray Heads	Pre-Rinse Gas	1.6 gpm xn if 2.6 gpm prev xn'd		329.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Spray Heads	Pre-Rinse Gas	1.0 gpm xn if head not prev supplied		557.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Spray Heads	Pre-Rinse Gas	1.0 gpm xn if 1.6 gpm prev xn'd		64.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Spray Heads	Pre-Rinse Gas	0.6 gpm xn if head not prev supplied		639.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Spray Heads	Pre-Rinse Gas	0.6 gpm xn if 2.2 gpm prev xn'd		310.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Spray Heads	Pre-Rinse Gas	0.6 gpm xn if 2.6 gpm prev xn'd		476.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Spray Heads	Pre-Rinse Gas	0.6 gpm xn if 1.6 gpm prev xn'd		147.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Spray Heads	Pre-Rinse Gas	1.0 gpm xn if 2.6 gpm prev xn'd		393.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Spray Heads	Pre-Rinse Gas	1.0 gpm xn if 2.2 gpm prev xn'd		227.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Clothes Washers	High-Efficiency, high use, MF laundries	PSE gas water heat, PSE gas/no PSE electric for dryer		105.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Clothes Washers	High-Efficiency, high use, MF laundries	PSE gas water heat, PSE gas and PSE electric for dryer		105.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Dishwashers	Under Counter, PSE provides gas	Low Temperature, gas WH		55.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Dishwashers	Under Counter, PSE provides gas	High Temperature, elec WH, gas booster		109.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Dishwashers	Under Counter, PSE provides gas	High Temperature, gas building hot water, elec booster		217.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Dishwashers	Under Counter, PSE provides gas	High Temperature, gas WH, gas booster		326.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Dishwashers	Door Type, PSE provides gas	Low temp, gas WH		554.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Dishwashers	Door Type, PSE provides gas	High temperature, elec WH, gas booster		203.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Dishwashers	Door Type, PSE provides gas	High temp, gas WH, elect. Booster		405.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Dishwashers	Door Type, PSE provides gas	High temp, gas WH, gas Booster		608.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Dishwashers	Single Tank Conveyor, PSE provides gas	Low temp, gas WH		520.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Dishwashers	Single Tank Conveyor, PSE provides gas	High temp, elec WH, gas booster		254.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Dishwashers	Single Tank Conveyor, PSE provides gas	High temp, gas WH, elec booster		508.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Dishwashers	Single Tank Conveyor, PSE provides gas	High temp, gas WH, gas booster		762.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Dishwashers	Multi Tank Conveyor, PSE provides gas	Low temperature, gas WH		798.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Dishwashers	Multi Tank Conveyor, PSE provides gas	High temperature, elec WH, gas booster		496.00	PSE Deemed	Per unit

2013 Annual Conservation Plan
Exhibit 5 -- BEM Rebates prescriptive measures

Schedule	EESector	FuelType	MeasureCategory	CategoryDescription	DescriptionDetails	kWhSavingsEESClaims	Therm SavingsEESClaims	SavingsType	SavingsUOM
G262	Commercial/Industrial	Gas	Dishwashers	Multi Tank Conveyor, PSE provides gas	High temperature, gas WH, elec booster		993.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Dishwashers	Multi Tank Conveyor, PSE provides gas	High temperature, gas WH, gas booster		1,489.00	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Aerator	Hospitality	0.5 gpm aerators, annual savings		5.30	PSE Deemed	Per unit
G262	Commercial/Industrial	Gas	Device Controllers and Sensors	Thermostat	Seven-Day Programmable Thermostat	0.00	72.00	PSE Deemed	
G262	Commercial/Industrial	Gas	Showerheads	Reduced-Flow Showerhead Natural Gas- heated DHW	Reduced-Flow Showerhead Natural Gas- heated DHW		9.00	PSE Deemed	
G262	Commercial/Industrial	Gas	Insulation	Water Heater	Water heater Insulation		21.00	PSE Deemed	

**2013 Annual Conservation Plan
Exhibit 5 -- REM prescriptive measures**

Tariff	OrderName	MeasureName	MeasureSavings	SavingsUOM	UnitType	Source of Savings
E201	Low Income Weatherization TE	Refrigerator Replacement - MF	755 kwh		per unit	Other - California Study
E201	Low Income Weatherization TE	Refrigerator Replacement - MH	755 kwh		per unit	Other - California Study
E201	Low Income Weatherization TE	Refrigerator Replacement - SF	755 kwh		per unit	Other - California Study
E201	Low Income Weatherization TE	Insulation-Attic R0 to R38 - MF	2.18 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Attic R0 to R38 - SF	1.91 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Attic R11 to R38 - MF	1.39 kwh		sq.ft.	PSE Deemed
E201	Low Income Weatherization TE	Insulation-Attic R11 to R38 - SF	1.21 kwh		sq.ft.	PSE Deemed
E201	Low Income Weatherization TE	Insulation-Attic R19 to R38 - MF	0.58 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Attic R19 to R38 - SF	0.509 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Attic R0 to R19 - MF	1.59 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Attic R0 to R19 - MH	0.5 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Attic R0 to R19 - SF	1.39 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Attic R11 to R33 - MH	1.01 kwh		sq.ft.	PSE Deemed
E201	Low Income Weatherization TE	Insulation-Attic R0 to R30 - MH	0.84 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Duct R0 to R11 - MF	4.65 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Duct R0 to R11 - SF	4.65 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Floor R0 to R19 - MF	1.04 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Floor R0 to R19 - SF	1.01 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Floor R0 to R30 - MF	1.3 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Floor R0 to R30 - SF	1.21 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Floor R0 to R30 - MH	1.47 kwh		sq.ft.	PSE Deemed
E201	Low Income Weatherization TE	Insulation-Floor R0 to R22 - MH	1.13 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Floor R11 to R22 - MH	0.59 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Floor R11 to R30 - MF	0.76 kwh		sq.ft.	PSE Deemed
E201	Low Income Weatherization TE	Insulation-Floor R11 to R30 - SF	0.6 kwh		sq.ft.	PSE Deemed
E201	Low Income Weatherization TE	Insulation-Wall R0 to R11 - MF	1.3 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Wall R0 to R11 - SF	1.38 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Insulation-Wall R0 to R11 - MH	1.79 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Showerhead - MF	139 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	Showerhead - MH	139 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	Showerhead - SF	139 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	CF Fixture - MH	49 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	CF Fixture - SF	49 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	CF Fixture - MF	49 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	CFL - MF	23 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	CFL - MH	23 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	CFL - SF	23 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	Duct Sealing - MH	1082 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	Duct Sealing - SF	1244 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	Structure Sealing - MH	0.84 kwh		Calc.	RTF Deemed
E201	Low Income Weatherization TE	Structure Sealing - SF	1.7 kwh		Calc.	RTF Deemed
E201	Low Income Weatherization TE	Electronic Thermostat - SF	348 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	Water Heater (.95 EF) - MF	131 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	Water Heater (.95 EF) - MH	131 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	Water Heater (.95 EF) - SF	131 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	Ductless Heat Pump - SF	3500 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	Water Heater Pipe Wrap - MF	20 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	Water Heater Pipe Wrap - MH	20 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	Water Heater Pipe Wrap - SF	20 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	Windows-Double to Double - MF	11.94 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Windows-Double to Double - MH	12.26 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Windows-Double to Double - SF	11.53 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Windows-Single to Double - MF	21.65 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Windows-Single to Double - MH	20.11 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Windows-Single to Double - SF	20.84 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Windows-Single to Triple - MF	23.58 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Windows-Single to Triple - SF	22.73 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	Windows-Double to Triple - MF	13.87 kwh		sq.ft.	RTF Deemed

2013 Annual Conservation Plan
Exhibit 5 -- REM prescriptive measures

Tariff	OrderName	MeasureName	MeasureSavings	SavingsUOM	UnitType	Source of Savings
E201	Low Income Weatherization TE	Windows-Double to Triple - SF	13.41 kwh		sq.ft.	RTF Deemed
E201	Low Income Weatherization TE	EnergyStar Whole House Ventilation - MF	128 kwh		per unit	PSE Deemed
E201	Low Income Weatherization TE	EnergyStar Whole House Ventilation - SF	128 kwh		per unit	PSE Deemed
E201	Low Income Weatherization TE	EnergyStar Whole House Ventilation - MH	128 kwh		per unit	PSE Deemed
E201	Low Income Weatherization TE	Smart Strips - MF	100 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	Smart Strips - SF	100 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	Smart Strips - MH	100 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	LED Lamp (Incandescent) - MF	34 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	LED Lamp (Incandescent) - SF	34 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	LED Lamp (Incandescent) - MH	34 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	LED Fixtures-MF	61 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	LED Fixtures-SF	61 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	LED Fixtures-MH	61 kwh		per unit	RTF Deemed
E201	Low Income Weatherization TE	Shareholder Repairs	0 kwh		per unit	NA
E201	Low Income Weatherization TE	Electric Program Repairs	0 kwh		per unit	NA
E214	Energy Star Appliances	Refrigerators CEE Tier 2	65 kwh		per unit	RTF Deemed
E214	Energy Star Appliances	Refrigerators CEE Tier 3	86 kwh		per unit	RTF Deemed
E214	Energy Star Appliances	Energy Star Freezers	42 kwh		per unit	RTF Deemed
E214	Energy Star Appliances	Retail Refrigerator Decomm	482 kwh		per unit	RTF Deemed
E214	Energy Star Appliances	Retail Freezer Decomm	555 kwh		per unit	RTF Deemed
E214	Energy Star Appliances	Refrigerator Decomm	482 kwh		per unit	RTF Deemed
E214	Energy Star Appliances	Freezer Decomm	555 kwh		per unit	RTF Deemed
E214	Energy Star Appliances	Refrigerator Replacement	755 kwh		per unit	PSE Deemed
E214	Energy Star Appliances	Refrigerators CEE Tier 1	37 kwh		per unit	RTF Deemed
E214	Energy Star Appliances	Clothes Washer MEF 2.4 -3.09 Electric WH / Electric Dryer	82 kwh		per unit	RTF Deemed
E214	Energy Star Appliances	Clothes Washer MEF 3.1+ Electric WH / Electric Dryer	140 kwh		per unit	RTF Deemed
E214	Energy Star Appliances	Clothes Washer MEF 2.4 -3.09 Electric WH / Gas Dryer	31 kwh		per unit	RTF Deemed
E214	Energy Star Appliances	Clothes Washer MEF 3.1+ Electric WH / Gas Dryer	51 kwh		per unit	RTF Deemed
E214	Energy Star Appliances	Clothes Washer MEF 2.4 -3.09 Gas WH / Electric Dryer	59 kwh		per unit	RTF Deemed
E214	Energy Star Appliances	Clothes Washer MEF 3.1+ Gas / Electric Dryer	105 kwh		per unit	RTF Deemed
E214	Energy Star Appliances	Clothes Washer MEF 2.4 -3.09 Gas WH / Gas Dryer	9 kwh		per unit	RTF Deemed
E214	Energy Star Appliances	Clothes Washer MEF 3.1+ Gas WH / Gas Dryer	16 kwh		per unit	RTF Deemed
E214	Energy Star Appliances	Clothes Washer Replacement Electric WH / Electric Dryer	524 kwh		per unit	PSE Deemed
E214	Energy Star Appliances	Refrigerator Decomm 20yrs	482 kwh		per unit	RTF Deemed
E214	Residential Showerheads Elect	2.0 - 1.76 gpm Showerheads - Mail-in	117 kwh		per unit	PSE Deemed
E214	Residential Showerheads Elect	1.75 - 1.51 gpm Showerheads - Mail-in	188 kwh		per unit	PSE Deemed
E214	Residential Showerheads Elect	1.50 and less Showerheads - Mail-in	261 kwh		per unit	PSE Deemed
E214	Residential Showerheads Elect	2.0 - 1.76 gpm Showerheads - Retail_Electric WH_Any Shower	123 kwh		per unit	RTF Deemed
E214	Residential Showerheads Elect	1.75 - 1.51 gpm Showerheads - Retail_Electric WH_Any Shower	158 kwh		per unit	RTF Deemed
E214	Residential Showerheads Elect	1.50 and less Showerheads - Retail_Electric WH_Any Shower	196 kwh		per unit	RTF Deemed
E214	Residential Showerheads Elect	2.0 - 1.76 gpm Showerheads - Any WH_Any Shower	81 kwh		per unit	RTF Deemed
E214	Residential Showerheads Elect	1.75 - 1.51 gpm Showerheads - Any WH_Any Shower	121 kwh		per unit	RTF Deemed
E214	Residential Showerheads Elect	1.50 and less Showerheads - Any WH_Any Shower	157 kwh		per unit	RTF Deemed
E214	Energy Efficient Lighting Services	ENERGY STAR Indoor CFL Fixtures	43 kwh		per unit	RTF Deemed
E214	Energy Efficient Lighting Services	ENERGY STAR Outdoor CFL Fixtures	120 kwh		per unit	RTF Deemed
E214	Energy Efficient Lighting Services	ENERGY STAR Spiral CFL Bulbs	16 kwh		per unit	RTF Deemed
E214	Energy Efficient Lighting Services	ENERGY STAR Specialty CFL Bulbs	19 kwh		per unit	RTF Deemed
E214	Energy Efficient Lighting Services	LED Indoor Fixtures	50 kwh		per unit	PSE Deemed
E214	Energy Efficient Lighting Services	ENERGY STAR CFL Engagement Bulbs	20 kwh		per unit	PSE Deemed
E214	Energy Efficient Lighting Services	LED Bulbs_A-line_Incan Baseline	33 kwh		per unit	PSE Deemed
E214	Energy Efficient Lighting Services	LED Outdoor Fixtures	143 kwh		per unit	PSE Deemed
E214	Energy Efficient Lighting Services	LED Reflector	34 kwh		per unit	PSE Deemed
E214	Energy Efficient Lighting Services	LED MR-16	22 kwh		per unit	PSE Deemed
E214	Energy Efficient Lighting Services	Occupancy Sensors	84 kwh		per unit	PSE Deemed
E214	Home Energy Reports E	Home Energy Reports - OPOWER	222 kwh		per unit	PSE deemed
E214	HomePrint - Electric	CFL bulbs -DI	23 kwh		unit	RTF Deemed
E214	HomePrint - Electric	HomePrint Assessment	0		0 per home	NA
E214	HomePrint - Electric	showerhead - leave behind	260 kwh		per unit	RTF Deemed

2013 Annual Conservation Plan
Exhibit 5 -- REM prescriptive measures

Tariff	OrderName	MeasureName	MeasureSavings	SavingsUOM	UnitType	Source of Savings
E214	SF Existing Water Heat - Electric	NEEA Northern Climate Specs Heat Pump Water Heater - Tier 1	881 kwh		per home	RTF Deemed
E214	SF Existing Water Heat - Electric	High Efficiency Electric Water Heater (=> .94 EF)	111 kwh		per unit	RTF Deemed
E214	SF Existing Water Heat - Electric	Waste Water Heat Recovery (models with an efficiency of 42% or great	373 kwh		per home	RTF Deemed
E214	SF Existing Water Heat - Electric	New: Direct Install Showerhead	307 kwh		per unit	RTF Deemed
E214	SF Existing Water Heat - Electric	NEEA Northern Climate Specs Heat Pump Water Heater - Tier 2	1786 kwh		per unit	RTF Deemed
E214	SF Existing Wx - Electric	Windows- Single Pane to U.30- Average	20.84 kwh		sq.ft.	RTF Deemed
E214	SF Existing Wx - Electric	Windows- Double Pane to U.30- Average	11.53 kwh		sq.ft.	RTF Deemed
E214	SF Existing Wx - Electric	Home Performance with Energy Star	0 kwh		per home	N/A- EPA Program
E214	SF Existing Wx - Electric	Prescriptive Duct Sealing and Insulation - Electric	1859 kwh		per home	PSE Deemed
E214	SF Existing Wx - Electric	Attic Insulation R-0 to R-49 Zonal	2.14 kwh		sq.ft.	PSE Deemed
E214	SF Existing Wx - Electric	Attic Insulation R-0 to R-49 FAF	2.38 kwh		sq.ft.	PSE Deemed
E214	SF Existing Wx - Electric	Attic Insulation R-0 to R-49 HP	1.04 kwh		sq.ft.	PSE Deemed
E214	SF Existing Wx - Electric	Attic Insulation R-19 to R-49 Zonal	0.67 kwh		sq.ft.	PSE Deemed
E214	SF Existing Wx - Electric	Attic Insulation R-19 to R-49 FAF	0.75 kwh		sq.ft.	PSE Deemed
E214	SF Existing Wx - Electric	Attic Insulation R-19 to R-49 HP	0.32 kwh		sq.ft.	PSE Deemed
E214	SF Existing Wx - Electric	Wall Insulation R-0 to R-13 Zonal	1.48 kwh		sq.ft.	PSE Deemed
E214	SF Existing Wx - Electric	Wall Insulation R-0 to R-13 FAF	1.67 kwh		sq.ft.	PSE Deemed
E214	SF Existing Wx - Electric	Wall Insulation R-0 to R-13 HP	0.72 kwh		sq.ft.	PSE Deemed
E214	SF Existing Wx - Electric	Floor Insulation R-0 to R-30 Zonal	1.38 kwh		sq.ft.	PSE Deemed
E214	SF Existing Wx - Electric	Floor Insulation R-0 to R-30 FAF	1.46 kwh		sq.ft.	PSE Deemed
E214	SF Existing Wx - Electric	Floor Insulation R-0 to R-30 HP	0.57 kwh		sq.ft.	PSE Deemed
E214	SF Existing Wx - Electric	Air Sealing CFM50 - Zonal	1.81 kwh		CFM50	PSE Deemed
E214	SF Existing Wx - Electric	Air Sealing CFM50 - FAF	2.04 kwh		CFM50	PSE Deemed
E214	SF Existing Wx - Electric	Air Sealing CFM50 - HP	0.96 kwh		CFM50	PSE Deemed
E214	SF Existing Wx - Electric	PTCS Duct Sealing - FAF	1362 kwh		per unit	RTF Deemed
E214	SF Existing Wx - Electric	PTCS Duct Sealing - HP	1049 kwh		per unit	RTF Deemed
E214	SF Existing Space Heat - Electric	Energy Star Geothermal Heat Pump	4037 kwh		per home	Other - PSE Calculations/RTF Modified
E214	SF Existing Space Heat - Electric	Ductless Heat Pump	3500 kwh		per unit	RTF Deemed
E214	SF Existing Space Heat - Electric	Energy Star Heat Pump - Tier 1 = 8.5 HSPF, 14 SEER	408 kwh		per unit	PSE Deemed
E214	SF Existing Space Heat - Electric	Energy Star Heat Pump - Tier 2 = 9.0 HSPF, 14 SEER	554 kwh		per unit	PSE Deemed
E214	SF Existing Space Heat - Electric	Forced-air-furnace to Heat Pump Conversion (greater than or equal to 1	5176 kwh		per home	PSE Deemed
E214	SF Existing Space Heat - Electric	Heat Pump Sizing & Lock out Controls	1447 kwh		per home	PSE Deemed
E214	SF Existing Space Heat - Electric	NEW Energy Star Heat Pump - Tier 3 = 10.0 HSPF, 16 SEER	939 kwh		per unit	PSE Deemed
E215	Single Family New Construction - Ele	ENERGY STAR CFL Fixture- Indoor	43 kwh		per unit	RTF Deemed
E215	Single Family New Construction - Ele	Clothes Washers Tier 2 (GWH/Edryer 3.1 +)	140 kwh		per unit	RTF Deemed
E215	Single Family New Construction - Ele	Clothes Washers Tier 1 (GWH/Edryer 2.46 - 3.09)	59 kwh		per unit	RTF Deemed
E215	Single Family New Construction - Ele	ENERGY STAR Refrigerator (CEE Tier 3)	86 kwh		per unit	RTF Deemed
E215	Single Family New Construction - Ele	ENERGY STAR Refrigerator (CEE Tier 2)	65 kwh		per unit	RTF Deemed
E215	Single Family New Construction - Ele	ENERGY STAR Whole House Ventilation	73 kwh		per unit	RTF Deemed
E215	Single Family New Construction - Ele	Air-Source Heat Pump Tier #2	554 kwh		per unit	RTF Deemed
E215	Single Family New Construction - Ele	Ductless Mini-Split Heat Pump	3500 kwh		per unit	RTF Deemed
E215	Single Family New Construction - Ele	ENERGY STAR Heat Pump Water Heater	2001 kwh		per unit	RTF Deemed
E215	Single Family New Construction - Ele	ENERGY STAR Homes Bonus (Electric)	0 kwh		per unit	NA
E215	Single Family New Construction - Ele	ENERGY STAR Homes Verifier Bonus	0 kwh		per unit	NA
E215	Single Family New Construction - Ele	CFL Fixture SPIF	0 kwh		per unit	NA
E215	Energy Star Manufactured Home Elec	Heating Zone 1 / cooling zone n/a - FAF	5420 kwh		per unit	RTF Deemed
E215	Energy Star Manufactured Home Elec	Heating Zone 2 / cooling zone 2 - HP	4390 kwh		per unit	RTF Deemed
E215	Energy Star Manufactured Home Elec	Heating Zone 1 / cooling zone n/a - FAF	5691 kwh		per unit	RTF Deemed
E216	Fuel Conversion Rebate	E2G Fuel Conv - Space & WH - BB - 19-20K	12000 kwh		each	Other - PSE Calculations/Cadmus/RCS
E216	Fuel Conversion Rebate	E2G Fuel Conv - Space & WH - BB - 20-22.5K	13750 kwh		each	Other - PSE Calculations/Cadmus/RCS
E216	Fuel Conversion Rebate	E2G Fuel Conv - Space & WH - BB - 22.5-25K	16250 kwh		each	Other - PSE Calculations/Cadmus/RCS
E216	Fuel Conversion Rebate	E2G Fuel Conv - Space & WH - BB - 25K+	17500 kwh		each	Other - PSE Calculations/Cadmus/RCS
E216	Fuel Conversion Rebate	E2G Fuel Conv - Space & WH - FA - 19-20K	12000 kwh		each	Other - PSE Calculations/Cadmus/RCS
E216	Fuel Conversion Rebate	E2G Fuel Conv - Space & WH - FA - 20-22.5K	13750 kwh		each	Other - PSE Calculations/Cadmus/RCS
E216	Fuel Conversion Rebate	E2G Fuel Conv - Space & WH - FA - 22.5-25K	16250 kwh		each	Other - PSE Calculations/Cadmus/RCS
E216	Fuel Conversion Rebate	E2G Fuel Conv - Space & WH - FA - 25K+	17500 kwh		each	Other - PSE Calculations/Cadmus/RCS
E216	Fuel Conversion Rebate	E2G Fuel Conv - Space Heat Only - BB - 20-22.5K	10250 kwh		each	Other - PSE Calculations/Cadmus/RCS
E216	Fuel Conversion Rebate	E2G Fuel Conv - Space Heat Only - BB - 25K+	14000 kwh		each	Other - PSE Calculations/Cadmus/RCS

2013 Annual Conservation Plan
Exhibit 5 -- REM prescriptive measures

Tariff	OrderName	MeasureName	MeasureSavings	SavingsUOM	UnitType	Source of Savings
E216	Fuel Conversion Rebate	E2G Fuel Conv - Space Heat Only - FA - 20-22.5K	10250 kwh		each	Other - PSE Calculations/Cadmus/RCS
E216	Fuel Conversion Rebate	E2G Fuel Conv - Space Heat Only - FA - 22.5-25K	12750 kwh		each	Other - PSE Calculations/Cadmus/RCS
E216	Fuel Conversion Rebate	E2G Fuel Conv - WH Only - Storage	3500 kwh		each	Other - PSE Calculations/Cadmus/RCS
E216	Fuel Conversion Rebate	E2G Fuel Conv - WH Only - Tankless	3500 kwh		each	Other - PSE Calculations/Cadmus/RCS
E216	Fuel Conversion Rebate	E2G Fuel Conv - Space Heat Only - BB - 19-20K	8500 kwh		each	Other - PSE Calculations/Cadmus/RCS
E216	Fuel Conversion Rebate	E2G Fuel Conv - Space Heat Only - BB - 22.5-25K	12750 kwh		each	Other - PSE Calculations/Cadmus/RCS
E216	Fuel Conversion Rebate	E2G Fuel Conv - Space Heat Only - FA - 19-20K	8500 kwh		each	Other - PSE Calculations/Cadmus/RCS
E216	Fuel Conversion Rebate	E2G Fuel Conv - Space Heat Only - FA - 25K+	14000 kwh		each	Other - PSE Calculations/Cadmus/RCS
E216	Fuel Conversion Rebate	E2G Fuel Conv - Boilers	14875 kwh		each	Other - PSE Calculations/Cadmus/RCS
E217	Multi-Family Retrofit Elect	Showerhead - Max 1.5 gpm EWH	307 kwh		per unit	RTF Deemed
E217	Multi-Family Retrofit Elect	Solar Pool Heater (Calculated)	27000 kwh		per project	PSE Deemed
E217	Multi-Family Retrofit Elect	Water Heater Pipewrap	20 kwh		per unit	RTF Deemed
E217	Multi-Family Retrofit Elect	Attic Insulation R-0 to R-38 MF	2.18 kwh		sq.ft.	RTF Deemed
E217	Multi-Family Retrofit Elect	Attic Insulation R-11 to R-38 MF	1.39 kwh		sq.ft.	PSE Deemed
E217	Multi-Family Retrofit Elect	Floor Insulation R-0 to R-30 MF	1.3 kwh		sq.ft.	PSE Deemed
E217	Multi-Family Retrofit Elect	Showerhead CWA- Max 1.5 gpm EWH	307 kwh		per unit	RTF Deemed
E217	Multi-Family Retrofit Elect	Wall Insulation R-0 to R-11 MF	1.3 kwh		sq.ft.	RTF Deemed
E217	Multi-Family Retrofit Elect	Windows (single to double paned) U= 1.2 to 0.30	21.65 kwh		sq.ft.	RTF Deemed
E217	Multi-Family Retrofit Elect	Windows (single to triple paned) U= 1.2 to 0.22	23.58 kwh		sq.ft.	RTF Deemed
E217	Multi-Family Retrofit Elect	Windows (double to double paned) U= 0.6 to 0.30	11.94 kwh		sq.ft.	RTF Deemed
E217	Multi-Family Retrofit Elect	Windows (double to triple paned) U= 0.6 to 0.22	13.87 kwh		sq.ft.	RTF Deemed
E217	Multi-Family Retrofit Elect	Common Area Lighting (Calculated)	54135 kwh		Calc.	PSE Deemed
E217	Multi-Family Retrofit Elect	Clothes Washer MEF 2.46 or Higher (EWH/Edryer)	92 kwh		per unit	RTF Deemed
E217	Multi-Family Retrofit Elect	Energy Star CF Fixture - Tenant Controlled	49 kwh		per unit	RTF Deemed
E217	Multi-Family Retrofit Elect	Energy Star CFL - Direct Install	23 kwh		per unit	RTF Deemed
E217	Multi-Family Retrofit Elect	Water Heater (0.95)	131 kwh		per unit	RTF Deemed
E217	Multi-Family Retrofit Elect	Energy Star Refrigerator Upgrade	44 kwh		per unit	RTF Deemed
E217	Multi-Family Retrofit Elect	Refrigerator Replacement	755 kwh		per unit	PSE Deemed
E217	Multi-Family Retrofit Elect	Energy Star LED - Direct Install	34 kwh		per unit	PSE Deemed
E217	Multi-Family Retrofit Elect	Energy Star LED Fixture - Tenant Controlled	61 kwh		per unit	PSE Deemed
E217	Multi-Family Retrofit Elect	Energy Star Whole House Ventilation	128 kwh		per unit	RTF Deemed
E217	Multi-Family Retrofit Elect	Air Tightening - Ceiling, Floor, Wall insulation to R13 reduce by 60%	1.63 kwh		sq.ft.	PSE Deemed
E217	Multi-Family Retrofit Elect	Energy Star LED Candelabra- Direct Install	25 kwh		per unit	PSE Deemed
E218	Multi-Family New Construction Elect	Clothes Washer MEF 2.2 - 2.45 WF 4.5 - EWH/Edryer	149 kwh		each	RTF Deemed
E218	Multi-Family New Construction Elect	Clothes Washer MEF 2.46+ WF 4- EWH/Edryer	219 kwh		each	RTF Deemed
E218	Multi-Family New Construction Elect	Energy Star Refrigerator	44 kwh		each	RTF Deemed
E218	Multi-Family New Construction Elect	Windows U-0.30 or better ESH High Rise Metal Frame	1.758 kwh		sqft	PSE Deemed
E218	Multi-Family New Construction Elect	Heat Recovery - Elec Res no Cooling-HighRise	1.318 kwh		sqft	PSE Deemed
E218	Multi-Family New Construction Elect	Heat Recovery - Elec Res no Cooling-LowRise	0.858 kwh		sqft	PSE Deemed
E218	Multi-Family New Construction Elect	Air-to-Air Heat Pump 2011	1.372 kwh		sqft	PSE Deemed
E218	Multi-Family New Construction Elect	Package Terminal Heat Pump Low Rise	592.043 kwh		unit	PSE Deemed
E218	Multi-Family New Construction Elect	Package Terminal Heat Pump Low Rise Townhome	1209 kwh		unit	PSE Deemed
E218	Multi-Family New Construction Elect	Energy Star hard-wired CFL fixture - TCt 69	49 kwh		unit	RTF Deemed
E218	Multi-Family New Construction Elect	Corridor Lighting Reduction	0.07008 kwh		sqft/%	PSE Deemed
E218	Multi-Family New Construction Elect	Stairwell bi-level >= 10 floors	379 kwh		fixture	PSE Deemed
E218	Multi-Family New Construction Elect	Stairwell bi-level >3 <10 floors	203 kwh		fixture	PSE Deemed
E218	Multi-Family New Construction Elect	Garage Lighting Reduction 2011	0.01752 kwh		sqft/%	PSE Deemed
E218	Multi-Family New Construction Elect	Drain Water Heat Recovery	373 kwh		unit	RTF Deemed
E218	Multi-Family New Construction Elect	Showerhead - Max 2.0 gpm EWH	114 kwh		each	RTF Deemed
G203	Low Income Weatherization TG	Furnace Replacement (90% AFUE) - MF	66 therms		per unit	PSE deemed
G203	Low Income Weatherization TG	Furnace Replacement (90% AFUE) - MH	89 therms		per unit	PSE deemed
G203	Low Income Weatherization TG	Furnace Replacement (90% AFUE) - SF	89 therms		per unit	PSE deemed
G203	Low Income Weatherization TG	Boiler Space Heat Replacement - MF	734 therms		Calc.	PSE deemed
G203	Low Income Weatherization TG	Insulation-Attic R0 to R38 - MF	0.09 therms		sq.ft.	RTF Deemed
G203	Low Income Weatherization TG	Insulation-Attic R0 to R38 - SF	0.09 therms		sq.ft.	RTF Deemed
G203	Low Income Weatherization TG	Insulation-Attic R11 to R38 - MF	0.06 therms		sq.ft.	PSE Deemed
G203	Low Income Weatherization TG	Insulation-Attic R11 to R38 - SF	0.06 therms		sq.ft.	PSE Deemed
G203	Low Income Weatherization TG	Insulation-Attic R0 to R30 - MH	0.04 therms		sq.ft.	RTF Deemed

2013 Annual Conservation Plan
Exhibit 5 -- REM prescriptive measures

Tariff	OrderName	MeasureName	MeasureSavings	SavingsUOM	UnitType	Source of Savings
G203	Low Income Weatherization TG	Insulation-Duct R0 to R11 - MF	0.2 therms		sq.ft.	RTF Deemed
G203	Low Income Weatherization TG	Insulation-Duct R0 to R11 - SF	0.2 therms		sq.ft.	RTF Deemed
G203	Low Income Weatherization TG	Insulation-Floor R0 to R30 - MF	0.06 therms		sq.ft.	RTF Deemed
G203	Low Income Weatherization TG	Insulation-Floor R0 to R30 - MH	0.06 therms		sq.ft.	PSE Deemed
G203	Low Income Weatherization TG	Insulation-Floor R0 to R30 - SF	0.06 therms		sq.ft.	RTF Deemed
G203	Low Income Weatherization TG	Insulation-Floor R0 to R22 - MH	0.04 therms		sq.ft.	RTF Deemed
G203	Low Income Weatherization TG	Insulation-Wall R0 to R11 - MF	0.06 therms		sq.ft.	RTF Deemed
G203	Low Income Weatherization TG	Insulation-Wall R0 to R11 - MH	0.08 therms		sq.ft.	RTF Deemed
G203	Low Income Weatherization TG	Insulation-Wall R0 to R11 - SF	0.06 therms		sq.ft.	RTF Deemed
G203	Low Income Weatherization TG	Showerhead - MF	6 therms		per unit	RTF Deemed
G203	Low Income Weatherization TG	Showerhead - MH	6 therms		per unit	RTF Deemed
G203	Low Income Weatherization TG	Showerhead - SF	6 therms		per unit	RTF Deemed
G203	Low Income Weatherization TG	Duct Sealing - MH	43 therms		per unit	RTF Deemed
G203	Low Income Weatherization TG	Duct Sealing - SF	50 therms		per unit	RTF Deemed
G203	Low Income Weatherization TG	Structure Sealing - MH	0.04 therms		Calc.	RTF Deemed
G203	Low Income Weatherization TG	Structure Sealing - SF	0.07 therms		Calc.	RTF Deemed
G203	Low Income Weatherization TG	Water Heater Pipe Wrap - MF	0.9 therms		per unit	RTF Deemed
G203	Low Income Weatherization TG	Water Heater Pipe Wrap - MH	0.9 therms		per unit	RTF Deemed
G203	Low Income Weatherization TG	Water Heater Pipe Wrap - SF	0.9 therms		per unit	RTF Deemed
G203	Low Income Weatherization TG	Shareholder Repairs	0 therms		per unit	NA
G214	SF Existing Wx - Gas	Attic Insulation R-0 to R-49 - Gas	0.11 therms		sq.ft.	RTF Deemed
G214	SF Existing Wx - Gas	Floor insulation R-0 to R-30 - Gas	0.066 therms		sq.ft.	RTF Deemed
G214	SF Existing Wx - Gas	Wall Insulation R-0 to R-13 - Gas	0.084 therms		sq.ft.	PSE Deemed
G214	SF Existing Wx - Gas	PTCS Duct Sealing -Gas	58 therms		per home	RTF Deemed
G214	SF Existing Wx - Gas	Air Sealing CFM50 - Gas	0.083 therms		CFM50	PSE Deemed
G214	SF Existing Wx - Gas	Home Performance with Energy Star	0 therms		per home	N/A- EPA Program
G214	SF Existing Wx - Gas	Prescriptive Duct Sealing and Insulation - Gas	75 therms		per home	RTF Deemed
G214	SF Existing Wx - Gas	CO Monitor	0 therms		per home	
G214	SF Existing Space Heat - Gas	Efficient 95% Gas Furnace (Note: Raised from 90%)	110 therms		per unit	PSE deemed - Kema Study
G214	SF Existing Space Heat - Gas	Energy Star qualified Boilers (95% AFUE)	119 therms		per unit	Calculated
G214	SF Existing Space Heat - Gas	High Efficiency Natural Gas Fireplace	72 therms		per home	Calculated
G214	SF Existing Space Heat - Gas	NEW Integrated Space & Water Heating	173 therms		per home	Calculated
G214	Residential Showerheads Gas	2.0 - 1.76 gpm Showerheads - Mail-in	5 therms		per unit	PSE Deemed
G214	Residential Showerheads Gas	1.75 - 1.51 gpm Showerheads - Mail-in	8 therms		per unit	PSE Deemed
G214	Residential Showerheads Gas	1.50 and less Showerheads - Mail-in	11 therms		per unit	PSE Deemed
G214	Residential Showerheads Gas	2.0 - 1.76 gpm Showerheads - Retail_Gas WH_Any Shower	5 therms		per unit	RTF Deemed
G214	Residential Showerheads Gas	1.75 - 1.51 gpm Showerheads - Retail_Gas WH_Any Shower	7 therms		per unit	RTF Deemed
G214	Residential Showerheads Gas	1.50 and less Showerheads - Retail_Gas WH_Any Shower	8 therms		per unit	RTF Deemed
G214	Residential Showerheads Gas	1.50 gpm Showerheads - Direct Install	13 therms		per unit	RTF Deemed
G214	Home Energy Reports Gas	Home Energy Reports - OPOWER	14 therms		per unit	PSE Deemed
G217	Multi-Family Retrofit Gas	Showerhead - Max 1.50 gpm GWH	13 therms		per unit	RTF Deemed
G217	Multi-Family Retrofit Gas	Attic Insulation R-0 to R-38 MF	0.09 therms		sq.ft.	RTF Deemed
G217	Multi-Family Retrofit Gas	Boiler (Space Heating) Replacement (Calculated)	734 therms		Calc.	PSE Deemed
G217	Multi-Family Retrofit Gas	Showerhead CWA - Max 1.50 gpm GWH	13 therms		per unit	RTF Deemed
G218	Multi-Family New Construction Gas	Hydronic w/ Condensing Boiler w/ ext tank	0.0076 therms		per unit	Calculated
G218	Multi-Family New Construction Gas	Hydronic w/ Condensing Water Heater	0.0076 therms		per unit	Calculated
G218	Multi-Family New Construction Gas	Heat Recovery with hydronic no cooling High Rise	0.058 therms		per unit	Calculated
G218	Multi-Family New Construction Gas	Heat Recovery with hydronic no cooling Low Rise	0.036 therms		per unit	Calculated
G218	Multi-Family New Construction Gas	Showerhead - Max 2.0 gpm GWH 2010-2011	5 therms		per unit	RTF Deemed
G218	Multi-Family New Construction Gas	Custom Measures	0.0215 therms		per unit	Calculated
G214	Web-enabled Thermostats Gas	Web-enabled Thermostats Gas	54 therms		per unit	PSE Deemed
E214	SF Existing ARRA Wx Electric	Elec - Manufactured Home Duct Sealing- Level 1	600 kwh		per unit	PSE Deemed
E214	SF Existing ARRA Wx Electric	Elec - Manufactured Home Duct Sealing- Level 2	800 kwh		per unit	PSE Deemed
E214	SF Existing ARRA Wx Electric	Elec - Manufactured Home Duct Sealing- Level 3	1000 kwh		per unit	PSE Deemed
E214	SF Existing ARRA Wx Electric	Elec - MHDS Showerhead - Leave Behind	260 kwh		per unit	PSE Deemed
E214	SF Existing ARRA Wx Electric	Elec - MHDS Direct Install CFL	23 kwh		per unit	PSE Deemed
E214	SF Existing ARRA Wx Electric	Elec - Furnace Filter	0 kwh		per unit	
E214	SF Existing ARRA Wx Electric	Elec - MHDS Showerhead ONLY - Leave Behind	260 kwh		per unit	RTF Deemed

2013 Annual Conservation Plan
Exhibit 5 -- REM prescriptive measures

Tariff	OrderName	MeasureName	MeasureSavings	SavingsUOM	UnitType	Source of Savings
E214	SF Existing ARRA Wx Electric	Elec - MHDS Direct Install CFL ONLY	23 kwh		per unit	RTF Deemed
E214	SF Existing MHDS Electric	Elec - Manufactured Home Duct Sealing- Level 1 (In Park)	600 kwh		per unit	PSE Deemed
E214	SF Existing MHDS Electric	Elec - Manufactured Home Duct Sealing- Level 2 (In Park)	800 kwh		per unit	PSE Deemed
E214	SF Existing MHDS Electric	Elec - Manufactured Home Duct Sealing- Level 3 (In Park)	1000 kwh		per unit	PSE Deemed
E214	SF Existing MHDS Electric	Elec - Manufactured Home Duct Sealing- Level 1 (Out of Park)	600 kwh		per unit	PSE Deemed
E214	SF Existing MHDS Electric	Elec - Manufactured Home Duct Sealing- Level 2 (Out of Park)	800 kwh		per unit	PSE Deemed
E214	SF Existing MHDS Electric	Elec - Manufactured Home Duct Sealing- Level 3 (Out of Park)	1000 kwh		per unit	PSE Deemed
E214	SF Existing MHDS Electric	Elec - MHDS Showerhead - Direct Install #1	307 kwh		per unit	RTF Deemed
E214	SF Existing MHDS Electric	Elec - MHDS Showerhead - Direct Install #2	307 kwh		per unit	RTF Deemed
E214	SF Existing MHDS Electric	Elec - MHDS Direct Install CFL	23 kwh		per unit	RTF Deemed
E214	SF Existing MHDS Electric	Elec - Furnace Filter	0 kwh		per unit	
E214	Energy Star Appliances	Clothes Washer MEF 2.4 -3.09 Electric WH / Gas Dryer	1.9 Therms		per unit	RTF Deemed
E214	Energy Star Appliances	Clothes Washer MEF 3.1+ Electric WH / Gas Dryer	3.4 Therms		per unit	RTF Deemed
E214	Energy Star Appliances	Clothes Washer MEF 2.4 -3.09 Gas WH / Electric Dryer	1 Therms		per unit	RTF Deemed
E214	Energy Star Appliances	Clothes Washer MEF 3.1+ Gas / Electric Dryer	1.6 Therms		per unit	RTF Deemed
E214	Energy Star Appliances	Clothes Washer MEF 2.4 -3.09 Gas WH / Gas Dryer	2.9 Therms		per unit	RTF Deemed
E214	Energy Star Appliances	Clothes Washer MEF 3.1+ Gas WH / Gas Dryer	5 Therms		per unit	RTF Deemed