

Your Store: **Lander #4702** | Seattle, WA 98134 (Change)

All Products (48) In Store (26)

Sort By: **Price Low to High**

Tank Capacity (gallons)

Brand

Tank Capacity (gallons): 46 - 56

Tank Capacity (gallons): 26 - 36

Tank Capacity (gallons): 36 - 46

Gas Type: Natural Gas

Compare

Sure Comfort 40 Gal. Tall 3 Year 34,000 BTU Natural Gas Water Heater

Model # SCG40T03ST34U1

• Ship to Home

①



(6)

.62 EF

\$379.00 / each

ADD TO CART

VIEW PICKUP OPTIONS

Compare

Rheem Performance 40 Gal. Short 6 Year 32,000 BTU Natural Gas High Altitude Water Heater

Model # XG40S06EC34U0H

• In Store Only

②



• Pick Up In Store TODAY Free

\$408.00 / each

.62 EF

ADD TO CART

CHECK STORE INVENTORY

Compare

Rheem Performance 40 Gal. Tall 6 Year 36,000 BTU Natural Gas Water Heater

Model # XG40T08EC36U1

• Ship to Home

③



(104)

.62 EF

\$439.00 / each

• Pick Up In Store TODAY Free

ADD TO CART

CHECK STORE INVENTORY

Compare

Rheem Performance 40 Gal. Short 6 Year 34,000 BTU Natural Gas Water Heater

Model # XG40S06EC34U0

• Ship to Home

④



(44)

.62 EF

\$409.00 / each

ADD TO CART

VIEW PICKUP OPTIONS

Compare

Rheem Performance 29 Gal. Tall 6 Year 32,000 BTU Natural Gas Water Heater

Model # XG29T08EC32U1

• Ship to Home

⑤



(15)

.63 EF

\$435.00 / each

ADD TO CART

VIEW PICKUP OPTIONS

Compare

Rheem Performance 30 Gal. Short 6 Year 30,000 BTU Natural Gas Water Heater

6



Model # XG30S06EC30U1

(6)

\$479.00 / each

.63 EF

• Ship to Home

ADD TO CART

VIEW PICKUP OPTIONS

Compare

60



Rheem Performance 50 Gal. Tall 6 Year 38,000 BTU Natural Gas Water Heater

Model # XG50T06EC38U1

(43)

\$469.00 / each

.60 EF

• Ship to Home

• Pick Up In Store TODAY Free

ADD TO CART

CHECK STORE INVENTORY

Compare

7



Sure Comfort 38 Gal. Tall 3 Year 38,000 BTU Ultra-Low-NOx Natural Gas Water Heater

Model # SCG38T03UN38U1

(2)

\$554.00 / each

.62 EF

• Ship to Home

ADD TO CART

VIEW PICKUP OPTIONS

Compare

8



Rheem Performance 28 Gal. Tall 6 Year 30,000 BTU Ultra Low NOx Natural Gas Water Heater

Model # XG28T06EN30U1

(2)

\$489.00 / each

.63 EF

• Ship to Home

ADD TO CART

VIEW PICKUP OPTIONS

Compare

9



Rheem Performance Platinum 40 Gal. Short 12 Year 38,000 BTU High Efficiency Natural Gas Water Heater

Model # XG40S12HE38U0

(248)

\$648.00 / each

.62 EF

• Ship to Home

• Ship to Store Free

ADD TO CART

VIEW PICKUP OPTIONS

Compare

10



Rheem Performance 38 Gal. Tall 6 Year 38,000 BTU Ultra Low NOx Natural Gas Water Heater

Model # XG38T06EN38U1

(8)

\$498.00 / each

.62 EF

• Ship to Home

ADD TO CART

VIEW PICKUP OPTIONS


Compare

Rheem Performance Plus 40 Gal. Short 9 Year 38,000 BTU High Efficiency Natural Gas Water Heater

Model # XG40S09HE38U0

• Ship to Home

• Pick Up In Store TODAY



11

(318)
\$516.00 / each

.62 EF

Free

ADD TO CART


CHECK STORE INVENTORY

Compare

Rheem Performance 50 Gal. Tall 6 Year 40,000 BTU High Efficiency Natural Gas Water Heater

Model # XG50T06HE40U0

• Ship to Home



12

(491)
\$548.29 / each

.62 EF

• Ship to Store
Free

ADD TO CART


VIEW PICKUP OPTIONS

Compare

Rheem Performance 38 Gal. Short 6 Year 36,000 BTU Ultra Low-NOx Natural Gas Water Heater

Model # XG38S06EN36U1

• Ship to Home



13

\$509.00 / each

.62 EF

ADD TO CART

VIEW PICKUP OPTIONS

Compare

Rheem Performance Platinum 40 Gal. Short 12 Year 40,000 BTU ENERGY STAR Natural Gas Water Heater

Model # XG40S12DM40U0

• Ship to Home



14

ESTAR

(68)
\$634.00 / each

.67 EF

• Ship to Store
Free

ADD TO CART


VIEW PICKUP OPTIONS

Compare

Rheem Performance Plus 40 Gal. Tall 9 Year 40,000 BTU High Efficiency Natural Gas Water Heater

Model # XG40T09HE40U0

• Ship to Home



15

(379)
\$536.00 / each

.62 EF

• Pick Up in Store TODAY
Free

ADD TO CART


CHECK STORE INVENTORY

Compare

Rheem Performance 50 Gal. Short 6 Year 40,000 BTU Natural Gas Water Heater

Model # XG50S06EC40U1

• Ship to Home



16

(5)
\$529.00 / each

.60 EF

ADD TO CART

VIEW PICKUP OPTIONS

Compare

Rheem Performance 40 Gal. Short 6 Year 38,000 BTU Natural Gas Water Heater

Model # XG40S06HE38U0

• Ship to Home

(484)

• Ship to Store

15



\$533.37 / each

.62 EF

Free

ADD TO CART

Compare

Rheem Performance Platinum 40 Gal. Tall 12 Year 40,000 BTU High Efficiency Natural Gas Water Heater

Model # XG40T12HE40U0

(275)

• Ship to Home

• Ship to Store
Free

\$629.00 / each

.62 EF

ADD TO CART

VIEW PICKUP OPTIONS

16



Compare

Rheem Performance 29 Gal. Tall 6 Year 32,000 BTU Manufactured Housing Atmospheric Convertible Natural Gas/LP Water Heater

Model # XG29T06MH32U1

(3)

• Ship to Home

\$539.00 / each

ADD TO CART

VIEW PICKUP OPTIONS

MFH



Compare

Rheem Performance 29 Gal. Tall 6 Year 28,000 BTU High Altitude Convertible Gas Manufactured Housing Water Heater

Model # XG29T06MH32U1H

• In Store Only

• Pick Up In Store TODAY
Free

\$539.00 / each

ADD TO CART

CHECK STORE INVENTORY

MFH



Compare

Rheem Performance 48 Gal. Tall 6 Year 40,000 BTU Ultra Low-NOx Natural Gas Water Heater

Model # XG48T06EN40U1

(6)

• Ship to Home

\$564.00 / each

.60 EF

ADD TO CART

VIEW PICKUP OPTIONS

.60



Compare

Rheem Performance Platinum XR90 29 Gal. Tall 12 Year 60,000 BTU Natural Gas Water Heater

Model # XG29T12XR60U0

(17)

• Ship to Home

\$749.00 / each

.70

ADD TO CART

VIEW PICKUP OPTIONS

.70
Estar



Compare

Rheem Performance Platinum 38 Gal. Tall 12 Year 40,000 BTU ENERGY STAR Natural Gas Water Heater

Model # XG40T12DM40U0

(99)

• Ship to Home

• Ship to Store

X
169
ESTAR



\$678.00 / each

069

Free

ADD TO CART

VIEW PICK-UP OPTIONS

Your Store: **Lander #4702** | Seattle, WA 98134 (Change)

All Products (48) In Store (26)

Sort By: Price Low to High

Tank Capacity (gallons) Brand

Tank Capacity (gallons): 46 - 56 Tank Capacity (gallons): 26 - 36 Tank Capacity (gallons): 36 - 46 Gas Type: Natural Gas

Compare

Rheem Performance Plus 38 Gal. Tall 9 Year 38,000 BTU High Efficiency Ultra Low NOx Natural Gas Water Heater

Model # XG38T09EN38U0

• Ship to Home

17



(3)

\$586.00 / each

.62 EF

ADD TO CART

VIEW PICKUP OPTIONS

Compare

Rheem Performance Platinum 50 Gal. Tall 12 Year 40,000 BTU High Efficiency Natural Gas Water Heater

Model # XG50T12HE40U0

• Ship to Home

18



(341)

Was \$669.00

\$599.00 / each

Save \$70.00 (10%)

.62 EF

• Pick Up In Store TODAY Free

ADD TO CART

CHECK STORE INVENTORY

Compare

Rheem Performance Plus 50 Gal. Tall 9 Year 40,000 BTU High Efficiency Natural Gas Water Heater

Model # XG50T09HE40U0

• Ship to Home

19



(416)

\$598.00 / each

.62 EF

• Pick Up In Store TODAY Free

ADD TO CART

CHECK STORE INVENTORY

Compare

Rheem Performance Platinum 50 Gal. Tall 12 Year 36,000 BTU High Efficiency Ultra Low NOx Natural Gas Water Heater

Model # XG50T12HN36U0

• Ship to Home

20



(12)

\$799.00 / each

.62 EF

• Ship to Store Free

ADD TO CART

VIEW PICKUP OPTIONS

Compare

Rheem Performance Platinum 38 Gal. Tall 12 Year 38,000 BTU High Efficiency Ultra Low-NOx Natural Gas Water Heater

Model # XG38T12EN38U0

• Ship to Home

21



(3)

Was \$677.00

\$609.00 / each

Save \$68.00 (10%)

.62 EF

ADD TO CART

VIEW PICKUP OPTIONS

Compare
.68
Estar



Rheem Performance Platinum 50 Gal. Tall 12 Year 36,000 BTU ENERGY STAR Ultra Low NOx Natural Gas Water Heater

Model # XG50T12DU36U0

(24)

\$840.00 / each

.68 EF

- Ship to Home
- Ship to Store Free

ADD TO CART

VIEW PICKUP OPTIONS

Compare
.67
Estar



Rheem Performance Platinum 50 Gal. Tall 12 Year 40,000 BTU ENERGY STAR Natural Gas Water Heater

Model # XG50T12DM40U0

(153)

Was \$709.00

\$638.00 / each

Save \$71.00 (10%)

.67 EF

- Ship to Home
- Pick Up In Store TODAY Free

ADD TO CART

CHECK STORE INVENTORY

Compare

(22)



Rheem Performance Plus 50 Gal. Tall 9 Year 36,000 BTU High Efficiency Ultra Low NOx Natural Gas Water Heater

Model # XG50T09HN36U0

(17)

\$729.99 / each

.62 EF

- Ship to Home
- Ship to Store Free

ADD TO CART

VIEW PICKUP OPTIONS

Compare
.68
Estar



Rheem Performance Platinum 40 Gal. Tall 12 Year 36,000 BTU ENERGY STAR Ultra Low NOx Natural Gas Water Heater

Model # XG40T12DU36U0

(87)

\$769.00 / each

.68

- Ship to Home
- Ship to Store Free

ADD TO CART

VIEW PICKUP OPTIONS

Compare
MFM



Rheem Performance 40 Gal. Tall 6 Year 34,000 BTU Manufactured Housing Atmospheric Convertible Natural Gas/LP Water Heater

Model # XG40T06MH34U1

(6)

\$676.00 / each

- In Store Only
- Pick Up In Store TODAY Free

ADD TO CART

CHECK STORE INVENTORY

Compare

(23)



Rheem Performance 50 Gal. Tall 6 Year 36,000 BTU High Efficiency Ultra Low NOx Natural Gas Water Heater

Model # XG50T06HN36U0

(34)


\$679.00 / each

.62 EF

- Ship to Home
- Ship to Store Free

ADD TO CART

VIEW PICKUP OPTIONS



Rheem Performance 40 Gal. Tall 6 Year 40,000 BTU Power Vent Natural Gas Water Heater

Model # XG40T06PV40U0


(71)

\$759.00 / each

- Ship to Home
- Ship to Store Free

ADD TO CART

[VIEW PICKUP OPTIONS](#)



Rheem Performance Platinum 50 Gal. Short 12 Year 40,000 BTU ENERGY STAR Natural Gas Water Heater

Model # XG50S12DM40U0


(70)

\$699.08 / each

.67 EF

- Ship to Home
- Ship to Store Free

ADD TO CART



Rheem Performance 50 Gal. Tall 6 Year 42,000 BTU Power Vent Natural Gas Water Heater

Model # XG50T06PV42U0


(65)

\$879.99 / each

- Ship to Home
- Ship to Store Free

ADD TO CART

[VIEW PICKUP OPTIONS](#)



Richmond 40 Gal. Short 6 Year 36,000 BTU Power Vent Natural Gas Water Heater


Model # 6GR40SPVE2-36

(1)

\$775.99 / each

- Ship to Home
- Ship to Store Free

ADD TO CART



Rheem Performance 30 Gal. Tall 6 Year 30,000 BTU Direct Vent Manufactured Housing Convertible Natural Gas/LP Water Heater


Model # XG30T06MD30U1

\$819.00 / each

- In Store Only
- Pick Up In Store TODAY Free

ADD TO CART

[CHECK STORE INVENTORY](#)



Richmond 50 Gal. Short 6 Year 36,000 BTU Power Vent Natural Gas Water Heater


Model # 6GR50SPVE2-36

(1)

\$854.89 / each

- Ship to Home
- Ship to Store Free

ADD TO CART



Rheem Performance 55 Gal. Tall 6 Year 45,000 BTU Ultra Low-NOx Natural Gas Water Heater

Model # XG65T06EN45U0

• Ship to Home

\$869.00 / each

.59 EF

ADD TO CART

VIEW PICKUP OPTIONS



Rheem Performance 40 Gal. Tall 6 Year 30,000 BTU Direct Vent Manufactured Housing Convertible Natural Gas/LP Water Heater

Model # XG40T06MD30U1


• In Store Only

• Pick Up In Store TODAY Free

\$924.00 / each

ADD TO CART

CHECK STORE INVENTORY



Rheem Performance 55 Gal. Tall 6 Year 50,000 BTU Natural Gas Water Heater

Model # XG65T06EC50U0


• Ship to Home

\$949.00 / each

.59

ADD TO CART

VIEW PICKUP OPTIONS



Rheem Performance 50 Gal. Tall 6 Year 36,000 BTU Natural Gas Direct Vent Water Heater


Model # XG50T06DV36U0

• Ship to Home

\$1,045.00 / each

ADD TO CART

VIEW PICKUP OPTIONS



Rheem EcoSense High Efficiency Power Direct Vent 38 Gal. Short 6 Year 40,000 BTU Natural Gas Water Heater


Model # ECORHE40S

• Ship to Home

• Ship to Store Free

\$1,820.81 / each

ADD TO CART



Rheem EcoSense High Efficiency Power Direct Vent 48 Gal. Tall 6 Year 40,000 BTU Natural Gas Water Heater


Model # ECORHE50

• Ship to Home

• Ship to Store Free


\$1,905.19 / each

ADD TO CART



Westinghouse 50 Gal. 10 Year 76,000 BTU Natural Gas Fired Water Heater

PERFORMANCE PLATINUM™



The new degree of comfort.™

PERFORMANCE PLATINUM™ Ultra Low NOx gas water heaters are self cleaning and SCAQMD rule 1121 compliant with 10ng/J NOx emissions

Efficiency

- .62 EF
- More hot water at a low operating cost

Performance

- FHR: 91 gallons for 50-gallon model and 73 gallons for 40-gallon model
- Recovery rate is 36.4 - 38.4 gallons for natural gas at a 90 degree rise

Diagnostic Valve

- Self powered diagnostic gas control valve for improved monitoring and service



Maintenance Free Burner System

- Exclusive air/fuel shut-off device for double protection
- Maintenance free – no filter to clean
- Disables the heater in the presence of flammable vapor accumulation



Combustion Shut-off System



Flame Arrestor Plate



Maintenance Free

Low Emissions

- Ultra Low NOx radiant burner design
- Stainless steel construction
- SCAQMD Rule 1121 compliant
- Meets 10 ng/J NOx requirements



Self-Cleaning

- Fights sediment and mineral build-up
- Reduces fuel costs



Easy to Light

- No matches required

Longer Life

- Premium grade anode rod provides long-lasting tank protection

High Altitude Compliant

- Certified to 10,200 ft. above sea level

Plus...


- Enhanced flow brass drain valve
- Temperature and pressure relief valve included
- Low lead compliant

Warranty

- 12-Year limited warranty for tank and parts, 3-year full in-home labor warranty*

*See written warranty for complete details

Units meet or exceed ANSI requirements and have been tested according to D.O.E. procedures. Units meet or exceed the energy efficiency requirements of NAECA, ASHRAE standard 90, ICC Code and all state energy efficiency performance criteria.



PERFORMANCE PLATINUM
Ultra Low NOx
40 and 50-Gallon Capacities
Up to 38,000 Btu/h



LEED Point = 1

See dimensions chart on back.




The new degree of comfort™

PERFORMANCE PLATINUM™ Ultra Low NOx Specifications

Fuel Type	Description	Gallon Capacity	Model Number	Gas Input in Thous. Btu/hr.	Recovery In G.P.H. 0% Rise	First Hour Delivery G.P.H.	Ht. to Vent A	Tank Height B	Diag. D	Ht. to Gas Conn. D	Vent Size E	Water Conn. Center F	Ht. to Side T&P Valve G	Water Conn. Size H	Ship Weight (LBS)	Energy Factor
Natural Gas	Tall	50	XG60T12HN36UD	36	36.4	91	62-1/2	59-3/4	23	17-3/8	3 or 4	8	53-5/8	3/4	170	0.62
Natural Gas	Tall	40	XG40T12HN36UD	36	36.4	73	63	60-1/4	21	17-3/8	3 or 4	8	54	3/4	140	0.62

Energy Factor based on D.O.E. (Department of Energy) test procedures.



In keeping with its policy of continuous progress and product improvement, Rheem reserves the right to make changes without notice.

Rheem Water Heating • 101 Bell Road
 Montgomery, Alabama 36117-4305 • www.rheem.com

Sure Comfort Residential Gas

Atmospheric Water Heaters



The Sure Comfort atmospheric gas water heaters feature a 3-Year Limited Tank Warranty

Efficiency

- .62 EF

Performance

- FHR: 67 gallons for natural gas
- Recovery: 34.3 gallons at a 90 degree rise

Low Emissions

- Eco-friendly burner, low NOx design
- Meets 40 ng/J NOx requirements

Maintenance Free Burner System

- Exclusive air/fuel shut-off device
- Maintenance free – no filter to clean



Combustion Shut-off System



Flame Arrestor Plates



Maintenance Free

High Altitude Compliant

- Certified up to 8,400 ft. above sea level

Plus...


- Easy to light – no matches required
- Temperature and pressure relief valve included
- Low lead compliant

Warranty


- 3-Year limited tank and 1-year limited parts warranty*

*See Residential Warranty Certificate for complete information

Units meet or exceed ANSI requirements and have been tested according to D.O.E. procedures. Units meet or exceed the energy efficiency requirements of NAECA, ASHRAE standard 90, ICC Code and all state energy efficiency performance criteria.



Sure Comfort Atmospheric
40-Gallon Capacity
34,000 Btu/h
Natural Gas



FUEL TYPE	DESCRIPTION	GALLON CAPACITY	MODEL NUMBER	GAS INPUT IN THOUS. BTU/H	RECOVERY IN G.P.H. 90 RISE	FIRST HOUR DELIVERY G.P.H.	HT. TO VENT A	TANK HEIGHT B	DIAM. C	HT. TO GAS CONN. D	VENT SIZE E	WATER CONN. CENTER F	HT. TO SIDE T&P VALVE G	WATER CONN. SIZE H	SHIP WEIGHT (LBS)	ENERGY FACTOR
NAT. GAS	TALL	40	SCG40TD3ST34UD	34	34.3	67	81-1/2	58-1/2	18-1/2	14-1/4	3 or 4	8	52-1/4	3/4	126	0.62

Energy Factor based on D.O.E. (Department of Energy) test procedure.

Sure Comfort Water Heating • 101 Bell Road, Montgomery, Alabama 36117-4305

PRINTED IN U.S.A. 04 15 WP FORM NO. THD-3126SC

DIY Projects & Ideas

Credit Services

Pro Xtra

Store Finder

Order Status

Local Ad

Products and Services

What can we help you find?


Your Store Lander

Sign in or Register



Sure Comfort | Model # SCG40T03ST34U1 | Internet # 205811182 | Store SKU # 1001300425
40 Gal. Tall 3 Year 34,000 BTU Natural Gas Water Heater

★★★★★ (6) | Write a Review | Questions & Answers (19)



\$379.00 /each

- Provides ample hot water for households with 2-4 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM


Check Nearby Stores

Open Expanded View


Click Image to Zoom



FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$390.96**

ADD TO CART

This item: 40 Gal. Tall 3 Year 34,000 BTU Natural Gas Water Heater **\$379.00**

Everbilt 3/4 in. Galvanized Steel FIP x Sweat Dielectric Union

Everbilt 3/4 in. NPT x 63 in. Polypropylene Side-Mount Runoff Tube

PRODUCT OVERVIEW | Model # SCG40T03ST34U1 | Internet # 205811182 | Store SKU # 1001300425 | Store SO SKU # 1001231053

The Sure Comfort 40 Gal. Natural Gas Tall Water Heater comes with a 34,000 BTU/hour environmentally friendly low NOx burner that provides hot water for households with 2 to 4 people. The piezo ignition system ensures safe and easy startup. Its maintenance free combustion air intake system means there are no filters to clean and replace. A patented magnesium anode rod design protects the tanks from rust, providing longer tank life. Factory installed temperature and pressure relief valve and 3/4 in. water connections are included with the water heater for easy installation.

- California residents: due to requirements from air quality management districts in the state of California, please use the map below to confirm you live in an area that requires the purchase of ultra low-NOx water heaters
- 40 Gal. tank provides hot water for households with 2 to 4 people




- Piezo ignition system simplifies the startup process
- Rated for installations up to 8,400 ft.
- Narrow tank profile fits in a variety of indoor spaces
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra low NOx (ULN) requirements:



Feedback

CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- Alameda
- Contra Costa
- Fresno
- Kings
- Madera
- Marin
- Merced
- Napa
- Orange
- Sacramento
- San Francisco
- San Joaquin
- San Mateo
- Santa Barbara
- Santa Clara
- Solano
- Stanislaus
- Tulare
- Ventura
- Yolo
- Partial Counties**
- Kern
- Los Angeles
- Riverside
- San Bernardino
- Sonoma

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- Alpine
- Amador
- Butte
- Calaveras
- Colusa
- Del Norte
- El Dorado
- Glenn
- Humboldt
- Imperial
- Inyo
- Lake
- Lassen
- Mariposa
- Mendocino
- Modoc
- Mono
- Monterey
- Nevada
- Placer
- Plumas
- San Benito
- San Diego
- San Luis Obispo
- Santa Cruz
- Shasta
- Sierra
- Siskiyou
- Sutter
- Tehama
- Trinity
- Tuolumne
- Yuba

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoo/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice. As of 12/31/2014

SPECIFICATIONS
DIMENSIONS



Product Depth (in.)	18.5	Tank Valve Size (in.)	.75
Product Height (in.)	58.5	Water Connection Size (in.)	.75
Product Width (in.)	18.5		

DETAILS

Application Type	Residential	Product Weight (lb.)	125 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	34.4
Finish Family	White	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	40
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	LoNox,Overheat Protection,Pilot Light Window,Pilot Reset Button,Temperature Pressure Relief Valve
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	No Warranty
ENERGY STAR Certified	No	Part Warranty	3 Year

MORE PRODUCTS WITH THESE FEATURES

Price: **\$300 - \$400**

Brand: **Sure Comfort**

Tank Capacity (gallons): **36 - 46**

Water Heater Profile: **Tall**

Review Rating: **4 & Up**

Product Height (in.): **58.5**

Product Width (in.): **18.5**

SEARCH



DIY Projects & Ideas

Credit Services

Pro Xtra

Store Finder

Order Status

Local Ad

Products and Services

What can we help you find?

Your Store Lander


Sign in or Register



Rheem | Model # XG40So6EC34UoH | Internet # 206267851 | Store SKU # 1001471687

Performance 40 Gal. Short 6 Year 32,000 BTU Natural Gas High Altitude Water Heater

Write the First Review | Questions & Answers (1)



\$408.00 /each

- Provides ample hot water for households with 2-4 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

Open Expanded View

Click Image to Zoom




PRODUCT OVERVIEW Model # XG40So6EC34UoH | Internet # 206267851 | Store SKU # 1001471687 | Store SO SKU # 1001466156

The Rheem Performance 40 Gal. Natural Gas Short Water Heater comes with a 32,000 BTU/hour environmentally friendly Low NOx burner that provides ample hot water for households with 2 to 4 people. The push button ignition system ensures safe and easy startup. Its maintenance free combustion air intake system means there are no filters to clean and replace. The self-diagnostic gas control valve monitors system performance. A premium grade anode rod provides long lasting tank protection. Factory installed temperature and pressure relief valve and 3/4 in. water connections are included with the water heater for easy installation.

- California residents: Due to requirements from air quality management districts in the state of California, please use the map below to confirm whether you live in an area that requires the purchase of ultra low NOx water heaters
- 40 Gal. tank provides ample hot water for households with 2 to 4 people
- Natural gas water heater costs less to operate than electric models
- Delivers 67 Gal. of hot water in the first hour
- 6 year limited warranty on tank and parts for your convenience
- 1 year in home labor warranty for peace of mind
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Rated for installations from 2,000 ft. up to 8,400 ft.
- Short tank profile fits in a variety of indoor spaces
- Energy factor 0.62
- Designed for easy replacement of your existing water heater



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- **Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements.** Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- **Counties and areas not subject to Air Quality Management District ULN requirements at this time.**

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | <i>Partial Counties*</i> |
| Napa | Kern |
| Orange | Los Angeles |
| Sacramento | Riverside |
| San Francisco | San Bernardino |
| San Joaquin | Sonoma |
| San Mateo | |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014

SPECIFICATIONS

DIMENSIONS



Product Depth (in.)	21	Tank Valve Size (in.)	.75
Product Height (in.)	49.25	Water Connection Size (in.)	.75
Product Width (in.)	21		

DETAILS

Application Type	Residential	Product Weight (lb.)	120 lb
Finish Family	Gray	Recovery Rate at 90F Rise (gallons/hour)	34.3
Fuel Type	Gas	Returnable	90-Day
Gas Type	Natural Gas	Tank Capacity (gallons)	40
Indoor/Outdoor	Indoor	Water Connection Location	Top
Maximum Temperature (F)	160	Water Heater Features	Overheat Protection,Pilot Light Window,Pilot Reset Button, Temperature Pressure Relief Valve
Minimum Temperature (F)	45	Water Heater Profile	Short

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	1 Year
ENERGY STAR Certified	No	Part Warranty	6 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$400 - \$500 Brand: Rheem Tank Capacity (gallons): 36 - 46 Water Heater Profile: Short

Product Height (in.): 49.25 Product Width (in.): 21 Gas Type: Natural Gas

SEARCH



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?

Your Store Lander


Sign in or Register



Rheem Model # XG40T06EC36U1 Internet # 205811145 Store SKU # 1001300147

Performance 40 Gal. Tall 6 Year 36,000 BTU Natural Gas Water Heater

★★★★★ (104) Write a Review Questions & Answers (55)



\$439.00 /each

- Provides ample hot water for households with 2-4 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

IN STOCK AT YOUR SELECTED STORE

Lander #4702
Seattle, WA 98134


6 In Stock
Aisle 23, Bay 014
Text Product Location

Open Expanded View


Click Image to Zoom




FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$451.25**

ADD TO CART

This item: Performance 40 Gal. Tall 6 Year 36,000 BTU Natural Gas Water Heater **\$439.00**

Everbilt 3/4 in. Galvanized Steel FIP x Sweat Dielectric Union

Everbilt 3/4 in. Copper Pressure Cup x FIPT Female Adapter **\$4.27**

PRODUCT OVERVIEW Model # XG40T06EC36U1 Internet # 205811145 Store SKU # 1001300147 Store SO SKU # 1001231030

The Rheem Performance 40 Gal. Natural Gas Tall Water Heater comes with a 36,000 BTU/hour environmentally friendly low NOx burner that provides ample hot water for households with 2 to 4 people. The push button ignition system ensures safe and easy startup. Its maintenance free combustion air intake system means there are no filters to clean and replace. The self-diagnostic gas control valve monitors system performance. A premium grade anode rod provides long lasting tank protection. Factory installed temperature and pressure relief valve and 3/4 in. water connections are included with the water heater for easy installation.


- California residents: due to requirements from air quality management districts in the state of California, please use the map below to confirm w you live in an area that requires the purchase of ultra low NOx water heaters



- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Rated for installations up to 8,400 ft.
- Narrow tank profile fits in a variety of indoor spaces
- Energy factor 0.62
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- Alameda
- Contra Costa
- Fresno
- Kings
- Madera
- Marin
- Merced
- Napa
- Orange
- Sacramento
- San Francisco
- San Joaquin
- San Mateo
- Santa Barbara
- Santa Clara
- Solano
- Stanislaus
- Tulare
- Ventura
- Yolo
- Partial Counties**
- Kern
- Los Angeles
- Riverside
- San Bernardino
- Sonoma

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- Alpine
- Amador
- Butte
- Calaveras
- Colusa
- Del Norte
- El Dorado
- Glenn
- Humboldt
- Imperial
- Inyo
- Lake
- Lassen
- Mariposa
- Mendocino
- Modoc
- Mono
- Monterey
- Nevada
- Placer
- Plumas
- San Benito
- San Diego
- San Luis Obispo
- Santa Cruz
- Shasta
- Sierra
- Siskiyou
- Sutter
- Tehama
- Trinity
- Tuolumne
- Yuba

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.html>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice. As of 12/31/2014

SPECIFICATIONS

DIMENSIONS



Product Depth (in.)	19	Tank Valve Size (in.)	.75
Product Height (in.)	58.5	Water Connection Size (in.)	.75
Product Width (in.)	19		

DETAILS

Application Type	Residential	Product Weight (lb.)	127 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	36.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	40
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	LoNox,Overheat Protection,Pilot Light Window,Pilot Reset Button,Temperature Pressure Relief Valve
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	1 Year
ENERGY STAR Certified	No	Part Warranty	6 Year

MORE PRODUCTS WITH THESE FEATURES



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?

Your Store Lander


Sign in or Register



Rheem | Model # XG40S06EC34U0 | Internet # 205811152 | Store SKU # 1001300161

Performance 40 Gal. Short 6 Year 34,000 BTU Natural Gas Water Heater

★★★★★ (44) | Write a Review | Questions & Answers (19)



\$409.00 /each

- Provides ample hot water for households with 2-4 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM


Check Nearby Stores

Open Expanded View


Click Image to Zoom




FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$420.06**

ADD TO CART

This item: Performance 40 Gal. Short 6 Year 34,000 BTU Natural Gas Water Heater **\$409.00**

1/2 in. x 3/4 in. Copper Pressure Cup x FIPT Female Adapter **\$7.08**

Everbilt 3/4 in. NPT x 63 in. Polypropylene Side-Mount Runoff Tube

PRODUCT OVERVIEW Model # XG40S06EC34U0 | Internet # 205811152 | Store SKU # 1001300161 | Store SO SKU # 1001231036

The Rheem Performance 40 Gal. Natural Gas Short Water Heater comes with a 34,000 BTU/hour environmentally friendly low NOx burner that provides ample hot water for households with 2 to 4 people. The push button ignition system ensures safe and easy startup. Its maintenance free combustion air intake system means there are no filters to clean and replace. The self-diagnostic gas control valve monitors system performance. A premium grade anode rod provides long lasting tank protection. Factory installed temperature and pressure relief valve and 3/4 in. water connections are included with the water heater for easy installation.


- California residents: due to requirements from air quality management districts in the state of California, please use the map below to confirm w you live in an area that requires the purchase of ultra low NOx water heaters



- 1 year in home labor warranty for peace of mind
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Rated for installations up to 5,999 ft.
- Short tank profile fits in a variety of indoor spaces
- Energy factor 0.62
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- **Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements.** Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- **Counties and areas not subject to Air Quality Management District ULN requirements at this time.**

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | Partial Counties* |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/tapcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014

SPECIFICATIONS

DIMENSIONS



Product Depth (in.)	21	Tank Valve Size (in.)	.75
Product Height (in.)	49.25	Water Connection Size (in.)	.75
Product Width (in.)	21		

DETAILS

Application Type	Residential	Product Weight (lb.)	120 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	34.3
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	40
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	Overheat Protection,Pilot Light Window,Pilot Reset Button, Temperature Pressure Relief Valve
Maximum Temperature (F)	160	Water Heater Profile	Short
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	1 Year
ENERGY STAR Certified	No	Part Warranty	6 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$400 - \$500

Brand: Rheem

Tank Capacity (gallons): 36 - 46

Water Heater Profile: Short

Review Rating: 4 & Up

Product Height (in.): 49.25

Product Width (in.): 21

SEARCH



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?


Your Store Lander

Sign in or Register



Rheem Model # XG29T06EC32U1 Internet # 205811165 Store SKU # 1001300166 Performance 29 Gal. Tall 6 Year 32,000 BTU Natural Gas Water Heater

★★★★★ (15) Write a Review Questions & Answers (9)



\$435.00 /each

- Provides ample hot water for households with 1-2 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.


NEARBY STORES MAY HAVE THIS ITEM Check Nearby Stores

Open Expanded View

Click Image to Zoom




FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: \$454.24

ADD TO CART

This item: Performance 29 Gal. Tall 6 Year 32,000 BTU Natural Gas Water Heater \$435.00

Everbilt 3/4 in. FIP x 3/4 in. FIP x 2 ft. Copper Supply Line

Everbilt 3/4 in. Copper Pressure Cup x FIPT Female Adapter \$4.27

PRODUCT OVERVIEW Model # XG29T06EC32U1 Internet # 205811165 Store SKU # 1001300166 Store SO SKU # 1001231037


The Rheem Performance 29 Gal. Natural Gas Tall Water Heater comes with a 32,000 BTU/hour environmentally friendly low NOx burner that provides ample hot water for households with 1 to 2 people. A piezo ignition system enables safe and easy startup. A premium grade anode rod provides lasting tank protection. Factory installed temperature and pressure relief valve and 3/4 in. water connections are included with the water heater for installation.



- Delivers 50 Gal. of hot water in the first hour
- 6 year limited warranty on tank and parts for your convenience
- 1 year in home labor warranty for peace of mind
- 0.63 energy factor makes this one of the most efficient gas water heaters available
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Rated for installations up to 8,400 ft.
- Self-diagnostic gas valve monitors system performance
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | Partial Counties* |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	16.5	Tank Valve Size (in.)	.75
Product Height (in.)	56.5	Water Connection Size (in.)	.75
Product Width (in.)	16.5		

DETAILS

Application Type	Residential	Product Weight (lb.)	110 lb
Energy Factor	0.63	Recovery Rate at 90F Rise (gallons/hour)	32.3
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	29
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	LoNox,Overheat Protection,Pilot Light Window,Pilot Reset Button,Temperature Pressure Relief Valve
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	1 Year
ENERGY STAR Certified	No	Part Warranty	6 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$400 - \$500

Brand: Rheem

Tank Capacity (gallons): 26 - 36

Water Heater Profile: Tall

Review Rating: 4 & Up

Product Height (in.): 56.5

Product Width (in.): 16.5

SEARCH



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?


Your Store Lander

Sign in or Register



Rheem Model # XG30So6EC3oU1 Internet # 205811155 Store SKU # 1001300169
Performance 30 Gal. Short 6 Year 30,000 BTU Natural Gas Water Heater

★★★★☆ (6) Write a Review Questions & Answers (5)



\$479.00 /each

- Provides ample hot water for households with 1-2 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM


Check Nearby Stores

Open Expanded View


Click Image to Zoom




FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$486.59**

ADD TO CART

This item: Performance 30 Gal. Short 6 Year 30,000 BTU Natural Gas Water Heater **\$479.00**

1/2 in. x 3/4 in. Copper Pressure Cup x FIPT Female Adapter **\$7.08**

1/2 in. Copper Pressure Cup x Cup Coupling with Stop **\$0.51**

PRODUCT OVERVIEW Model # XG30So6EC3oU1 Internet # 205811155 Store SKU # 1001300169 Store SO SKU # 1001231039


The Rheem Performance 30 Gal. Natural Gas Short Water Heater comes with a 30,000 BTU/hour environmentally friendly low NOx burner that provides ample hot water for households with 1 to 2 people. A piezo ignition system enables safe and easy startup. A premium grade anode rod provides lasting tank protection. Factory installed temperature and pressure relief valve and 3/4 in. water connections are included with the water heater for installation.



- Delivers 50 Gal. of hot water in the first hour
- 6 year limited warranty on tank and parts for your convenience
- 1 year in home labor warranty for peace of mind
- 0.63 energy factor indicates an energy efficient water heater
- Maintenance free - no filter to clean or replace
- Piezo ignition system for no match lighting
- Rated for installations up to 8,400 ft.
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements. Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- Counties and areas not subject to Air Quality Management District ULN requirements at this time.

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | Partial Counties* |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



Feedback

SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	19.75	Tank Valve Size (in.)	.75
Product Height (in.)	46.25	Water Connection Size (in.)	.75
Product Width (in.)	19.75		

DETAILS

Application Type	Residential	Product Weight (lb.)	112 lb
Energy Factor	0.63	Recovery Rate at 90F Rise (gallons/hour)	30.3
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	30
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	LoNox,Overheat Protection,Pilot Light Window,Pilot Reset Button,Temperature Pressure Relief Valve
Maximum Temperature (F)	160	Water Heater Profile	Short
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	1 Year
ENERGY STAR Certified	No	Part Warranty	6 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$400 - \$500

Brand: Rheem

Tank Capacity (gallons): 26 - 36

Water Heater Profile: Short

Review Rating: 3 & Up

Product Height (in.): 46.25

Product Width (in.): 19.75

SEARCH



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?

Your Store Lander


Sign in or Register



Sure Comfort Model # SCG38To3UN38U1 Internet # 205810286 Store SKU # 1001304194

38 Gal. Tall 3 Year 38,000 BTU Ultra-Low-NOx Natural Gas Water Heater

★★★★★ (2) Write a Review Questions & Answers (3)



\$554.00 /each

- Provides ample hot water for households with 2-4 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM


Check Nearby Stores

Open Expanded View

Click Image to Zoom



FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$581.94**

ADD TO CART

This item: 38 Gal. Tall 3 Year 38,000 BTU Ultra-Low-NOx Natural Gas Water Heater **\$554.00**

Everbilt 3/4 in. FIP x 3/4 in. FIP x 2 ft. Copper Supply Line

Everbilt 3/4 in. FIP x 3/4 in. FIP x 1.5 ft. Copper Supply Line

PRODUCT OVERVIEW Model # SCG38To3UN38U1 Internet # 205810286 Store SKU # 1001304194 Store SO SKU # 1001230719


The Sure Comfort 38 Gal. Natural Gas Tall water heater comes with a 38,000 BTU/hour environmentally friendly Ultra-Low-NOx radiant burner that provides hot water for households with 2 to 4 people. The piezo ignition system ensures safe and easy startup. Its maintenance free combustion intake system means there are no filters to clean and replace. A patented magnesium anode rod design protects the tanks from rust, providing for tank life. Factory installed temperature and pressure relief valve and 3/4 in. water connections are included with the water heater for easy installation.



- Delivers 72 Gal. of hot water in the first hour
- 3 year limited warranty on tank and 1 year limited warranty on parts for your convenience
- Maintenance free - no filter to clean or replace
- Piezo ignition system simplifies the startup process
- Ultra low-NOx burner reduces emissions and meets California air quality management district requirements
- Narrow tank profile fits in a variety of indoor spaces
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra Low-NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- **Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements.** Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- **Counties and areas not subject to Air Quality Management District ULN requirements at this time.**

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | Partial Counties* |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/bapcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	19	Tank Valve Size (in.)	.75
Product Height (in.)	58	Water Connection Size (in.)	.75
Product Width (in.)	19		

DETAILS

Application Type	Residential	Product Weight (lb.)	132 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	38.4
Finish Family	White	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	38
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	Overheat Protection, Pilot Light Window, Pilot Reset Button, Temperature Pressure Relief Valve, Ultra LoNox
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified, FVIR Certified	Labor Warranty	No Warranty
ENERGY STAR Certified	No	Part Warranty	3 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$500 - \$600

Brand: Sure Comfort

Tank Capacity (gallons): 36 - 46

Water Heater Profile: Tall

Review Rating: 4 & Up

Product Height (in.): 58

Product Width (in.): 19

SEARCH



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?

Your Store Lander


Sign in or Register



Rheem Model # XG28T06EN30U1 Internet # 205810257 Store SKU # 1001304164

Performance 28 Gal. Tall 6 Year 30,000 BTU Ultra Low NOx Natural Gas Water Heater

Write a Review Questions & Answers (1)



\$489.00 /each

- Provides ample hot water for households with 1-2 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM


Check Nearby Stores

Open Expanded View

Click Image to Zoom



FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: \$516.94

ADD TO CART

This item: Performance 28 Gal. Tall 6 Year 30,000 BTU Ultra Low NOx Natural Gas Water Heater \$489.00

Everbilt 3/4 in. FIP x 3/4 in. FIP x 2 ft. Copper Supply Line

Everbilt 3/4 in. FIP x 3/4 in. FIP x 1.5 ft. Copper Supply Line

PRODUCT OVERVIEW Model # XG28T06EN30U1 Internet # 205810257 Store SKU # 1001304164 Store SO SKU # 1001230707


The Rheem Performance 28 Gal. Natural Gas Tall water heater comes with a 30,000 BTU/hour environmentally friendly Ultra Low NOx radiant burner that provides ample hot water for households with 1 to 2 people. The push button ignition system ensures safe and easy startup. Its maintenance-free combustion air intake system means there are no filters to clean and replace. The self diagnostic gas control valve monitors system performance.



- Natural gas water heater costs less to operate than electric models
- Delivers 53 Gal. of hot water in the first hour
- 6 year limited warranty on tank and parts for your convenience
- 1 year in home labor warranty for peace of mind
- 0.63 energy factor makes this one of the most efficient gas water heaters available
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Ultra low NOx burner reduces emissions and meets California air quality management district requirements
- Designed for easy replacement of your existing water heater
- Rated for installations up to 5,999 ft.
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra Low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements. Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- Counties and areas not subject to Air Quality Management District ULN requirements at this time.

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | <i>Partial Counties*</i> |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



Feedback

SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	16.5	Tank Valve Size (in.)	.75
Product Height (in.)	56.25	Water Connection Size (in.)	.75
Product Width (in.)	16.5		

DETAILS

Application Type	Residential	Product Weight (lb.)	108 lb
Energy Factor	0.63	Recovery Rate at 90F Rise (gallons/hour)	30.3
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	28
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	Overheat Protection,Pilot Light Window,Pilot Reset Button, Temperature Pressure Relief Valve,Ultra LoNox
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	1 Year
ENERGY STAR Certified	No	Part Warranty	6 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$400 - \$500

Brand: Rheem

Tank Capacity (gallons): 26 - 36

Water Heater Profile: Tall

Review Rating: 2 & Up

Product Height (in.): 56.25

Product Width (in.): 16.5

SEARCH



Feedback

DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?


Your Store Lander

Sign in or Register



Rheem Model # XG40S12HE38U0 Internet # 204697832 Store SKU # 1000035078 Performance Platinum 40 Gal. Short 12 Year 38,000 BTU High Efficiency Natural Gas Water Heater

★★★★★ (247) Write a Review Questions & Answers (15)



\$648.00 /each

- Provides ample hot water for households with 2-4 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.


NEARBY STORES MAY HAVE THIS ITEM
Check Nearby Stores

Open Expanded View


Click Image to Zoom




FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$655.59**

ADD TO CART

This item: Performance Platinum 40 Gal. Short 12 Year 38,000 BTU High Efficiency Natural Gas Water Heater **\$648.00**

1/2 in. x 3/4 in. Copper Pressure Cup x FIPT Female Adapter **\$7.08**

1/2 in. Copper Pressure Cup x Cup Coupling with Stop **\$0.51**

PRODUCT OVERVIEW Model # XG40S12HE38U0 Internet # 204697832 Store SKU # 1000035078 Store SO SKU # 1001020890


The Rheem Performance Platinum 40 Gal. Natural Gas Short Water Heater comes with a 38,000 BTU/hour environmentally friendly Low NOx burner that provides ample hot water for households with 2 to 4 people. The push button ignition system ensures safe and easy startup. Its maintenance-free combustion air intake system means there are no filters to clean and replace. The self-diagnostics gas control valve monitors system performance.



- Due to ultra-low NOx requirements from air quality management districts in the state of California, please confirm that your shipping zip code is not restricted from the use of items that do not meet local qualifications
- 40 Gal. tank provides ample hot water for households with 2 to 4 people
- Natural gas water heater costs less to operate than electric models
- Delivers 72 Gal. of hot water in the first hour
- 12 year limited warranty on tank and parts for your convenience
- 3 year in home labor warranty for peace of mind
- 0.62 energy factor makes this one of the most efficient gas water heaters available
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra Low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- **Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements.** Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- **Counties and areas not subject to Air Quality Management District ULN requirements at this time.**

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | <i>Partial Counties*</i> |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/apcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	21.50	Tank Valve Size (in.)	.75
Product Height (in.)	50.25	Water Connection Size (in.)	.75
Product Width (in.)	21.50		

DETAILS

Application Type	Residential	Product Weight (lb.)	125 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	38.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	40
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	LoNox,Overheat Protection,Pilot Light Window,Pilot Reset Button,Self Cleaning,Temperature Pressure Relief Valve
Maximum Temperature (F)	160	Water Heater Profile	Short
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	3 Year
ENERGY STAR Certified	No	Part Warranty	12 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$400 - \$500	Brand: Rheem	Tank Capacity (gallons): 36 - 46	Water Heater Profile: Short
Review Rating: 4 & Up	Product Height (in.): 50.25	Product Width (in.): 21.50	
<input type="button" value="SEARCH"/>			



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?


Your Store Lander

Sign in or Register



Rheem Model # XG38T06EN38U1 Internet # 205810268 Store SKU # 1001304172 Performance 38 Gal. Tall 6 Year 38,000 BTU Ultra Low NOx Natural Gas Water Heater

★★★★★ (8) Write a Review Questions & Answers (3)



\$498.00 /each

- Provides ample hot water for households with 2-4 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM


Check Nearby Stores

Open Expanded View

Click Image to Zoom



FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$525.94**

ADD TO CART

This item: Performance 38 Gal. Tall 6 Year 38,000 BTU Ultra Low NOx Natural Gas Water Heater **\$498.00**

Everbilt 3/4 in. FIP x 3/4 in. FIP x 2 ft. Copper Supply Line

Everbilt 3/4 in. FIP x 3/4 in. FIP x 1.5 ft. Copper Supply Line

PRODUCT OVERVIEW Model # XG38T06EN38U1 Internet # 205810268 Store SKU # 1001304172 Store SO SKU # 1001230708


The Rheem Performance 38 Gal. Natural Gas Tall water heater comes with a 38,000 BTU/hour environmentally friendly Ultra Low NOx radiant burner that provides ample hot water for households with 2 to 4 people. The push button ignition system ensures safe and easy startup its maintenance friendly combustion air intake system means there are no filters to clean and replace. The self-diagnostics gas control valve monitors system performance.



- Natural gas water heater costs less to operate than electric models
- Delivers 67 Gal. of hot water in the first hour
- 6 year limited warranty on tank and parts for your convenience
- 1 year in home labor warranty for peace of mind
- 0.62 energy factor indicates an energy efficient water heater
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Ultra low NOx burner reduces emissions and meets California air quality management district requirements
- Designed for easy replacement of your existing water heater
- Rated for installations up to 5,999 ft.
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra Low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- **Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements. Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.**
- **Counties and areas not subject to Air Quality Management District ULN requirements at this time.**

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | <i>Partial Counties*</i> |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	19	Tank Valve Size (in.)	.75
Product Height (in.)	58	Water Connection Size (in.)	.75
Product Width (in.)	19		

DETAILS

Application Type	Residential	Product Weight (lb.)	132 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	38.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	38
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	Overheat Protection,Pilot Light Window,Pilot Reset Button, Temperature Pressure Relief Valve,Ultra LoNox
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	1 Year
ENERGY STAR Certified	No	Part Warranty	6 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$500 - \$600

Brand: Rheem

Tank Capacity (gallons): 36 - 46

Water Heater Profile: Tall

Review Rating: 2 & Up

Product Height (in.): 58

Product Width (in.): 19

SEARCH



Feedback

DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?


Your Store Lander

Sign in or Register



Rheem | Model # XG40S09HE38U0 | Internet # 204697829 | Store SKU # 1000035197 Performance Plus 40 Gal. Short 9 Year 38,000 BTU High Efficiency Natural Gas Water Heater

★★★★★ (316) | Write a Review | Questions & Answers (16)



\$516.00 /each

- Provides ample hot water for households with 2-4 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

IN STOCK AT YOUR SELECTED STORE

Lander #4702
Seattle, WA 98134


6 In Stock
Aisle 23, Bay 014
Text Product Location

Open Expanded View


Click Image to Zoom




FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$527.06**

ADD TO CART

This item: Performance Plus 40 Gal. Short 9 Year 38,000 BTU High Efficiency Natural Gas Water Heater **\$516.00**

1/2 in. x 3/4 in. Copper Pressure Cup x FIPT Female Adapter **\$7.08**

Everbilt 3/4 in. NPT x 63 in. Polypropylene Side-Mount Runoff Tube

PRODUCT OVERVIEW | Model # XG40S09HE38U0 | Internet # 204697829 | Store SKU # 1000035197 | Store SO SKU # 1001020788


The Rheem Performance Plus 40 Gal. Natural Gas Short Water Heater comes with a 38,000 BTU/hour environmentally friendly low NOx burner that provides ample hot water for households with 2 to 4 people. The push button ignition system ensures safe and easy startup. Its maintenance free combustion air intake system means there are no filters to clean and replace. The self-diaagnostic gas control valve monitors system performance.



- Due to ultra low NOx requirements from air quality management districts in the state of California, please confirm that your shipping zip code is not restricted from the use of items that do not meet local qualifications
- 40 Gal. tank provides ample hot water for households with 2 to 4 people
- Natural gas water heater costs less to operate than electric models
- Delivers 71 Gal. of hot water in the first hour
- 9 year limited warranty on tank and parts for your convenience
- 2 year in home labor warranty for peace of mind
- 0.62 energy factor makes this one of the most efficient gas water heaters available
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements. Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- Counties and areas not subject to Air Quality Management District ULN requirements at this time.

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | <i>Partial Counties*</i> |
| Napa | Kern |
| Orange | Los Angeles |
| Sacramento | Riverside |
| San Francisco | San Bernardino |
| San Joaquin | Sonoma |
| San Mateo | |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	21.50	Tank Valve Size (in.)	.75
Product Height (in.)	50.25	Water Connection Size (in.)	.75
Product Width (in.)	21.50		

DETAILS

Application Type	Residential	Product Weight (lb.)	125 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	38.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	40
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	LoNox, Overheat Protection, Pilot Light Window, Pilot Reset Button, Self Cleaning, Temperature Pressure Relief Valve
Maximum Temperature (F)	160	Water Heater Profile	Short
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified, FVIR Certified	Labor Warranty	2 Year
ENERGY STAR Certified	No	Part Warranty	9 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$500 - \$600

Brand: Rheem

Tank Capacity (gallons): 36 - 46

Water Heater Profile: Short

Review Rating: 4 & Up

Product Height (in.): 50.25

Product Width (in.): 21.50

SEARCH



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?

Your Store Lander


Sign in or Register



Rheem | Model # XG50To6HE40U0 | Internet # 204298980 | Store SKU # 1000034916

Performance 50 Gal. Tall 6 Year 40,000 BTU High Efficiency Natural Gas Water Heater

★★★★★ (484) | Write a Review | Questions & Answers (8)



\$548.29 /each

- Provides ample hot water for households with 3-5 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM


Check Nearby Stores

Open Expanded View

Click Image to Zoom




FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$557.68**

ADD TO CART

This item: Performance 50 Gal. Tall 6 Year 40,000 BTU High Efficiency Natural Gas Water Heater **\$548.29**

3/4 in. x 3/4 in. Copper 90-Degree Cup x Cup Pressure Elbow **\$1.41**

Everbilt 3/4 in. Galvanized Steel FIP x Sweat Dielectric Union

PRODUCT OVERVIEW

Model # XG50To6HE40U0 | Internet # 204298980 | Store SKU # 1000034916 | Store SO SKU # 1001020807


The Rheem Performance 50 Gal. Natural Gas Tall Water Heater comes with a 40,000 BTU/hour environmentally friendly low NOx burner that pro...



- California residents: due to requirements from air quality management districts in the state of California, please use the map below to confirm whether you live in an area that requires the purchase of ultra low NOx water heaters
- 50 Gal. tank provides ample hot water for households with 3 to 5 people
- Natural gas water heater costs less to operate than electric models
- Delivers 83 Gal. of hot water in the first hour
- 6 year limited warranty on tank and parts for your convenience
- 1 year in home labor warranty for peace of mind
- 0.62 energy factor makes this one of the most efficient gas water heaters available
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Rated for installations up to 8,500 ft.
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | <i>Partial Counties*</i> |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	21.50	Tank Valve Size (in.)	.75
Product Height (in.)	59.25	Water Connection Size (in.)	.75
Product Width (in.)	21.50		

DETAILS

Application Type	Residential	Product Weight (lb.)	165 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	40.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	50
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	LoNox,Overheat Protection,Pilot Light Window,Pilot Reset Button,Temperature Pressure Relief Valve
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	1 Year
ENERGY STAR Certified	No	Part Warranty	6 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$500 - \$600

Brand: Rheem

Tank Capacity (gallons): 46 - 56

Water Heater Profile: Tall

Review Rating: 4 & Up

Product Height (in.): 59.25

Product Width (in.): 21.50

SEARCH



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?

Your Store Lander


Sign in or Register



Rheem Model # XG38S06EN36U1 Internet # 205810279 Store SKU # 1001304177

Performance 38 Gal. Short 6 Year 36,000 BTU Ultra Low-NOx Natural Gas Water Heater

Write the First Review Questions & Answers (2)



\$509.00 /each

- Provides ample hot water for households with 2-4 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM


Check Nearby Stores

Open Expanded View

Click Image to Zoom



FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$536.75**

ADD TO CART

This item: Performance 38 Gal. Short 6 Year 36,000 BTU Ultra Low-NOx Natural Gas Water Heater **\$509.00**

Everbilt 3/4 in. FIP x 3/4 in. FIP x 2 ft. Copper Supply Line

Everbilt 3/4 in. FIP x 3/4 in. FIP x 2 ft. Stainless Steel Water Heater Supply Line

PRODUCT OVERVIEW Model # XG38S06EN36U1 Internet # 205810279 Store SKU # 1001304177 Store SO SKU # 1001230713


The Rheem Performance 38 Gal. Natural Gas Tall 36,000 BTU/hour environmentally friendly Ultra Low-NOx radiant burner that provides ample hot water for households with 2 to 4 people. A piezo ignition system enables safe and easy startup. Its maintenance free combustion air intake system means there are no filters to clean and replace. A premium grade anode rod provides long-lasting tank protection. Factory installed temperature a...



- Natural gas water heater costs less to operate than electric models
- Delivers 68 Gal. of hot water in the first hour
- 6 year limited warranty on tank and parts for your convenience
- 1 year in home labor warranty for peace of mind
- Meets or exceeds NAECA requirements
- 0.62 energy factor indicates an energy efficient water heater
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Ultra low-NOx burner reduces emissions and meets California air quality management district requirements
- Requires standard 110-Volt electrical outlet (3-prong grounded) for installation
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra Low-NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- **Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements.** Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- **Counties and areas not subject to Air Quality Management District ULN requirements at this time.**

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | Partial Counties* |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	21	Tank Valve Size (in.)	.75
Product Height (in.)	49.25	Water Connection Size (in.)	.75
Product Width (in.)	21		

DETAILS

Application Type	Residential	Product Weight (lb.)	127 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	36.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	38
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	Overheat Protection,Pilot Light Window,Pilot Reset Button, Temperature Pressure Relief Valve,Ultra LoNox
Maximum Temperature (F)	160	Water Heater Profile	Short
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	1 Year
ENERGY STAR Certified	No	Part Warranty	6 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$500 - \$600

Brand: Rheem

Tank Capacity (gallons): 36 - 46

Water Heater Profile: Short

Product Height (in.): 49.25

Product Width (in.): 21

Gas Type: Natural Gas

SEARCH



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?

Your Store Lander


Sign in or Register



Rheem | Model # XG40S12DM40U0 | Internet # 204321568 | Store SKU # 1000034935

Performance Platinum 40 Gal. Short 12 Year 40,000 BTU ENERGY STAR Natural Gas Water Heater

★★★★☆ (67) | Write a Review | Questions & Answers (9)



\$634.00 /each

- Provides ample hot water for households with 2-4 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM

Check Nearby Stores



.67 EF

ESTAR

Open Expanded View

Click Image to Zoom



FREQUENTLY BOUGHT TOGETHER



Price for all three: **\$641.59**

ADD TO CART

This item: Performance Platinum 40 Gal. Short 12 Year 40,000 BTU ENERGY STAR Natural Gas Water Heater **\$634.00**

1/2 in. x 3/4 in. Copper Pressure Cup x FIPT Female Adapter **\$7.08**

1/2 in. Copper Pressure Cup x Cup Coupling with Stop **\$0.51**

PRODUCT OVERVIEW Model # XG40S12DM40U0 | Internet # 204321568 | Store SKU # 1000034935 | Store SO SKU # 1001020801


The Rheem Performance Platinum 40 Gal. Natural Gas Short Water Heater comes with a 40,000 BTU/hour environmentally friendly Low NOx burner that provides ample hot water for households with 2 to 4 people. The electronic ignition system eliminates the standing pilot light, saves energy and monitors system performance. Its maintenance free combustion air intake system means there are no filters to clean and replace. A premium grade...



- 40 Gal. tank provides ample hot water for households with 2 to 4 people
- Natural gas water heater costs less to operate than electric models
- Delivers 72 Gal. of hot water in the first hour
- 12 year limited warranty on tank and parts for your convenience
- 3 year in home labor warranty for peace of mind
- 0.67 energy factor indicates an energy star qualified water heater
- Maintenance free - no filter to clean or replace
- Electronic ignition system simplifies the startup process and eliminates the need for a pilot light
- Electronic diagnostic gas valve monitors system performance
- Rated for installations up to 10,100 ft.
- Requires standard 110-Volt electrical outlet (3-prong grounded) for installation
- Wi-Fi compatible with the purchase of Rheem EcoNet home comfort Wi-Fi module (sold separately) for gas water heaters (Wi-Fi model # REWRA631GWH)
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra Low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- **Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements.** Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- **Counties and areas not subject to Air Quality Management District ULN requirements at this time.**

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | <i>Partial Counties*</i> |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	21.75	Tank Valve Size (in.)	.75
Product Height (in.)	50.5	Water Connection Size (in.)	.75
Product Width (in.)	21.75		

DETAILS

Application Type	Residential	Product Weight (lb.)	140 lb
Energy Factor	0.67	Recovery Rate at 90F Rise (gallons/hour)	40.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	40
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	LoNox,Overheat Protection,Self Cleaning,Temperature Pressure Relief Valve,WiFi
Maximum Temperature (F)	160	Water Heater Profile	Short
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	3 Year
ENERGY STAR Certified	Yes	Part Warranty	12 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$600 - \$700

Brand: Rheem

Tank Capacity (gallons): 36 - 46

Water Heater Profile: Short

Review Rating: 4 & Up

Product Height (in.): 50.5

Product Width (in.): 21.75

SEARCH



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?


Your Store Lander

Sign in or Register



Rheem | Model # XG40T09HE40U0 | Internet # 204698000 | Store SKU # 1000035200 Performance Plus 40 Gal. Tall 9 Year 40,000 BTU High Efficiency Natural Gas Water Heater

★★★★★ (377) | Write a Review | Questions & Answers (30)



\$536.00 /each

- Provides ample hot water for households with 2-4 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

IN STOCK AT YOUR SELECTED STORE

Lander #4702
Seattle, WA 98134


4 In Stock
Aisle 23, Bay 014
Text Product Location

Open Expanded View


Click Image to Zoom




FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$561.96**

ADD TO CART

This item: Performance Plus 40 Gal. Tall 9 Year 40,000 BTU High Efficiency Natural Gas Water Heater **\$536.00**

Everbilt 3/4 in. Galvanized Steel FIP x Sweat Dielectric Union

Everbilt 22 in. Aluminum Drain Pan **\$17.98**

PRODUCT OVERVIEW | Model # XG40T09HE40U0 | Internet # 204698000 | Store SKU # 1000035200 | Store SO SKU # 100011159

The Rheem Performance Plus 40 Gal. Natural Gas Tall Water Heater comes with a 40,000 BTU/hour environmentally friendly low NOx burner that provides ample hot water for households with two to four people. The push button ignition system ensures safe and easy startup. Its maintenance combustion air intake system means there are no filters to clean and replace. The self-dianostic gas control valve monitors system performance.




- Due to ultra low NOx requirements from air quality management districts in the state of California, please confirm that your shipping zip code is not restricted from the use of items that do not meet local qualifications
- Natural gas water heater costs less to operate than electric models
- Delivers 71 Gal. of hot water in the first hour
- 9 year limited warranty on tank and parts for your convenience
- 2-year in home labor warranty for peace of mind
- 0.62 energy factor makes this one of the most efficient gas water heaters available
- Maintenance free - no filter to clean or replace
- Self-diagnostic gas valve monitors system performance
- Designed for easy replacement of your existing water heater
- Rated for installations up to 10,200 ft.
- Want it installed? Call 1-855-400-2552 before noon for same-day service in most areas, or visit our Water Heater Installation page for more information."
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra low NOx (ULN) requirements:



Feedback

CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- **Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements.** Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- **Counties and areas not subject to Air Quality Management District ULN requirements at this time.**

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | <i>Partial Counties*</i> |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/bapcda/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	19.50	Tank Valve Size (in.)	.75
Product Height (in.)	60.25	Water Connection Size (in.)	.75
Product Width (in.)	19.50		

DETAILS

Application Type	Residential	Product Weight (lb.)	135 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	40.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	40
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	LoNox, Overheat Protection, Pilot Light Window, Pilot Reset Button, Self Cleaning, Temperature Pressure Relief Valve
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	40		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified, FVIR Certified	Labor Warranty	2 Year
ENERGY STAR Certified	No	Part Warranty	9 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$500 - \$600	Brand: Rheem	Tank Capacity (gallons): 36 - 46	Water Heater Profile: Tall
Review Rating: 4 & Up	Product Height (in.): 60.25	Product Width (in.): 19.50	
<input type="button" value="SEARCH"/>			





Rheem | Model # XG50S06EC40U1 | Internet # 205811178 | Store SKU # 1001300196

Performance 50 Gal. Short 6 Year 40,000 BTU Natural Gas Water Heater

★★★★★ (6) | Write a Review | Questions & Answers (6)



\$529.00 /each

- Provides ample hot water for households with 3-5 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM

Check Nearby Stores

60EF

Open Expanded View


Click Image to Zoom



FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$537.25**

ADD TO CART

This item: Performance 50 Gal. Short 6 Year 40,000 BTU Natural Gas Water Heater **\$529.00**

Everbilt 3/4 in. Copper Pressure Cup x FIPT Female Adapter **\$4.27**

Everbilt 3/4 in. NPT x 63 in. Polypropylene Side-Mount Runoff Tube

PRODUCT OVERVIEW

Model # XG50S06EC40U1

Internet # 205811178

Store SKU # 1001300196

Store SO SKU # 1001231044

The Rheem Performance 50 Gal. Natural Gas Short Water Heater comes with a 40,000 BTU/hour environmentally friendly Low NOx burner that provides ample hot water for households with 3 to 5 people. A piezo ignition system enables safe and easy startup. A premium grade anode rod provides long-lasting tank protection. Factory installed temperature and pressure relief valve and 3/4 in. water connections are included with the heater for easy installation.




- Delivers 82 Gal. of hot water in the first hour
- 6 year limited warranty on tank and parts for your convenience
- 1 year in home labor warranty for peace of mind
- 0.60 energy factor indicates an energy efficient water heater
- Maintenance free - no filter to clean or replace
- Piezo ignition system for no match lighting
- Rated for installations up to 5,999 ft.
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra Low NOx (ULN) requirements:



Feedback

CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements. Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- Counties and areas not subject to Air Quality Management District ULN requirements at this time.

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | <i>Partial Counties*</i> |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/bapcoo/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	23.75	Tank Valve Size (in.)	.75
Product Height (in.)	51	Water Connection Size (in.)	.75
Product Width (in.)	23.75		

DETAILS

Application Type	Residential	Product Weight (lb.)	186 lb
Energy Factor	0.61	Recovery Rate at 90F Rise (gallons/hour)	40.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	50
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	Overheat Protection, Pilot Light Window, Pilot Reset Button, Temperature Pressure Relief Valve
Maximum Temperature (F)	160	Water Heater Profile	Short
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified, FVIR Certified	Labor Warranty	1 Year
ENERGY STAR Certified	No	Part Warranty	6 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$500 - \$600

Brand: Rheem

Tank Capacity (gallons): 46 - 56

Water Heater Profile: Short

Review Rating: 4 & Up

Product Height (in.): 51


Product Width (in.): 23.75

SEARCH





Feedback

DIY Projects & Ideas ▼ Credit Services Pro Xtra Store Finder Order Status Local Ad

 Products and Services

What can we help you find?


 Your Store Lander

 Sign in or Register



Rheem | Model # XG40S06HE38U0 | Internet # 204321639
Performance 40 Gal. Short 6 Year 38,000 BTU Natural Gas Water Heater

★★★★★ (479) | [Write a Review](#) | [Questions & Answers \(3\)](#)



\$533.37 /each

- Provides ample hot water for households with 2-4 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

PRODUCT NOT SOLD IN STORES

[Open Expanded View](#)

[Click Image to Zoom](#)




PRODUCT OVERVIEW Model # XG40S06HE38U0 | Internet # 204321639 | Store SO SKU # 1001020808

The Rheem Performance 40 Gal. Natural Gas Short Water Heater comes with a 38,000 BTU/hour environmentally friendly Low NOx burner that provides ample hot water for households with 2 to 4 people. The push button ignition system ensures safe and easy startup. Its maintenance free combustion air intake system means there are no filters to clean and replace. The self-diagnostic gas control valve monitors system performance. A premium grade anode rod provides long lasting tank protection. Factory installed temperature and pressure relief valve and 3/4 in. water connections are included with the water heater for easy installation.

- California residents: due to requirements from air quality management districts in the state of California, please use the map below to confirm whether you live in an area that requires the purchase of ultra low NOx water heaters
- 40 Gal. tank provides ample hot water for households with 2 to 4 people
- Delivers 68 Gal. of hot water in the first hour
- 6 year limited warranty on tank and parts for your convenience
- 1 year in home labor warranty for peace of mind
- 0.62 energy factor makes this one of the most efficient gas water heaters available
- Maintenance free - no filter to clean or replace
- Piezo ignition system for no match lighting
- Rated for installations up to 10,200 ft.
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | <i>Partial Counties*</i> |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/bapcoo/rosto.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	21.5	Tank Valve Size (in.)	.75
Product Height (in.)	50.25	Water Connection Size (in.)	.75
Product Width (in.)	21.5		

DETAILS

Application Type	Residential	Product Weight (lb.)	125 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	38.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	40
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	LoNox,Overheat Protection,Pilot Light Window,Pilot Reset Button,Temperature Pressure Relief Valve
Maximum Temperature (F)	160	Water Heater Profile	Short
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	1 Year
ENERGY STAR Certified	No	Part Warranty	6 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$500 - \$600	Brand: Rheem	Tank Capacity (gallons): 36 - 46	Water Heater Profile: Short
Review Rating: 4 & Up	Product Height (in.): 50.25	Product Width (in.): 21.5	
<input type="button" value="SEARCH"/>			



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?


Your Store Lander

Sign in or Register



Rheem Model # XG40T12HE40Uo Internet # 204697784 Store SKU # 1000034940 Performance Platinum 40 Gal. Tall 12 Year 40,000 BTU High Efficiency Natural Gas Water Heater

★★★★☆ (274) Write a Review Questions & Answers (24)



\$629.00 /each

- Provides ample hot water for households with 2-4 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM


Check Nearby Stores

Open Expanded View

Click Image to Zoom




FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$651.25**

ADD TO CART

This item: Performance Platinum 40 Gal. Tall 12 Year 40,000 BTU High Efficiency Natural Gas Water Heater **\$629.00**

22 in. I.D. Aluminum Water Heater Drain Pan with PVC Fitting

Everbilt 3/4 in. Copper Pressure Cup x FIPT Female Adapter **\$4.27**

PRODUCT OVERVIEW Model # XG40T12HE40Uo Internet # 204697784 Store SKU # 1000034940 Store SO SKU # 1001020882


The Rheem Performance Platinum 40 Gal. Natural Gas Tall Water Heater comes with a 40,000 BTU/hour environmentally friendly low NOx burner provides ample hot water for households with 2 to 4 people. The push button ignition system ensures safe and easy startup. Its maintenance free combustion air intake system means there are no filters to clean and replace. The self-diaanostic gas control valve monitors system performance...



- Due to ultra low NOx requirements from air quality management districts in the state of California, please confirm that your shipping zip code is not restricted from the use of items that do not meet local qualifications
- Delivers 73 Gal. of hot water in the first hour
- 12 year limited warranty on tank and parts for your convenience
- 3 year in home labor warranty for peace of mind
- 0.62 energy factor makes this one of the most efficient gas water heaters available
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Designed for easy replacement of your existing water heater
- Rated for installations up to 10,200 ft.
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | <i>Partial Counties*</i> |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tahama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	19.5	Tank Valve Size (in.)	.75
Product Height (in.)	60.25	Water Connection Size (in.)	.75
Product Width (in.)	19.5		

DETAILS

Application Type	Residential	Product Weight (lb.)	135 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	40.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	40
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	LoNox,Overheat Protection,Pilot Light Window,Pilot Reset Button,Self Cleaning,Temperature Pressure Relief Valve
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	3 Year
ENERGY STAR Certified	No	Part Warranty	12 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$600 - \$700

Brand: Rheem

Tank Capacity (gallons): 36 - 46

Water Heater Profile: Tall

Review Rating: 4 & Up

Product Height (in.): 60.25

Product Width (in.): 19.5

SEARCH






Rheem | Model # XG48To6EN40U1 | Internet # 205810260 | Store SKU # 1001304173

Performance 48 Gal. Tall 6 Year 40,000 BTU Ultra Low-NOx Natural Gas Water Heater

★★★★★ (8) | Write a Review | Questions & Answers (1)



\$564.00 /each

- Provides ample hot water for households with 3-5 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM

Check Nearby Stores

60 EF

Open Expanded View

Click Image to Zoom



FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$591.75**

ADD TO CART

This item: Performance 48 Gal. Tall 6 Year 40,000 BTU Ultra Low-NOx Natural Gas Water Heater **\$564.00**

Everbilt 3/4 in. FIP x 3/4 in. FIP x 2 ft. Copper Supply Line

Everbilt 3/4 in. FIP x 3/4 in. FIP x 2 ft. Stainless Steel Water Heater Supply Line

PRODUCT OVERVIEW Model # XG48To6EN40U1 | Internet # 205810260 | Store SKU # 1001304173 | Store SO SKU # 1001230709

The Rheem Performance 48 Gal. Natural Gas Tall 40,000 BTU/hour environmentally friendly Ultra Low-NOx radiant burner that provides ample hot water for households with 3 to 5 people. The push button ignition system ensures safe and easy startup. Its maintenance free combustion air intake system means there are no filters to clean and replace. The self diagnostic control valve monitors system performance. A premium grade anode rod provides long lasting tank protection. Factory installed temperature and pressure relief valve and 3/4 in. water connections are included with the wa




- Natural gas water heater costs less to operate than electric models
- Delivers 80 Gal. of hot water in the first hour
- 6 year limited warranty on tank and parts for your convenience
- 1 year in home labor warranty for peace of mind
- 0.60 energy factor indicates an energy efficient water heater
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Ultra low-NOx burner reduces emissions and meets California air quality management district requirements
- Designed for easy replacement of your existing water heater
- Rated for installations up to 5,999 ft.
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra Low-NOx (ULN) requirements:



Feedback

CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- **Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements. Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.**
- **Counties and areas not subject to Air Quality Management District ULN requirements at this time.**

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- Alameda
- Contra Costa
- Fresno
- Kings
- Madera
- Marin
- Merced
- Napa
- Orange
- Sacramento
- San Francisco
- San Joaquin
- San Mateo
- Santa Barbara
- Santa Clara
- Solano
- Stanislaus
- Tulare
- Ventura
- Yolo
- Partial Counties**
- Kern
- Los Angeles
- Riverside
- San Bernardino
- Sonoma

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- Alpine
- Amador
- Butte
- Calaveras
- Colusa
- Del Norte
- El Dorado
- Glenn
- Humboldt
- Imperial
- Inyo
- Lake
- Lassen
- Mariposa
- Mendocino
- Modoc
- Mono
- Monterey
- Nevada
- Placer
- Plumas
- San Benito
- San Diego
- San Luis Obispo
- Santa Cruz
- Shasta
- Sierra
- Siskiyou
- Sutter
- Tehama
- Trinity
- Tuolumne
- Yuba

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	20.5	Tank Valve Size (in.)	.75
Product Height (in.)	58	Water Connection Size (in.)	.75
Product Width (in.)	20.5		

DETAILS

Application Type	Residential	Product Weight (lb.)	139 lb
Energy Factor	0.6	Recovery Rate at 90F Rise (gallons/hour)	40.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	48
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	Overheat Protection,Pilot Light Window,Pilot Reset Button, Temperature Pressure Relief Valve,Ultra LoNox
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	1 Year
ENERGY STAR Certified	No	Part Warranty	6 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$500 - \$600

Brand: Rheem

Tank Capacity (gallons): 46 - 56

Water Heater Profile: Tall

Review Rating: 4 & Up

Product Height (in.): 58

Product Width (in.): 20.5

SEARCH



Feedback

DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?

Your Store Lander

Sign in or Register



Rheem | Model # XG29T12XR60U0 | Internet # 205210739 | Store SKU # 1000053211

Performance Platinum XR90 29 Gal. Tall 12 Year 60,000 BTU Natural Gas Water Heater

★★★★☆ (17) | Write a Review | Questions & Answers (16)



\$749.00 /each

- Provides ample hot water for households with 3-5 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM

Check Nearby Stores

*.70 EF
ESTAR*

Open Expanded View

Click Image to Zoom



FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$784.96**

ADD TO CART

This item: Performance Platinum XR90 29 Gal. Tall 12 Year 60,000 BTU Natural Gas Water Heater **\$749.00**

22 in. I.D. Aluminum Water Heater Drain Pan with PVC Fitting

Everbilt 22 in. Aluminum Drain Pan **\$17.98**

PRODUCT OVERVIEW Model # XG29T12XR60U0 | Internet # 205210739 | Store SKU # 1000053211 | Store SO SKU # 1000403168


Designed for residential applications, this Rheem Performance Platinum XR90 is a 29 Gal. 60,000 BTU Natural Gas Water Heater featuring an electronic self-diagnostic gas control system that monitors system performance and operation. This water heater delivers 90 Gal. of hot water with first hour. providing more hot water than most 50 Gal. models. The small foot print of this water heater is ideal for installations in tight spaces.



- 29 Gal. tank provides ample hot water for households with three to five people
- Integrated self-diagnostic gas valve monitors water heater performance
- Provides up to 90 Gal. of hot water in the first hour
- 12 year tank and parts warranty plus 3 year in home labor warranty
- 0.70 energy factor exceeds ENERGY STAR requirements
- Factory-installed temperature and pressure relief valve
- Eco-friendly burner with low NOx design
- Small foot print of 17-3/4 in. allows for installation in tight spaces
- 110-Volt fan-assisted draft inducer comes with an 8 ft. cord with a 3-prong plug
- Maintenance free - no filters to clean or replace
- Designed for easy replacement of your existing water heater
- Rated for installations up to 10,100 ft.
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | <i>Partial Counties*</i> |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



Feedback

SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	17.75	Tank Valve Size (in.)	.75
Product Height (in.)	65.50	Water Connection Size (in.)	.75
Product Width (in.)	17.75		

DETAILS

Application Type	Residential	Product Weight (lb.)	136 lb
Energy Factor	0.7	Recovery Rate at 90F Rise (gallons/hour)	60.1
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	29
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	LoNox, Overheat Protection, Pilot Light Window, Pilot Reset Button, Temperature Pressure Relief Valve
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	60		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Listed, FVIR Certified	Labor Warranty	3 Year
ENERGY STAR Certified	Yes	Part Warranty	12 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$700 - \$800

Brand: Rheem

Tank Capacity (gallons): 26 - 36

Water Heater Profile: Tall

Review Rating: 4 & Up

Product Height (in.): 65.50

Product Width (in.): 17.75

SEARCH



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?

Your Store Lander

Sign in or Register



Rheem | Model # XG40T12DM40U0 | Internet # 204318409 | Store SKU # 1000034937 Performance Platinum 38 Gal. Tall 12 Year 40,000 BTU ENERGY STAR Natural Gas Water Heater

★★★★☆ (98) | Write a Review | Questions & Answers (12)



\$678.00 /each

- Provides ample hot water for households with 2-4 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM

Check Nearby Stores



.69 EF
ESTAR

Open Expanded View

Click Image to Zoom



FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$713.96**

ADD TO CART

This item: Performance Platinum 38 Gal. Tall 12 Year 40,000 BTU ENERGY STAR Natural Gas Water Heater **\$678.00**

22 in. I.D. Aluminum Water Heater Drain Pan with PVC Fitting

Everbilt 22 in. Aluminum Drain Pan **\$17.98**

PRODUCT OVERVIEW | Model # XG40T12DM40U0 | Internet # 204318409 | Store SKU # 1000034937 | Store SO SKU # 1001020819


The Rheem Performance Platinum 38 Gal. Natural Gas Tall Water Heater comes with a 40,000 BTU/hour environmentally friendly low-NOx burner provides ample hot water for households with 2 to 4 people. The electronic ignition system eliminates the standing pilot light, saves energy and improves system performance. Its maintenance free combustion air intake system means there are no filters to clean and replace. A premium grade anode



- Due to ultra low-NOx requirements from air quality management districts in the state of California, please confirm that your shipping zip code is not restricted from the use of items that do not meet local qualifications
- 38 Gal. tank provides ample hot water for households with 2 to 4 people
- Natural gas water heater costs less to operate than electric models
- Delivers 73 Gal. of hot water in the first hour
- 12 year limited warranty on tank and parts for your convenience
- 3 year in home labor warranty for peace of mind
- 0.69 energy factor indicates an ENERGY STAR qualified water heater
- Maintenance free - no filter to clean or replace
- Electronic ignition system simplifies the startup process and eliminates the need for a pilot light
- Electronic diagnostic gas valve monitors system performance
- Rated for installations up to 10,100 ft.
- Wi-Fi compatible with the purchase of Rheem EcoNet Home Comfort Wifi Module (sold separately) for gas water heaters (Wi-Fi model # REWRA631GWH)
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra low-NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- **Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements.** Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- **Counties and areas not subject to Air Quality Management District ULN requirements at this time.**

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | Partial Counties* |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/eapcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



Feedback

SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	19.75	Tank Valve Size (in.)	.75
Product Height (in.)	57.75	Water Connection Size (in.)	.75
Product Width (in.)	19.75		

DETAILS

Application Type	Residential	Product Weight (lb.)	140 lb
Energy Factor	0.69	Recovery Rate at 90F Rise (gallons/hour)	40.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	38
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	LoNox,Overheat Protection,Self Cleaning,Temperature Pressure Relief Valve,WiFi
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	3 Year
ENERGY STAR Certified	Yes	Part Warranty	12 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$500 - \$600

Brand: Rheem

Tank Capacity (gallons): 36 - 46

Water Heater Profile: Tall

Review Rating: 4 & Up

Product Height (in.): 57.75

Product Width (in.): 19.75

SEARCH



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?

Your Store Lander


Sign in or Register



Rheem Model # XG38T09EN38U0 Internet # 205810263 Store SKU # 1001304181

Performance Plus 38 Gal. Tall 9 Year 38,000 BTU High Efficiency Ultra Low NOx Natural Gas Water Heater

★★★★★ (3) Write a Review Questions & Answers (3)



\$586.00 /each

- Provides ample hot water for households with 2-4 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM


Check Nearby Stores

Open Expanded View

Click Image to Zoom



FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$613.94**

ADD TO CART

This item: Performance Plus 38 Gal. Tall 9 Year 38,000 BTU High Efficiency Ultra Low NOx Natural Gas Water Heater **\$586.00**

Everbilt 3/4 in. FIP x 3/4 in. FIP x 2 ft. Copper Supply Line

Everbilt 3/4 in. FIP x 3/4 in. FIP x 1.5 ft. Copper Supply Line

PRODUCT OVERVIEW Model # XG38T09EN38U0 Internet # 205810263 Store SKU # 1001304181 Store SO SKU # 1001230717


The Rheem Performance Plus 40 Gal. Natural Gas Tall water heater comes with a 38,000 BTU/hour environmentally friendly Ultra Low NOx radiant burner that provides ample hot water for households with 2 to 4 people. The push button ignition system ensures safe and easy startup. Its maintenance free combustion air intake system means there are no filters to clean and replace. The self-diagnostics gas control valve monitors system performance.



- Natural gas water heater costs less to operate than electric models
- Delivers 70 Gal. of hot water in the first hour
- 9 year limited warranty on tank and parts for your convenience
- 2 year in home labor warranty for peace of mind
- 0.62 energy factor makes this one of the most efficient gas water heaters available
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Ultra low NOx burner reduces emissions and meets California air quality management district requirements
- Designed for easy replacement of your existing water heater
- Rated for installations up to 5,999 ft.
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra Low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | <i>Partial Counties*</i> |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



Feedback

SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	19	Tank Valve Size (in.)	.75
Product Height (in.)	58	Water Connection Size (in.)	.75
Product Width (in.)	19		

DETAILS

Application Type	Residential	Product Weight (lb.)	132 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	38.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	38
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	Overheat Protection,Pilot Light Window,Pilot Reset Button,Temperature Pressure Relief Valve,Ultra LoNox
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	2 Year
ENERGY STAR Certified	No	Part Warranty	9 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$500 - \$600

Brand: Rheem

Tank Capacity (gallons): 36 - 46

Water Heater Profile: Tall

Review Rating: 4 & Up

Product Height (in.): 58

Product Width (in.): 19

SEARCH



Feedback

DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?


Your Store Lander

Sign in or Register



Rheem | Model # XG50T12HE40U0 | Internet # 204697785 | Store SKU # 1000034941
Performance Platinum 50 Gal. Tall 12 Year 40,000 BTU High Efficiency Natural Gas Water Heater

★★★★★ (340) | Write a Review | Questions & Answers (33)



Was ~~\$669.00~~
\$599.00 /each
 Save \$70.00 (10%)

- Provides ample hot water for households with 3-5 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

IN STOCK AT YOUR SELECTED STORE

Lander #4702
 Seattle, WA 98134


6 In Stock
 Aisle 23, Bay 012
 Text Product Location

Open Expanded View

Click Image to Zoom



FREQUENTLY BOUGHT TOGETHER



Price for all three: **\$611.25**

ADD TO CART

This item: Performance Platinum 50 Gal. Tall 12 Year 40,000 BTU High Efficiency Natural Gas Water Heater ~~\$669.00~~ **\$599.00**

Everbilt 3/4 in. Copper Pressure Cup x FIPT Female Adapter **\$4.27**

Everbilt 3/4 in. Galvanized Steel FIP x Sweat Dielectric Union

PRODUCT OVERVIEW Model # XG50T12HE40U0 | Internet # 204697785 | Store SKU # 1000034941 | Store SO SKU # 1001020883


The Rheem Performance Platinum 50 Gal. Natural Gas Tall Water Heater comes with a 40,000 BTU/hour environmentally friendly low NOx burner provides ample hot water for households with 3 to 5 people. The push button ignition system ensures safe and easy startup. Its maintenance free combustion air intake system means there are no filters to clean and replace. The self-diagnostics gas control valve monitors system performance.



- Due to ultra low NOx requirements from air quality management districts in the state of California, please confirm that your shipping zip code is not restricted from the use of items that do not meet local qualifications
- Delivers 86 Gal. of hot water in the first hour
- 12 year limited warranty on tank and parts for your convenience
- 3 year in home labor warranty for peace of mind
- 0.62 energy factor makes this one of the most efficient gas water heaters available
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Designed for easy replacement of your existing water heater
- Rated for installations up to 8,500 ft.
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- **Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements.** Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- **Counties and areas not subject to Air Quality Management District ULN requirements at this time.**

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | <i>Partial Counties*</i> |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	21.5	Tank Valve Size (in.)	.75
Product Height (in.)	59.25	Water Connection Size (in.)	.75
Product Width (in.)	21.5		

DETAILS

Application Type	Residential	Product Weight (lb.)	165 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	40.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	50
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	LoNox, Overheat Protection, Pilot Light Window, Pilot Reset Button, Self Cleaning, Temperature Pressure Relief Valve
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified, FVIR Certified	Labor Warranty	3 Year
ENERGY STAR Certified	No	Part Warranty	12 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$500 - \$600

Brand: Rheem

Tank Capacity (gallons): 46 - 56

Water Heater Profile: Tall

Review Rating: 4 & Up

Product Height (in.): 59.25

Product Width (in.): 21.5

SEARCH



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?


Your Store Lander

Sign in or Register



Rheem | Model # XG50T09HE40U0 | Internet # 204698003 | Store SKU # 1000035246 Performance Plus 50 Gal. Tall 9 Year 40,000 BTU High Efficiency Natural Gas Water Heater

★★★★★ (415) | Write a Review | Questions & Answers (41)



\$598.00 /each

- Provides ample hot water for households with 3-5 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

IN STOCK AT YOUR SELECTED STORE

Lander #4702
Seattle, WA 98134

7 In Stock
Aisle 23, Bay 012
Text Product Location

Open Expanded View


Click Image to Zoom




FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$610.25**

ADD TO CART

This item: Performance Plus 50 Gal. Tall 9 Year 40,000 BTU High Efficiency Natural Gas Water Heater **\$598.00**

Everbilt 3/4 in. Copper Pressure Cup x FIPT Female Adapter **\$4.27**

Everbilt 3/4 in. Galvanized Steel FIP x Sweat Dielectric Union

PRODUCT OVERVIEW

Model # XG50T09HE40U0 | Internet # 204698003 | Store SKU # 1000035246 | Store SO SKU # 1000395221


The Rheem Performance Plus 50 Gal. Natural Gas Tall Water Heater comes with a 40,000 BTU/hour environmentally friendly low NOx burner the



- California residents: due to requirements from air quality management districts in the state of California, please use the map below to confirm whether you live in an area that requires the purchase of ultra low NOx water heaters
- Due to ultra low NOx requirements from air quality management districts in the state of California, please confirm that your shipping zip code is not restricted from the use of items that do not meet local qualifications
- Natural gas water heater costs less to operate than electric models
- Delivers 84 Gal. of hot water in the first hour
- 9 year limited warranty on tank and parts for your convenience
- 2 year in home labor warranty for peace of mind
- 0.62 energy factor makes this one of the most efficient gas water heaters available
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Designed for easy replacement of your existing water heater
- Rated for installations up to 8,500 ft.
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- **Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements.** Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- **Counties and areas not subject to Air Quality Management District ULN requirements at this time.**

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | Partial Counties* |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/rosler.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	21.50	Tank Valve Size (in.)	.75
Product Height (in.)	59.25	Water Connection Size (in.)	.75
Product Width (in.)	21.50		

DETAILS

Application Type	Residential	Product Weight (lb.)	165 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	40.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	50
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	LoNox,Overheat Protection,Pilot Light Window,Pilot Reset Button,Self Cleaning,Temperature Pressure Relief Valve
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	2 Year
ENERGY STAR Certified	No	Part Warranty	9 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$600 - \$700	Brand: Rheem	Tank Capacity (gallons): 46 - 56	Water Heater Profile: Tall
Review Rating: 4 & Up	Product Height (in.): 59.25	Product Width (in.): 21.50	
SEARCH			



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?

Your Store Lander


Sign in or Register



Rheem Model # XG50T12HN36U0 Internet # 204697763 Store SKU # 1000035027

Performance Platinum 50 Gal. Tall 12 Year 36,000 BTU High Efficiency Ultra Low NOx Natural Gas Water Heater

★★★★☆ (12) Write a Review Questions & Answers (2)



\$799.00 /each

- Provides ample hot water for households with 3-5 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM


Check Nearby Stores

Open Expanded View

Click Image to Zoom




FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$815.38**

ADD TO CART

This item: Performance Platinum 50 Gal. Tall 12 Year 36,000 BTU High Efficiency Ultra Low NOx Natural Gas Water Heater **\$799.00**

Everbilt 3/4 in. FIP x 3/4 in. FIP x 2 ft. Copper Supply Line

3/4 in. x 3/4 in. Copper 90-Degree Cup x Cup Pressure Elbow **\$1.41**

PRODUCT OVERVIEW Model # XG50T12HN36U0 Internet # 204697763 Store SKU # 1000035027 Store SO SKU # 1001020783


The Rheem Performance Platinum 50 Gal. Natural Gas Tall water heater comes with a 36,000 BTU/hour environmentally friendly Ultra Low NOx burner that provides ample hot water for households with 3 to 5 people. The push button ignition system ensures safe and easy startup its maintenance free combustion air intake system means there are no filters to clean and replace. The self diagnostic gas control valve monitors system performance.



- Natural gas water heater costs less to operate than electric models
- Delivers 91 Gal. of hot water in the first hour
- 12 year limited warranty on tank and parts for your convenience
- 3 year in home labor warranty for peace of mind
- 0.62 energy factor makes this one of the most efficient gas water heaters available
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Ultra low NOx burner reduces emissions and meets California air quality management district requirements
- Rated for installations up to 10,200 ft.
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra Low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- **Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements.** Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- **Counties and areas not subject to Air Quality Management District ULN requirements at this time.**

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | Partial Counties* |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/aqpcda/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	23	Tank Valve Size (in.)	.75
Product Height (in.)	59.75	Water Connection Size (in.)	.75
Product Width (in.)	23		

DETAILS

Application Type	Residential	Product Weight (lb.)	170 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	36.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	50
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	Overheat Protection,Pilot Light Window,Pilot Reset Button,Self Cleaning,Temperature Pressure Relief Valve,Ultra LoNox
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	3 Year
ENERGY STAR Certified	No	Part Warranty	12 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$700 - \$800

Brand: Rheem

Tank Capacity (gallons): 46 - 56

Water Heater Profile: Tall

Review Rating: 3 & Up

Product Height (in.): 59.75

Product Width (in.): 23

SEARCH



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?

Your Store Lander


Sign in or Register



Rheem Model # XG38T12EN38U0 Internet # 205810281 Store SKU # 1001304178

Performance Platinum 38 Gal. 12 Year 38,000 BTU High Efficiency Ultra Low-NOx Natural Gas Water Heater

★★★★☆ (3) Write a Review Questions & Answers (2)



Was \$677.00

\$609.00 /each

Save \$68.00 (10%)

- Provides ample hot water for households with 2-4 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM


Check Nearby Stores

Open Expanded View

Click Image to Zoom



FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$640.95**

ADD TO CART

This item: Performance Platinum 38 Gal. 12 Year 38,000 BTU High Efficiency Ultra Low-NOx Natural Gas Water Heater ~~\$677.00~~ **\$609.00**

Everbilt 3/4 in. FIP x 3/4 in. FIP x 2 ft. Copper Supply Line

Everbilt 20 in. Aluminum Drain Pan **\$16.98**

PRODUCT OVERVIEW Model # XG38T12EN38U0 Internet # 205810281 Store SKU # 1001304178 Store SO SKU # 1001230715


The Rheem Performance Platinum 38 Gal. Natural Gas Tall water heater comes with a 38,000 BTU/hour environmentally friendly Ultra Low-NOx burner that provides ample hot water for households with 2 to 4 people. The push button ignition system ensures safe and easy startup. Its maintenance free combustion air intake system means there are no filters to clean and replace. The self-diagnostic gas control valve monitors system performance.



- Natural gas water heater costs less to operate than electric models
- Delivers 72 Gal. of hot water in the first hour
- 12 year limited warranty on tank and parts for your convenience
- 3 year in home labor warranty for peace of mind
- 0.62 energy factor makes this one of the most efficient gas water heaters available
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Ultra low-NOx burner reduces emissions and meets California air quality management district requirements
- Designed for easy replacement of your existing water heater
- Rated for installations up to 5,999 ft.
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra Low-NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | <i>Partial Counties*</i> |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	19	Tank Valve Size (in.)	.75
Product Height (in.)	58	Water Connection Size (in.)	.75
Product Width (in.)	19		

DETAILS

Application Type	Residential	Product Weight (lb.)	132 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	38.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	38
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	Overheat Protection,Pilot Light Window,Pilot Reset Button,Self Cleaning,Temperature Pressure Relief Valve,Ultra LoNox
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	3 Year
ENERGY STAR Certified	No	Part Warranty	12 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$600 - \$700

Brand: Rheem

Tank Capacity (gallons): 36 - 46

Water Heater Profile: Tall

Review Rating: 3 & Up

Product Height (in.): 58

Product Width (in.): 19

SEARCH



Feedback

DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services


What can we help you find?

Your Store Lander

Sign in or Register



Rheem | Model # XG50T12DU36U0 | Internet # 204318423 | Store SKU # 1000035021
Performance Platinum 50 Gal. Tall 12 Year 36,000 BTU ENERGY STAR Ultra Low NOx Natural Gas Water Heater



\$840.00 /each

- Provides ample hot water for households with 3-5 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM

Check Nearby Stores



Open Expanded View

Click Image to Zoom



.68EF
ESTAR

FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$874.95**

ADD TO CART

This item: Performance Platinum 50 Gal. Tall 12 Year 36,000 BTU ENERGY STAR Ultra Low NOx Natural Gas Water Heater **\$840.00**

Everbilt 3/4 in. FIP x 3/4 in. FIP x 2 ft. Copper Supply Line

Everbilt 24 in. ID Aluminum Water Heater Drain Pan

PRODUCT OVERVIEW Model # XG50T12DU36U0 | Internet # 204318423 | Store SKU # 1000035021 | Store SO SKU # 1000109989


The Rheem Performance Platinum 50 Gal. Natural Gas Tall Water Heater comes with a 36,000 BTU/hour environmentally friendly ultra Low-NOx burner that provides ample hot water for households with 3 to 5 people. The electronic ignition system eliminates the standing pilot light, saves energy and monitors system performance. Its maintenance free combustion air intake system means there are no filters to clean and replace. A premium



- 50 Gal. tank provides ample hot water for households with 3 to 5 people
- Natural gas water heater costs less to operate than electric models
- Delivers 93 Gal. of hot water in the first hour
- 12 year limited warranty on tank and parts for your convenience
- 3 year in home labor warranty for peace of mind
- 0.68 energy factor indicates an energy star qualified water heater
- Maintenance free - no filter to clean or replace
- Electronic ignition system simplifies the startup process and eliminates the need for a pilot light
- Electronic diagnostic gas valve monitors system performance
- Ultra low-NOx burner reduces emissions and meets California air quality management district requirements
- Requires standard 110-Volt electrical outlet (3-prong grounded) for installation
- Rated for installations up to 10,200 ft.
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra Low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- **Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements.** Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- **Counties and areas not subject to Air Quality Management District ULN requirements at this time.**

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | <i>Partial Counties*</i> |
| Napa | Kern |
| Orange | Los Angeles |
| Sacramento | Riverside |
| San Francisco | San Bernardino |
| San Joaquin | Sonoma |
| San Mateo | |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



Feedback

SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	23	Tank Valve Size (in.)	.75
Product Height (in.)	59.75	Water Connection Size (in.)	.75
Product Width (in.)	23		

DETAILS

Application Type	Residential	Product Weight (lb.)	180 lb
Energy Factor	0.68	Recovery Rate at 90F Rise (gallons/hour)	36.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	50
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	Overheat Protection,Self Cleaning,Temperature Pressure Relief Valve,Ultra LoNox,WIFI
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	3 Year
ENERGY STAR Certified	Yes	Part Warranty	12 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$700 - \$800

Brand: Rheem

Tank Capacity (gallons): 46 - 56

Water Heater Profile: Tall

Review Rating: 3 & Up

Product Height (in.): 59.75

Product Width (in.): 23

SEARCH



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?


Your Store Lander

Sign in or Register



Rheem | Model # XG50T12DM40U0 | Internet # 204318411 | Store SKU # 1000034939 **Performance Platinum 50 Gal. Tall 12 Year 40,000 BTU ENERGY STAR Natural Gas Water Heater**

★★★★★ (152) | Write a Review | Questions & Answers (39)



Was \$709.00
\$638.00 /each
Save \$71.00 (10%)

- Provides ample hot water for households with 3-5 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

IN STOCK AT YOUR SELECTED STORE

Lander #4702
Seattle, WA 98134

4 In Stock
Aisle 23, Bay 012
Text Product Location

Open Expanded View

Click Image to Zoom



.67 EF
ESTAR

FREQUENTLY BOUGHT TOGETHER



Price for all three: \$706.98

ADD TO CART

This item: Performance Platinum 50 Gal. Tall 12 Year 40,000 BTU ENERGY STAR Natural Gas Water Heater ~~\$709.00~~ \$638.00

Rheem Home Comfort WiFi Module for Select Rheem Performance Platinum Gas Water Heaters \$49.00

Everbilt 24 in. ID Aluminum Water Heater Drain Pan

PRODUCT OVERVIEW Model # XG50T12DM40U0 | Internet # 204318411 | Store SKU # 1000034939 | Store SO SKU # 1001020862


The Rheem Performance Platinum 50 Gal. Natural Gas Tall Water Heater comes with a 40,000 BTU/hour environmentally friendly low NOx burner provides ample hot water for households with 3 to 5 people. The electronic ignition system eliminates the standing pilot light, saves energy and m system performance. Its maintenance free combustion air intake system means there are no filters to clean and replace. A premium grade anode



- Due to ultra low NOx requirements from air quality management districts in the state of California, please confirm that your shipping zip code is not restricted from the use of items that do not meet local qualifications
- 50 Gal. tank provides ample hot water for households with 3 to 5 people
- Natural gas water heater costs less to operate than electric models
- Delivers 90 Gal. of hot water in the first hour
- 12 year limited warranty on tank and parts for your convenience
- 3 year in home labor warranty for peace of mind
- 0.67 energy factor indicates an energy star qualified water heater
- Maintenance free - no filter to clean or replace
- Electronic ignition system simplifies the startup process and eliminates the need for a pilot light
- Electronic diagnostic gas valve monitors system performance
- Rated for installations up to 10,100 ft.
- Wi-Fi compatible with the purchase of Rheem EcoNet Home Comfort Wifi Module (sold separately) for gas water heaters (Wi-Fi model # REWRA631GWH)
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | <i>Partial Counties*</i> |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/bapcoo/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	21.75	Tank Valve Size (in.)	.75
Product Height (in.)	58.50	Water Connection Size (in.)	.75
Product Width (in.)	21.75		

DETAILS

Application Type	Residential	Product Weight (lb.)	160 lb
Energy Factor	0.67	Recovery Rate at 90F Rise (gallons/hour)	40.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	50
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	LoNox,Overheat Protection,Self Cleaning,Temperature Pressure Relief Valve,WiFi
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	3 Year
ENERGY STAR Certified	Yes	Part Warranty	12 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$600 - \$700	Brand: Rheem	Tank Capacity (gallons): 46 - 56	Water Heater Profile: Tall
Review Rating: 4 & Up	Product Height (in.): 58.50	Product Width (in.): 21.75	
<input type="button" value="SEARCH"/>			



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?

Your Store Lander


Sign in or Register



Rheem Model # XG50T09HN36U0 Internet # 204697831 Store SKU # 1000035076

Performance Plus 50 Gal. Tall 9 Year 36,000 BTU High Efficiency Ultra Low NOx Natural Gas Water Heater

★★★★ (17) Write a Review Questions & Answers (2)



\$729.99 /each

- Provides ample hot water for households with 3-5 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM


Check Nearby Stores

Open Expanded View

Click Image to Zoom




FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$746.37**

ADD TO CART

This item: Performance Plus 50 Gal. Tall 9 Year 36,000 BTU High Efficiency Ultra Low NOx Natural Gas Water Heater **\$729.99**

Everbilt 3/4 in. FIP x 3/4 in. FIP x 2 ft. Copper Supply Line

3/4 in. x 3/4 in. Copper 90-Degree Cup x Cup Pressure Elbow **\$1.41**

PRODUCT OVERVIEW Model # XG50T09HN36U0 Internet # 204697831 Store SKU # 1000035076 Store SO SKU # 1001020895


The Rheem Performance Plus 50 Gal. Natural Gas Tall water heater comes with a 36,000 BTU/hour environmentally friendly Ultra Low NOx radi... burner that provides ample hot water for households with 3 to 5 people. The push button ignition system ensures safe and easy startup its mainte... free combustion air intake system means there are no filters to clean and replace. The self-diaonstic gas control valve monitors system perform...



- Natural gas water heater costs less to operate than electric models
- Delivers 91 Gal. of hot water in the first hour
- 9 year limited warranty on tank and parts for your convenience
- 2 year in home labor warranty for peace of mind
- 0.62 energy factor makes this one of the most efficient gas water heaters available
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Ultra low NOx burner reduces emissions and meets California air quality management district requirements
- Designed for easy replacement of your existing water heater
- Rated for installations up to 10,200 ft.
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra Low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- **Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements. Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.**
- **Counties and areas not subject to Air Quality Management District ULN requirements at this time.**

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | Partial Counties* |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.html>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	23	Tank Valve Size (in.)	.75
Product Height (in.)	59.75	Water Connection Size (in.)	.75
Product Width (in.)	23		

DETAILS

Application Type	Residential	Product Weight (lb.)	170 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	36.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	50
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	Overheat Protection,Pilot Light Window,Pilot Reset Button,Self Cleaning,Temperature Pressure Relief Valve,Ultra LoNox
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	2 Year
ENERGY STAR Certified	No	Part Warranty	9 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$700 - \$800

Brand: Rheem

Tank Capacity (gallons): 46 - 56

Water Heater Profile: Tall

Review Rating: 3 & Up

Product Height (in.): 59.75

Product Width (in.): 23

SEARCH



Feedback

DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?

Your Store Lander

Sign in or Register



Rheem | Model # XG40T12DU36U0 | Internet # 204318413 | Store SKU # 1000035018 Performance Platinum 40 Gal. Tall 12 Year 36,000 BTU ENERGY STAR Ultra Low NOx Natural Gas Water Heater

★★★★★ (87) | Write a Review | Questions & Answers (14)



\$769.00 /each

- Provides ample hot water for households with 2-4 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM

Check Nearby Stores



.68 EF
ESTAR

Open Expanded View

Click Image to Zoom



FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$796.75**

ADD TO CART

This item: Performance Platinum 40 Gal. Tall 12 Year 36,000 BTU ENERGY STAR Ultra Low NOx Natural Gas Water Heater **\$769.00**

Everbilt 3/4 in. FIP x 3/4 in. FIP x 2 ft. Copper Supply Line

Everbilt 3/4 in. FIP x 3/4 in. FIP x 2 ft. Stainless Steel Water Heater Supply Line

PRODUCT OVERVIEW | Model # XG40T12DU36U0 | Internet # 204318413 | Store SKU # 1000035018 | Store SO SKU # 1001020840


The Rheem Performance Platinum 40 Gal. Natural Gas Tall Water Heater comes with a 36,000 BTU/hour environmentally friendly ultra Low-NOx burner that provides ample hot water for households with 2 to 4 people. The electronic ignition system eliminates the standing pilot light, saves energy and monitors system performance. Its maintenance free combustion air intake system means there are no filters to clean and replace. A premium



- 40 Gal. tank provides ample hot water for households with 2 to 4 people
- Natural gas water heater costs less to operate than electric models
- Delivers 71 Gal. of hot water in the first hour
- 12-year limited warranty on tank and parts for your convenience
- 3-year in home labor warranty for peace of mind
- 0.68 energy factor indicates an energy star qualified water heater
- Maintenance free - no filter to clean or replace
- Electronic ignition system simplifies the startup process and eliminates the need for a pilot light
- Electronic diagnostic gas valve monitors system performance
- Ultra low-NOx burner reduces emissions and meets California air quality management district requirements
- Requires standard 110-Volt electrical outlet (3-prong grounded) for installation
- Rated for installations up to 10,200 ft.
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra Low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- **Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements.** Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- **Counties and areas not subject to Air Quality Management District ULN requirements at this time.**

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | Partial Counties* |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	21	Tank Valve Size (in.)	.75
Product Height (in.)	60	Water Connection Size (in.)	.75
Product Width (in.)	21		

DETAILS

Application Type	Residential	Product Weight (lb.)	150 lb
Energy Factor	0.68	Recovery Rate at 90F Rise (gallons/hour)	36.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	40
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	Overheat Protection,Self Cleaning,Temperature Pressure Relief Valve,Ultra LoNox,WIFI
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	3 Year
ENERGY STAR Certified	Yes	Part Warranty	12 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$700 - \$800	Brand: Rheem	Tank Capacity (gallons): 36 - 46	Water Heater Profile: Tall
Review Rating: 4 & Up	Product Height (in.): 60	Product Width (in.): 21	
<input type="button" value="SEARCH"/>			



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?


Your Store Lander

Sign in or Register



Rheem | Model # XG50To6HN36U0 | Internet # 204317804 | Store SKU # 1000034970
Performance 50 Gal. Tall 6 Year 36,000 BTU High Efficiency Ultra Low NOx Natural Gas Water Heater

★★★★★ (33) | Write a Review | Questions & Answers (1)



\$679.00 /each

- Provides ample hot water for households with 3-5 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM

Check Nearby Stores

Open Expanded View

Click Image to Zoom



PRODUCT OVERVIEW Model # XG50To6HN36U0 | Internet # 204317804 | Store SKU # 1000034970 | Store SO SKU # 1001020907


The Rheem Performance 50 Gal. Natural Gas Tall water heater comes with a 36,000 BTU/hour environmentally friendly Ultra Low NOx radiant burner that provides ample hot water for households with 3 to 5 people. The push button ignition system ensures safe and easy startup its maintenance free combustion air intake system means there are no filters to clean and replace. The self diagnostic gas control valve monitors system performance. Factory installed temperature and pressure relief valve and 3/4 in. water connections are included with the water heater for easy installation.

- California residents: due to requirements from air quality management districts in the state of California, please use the map below to confirm whether you live in an area that requires the purchase of ultra low NOx water heaters
- 50 Gal. tank provides ample hot water for households with 3 to 5 people
- Natural gas water heater costs less to operate than electric models
- Delivers 91 Gal. of hot water in the first hour
- 6 year limited warranty on tank and parts for your convenience
- 1 year in home labor warranty for peace of mind
- 0.62 energy factor makes this one of the most efficient gas water heaters available
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Ultra low NOx burner reduces emissions and meets California air quality management district requirements
- Requires standard 110-Volt electrical outlet (3-prong grounded) for installation



- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra Low NOx (ULN) requirements:

CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements. Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.
- Counties and areas not subject to Air Quality Management District ULN requirements at this time.

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- Alameda
- Contra Costa
- Fresno
- Kings
- Madera
- Marin
- Merced
- Napa
- Orange
- Sacramento
- San Francisco
- San Joaquin
- San Mateo
- Santa Barbara
- Santa Clara
- Solano
- Stanislaus
- Tulare
- Ventura
- Yolo
- Partial Counties**
- Kern
- Los Angeles
- Riverside
- San Bernardino
- Sonoma

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- Alpine
- Amador
- Butte
- Calaveras
- Colusa
- Del Norte
- El Dorado
- Glenn
- Humboldt
- Imperial
- Inyo
- Lake
- Lassen
- Mariposa
- Mendocino
- Modoc
- Mono
- Monterey
- Nevada
- Placer
- Plumas
- San Benito
- San Diego
- San Luis Obispo
- Santa Cruz
- Shasta
- Sierra
- Siskiyou
- Sutter
- Tehama
- Trinity
- Tuolumne
- Yuba

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	23	Tank Valve Size (in.)	.75
Product Height (in.)	59.75	Water Connection Size (in.)	.75
Product Width (in.)	23		

DETAILS

Application Type	Residential	Product Weight (lb.)	170 lb
Energy Factor	0.62	Recovery Rate at 90F Rise (gallons/hour)	36.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	50
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	Overheat Protection,Pilot Light Window,Pilot Reset Button,Temperature Pressure Relief Valve,Ultra LoNox
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	1 Year
ENERGY STAR Certified	No	Part Warranty	6 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$600 - \$700

Brand: Rheem

Tank Capacity (gallons): 46 - 56

Water Heater Profile: Tall

Review Rating: 4 & Up

Product Height (in.): 59.75

Product Width (in.): 23

SEARCH



DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad

Products and Services

What can we help you find?

Your Store Lander


Sign in or Register



Rheem | Model # XG50S12DM40U0 | Internet # 204321571

Performance Platinum 50 Gal. Short 12 Year 40,000 BTU ENERGY STAR Natural Gas Water Heater

★★★★★ (69) | Write a Review | Questions & Answers (13)



\$699.08 /each

- Provides ample hot water for households with 3-5 people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

PRODUCT NOT SOLD IN STORES

.67 EF
ESTAR

Open Expanded View

Click Image to Zoom



FREQUENTLY BOUGHT TOGETHER



Price for all three: **\$768.07**

ADD TO CART

This item: Performance Platinum 50 Gal. Short 12 Year 40,000 BTU ENERGY STAR Natural Gas Water Heater **\$699.08**

Rheem Home Comfort WiFi Module for Select Rheem Performance Platinum Gas Water Heaters **\$49.00**

26 in. ID Aluminum Drain Pan **\$19.99**

PRODUCT OVERVIEW

Model # XG50S12DM40U0 | Internet # 204321571 | Store SO SKU # 1000892302


The Rheem Performance Platinum 50 Gal. Natural Gas Short Water Heater comes with a 40,000 BTU/hour environmentally friendly Low-NOx burner that provides ample hot water for households with 3 to 5 people. The electronic ignition system eliminates the standing pilot light, saves energy and monitors system performance. Its maintenance free combustion air intake system means there are no filters to clean and replace. A patented



- California residents: due to requirements from air quality management districts in the state of California, please use the map below to confirm whether you live in an area that requires the purchase of ultra low NOx water heaters
- 50 Gal. tank provides ample hot water for households with 3 to 5 people
- Natural gas water heater costs less to operate than electric models
- Delivers 89 Gal. of hot water in the first hour
- 12 year limited warranty on tank and parts for your convenience
- 3 year in home labor warranty for peace of mind
- 0.67 energy factor indicates an energy star qualified water heater
- Maintenance free - no filter to clean or replace
- Electronic ignition system simplifies the startup process and eliminates the need for a pilot light
- Electronic diagnostic gas valve monitors system performance
- Rated for installations up to 10,100 ft.
- Requires standard 110-Volt electrical outlet (3-prong grounded) for installation
- Wi-Fi compatible with the purchase of Rheem EcoNet Home Comfort Wifi Module (sold separately) for gas water heaters (Wi-Fi model # REWRA631GWH)
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra Low NOx (ULN) requirements:



CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | Partial Counties* |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/bapcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	23.75	Tank Valve Size (in.)	.75
Product Height (in.)	50.5	Water Connection Size (in.)	.75
Product Width (in.)	23.75		

DETAILS

Application Type	Residential	Product Weight (lb.)	160 lb
Energy Factor	0.67	Recovery Rate at 90F Rise (gallons/hour)	40.4
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	50
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	LoNox,Overheat Protection,Self Cleaning,Temperature Pressure Relief Valve,WiFi
Maximum Temperature (F)	160	Water Heater Profile	Short
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified,FVIR Certified	Labor Warranty	3 Year
ENERGY STAR Certified	Yes	Part Warranty	12 Year

MORE PRODUCTS WITH THESE FEATURES

Price: **\$600 - \$700**

Brand: **Rheem**

Tank Capacity (gallons): **46 - 56**

Water Heater Profile: **Short**

Review Rating: **4 & Up**

Product Height (in.): **50.5**

Product Width (in.): **23.75**

SEARCH



Feedback



Rheem | Model # XG55To6EN45Uo | Internet # 205810275 | Store SKU # 1001304176

Performance 55 Gal. Tall 6 Year 45,000 BTU Ultra Low-NOx Natural Gas Water Heater

★★★★★ Write the First Review | Questions & Answers (3)



\$869.00 /each

- Provides ample hot water for households with 5 or more people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM

Check Nearby Stores

.59 EF

Open Expanded View

Click Image to Zoom



FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$896.75**

ADD TO CART

This item: Performance 55 Gal. Tall 6 Year 45,000 BTU Ultra Low-NOx Natural Gas Water Heater **\$869.00**

Everbilt 3/4 in. FIP x 3/4 in. FIP x 2 ft. Copper Supply Line

Everbilt 3/4 in. FIP x 3/4 in. FIP x 2 ft. Stainless Steel Water Heater Supply Line **\$12.78**

PRODUCT OVERVIEW Model # XG55To6EN45Uo | Internet # 205810275 | Store SKU # 1001304176 | Store SO SKU # 1001230711

The Rheem Performance 55 Gal. Natural Gas Tall water heater comes with a 45,000 BTU/hour environmentally friendly ultra-Low-NOx radiant burner that provides ample hot water for households with 5 or more people. The push button ignition system ensures safe and easy startup. Its maintenance free combustion air intake system means there are no filters to clean and replace. The self-diagnostic gas control valve monitors system performance. Premium grade anode rod provides long-lasting tank protection. Factory installed temperature and pressure relief valve and 3/4 in. water connection.




- Natural gas water heater costs less to operate than electric models
- Delivers 104 Gal. of hot water in the first hour
- 6 year limited warranty on tank and parts for your convenience
- 1 year in home labor warranty for peace of mind
- 0.59 energy factor indicates an energy efficient water heater
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Ultra low-NOx burner reduces emissions and meets California air quality management district requirements
- Designed for easy replacement of your existing water heater
- Rated for installations up to 10,200 ft.
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra Low-NOx (ULN) requirements:



Feedback

CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



- **Counties and areas where natural gas water heaters must meet Air Quality Management District ULN (Ultra Low NO_x) requirements. Only ULN natural gas water heaters can be sold and installed in these areas. LP gas and electric water heaters are not impacted by ULN requirements.**
- **Counties and areas not subject to Air Quality Management District ULN requirements at this time.**

COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

- | | |
|---------------|--------------------------|
| Alameda | Santa Clara |
| Contra Costa | Solano |
| Fresno | Stanislaus |
| Kings | Tulare |
| Madera | Ventura |
| Marin | Yolo |
| Merced | |
| Napa | <i>Partial Counties*</i> |
| Orange | Kern |
| Sacramento | Los Angeles |
| San Francisco | Riverside |
| San Joaquin | San Bernardino |
| San Mateo | Sonoma |
| Santa Barbara | |

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

- | | | |
|-----------|-----------------|------------|
| Alpine | Lassen | Santa Cruz |
| Amador | Mariposa | Shasta |
| Butte | Mendocino | Sierra |
| Calaveras | Modoc | Siskiyou |
| Colusa | Mono | Sutter |
| Del Norte | Monterey | Tehama |
| El Dorado | Nevada | Trinity |
| Glenn | Placer | Tuolumne |
| Humboldt | Plumas | Yuba |
| Imperial | San Benito | |
| Inyo | San Diego | |
| Lake | San Luis Obispo | |

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.htm>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014



SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	23.75	Tank Valve Size (in.)	.75
Product Height (in.)	59.75	Water Connection Size (in.)	.75
Product Width (in.)	23.75		

DETAILS

Application Type	Residential	Product Weight (lb.)	182 lb
Energy Factor	0.59	Recovery Rate at 90F Rise (gallons/hour)	45.5
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	55
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	Overheat Protection, Pilot Light Window, Pilot Reset Button, Temperature Pressure Relief Valve, Ultra LoNox
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified, FVIR Certified	Labor Warranty	1 Year
ENERGY STAR Certified	No	Part Warranty	6 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$800 - \$900

Brand: Rheem

Tank Capacity (gallons): 46 - 56

Water Heater Profile: Tall

Product Height (in.): 59.75

Product Width (in.): 23.75

Gas Type: Natural Gas

SEARCH




Feedback



Rheem | Model # XG55To6EC5oUo | Internet # 205811156 | Store SKU # 1001300185

Performance 55 Gal. Tall 6 Year 50,000 BTU Natural Gas Water Heater

★★★★★ Write the First Review | Questions & Answers (2)



\$949.00 /each

- Provides ample hot water for households with 5 or more people
- Make sure it fits: measure your space to ensure dimensions fit
- Same-day installation in most areas. Call 1-855-400-2552 by noon.

NEARBY STORES MAY HAVE THIS ITEM

Check Nearby Stores

.59 EF

Open Expanded View

Click Image to Zoom



FREQUENTLY BOUGHT TOGETHER



+



+



Price for all three: **\$955.28**

ADD TO CART

This item: Performance 55 Gal. Tall 6 Year 50,000 BTU Natural Gas Water Heater **\$949.00**

Everbilt 3/4 in. Copper Pressure Cup x FIPT Female Adapter **\$4.27**

3/4 in. Copper Pressure Slip Coupling **\$2.01**

PRODUCT OVERVIEW Model # XG55To6EC5oUo | Internet # 205811156 | Store SKU # 1001300185 | Store SO SKU # 1001231040

The Rheem Performance 55 Gal. Natural Gas Tall Water Heater comes with a 50,000 BTU/hour environmentally friendly low NOx burner that provides ample hot water for households with 5 or more people. The push button ignition system ensures safe and easy startup. Its maintenance free combustion air intake system means there are no filters to clean and replace. The self-diagnostic gas control valve monitors system performance. A premium g anode rod provides long lasting tank protection. Factory installed temperature and pressure relief valve and 3/4 in. water connections are included the water heater for easy installation.




- Delivers 98 Gal. of hot water in the first hour
- 55 Gal. tank provides hot water for high demand applications and is ideal for large families
- 6 year limited warranty on tank and parts for your convenience
- 1 year in home labor warranty for peace of mind
- 0.59 energy factor indicates an energy efficient water heater
- Maintenance free - no filter to clean or replace
- Push button ignition system simplifies the startup process
- Self-diagnostic gas valve monitors system performance
- Rated for installations up to 5,200 ft.
- Designed for easy replacement of your existing water heater
- Call 1-855-400-2552 before noon for same-day service in most areas, or Visit our Water Heater Installation page for more information.
- Meets 2015 NAECA Standards
- California Residents - See if your county requires water heaters that meet Air Quality Management District Ultra low NOx (ULN) requirements:



Feedback

CALIFORNIA COUNTIES SUBJECT TO ULN (ULTRA LOW NO_x) REQUIREMENTS



COUNTIES AND AREAS THAT MUST MEET AIR QUALITY MANAGEMENT DISTRICT ULN (ULTRA LOW NO_x) REQUIREMENTS FOR NATURAL GAS WATER HEATERS

Alameda	Santa Clara
Contra Costa	Solano
Fresno	Stanislaus
Kings	Tulare
Madera	Ventura
Marin	Yolo
Merced	
Napa	<i>Partial Counties*</i>
Orange	Kern
Sacramento	Los Angeles
San Francisco	Riverside
San Joaquin	San Bernardino
San Mateo	Sonoma
Santa Barbara	

COUNTIES AND AREAS NOT SUBJECT TO AIR QUALITY MANAGEMENT DISTRICT ULN REQUIREMENTS

Alpine	Lassen	Santa Cruz
Amador	Mariposa	Shasta
Butte	Mendocino	Sierra
Calaveras	Modoc	Siskiyou
Colusa	Mono	Sutter
Del Norte	Monterey	Tehama
El Dorado	Nevada	Trinity
Glenn	Placer	Tuolumne
Humboldt	Plumas	Yuba
Imperial	San Benito	
Inyo	San Diego	
Lake	San Luis Obispo	

* Check with your local Air Quality Management Districts (<http://www.arb.ca.gov/capcoa/roster.html>) for more information on requirements in your county. Areas shown are approximate and subject to change without notice.

As of 12/31/2014

SPECIFICATIONS

DIMENSIONS

Product Depth (in.)	23.75	Tank Valve Size (in.)	.75
Product Height (in.)	55.875	Water Connection Size (in.)	.75
Product Width (in.)	23.75		

DETAILS

Application Type	Residential	Product Weight (lb.)	175 lb
Energy Factor	0.59	Recovery Rate at 90F Rise (gallons/hour)	51
Finish Family	Gray	Returnable	90-Day
Fuel Type	Gas	Tank Capacity (gallons)	55
Gas Type	Natural Gas	Water Connection Location	Top
Indoor/Outdoor	Indoor	Water Heater Features	Overheat Protection, Pilot Light Window, Pilot Reset Button, Temperature Pressure Relief Valve
Maximum Temperature (F)	160	Water Heater Profile	Tall
Minimum Temperature (F)	45		

WARRANTY / CERTIFICATIONS

Certifications and Listings	CSA Certified, FVIR Certified	Labor Warranty	1 Year
ENERGY STAR Certified	No	Part Warranty	6 Year

MORE PRODUCTS WITH THESE FEATURES

Price: \$900 - \$1000

Brand: Rheem

Tank Capacity (gallons): 46 - 56

Water Heater Profile: Tall

Product Height (in.): 55.875

Product Width (in.): 23.75

Gas Type: Natural Gas

SEARCH



Feedback