









What is the I-5 Transportation Alternatives Analysis and Traffic Operations Model?

The City of Lakewood and Washington State Department of Transportation (WSDOT) have partnered together on this project supported with grant funding from the Office of Economic Adjustment (OEA) at the Department of Defense (DOD). The project is an evaluation of Interstate 5 (I-5) from Mounts Road to SR 512 in southern Pierce County, an approximately 11-mile segment of I-5. It includes the development of an operations model for I-5 and the adjacent arterial intersections to assess the potential impacts to I-5 and the local street system due to regional and Joint Base Lewis-McChord (JBLM) growth. The operations model is intended to evaluate impacts and long-term transportation improvement concepts for I-5 and the adjacent arterial intersections to support regional mobility needs, as well as


providing improved access to JBLM. The alternative analysis included an evaluation of an integrated set of improvements to maintain safe, efficient and acceptable I-5 operations and address safety and current and future mobility deficiencies directly related to growth in the region and at the installation.

The recommendations from this project will be incorporated into a broader study of the growth impacts of the region and JBLM, otherwise referred to as the Growth Coordination Plan. The City of Lakewood is leading the Growth Coordination Plan, which identifies and analyzes community "gaps" that exist in the region in regards to accommodating anticipated growth at JBLM.

What is the Purpose of this Study?

I-5 is designated as a National Highway System (NHS) route and supports the United States strategic defense policy by providing access to JBLM and Camp Murray (home of the Washington State's Emergency Management Center). I-5 also provides access to intermodal transportation facilities and accommodates interstate and interregional travel and is designated as a Highway of Statewide Significance (HSS). Complicating the importance of this link is the lack of alternative routes to facilitate regional and local travel. The topography of the area, combined with the presence of JBLM and Camp Murray make local travel difficult, with I-5 often serving as the only local connection.

In 2005, the Department of the Army announced that the number of troops stationed at JBLM would expand as part of the DOD new initiatives. It is projected that these initiatives will result in an additional 8,200 active duty personnel at Fort Lewis and nearly 2,000 new civilian positions by 2011. This anticipated growth exceeds the population and employment projections developed by local jurisdictions prior to this announcement and will impact an already congested corridor that serves as the primary highway corridor for the movement of goods and people travelling north and south on the west coast of North America. Further environmental documentation is being carried out by JBLM, but the analysis has not yet considered the I-5 corridor operations.



The project evaluated I-5 from Mounts Road to SR 512 in southern Pierce County.



What Existing and Future Issues did the Study Identify and Address?

The analysis of existing and 2030 conditions and identification of issues included a review of the traffic operations and general geometric constraints within the study area. Travel patterns associated with base personnel are unique due to morning physical training and rigid schedules maintained by individual units. Limited use of transit by base personnel also contribute to higher traffic volumes at the gates, ultimately impacting the I-5 corridor. The analysis included an evaluation of mainline performance (travel speeds) and the vehicular capacity of the interchanges along the corridor. The geometric evaluation considered the layout of the existing interchanges as well as the structural adequacy of the bridges. The following highlight the primary issues identified along the corridor through this analysis.


Frequent congestion and vehicle queuing occurs at the Madigan gate and in the Tillicum neighborhood due to the Berkeley Street Interchange.

- Close intersection spacing and at-grade rail line crossings at the I-5 ramp interchanges at Bridgeport Drive, Thorne Lane, Berkeley Street, 41st Division Drive, and DuPont-Steilacoom Road.
- Completeion of the Point Defiance Bypass project that will reroute passenger rail service to the rail line that parallels I-5.
- Significant mainline congestion during PM peak hour periods at the Thorne Lane interchange due to the reduction in capacity from 4 lanes to 3 lanes.
- Poor circulation and frequent congestion in the Tillicum neighborhhod due to the close proximity to the Berkeley Street interchange.
- Three of the four interchange structures serving as primary access to JBLM are considered Structurally Deficient or Functionally Obsolete.
- I-5 expansion is not feasible due to the width of existing interchange structures.
- PM peak hour I-5 mainline and ramp congestion at the SR 512 interchange, northbound Gravelly Lake Drive off-ramp, and between the Berkeley Street northbound on-ramp and Thorne Lane off-ramp.
- AM peak hour congestion at the southbound I-5 off-ramp at Berkeley Street resulting from the general capacity of the interchange and access control at JBLM.
- Poor out-bound JBLM operations at Berkeley Street (to northbound I-5), DuPont gate/DuPont-Steilacoom Road (to southbound I-5), and Center Drive (to DuPont and southbound I-5).
- High incidence of rear-end and side swipe collisions due to frequent mainline congestion.
- Ingress/egress traffic from JBLM, as well as I-5 congestion impacts the speed and reliability of transit as well as the movement of freight.



JBLM has unique travel patterns with early physical training and heavy mid-day vehicle volumes.

Average Weekday Traffic Volumes Near Gates



What Existing and Future Issues did the Study Identify and Address? (continued)

Truck traffic along I-5 currently accounts for 10 to 15 percent of the daily traffic along I-5. This equates to approximately 15,000 freight vehicles per day along the corridor and as such, I-5 is classified as a T1 freight route meaning it carries more than 10 million tons of freight per year.

Due to the congestion along the I-5 mainline as well as the operations at the interchanges themselves, transit speed and reliability along the corridor is expected to worsen in the future.



JBLM generates 126,000 to 152,000 daily off-site vehicle trips. Approximately 80% of these trips use I-5 to access the installation.

What Types of Improvements Were Considered?

Through the screening process, multiple geometric and system improvements at each of the four primary interchanges and the I-5 mainline were developed, evaluated and ultimately grouped to form three overall concept groupings. During the development of the improvement concepts, numerous improvements were considered. This included system level improvements and interchange level improvements. The following highlight the various elements evaluated.



ITS improvements can improve the efficiency of the existing system and have been identified as a high priority project along this segment of I-5 by WSDOT.

- Intelligent Transportation System (ITS) Improvements Used to improve the efficiency of the system. Items could include closed circuit cameras, variable message signs, and ramp meters.
- Demand Management Used to reduce the demand of single occupant vehicle traffic. Strategies could include vanpools, carpooling, and flexible work schedules.
- Transit System Improvements Used to improve travel options for users along the corridor. Improvements could include expanded park-&-rides, more frequent bus service, and extension of commuter rail service.
- I-5 Mainline Improvements Used to increase capacity on the I-5 corridor, such as new general purpose lanes, HOV lanes, and auxillary lanes.
- Parallel Corridor Improvements Used to reduce the demand destined for I-5 by constructing or improving other parallel facilities, such as SR 507 or SR 7.
- Interchange Widening/Reconfiguration Used to provide more capacity serving ingress/egress movements from JBLM and/or capacity on the local arterial system. Alternative interchange configurations were considered including Single Point Urban Interchanges and Diverging Diamonds.



Transit strategies and facilities were incorporated into the improvement concepts.





How were the Proposed Improvements Selected?

Three levels of screening were used to focus the study locations and identify improvements. The screening process was used to filter and refine improvements. The end result of the screening process was a group of preferred improvement concepts that will be carried forward in future environmental review and operational studies as required through the Federal Interchange Justification Report (IJR) process.

The project team worked closely with a Technical Review Committee (TRC) throughout the study process. The purpose of the TRC was to review basic analysis methodologies, evaluation criteria, and assist in developing key findings and reccomendations. The TRC members included representatives from the surrounding agencies, including JBLM.

- Level I Screening. The study area included a total of nine interchanges, over ten miles of interstate freeway, numerous local arterials, and four primary military installation gates and access roads. This screening identified the locations in the study area with the greatest need of improvement and which are directly related to military operations and/or growth.
- Level II Screening. Typically a "fatal flaw" screening is conducted first;
 however the Level 1 screening process focused on refining the study area
 and did not evaluate actual improvement concepts. The Level 2 screening
 process utilized in this study was a relatively simple evaluation of "yes"
 or "no" to ascertain fatal flaws with any of the proposed interchange
 improvement concepts or system improvements within the refined study
 area.
- Level III Screening. The Level 3 screening evaluated the concept groupings, rather than focusing on individual interchange improvements. This required the preparation of preliminary engineering drawings and cost estimates for each of the concept groupings in order to evaluate each based on the categories and metrics identified for this evaluation process.





Improvements were ultimately focused on four interchanges along I-5 after the completion of Level 1 screening.



What are the Proposed Improvements?

The proposed improvements include a set of integrated concepts along I-5 and at the four study area interchanges. The improvements work hand-in-hand to improve regional mobility and safety along I-5, coupled with improved access to/from JBLM and the adjoining local communities. They are summarized by system or interchange improvement.

System Improvements:

- Construct ITS improvements along the corridor consistent with Tier 1 improvements identified in the 2007-2026 State Highway System Plan. These improvements include ramp metering at each interchange and driver information systems along the I-5 corridor.
- Construct northbound and southbound general purpose lane from Mounts Road to Thorne Lane.
- Construct southbound auxiliary lanes between the Berkeley Street and Thorne Lane interchanges.
 Construct braided ramps northbound between Berkeley Street and Thorne Lane interchanges.
- Construct northbound auxiliary lane between Thorne Lane and Gravelly Lake Drive.

Interchange Improvements:

- DuPont-Steilacoom Road (Exit 119): Construct a single point urban interchange or a diverging diamond interchange.
- 41st Division Drive (Exit 120): Provide grade separation for the southbound off-ramp to JBLM North access gate. In addition, due to the widening of I-5, it is anticipated that the clover leaf design on the east (JBLM Main) side of I-5 would be reconstructed.
- Berkeley Street (Exit 122): Construct a single point urban interchange or a diverging diamond interchange.
- Thorne Lane (Exit 123): Construct single point urban interchange (SPUI) consistent with the Cross-Base Highway design plans.

How will the Improvements Benefit the Region and the Local Communities?

The improvements identified would provide the region and local communities with the following benefits:

Freight Mobility – Average travel speed along the I-5 corridor will be improved by up to 15 mph during peak congestion times, allowing freight to move more efficiently along the I-5 corridor.

Congestion – The amount of congestion experienced by the average motorist is expected to decrease by over 70 percent during the peak travel times, reducing the length of back-ups and stop and go traffic along the I-5 mainline.

Safety – Improved travel speed is expected to result in a reduction in the number of rear-end vehicle collisions which are typically caused by stop and go traffic. Rebuilding the interchanges will reduce vehicles queuing back onto the I-5 mainline.

Rail — Grade separation of the railroad at the Thorne Lane interchange improves access to the Tillicum neighborhood and improvements to the interchanges at Dupont-Steilacoom Road and Berkeley Street improve safety at the at-grade crossings by decreasing congestion.

Access – The interchange improvements allow for improved access

to and from JBLM and the adjacent local communities by reducing the amount of congestion experienced by the average motorist by up to 85 percent.

Transit – The mainline improvements to I-5 provide up to 11 minutes in travel time savings for buses traveling between Pierce and Thurston Counties. In addition, transit stops and other facilities will be integrated into interchange designs to provide improved access to transit.

Pedestrian/Bicycle – All improvements at the interchanges will include facilities for pedestrian and bicycles, enhancing the nonmotorized connections across the freeway.

Single Point Urban Interchange Concept




Diverging Diamond Interchange Concept



Long-term Improvement Concepts

MATCH LINE BELOW





Joint Base Lewis-McChord

JBLM is one of the most highly requested bases by service men and women in the country due to its military opportunities, premier location in the backyard of Mount Rainier, and urban amenities in the south Puget Sound. The U.S. Army's I Corps is the primary unit on Fort Lewis, and the U.S. Air Force 62nd Airlift Wing is the primary unit on McChord Air Force Base. They join more than 30 different units from the Army, Air Force, Navy, Marine Corps, Reserve and National Guard, and Department of Defense agencies on the joint base.

In 2005, the Base Realignment and Closure Commission designated Fort Lewis and McChord Air Force Base as a joint base, one of 12 joint bases in the Department of Defense. On January 31, 2010 Joint Base Lewis-McChord became operational. When the transition period is completed on September 30, there will be one base with a common boundary, an Army joint base commander, an Air Force deputy commander, and base services managed and provided by the Army.

The Cross-base Highway (SR 704) is assumed to compliment the I-5 improvements. When it is complete, it will provide regional travelers with a new six-mile-long, multi-lane highway through JBLM.

How Will the Improvements be Implemented?


The proposed improvement concept provides a long-term list of transportation mobility needs and investments along the I-5 corridor. Due to the need to secure additional funding and conduct environmental studies for the improvements, it is estimated that the identified improvements will be implemented over a time frame that is 10 to 15 years with immediate steps taken for implementation. The next step in the process is to complete an environmental analysis of the recommendations, along with an Interchange Justification Report (IJR), to satisfy both state and federal requirements. Once these further studies have been completed, further design of the improvements can occur.

The following steps are needed to implement the proposed improvements:

- Step 1: Update Regional Plans and State Highway System Plan (HSP)
- Step 2: Complete an Interchange Justification Report
- Step 3: Conduct an Environmental Analysis of Impacts
- Step 4: Prepare Final Design, Acquire Right-of-Way (if needed), Obtain Necessary Permits
- Step 5: Construct Improvements

Project Component	Estimated Cost*
DuPont Stellacoom Road I/C	\$22 to \$72 million**
41st Division Drive I/C	\$16 million
Berkeley Sreet I/C	\$22 to \$72 million**
Thorne Lane I/C	\$300 million (included in cross-base highway project)
I-5 Mainline Improvements (ITS, Auxillary Lanes, General Purpose Lanes)	\$600 million

*Planning level costs only (2010 dollars) **Range of costs represent alternate interchange concepts



Transportation Review Committe Participants

- Joint Base Lewis-McChord
- City of Lakewood
- Washington State Department of Transportation (WSDOT)
- Federal Highway Administration (FHWA)
- Puget Sound Regional Council (PSRC)
- Pierce County
- Thurston County Regional Planning (TRPC)
- City of DuPont
- · City of Lacey
- Camp Murray
- Nisqually Tribe
- Pierce Transit
- Sound Transit
- Clover Park School District
- Office of Congressman Norm Dicks

How Can I Find Out More Information on the Project?

The City of Lakewood is managing efforts, along with assistance from the WSDOT Urban Planning Office. The main contacts include:

Dan Penrose
City of Lakewood
6000 Main Street SW
Lakewood, WA 98499
Phone: (253) 983-7772
dpenrose@cityoflakewood.us

Richard Warren WSDOT Urban Planning Office 401 2nd Avenue South, Suite 300 Seattle WA 98104 Phone: (206) 464-1262 urbanplanning@wsdot.wa.gov

The following web sites provide more information about this specific project, along with more general information about the larger Growth Coordination Plan being prepared for JBLM.

WSDOT Project Web Site http://www.wsdot.wa.gov/projects/i5/ftlewismcchordtransportation/

City of Lakewood Web Site http://www.cityoflakewood.us/departments/economic-development/militarygrowth.html

JBLM Growth Coordination Plan Web Site http://www.jblm-growth.com/





