## MEMORANDUM

April 27, 2004

To:

TR-040573 File

From:

Ahmer Nizam, Regulatory Analyst

Subject:

Correction to Order in TR-040573

On April 14, 2004, the Commission entered an order in Docket TR-040573, approving a request by Sound Transit for an exemption from WAC 480-60-040 – related to railroad overhead clearances. The heading in the Order inaccurately refers to the Commission action as "ORDER GRANTING EXEMPTION FROM SIDE CLEARANCE RULE IN WAC 480-60-040." The portion of the heading that states "SIDE CLEARANCE" should state "OVERHEAD CLEARANCE." All other references to Sound Transit's request and the corresponding Commission action – granting exemption from overhead clearance requirements only - are accurate.

A letter explaining the error and clarifying the intent of the Commission's action in TR-040573 was sent to Mr. John Harrison of Sound Transit on April 27, 2004.

94 APR 27 AM 9: 02

pm



## STATE OF WASHINGTON

## WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION

1300 S. Evergreen Park Dr. S.W., P.O. Box 47250 • Olympia, Washington 98504-7250 (360) 664-1160 • TTY (360) 586-8203

April 27, 2004

John Harrison, P.E. Sound Transit 401 South Jackson Street – Union Station Seattle, WA 98104-2826

Subject:

Correction to TR-040573

Dear Mr. Harrison:

On April 14, 2004, the Washington Utilities and Transportation Commission entered an order in Docket TR-040573, approving a request by the Central Puget Sound Regional Transit Authority for an exemption from WAC 480-60-040 – related to railroad overhead clearances. The heading in the Order inaccurately refers to the Commission action as "ORDER GRANTING EXEMPTION FROM SIDE CLEARANCE RULE IN WAC 480-60-040." The portion of the heading that states "SIDE CLEARANCE" should state "OVERHEAD CLEARANCE." All other references to your request and the corresponding Commission action are accurate.

A memorandum explaining the error and clarifying the intent of the Commission action has been attached to the Order in the TR-040573 file. I apologize for any inconvenience or confusion that this may have caused. Please contact me at (360) 664-1345 with any questions about this matter.

Sincerely.

Ahmer Nizam, Regulatory Analyst

cc: TR-040573 File