

Service Performance Indicator Definitions (PID)

14-State 271 PID Version 8.0

QWEST'S SERVICE PERFORMANCE INDICATOR DEFINITIONS (PID)

14-State 271 PID Version 8.0

Introduction

Qwest will report performance results for the service performance indicators defined herein. Qwest will report separate performance results associated with the services it provides to Competitive Local Exchange Carriers (CLECs) in aggregate (except as noted herein), to CLECs individually and, as applicable, to Qwest's retail customers in aggregate. Within these categories, performance results related to service provisioning and repair will be reported for the products listed in each definition. Reports for CLECs individually will be subject to agreements of confidentiality and/or nondisclosure.

The definitions in this version of the PID apply in the 14 states of Qwest's local service region: Arizona, Colorado, Idaho, Iowa, Minnesota, Montana, Nebraska, New Mexico, North Dakota, Oregon, South Dakota, Utah, Washington and Wyoming. Individual state Performance Assurance Plans may specify and apply state specific variations from the Performance Measure definitions and/or standards contained herein.

Qwest's Service Performance Indicator Definitions

Table of Contents

ELECTRONIC GATEWAY AVAILABILITY	
GA-1 – Gateway Availability – IMA-GUI	1
GA-2 – Gateway Availability – IMA-EDI	2
GA-3 – Gateway Availability – EB-TA	3
GA-4 – System Availability – EXACT	4
GA-6 – Gateway Availability – GUI Repair	5
GA-7 – Timely Outage Resolution following Software Releases	6
PRE-ORDER/ORDER	7
PO-1 – Pre-Order/Order Response Times	7
PO-2 – Electronic Flow-through	10
PO-3 – LSR Rejection Notice Interval	12
PO-4 – LSRs Rejected	
PO-5 – Firm Order Confirmations (FOCs) On Time	14
PO-6 – Work Completion Notification Timeliness	17
PO-7 – Billing Completion Notification Timeliness	18
PO-8 – Jeopardy Notice Interval	
PO-9 – Timely Jeopardy Notices	21
PO-15 – Number of Due Date Changes per Order	22
PO-16 – Timely Release Notifications	
PO-19 – Stand-Alone Test Environment (SATE) Accuracy	
PO-20 (Expanded) – Manual Service Order Accuracy	
ORDERING AND PROVISIONING	
OP-2 – Calls Answered within Twenty Seconds – Interconnect Provisioning Center	
OP-3 – Installation Commitments Met	
OP-4 – Installation Interval	
OP-5 – New Service Quality	42
OP-5 – New Service Quality OP-6 – Delayed Days	42 47
OP-5 – New Service Quality OP-6 – Delayed Days OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop	42 47 50
OP-5 – New Service Quality OP-6 – Delayed Days OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop OP-8 – Number Portability Timeliness	42 47 50 51
OP-5 – New Service Quality OP-6 – Delayed Days OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop OP-8 – Number Portability Timeliness OP-13 – Coordinated Cuts On Time – Unbundled Loop	42 47 50 51
OP-5 – New Service Quality OP-6 – Delayed Days OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop OP-8 – Number Portability Timeliness OP-13 – Coordinated Cuts On Time – Unbundled Loop OP-15 – Interval for Pending Orders Delayed Past Due Date	42 50 51 52
OP-5 – New Service Quality OP-6 – Delayed Days OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop OP-8 – Number Portability Timeliness OP-13 – Coordinated Cuts On Time – Unbundled Loop OP-15 – Interval for Pending Orders Delayed Past Due Date OP-17 – Timeliness of Disconnects associated with LNP Orders	42 50 51 52 54
OP-5 – New Service Quality OP-6 – Delayed Days OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop OP-8 – Number Portability Timeliness OP-13 – Coordinated Cuts On Time – Unbundled Loop OP-15 – Interval for Pending Orders Delayed Past Due Date OP-17 – Timeliness of Disconnects associated with LNP Orders MAINTENANCE AND REPAIR	42 50 51 54 57
OP-5 – New Service Quality OP-6 – Delayed Days OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop OP-8 – Number Portability Timeliness OP-13 – Coordinated Cuts On Time – Unbundled Loop OP-15 – Interval for Pending Orders Delayed Past Due Date OP-17 – Timeliness of Disconnects associated with LNP Orders MAINTENANCE AND REPAIR MR-2 – Calls Answered within 20 Seconds – Interconnect Repair Center	42 50 51 52 54 57
OP-5 – New Service Quality OP-6 – Delayed Days OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop OP-8 – Number Portability Timeliness OP-13 – Coordinated Cuts On Time – Unbundled Loop OP-15 – Interval for Pending Orders Delayed Past Due Date OP-17 – Timeliness of Disconnects associated with LNP Orders MAINTENANCE AND REPAIR MR-2 – Calls Answered within 20 Seconds – Interconnect Repair Center MR-3 – Out of Service Cleared within 24 Hours	42 50 51 54 57 59
OP-5 – New Service Quality OP-6 – Delayed Days OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop OP-8 – Number Portability Timeliness OP-13 – Coordinated Cuts On Time – Unbundled Loop OP-15 – Interval for Pending Orders Delayed Past Due Date OP-17 – Timeliness of Disconnects associated with LNP Orders MAINTENANCE AND REPAIR MR-2 – Calls Answered within 20 Seconds – Interconnect Repair Center MR-3 – Out of Service Cleared within 24 Hours MR-4 – All Troubles Cleared within 48 hours	42 50 51 54 57 59 60
OP-5 – New Service Quality OP-6 – Delayed Days OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop OP-8 – Number Portability Timeliness OP-13 – Coordinated Cuts On Time – Unbundled Loop OP-15 – Interval for Pending Orders Delayed Past Due Date OP-17 – Timeliness of Disconnects associated with LNP Orders MAINTENANCE AND REPAIR MR-2 – Calls Answered within 20 Seconds – Interconnect Repair Center MR-3 – Out of Service Cleared within 24 Hours MR-4 – All Troubles Cleared within 48 hours MR-5 – All Troubles Cleared within 4 hours	42 50 51 54 57 59 60 62
OP-5 – New Service Quality OP-6 – Delayed Days OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop OP-8 – Number Portability Timeliness OP-13 – Coordinated Cuts On Time – Unbundled Loop OP-15 – Interval for Pending Orders Delayed Past Due Date OP-17 – Timeliness of Disconnects associated with LNP Orders. MAINTENANCE AND REPAIR MR-2 – Calls Answered within 20 Seconds – Interconnect Repair Center MR-3 – Out of Service Cleared within 24 Hours MR-4 – All Troubles Cleared within 48 hours MR-5 – All Troubles Cleared within 4 hours MR-6 – Mean Time to Restore	42 50 51 54 57 59 60 62
OP-5 – New Service Quality OP-6 – Delayed Days OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop OP-8 – Number Portability Timeliness OP-13 – Coordinated Cuts On Time – Unbundled Loop OP-15 – Interval for Pending Orders Delayed Past Due Date OP-17 – Timeliness of Disconnects associated with LNP Orders MAINTENANCE AND REPAIR MR-2 – Calls Answered within 20 Seconds – Interconnect Repair Center MR-3 – Out of Service Cleared within 24 Hours MR-4 – All Troubles Cleared within 48 hours MR-5 – All Troubles Cleared within 4 hours MR-6 – Mean Time to Restore MR-7 – Repair Repeat Report Rate	42 50 51 54 57 59 60 62 64
OP-5 – New Service Quality OP-6 – Delayed Days OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop OP-8 – Number Portability Timeliness OP-13 – Coordinated Cuts On Time – Unbundled Loop OP-15 – Interval for Pending Orders Delayed Past Due Date OP-17 – Timeliness of Disconnects associated with LNP Orders MAINTENANCE AND REPAIR MR-2 – Calls Answered within 20 Seconds – Interconnect Repair Center MR-3 – Out of Service Cleared within 24 Hours MR-4 – All Troubles Cleared within 48 hours MR-5 – All Troubles Cleared within 4 hours MR-6 – Mean Time to Restore MR-7 – Repair Repeat Report Rate MR-8 – Trouble Rate	42 50 51 57 57 59 60 62 64 69
OP-5 – New Service Quality OP-6 – Delayed Days OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop OP-8 – Number Portability Timeliness OP-13 – Coordinated Cuts On Time – Unbundled Loop OP-15 – Interval for Pending Orders Delayed Past Due Date OP-17 – Timeliness of Disconnects associated with LNP Orders MAINTENANCE AND REPAIR MR-2 – Calls Answered within 20 Seconds – Interconnect Repair Center MR-3 – Out of Service Cleared within 24 Hours MR-4 – All Troubles Cleared within 48 hours MR-5 – All Troubles Cleared within 4 hours MR-6 – Mean Time to Restore MR-7 – Repair Repeat Report Rate MR-8 – Trouble Rate MR-9 – Repair Appointments Met	42 50 51 54 57 59 60 62 64 66
OP-5 – New Service Quality OP-6 – Delayed Days OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop OP-8 – Number Portability Timeliness OP-13 – Coordinated Cuts On Time – Unbundled Loop OP-15 – Interval for Pending Orders Delayed Past Due Date OP-17 – Timeliness of Disconnects associated with LNP Orders MAINTENANCE AND REPAIR MR-2 – Calls Answered within 20 Seconds – Interconnect Repair Center MR-3 – Out of Service Cleared within 24 Hours MR-4 – All Troubles Cleared within 48 hours MR-5 – All Troubles Cleared within 4 hours MR-6 – Mean Time to Restore MR-7 – Repair Repeat Report Rate MR-8 – Trouble Rate MR-9 – Repair Appointments Met MR-10 – Customer and Non-Qwest Related Trouble Reports	42 50 51 54 57 59 60 62 64 66 69
OP-5 – New Service Quality OP-6 – Delayed Days OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop OP-8 – Number Portability Timeliness OP-13 – Coordinated Cuts On Time – Unbundled Loop OP-15 – Interval for Pending Orders Delayed Past Due Date OP-17 – Timeliness of Disconnects associated with LNP Orders MAINTENANCE AND REPAIR MR-2 – Calls Answered within 20 Seconds – Interconnect Repair Center MR-3 – Out of Service Cleared within 24 Hours MR-4 – All Troubles Cleared within 48 hours MR-5 – All Troubles Cleared within 4 hours MR-6 – Mean Time to Restore MR-7 – Repair Repeat Report Rate MR-8 – Trouble Rate MR-9 – Repair Appointments Met MR-10 – Customer and Non-Qwest Related Trouble Reports MR-11 – LNP Trouble Reports Cleared within 24 Hours	42 51 54 57 59 60 62 64 69 72 75
OP-5 – New Service Quality OP-6 – Delayed Days OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop OP-8 – Number Portability Timeliness OP-13 – Coordinated Cuts On Time – Unbundled Loop OP-15 – Interval for Pending Orders Delayed Past Due Date OP-17 – Timeliness of Disconnects associated with LNP Orders MAINTENANCE AND REPAIR MR-2 – Calls Answered within 20 Seconds – Interconnect Repair Center MR-3 – Out of Service Cleared within 24 Hours MR-4 – All Troubles Cleared within 48 hours MR-5 – All Troubles Cleared within 4 hours MR-6 – Mean Time to Restore MR-7 – Repair Repeat Report Rate MR-8 – Trouble Rate MR-9 – Repair Appointments Met MR-10 – Customer and Non-Qwest Related Trouble Reports	42 50 51 57 59 60 64 66 69 72 75

Table of Contents (continued)

BI-2 – Invoices Delivered within 10 Days	81
BI-3 – Billing Accuracy – Adjustments for Errors	
BI-4 – Billing Completeness	83
DATABASE UPDATES	
DB-1 – Time to Update Databases	84
DB-2 – Accurate Database Updates	86
DIRECTORY ASSISTANCE	87
DA-1 – Speed of Answer – Directory Assistance	87
OPERATOR SERVICES	
OS-1 – Speed of Answer – Operator Services	88
NETWORK PERFORMANCE	
NI-1 – Trunk Blocking	89
NP-1 – NXX Code Activation	
COLLOCATION	
CP-1 – Collocation Completion Interval	93
CP-2 – Collocations Completed within Scheduled Intervals	96
CP-3 – Collocation Feasibility Study Interval	
CP-4 - Collocation Feasibility Study Commitments Met	
DEFINITION OF TERMS	
GLOSSARY OF ACRONYMS	105
APPENDIX A	

Electronic Gateway Availability

GA-1 - Gateway Availability - IMA-GUI

Purpose:

Evaluates the quality of CLEC access to the IMA-GUI electronic gateway and one associated system, focusing on the extent they are actually available to CLECs.

Description:

- GA-1A: Measures the availability of the IMA-GUI (Interconnect Mediated Access- Graphical User Interface), and reports the percentage of Scheduled Availability Time the IMA-GUI interface is available for view and/or input.
 - Scheduled Up Time hours for preorder, order, and provisioning transactions are based on the currently published hours of availability found on the following website: http://www.qwest.com/wholesale/cmp/ossHours.html.
- GA-1D: Measures the availability of the SIA system, which facilitates access for the IMA-GUI interface and the IMA-EDI interface (see GA-2), and reports the percentage of scheduled time the SIA system is available. Scheduled availability times will be no less than the same hours as listed for IMA-GUI and IMA-EDI.
- Time Gateway is Available to CLECs is equal to Scheduled Availability Time minus Outage Time.
- Scheduled Availability Time is equal to Scheduled Up Time minus Scheduled Down Time.
- Scheduled Down Time is time identified and communicated that the interface is not available due to maintenance and/or upgrade work. Notification of Scheduled Down Time for routine maintenance and/or upgrade work will be provided no less than 48 hours in advance.
- An outage is a critical or serious loss of functionality, attributable to the specified gateway or component (i.e., IMA-GUI, SIA), affecting Qwest's ability to serve its customers. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected customer(s) and/or from mechanized event management systems.

Reporting Period: One month	Unit of Measure: Per	rcent
Reporting Comparisons: CLEC aggregate results	Results will be reported	
	GA-1A IMA Graphica GA-1D SIA system	al User Interface Gateway
Formula:		
([Number of Hours and Minutes Gateway is Ava Hours and Minutes of Scheduled Availability Time		
Exclusions: None		
Product Reporting: None	Standard:	99.25 percent
Availability: Available	Notes:	

GA-2 – Gateway Availability – IMA-EDI

Purpose:

Evaluates the quality of CLEC access to the IMA-EDI electronic gateway, focusing on the extent the gateway is actually available to CLECs.

Description:

Measures the availability of IMA-EDI (Interconnect Mediated Access - Electronic Data Interchange) interface and reports the percentage of scheduled availability time the IMA-EDI Interface is available for view and/or input. All times during which the interface is scheduled to be operating during the reporting period are measured.

- Scheduled Up Time hours for IMA-EDI based on the currently published hours of availability found on the following website: http://www.qwest.com/wholesale/cmp/ossHours.html. Time Gateway is Available to CLECs is equal to Scheduled Availability Time minus Outage Time.
- Scheduled Availability Time is equal to Scheduled Up Time minus Scheduled Down Time.
- Scheduled Down Time is time identified and communicated that the interface is not available due
 to maintenance and/or upgrade work. Notification of Scheduled Down Time for routine
 maintenance and/or upgrade work will be provided no less than 48 hours in advance.
- An outage is a critical or serious loss of functionality, attributable to the specified gateway or component (i.e., IMA-EDI), affecting Qwest's ability to serve its customers. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected customer(s) and/or from mechanized event management systems.

Reporting Period: One month	Unit of Measure: Percer	t
Reporting Comparisons: CLEC	Disaggregation Reporti	
aggregate results	(See GA-1D for reporting	of SIA system availability.)
Formula:		
([Number of Hours and Minutes Gateway is of Hours and Minutes of Scheduled Availab Exclusions: None		
Product Reporting: None	Standard:	99.25 percent
Availability: Available	Notes:	

GA-3 – Gateway Availability – EB-TA

Purpose:

Evaluates the quality of CLEC access to the EB-TA interface, focusing on the extent the gateway is actually available to CLECs.

Description:

Measures the availability of EB-TA (Electronic Bonding – Trouble Administration) interface and reports the percentage of scheduled availability time the EB-TA Interface is available.

- Scheduled Up Time hours are based on the currently published hours of availability found on the following website: http://www.qwest.com/wholesale/cmp/ossHours.html.
- Time Gateway is Available to CLECs is equal to Scheduled Availability Time minus Outage Time.
- Scheduled Availability Time is equal to Scheduled Up Time minus Scheduled Down Time.
- Scheduled Down Time is time identified and communicated that the interface is not available due
 to maintenance and/or upgrade work. Notification of Scheduled Down Time for routine
 maintenance and/or upgrade work will be provided no less than 48 hours in advance.
- An outage is a critical or serious loss of functionality, attributable to the specified gateway or component (i.e., EB-TA), affecting Qwest's ability to serve its customers. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected customer(s) and/or from mechanized event management systems.

and/or from mechanized event management syst	lems.
Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate results	Disaggregation Reporting: Region-wide level.
Formula: ([Number of Hours and Minutes Gateway is Available of Hours and Minutes of Scheduled Availability Durin	
Exclusions: None	
Product Reporting: None	Standard: 99.25 percent
Availability: Available	Notes:

GA-4 - System Availability - EXACT

Purpose:

Evaluates the quality of CLEC batch access to the EXACT electronic access service request system, focusing on the extent the system is actually available to CLECs.

Description:

Measures the availability of EXACT system and reports the percentage of scheduled availability time the EXACT system is available.

- Scheduled Up Time hours are based on the currently published hours of availability found on the following website: http://www.gwest.com/wholesale/cmp/ossHours.html.
- Time System is Available to CLECs is equal to Scheduled Availability Time minus Outage Time.
- Scheduled Availability Time is equal to Scheduled Up Time minus Scheduled Down Time.
- Scheduled Down Time is time identified and communicated that the system is not available due to maintenance and/or upgrade work. Notification of Scheduled Down Time for routine maintenance and/or upgrade work will be provided no less than 48 hours in advance.
- An outage is a critical or serious loss of functionality, attributable to the specified gateway or component (i.e., EXACT), affecting Qwest's ability to serve its customers. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected customer(s) and/or from mechanized event management systems.

customer(s) and/or from mechanized event management systems.		
Reporting Period: One month Unit of Measure: Percent		
Reporting Comparisons: CLEC aggregate results		Region-wide level.
Formula:		
([Number of Hours and Minutes EXACT is Available to Hours and Minutes of Scheduled Availability During F		eriod] ÷ [Number of
Exclusions: None		
Product Reporting: None	Standard: 99.2	25 percent
Availability: Available	Notes:	

GA-6 – Gateway Availability – GUI -- Repair

Purpose:

Evaluates the quality of CLEC access to the GUI Repair electronic gateway, focusing on the extent the gateway is actually available to CLECs.

Description:

Measures the availability of the GUI (Graphical User Interface) repair electronic interface and reports the percentage of scheduled availability time the interface is available for view and/or input. All times during which the interface is scheduled to be operating during the reporting period are measured.

- Scheduled Up Time" hours are based on the currently published hours of availability found on the following website: http://www.qwest.com/wholesale/cmp/ossHours.html.
- Time Gateway is Available to CLECs is equal to Scheduled Availability Time minus Outage Time.
- Scheduled Availability Time is equal to Scheduled Up Time minus Scheduled Down Time.
- Scheduled Down Time is time identified and communicated that the interface is not available due to maintenance and/or upgrade work. Notification of Scheduled Down Time for routine maintenance and/or upgrade work will be provided no less than 48 hours in advance.
- An outage is a critical or serious loss of functionality, attributable to the specified gateway or component (i.e., GUI-Repair), affecting Qwest's ability to serve its customers. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected customer(s) and/or from mechanized event management systems.

Reporting Period: One month	Unit of Measure: Percer	nt
Reporting Comparisons: CLEC	Disaggregation Report	ing: Region-wide level.
aggregate results		
Formula:		
[Number of Hours and Minutes Gateway is A Hours and Minutes of Scheduled Availability		
Exclusions: None		
Product Reporting: None	Standard:	99.25 percent
Availability: Available	Notes:	

GA-7 – Timely Outage Resolution following Software Releases

Purpose:

Measures the timeliness of resolution of gateway or system outages attributable to software releases for specified OSS interfaces, focusing on CLEC-affecting software releases involving the specified gateways or systems.

Description:

- Measures the percentage of gateway or system outages, which are attributable to OSS system software releases and which occur within two weeks after the implementation of the OSS system software releases, that are resolved NOTE within 48 hours of detection by the Qwest monitoring group or reporting by a CLEC/co-provider.
- Includes software releases associated with the following OSS interfaces in Qwest: IMA-GUI, IMA-EDI, and CEMR, Exchange Access, Control, & Tracking (EXACT)^{NOTE 2}, Electronic Bonding

 Trouble Administration (EB -TA) NOTE 3
- An outage for this measurement is a critical or serious loss of functionality, attributable to the specified gateway or component, affecting Qwest's ability to serve its customers or data loss NOTE 4 on the Qwest side of the interface. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected customer(s) and/or from mechanized event management systems.
- The outage resolution time interval considered in this measurement starts at the time Qwest's
 monitoring group detects a failure, or at the date/time of the first transaction sent to Qwest that cannot
 be processed (i.e. lost data), and ends with the time functionality is restored or the lost data is
 recovered.

Reporting Period: Monthly	Unit of Measure: Percent
Reporting Comparisons: CLEC Aggregate	Disaggregation Reporting: Region-wide level.

Formula:

[(Total outages detected within two weeks of a Software Release that are resolved within 48 hours of the time Qwest detects the outage) ÷ (Total number of outages detected within two weeks of Software Releases resolved in the Reporting Period)] x 100

Exclusions:

- Outages in releases prior to any CLEC migrating to the release.
- Duplicate reports attributable to the same software defect.

Product Reporting: No	one	Standards:
. •		Volume = 1-20: 1 miss
		Volume > 20: 95%
Availability:	Notes:	
Available	 Notes: "Resolved" means that service is restored to the reporting CLEC, as experienced by the CLEC. EXACT is a Telecordia system. Only releases for changes initiated be Qwest for hardware or connectivity will be included in this measurem. Outages reported under EB-TA are the same as outages in MEDIAC. For data loss to be considered for GA-7, a functional acknowledgement must have been provided for the data in question (e.g., EDI 997, LSR). 	

Pre-Order/Order

PO-1 – Pre-Order/Order Response Times

Purpose:

Evaluates the timeliness of responses to specific preordering/ordering queries for CLECs through the use of Qwest's Operational Support Systems (OSS). Qwest's OSS are accessed through the specified gateway interface.

Description:

PO-1A & PO-1B:

Measures the time interval between query and response for specified pre-order/order transactions through the electronic interface.

- Measurements are made using a system that simulates the transactions of requesting preordering/ordering information from the underlying existing OSS. These simulated transactions are made through the operational production interfaces and existing systems in a manner that reflects, in a statistically-valid manner, the transaction response times experienced by CLEC service representatives in the reporting period.
- The time interval between query and response consists of the period from the time the transaction request was "sent" to the time it is "received" via the gateway interface.
- A query is an individual request for the specified type of information.

PO-1C:

 Measures the percentage of all IRTM Queries measured by PO-1A & 1B transmitted in the reporting period that timeout before receiving a response.

PO-1D:

Measures the average response time for a sampling of rejected queries across preorder transaction types.
The response time measured is the time between the issuance of a pre-ordering transaction and the
receipt of an error message associated with a "rejected query." A rejected query is a transaction that
cannot be successfully processed due to the provision of incomplete or invalid information by the sender,
which results in an error message back to the sender.

which results in an error message back to the sender.	
Reporting Period: One month	Unit of Measure:
	PO-1A, PO-1B, & PO-1D: Seconds
	PO-1C: Percent

PO-1 – Pre-Order/Order Response Times (continued)

Reporting Comparisons:

CLEC aggregate.

Disaggregation Reporting: Region-wide level. Results are reported as follows:

- PO-1A Pre-Order/Order Response Time for IMA-GUI
- PO-1B Pre-Order/Order Response Time for IMA-EDI

Results are reported separately for each of the following transaction types: NOTE 2

- 1. Appointment Scheduling (Due Date Reservation, where appointment is required)
- 2. Service Availability Information
- 3. Facility Availability
- 4. Street Address Validation
- 5. Customer Service Records
- 6. Telephone Number
- 7. Loop Qualification Tools NOTE 3
- 8. Resale of Qwest DSL Qualification
- 9. Connecting Facility Assignment NOTE 4
- 10. Meet Point Inquiry NOTE !

For PO-1A (transactions via IMA-GUI), in addition to reporting total response time, response times for each of the above transactions will be reported in two parts: (a) time to access the request screen, and (b) time to receive the response for the specified transaction. For PO-1A 6, Telephone Number, a third part (c) accept screen, will be reported.

For PO-1B (transactions via IMA-EDI), request/response will be reported as a combined number.

PO-1C Results for PO-1C will be reported according to the gateway interface used:

- 1. Percent of Preorder Transactions that Timeout IMA-GUI
- 2. Percent of Preorder Transactions that Timeout IMA-EDI

PO-1D Results for PO-1D will be reported according to the gateway interface used:

- 1. Rejected Response Times for IMA-GUI
- 2. Rejected Response Times for IMA-EDI

Formula:

PO-1A & PO-1B = Σ [(Query Response Date & Time) – (Query Submission Date & Time)] ÷ (Number of Queries Submitted in Reporting Period)

PO-1C = [(Number of IRTM Queries measured by PO-1A & 1B that Timeout before receiving response) ÷ (Number of IRTM Queries Transmitted in Reporting Period)] x 100

PO-1D = $\Sigma[(Rejected Query Response Date \& Time) - (Query Submission Date \& Time)] ÷ (Number of Rejected Query Transactions Simulated by IRTM)$

Exclusions:

PO-1A & PO-1B:

Rejected requests/errors, and timed out transactions

PO-1C:

· Rejected requests and errors

PO-1D:

Timed out transactions

PO-1 – Pre-Order/Order Response Times (continued)

Product Reporting: None	Standards:	IMA-GUI	IMA-EDI
	Total Response Time:		
	 Appointment Scheduling Service Availability 	<10 seconds <25 seconds	<10 seconds <25 seconds
	Information 3. Facility Availability 4. Street Address Validation 5. Customer Service Records 6. Telephone Number 7. Loop Qualification Tools	$<25 \text{ seconds}^6$ <10 seconds $<12.5 \text{ seconds}^6$ <10 seconds $\le 20 \text{ seconds}^7$	<25 seconds ⁶ <10 seconds <12.5 seconds ⁶ <10 seconds ≤ 20 seconds
	8. Resale of Qwest DSL Qualification	≤ 20 seconds ⁷	≤ 20 seconds
	Connecting Facility Assignment	≤ 25 seconds	≤ 25 seconds
	10. Meet Point Inquiry	≤ 30 seconds	≤ 30 seconds
	PO-1C-1	0.5	i%
	PO-1C-2	0.5	5%
	PO-1D-1 & 2	Diagn	ostic
Availability:	Notes:		
Available	 Rejected query types used in Qwest diagnostic purposes. As additional transactions, cuthey will be measured and actransactions, as applicable. Results based on a weighted and Raw Loop Data Tool. Results based on Connecting Results based on meet Point loops. Times reflect non-complex sebusiness, or POTS account. lines. Benchmark applies to respontime will also be reported. 	urrently done manually ded to or included in combination of ADSL pracility Assignment Query, POTS Splitter prvices, including residuoes not include ADS	y, are mechanized, the above list of Loop Qualification by Unit Query. option for Shared dential, simple SL or accounts>25

PO-2 – Electronic Flow-through

Purpose:

Monitors the extent Qwest's processing of CLEC Local Service Requests (LSRs) is completely electronic, focusing on the degree that electronically-transmitted LSRs flow directly to the service order processor without human intervention or without manual retyping.

Description:

PO-2A - Measures the percentage of all electronic LSRs that flow from the specified electronic gateway interface to the Service Order Processor (SOP) without any human intervention.

• Includes all LSRs that are submitted electronically through the specified interface during the reporting period, subject to exclusions specified below.

PO-2B – Measures the percentage of all flow-through-eligible LSRs NOTE 1 that flow from the specified electronic gateway interface to the SOP without any human intervention.

• Includes all flow-through-eligible LSRs that are submitted electronically through the specified interface during the reporting period, subject to exclusions specified below.

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate, individual CLEC	Disaggregation Reporting: Statewide level (per multi- state system serving the state). Results for PO-2A and PO-2B will be reported according to the gateway interface* used to submit the LSR: 1 LSRs received via IMA-GUI 2 LSRs received via IMA-EDI *CO also reports an aggregate of IMA-GUI and IMA-EDI results.

Formula:

- PO-2A = [(Number of Electronic LSRs that pass from the Gateway Interface to the SOP without human intervention) ÷ (Total Number of Electronic LSRs that pass through the Gateway Interface)] x 100
- PO-2B = [(Number of flow-through-eligible Electronic LSRs that actually pass from the Gateway Interface to the SOP without human intervention) ÷ (Number of flow-through-eligible Electronic LSRs received through the Gateway Interface)] x 100

Exclusions:

- Rejected LSRs and LSRs containing CLEC-caused non-fatal errors.
- Non-electronic LSRs (e.g., via fax or courier).
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.
- Duplicate LSR numbers. (Exclusion to be eliminated upon implementation of IMA capability to disallow duplicate LSR #'s.)
- Invalid start/stop dates/times.

PO-2 – Electronic Flow-through (continued)

Product Reporting:

- Resale
- Unbundled Loops (with or without Local Number Portability)
- Local Number Portability
- UNE-P (POTS) and UNE-P (Centrex 21)
- Line Sharing

Standards:

PO-2A:

CO: CO PO-2B benchmarks minus 10 percent NOTE 2

All Other States: Diagnostic

PO-2B: NOTE 2

Resale:	95%
Unbundled Loops:	85%
LNP:	95%
UNE-P (POTS & Centrex 21):	95%
Line Sharing:	Diagnostic NOTE 3

Availability:

Available (except as follows):

Combined reporting of UNE-P (POTS) and UNE-P (Centrex 21) – beginning with Jul 04 data on the Aug 04 report.

Line Sharing – beginning with Jul 04 data on the Aug 04 report

Notes:

- 1. The list of LSR types classified as eligible for flow through is contained in the "LSRs Eligible for Flow Through" matrix. This matrix also includes availability for enhancements to flow through. Matrix will be distributed through the CMP process.
- 2. In Colorado the standard for PO-2 is considered met if the standard for either PO-2A or PO-2B is met. For both PO-2A and PO-2B, the benchmark percentages shown apply to the aggregations of PO-2A-1 and PO-2A-2 (i.e., the combined PO-2A result) and of PO-2B-1 and PO-2B-2 (i.e., the combined PO-2B result).
- 3. The standard and future disaggregated reporting of the Line Sharing product is TBD, pending resolution of TRO issues.

PO-3 – LSR Rejection Notice Interval

Purpose:

Monitors the timeliness with which Qwest notifies CLECs that electronic and manual LSRs were rejected.

Description:

Measures the interval between the receipt of a Local Service Request (LSR) and the rejection of the LSR for standard categories of errors/reasons.

- Includes all LSRs submitted through the specified interface that are rejected during the reporting period.
- Standard reasons for rejections are: missing/incomplete/mismatching/unintelligible information, duplicate request or LSR/PON (purchase order number), no separate LSR for each account telephone number affected, no valid contract, no valid end user verification, account not working in Qwest territory, service-affecting order pending, request is outside established parameters for service, and lack of CLEC response to Qwest question for clarification about the LSR.
- Included in the interval is time required for efforts by Qwest to work with the CLEC to avoid the necessity of rejecting the LSR.
- With hours: minutes reporting, hours counted are (1) business hours for manual rejects (involving human intervention) and (2) published Gateway Availability hours for auto-rejects (involving no human intervention). Business hours are defined as time during normal business hours of the Wholesale Delivery Service Centers, except for PO-3C in which hours counted are workweek clock hours. Gateway Availability hours are based on the currently published hours of availability found on the following website: http://www.gwest.com/wholesale/cmp/ossHours.html.

Reporting Period: One more	nth Unit of Measure: PO-3A-1, PO-3B-1 & PO-3C - Hrs: Mins.	
	PO-3A-2 & PO-3B-2 – Mins: Secs.	
Reporting Comparisons:	Disaggregation Reporting:	

CLEC aggregate and individual CLEC results Results for this indicator are reported according to the gateway interface used to submit the LSR:

- PO-3A-1, LSRs received via IMA-GUI and rejected manually: Statewide
- PO-3A –2, LSRs received via IMA-GUI and auto-rejected: Region wide
- PO-3B-1, LSRs received via IMA-EDI and rejected manually: Statewide
- PO-3B –2, LSRs received via IMA-EDI and auto-rejected: Region wide
- PO-3C, LSRs received via facsimile: Statewide

Formula:

Σ [(Date and time of Rejection Notice transmittal) – (Date and time of LSR receipt)] ÷ (Total number of LSR Rejection Notifications)

Exclusions:

- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.
- Duplicate LSR numbers. (Exclusion to be eliminated upon implementation of IMA capability to disallow duplicate LSR #'s.)
- Invalid start/stop dates/times.

Product Reporting: Not applicable (reported by	Standards:
ordering interface).	 PO-3A-1 and -3B-1: ≤ 12 business hours
	 PO-3A -2 and -3B -2: ≤ 18 seconds
	• PO-3C: ≤ 24 work week clock
	hours
Availability:	Notes:
Available	

PO-4 - LSRs Rejected

Purpose:

Monitors the extent LSRs are rejected as a percentage of all LSRs to provide information to help address potential issues that might be raised by the indicator of LSR rejection notice intervals.

Description:

Measures the percentage of LSRs rejected (returned to the CLEC) for standard categories of errors/reasons.

- Includes all LSRs submitted through the specified interface that are rejected or FOC'd during the reporting period.
- Standard reasons for rejections are: missing/incomplete/mismatching/unintelligible information; duplicate request or LSR/PON (purchase order number); no separate LSR for each account telephone number affected; no valid contract; no valid end user verification; account not working in Qwest territory; service-affecting order pending; request is outside established parameters for service; and lack of CLEC response to Qwest question for clarification about the LSR.

Reporting Period: One month	Unit of Measure: Percent of LSRs
Reporting Comparisons: CLEC aggregate and individual CLEC results	Disaggregation Reporting: Results for this indicator are reported according to the gateway interface used to submit the LSR: PO-4A-1 LSRs received via IMA-GUI and rejected manually – Region wide PO-4A -2 LSRs received via IMA-GUI and auto-rejected – Region wide PO-4B-1 LSRs received via IMA-EDI and rejected manually – Region wide PO-4B -2 LSRs received via IMA-EDI and auto-rejected – Region wide PO-4C LSRs received via facsimile – Statewide

Formula:

[(Total number of LSRs rejected via the specified method in the reporting period) ÷ (Total of all LSRs that are received via the specified interface that were rejected or FOC'd in the reporting period)] x 100

Exclusions:

- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.
- Duplicate LSR numbers. (Exclusion to be eliminated upon implementation of IMA capability to disallow duplicate LSR #'s.)
- Invalid start/stop dates/times.

Product Reporting: Not applicable (reported by ordering interface).	Standard: Diagnostic
Availability: Available	Notes:

PO-5 - Firm Order Confirmations (FOCs) On Time

Purpose:

Monitors the timeliness with which Qwest returns Firm Order Confirmations (FOCs) to CLECs in response to LSRs/ASRs received from CLECs, focusing on the degree to which FOCs are provided within specified intervals.

Description:

Measures the percentage of Firm Order Confirmations (FOCs) that are provided to CLECs within the intervals specified under "Standards" below for FOC notifications.

- Includes all LSRs/ASRs that are submitted through the specified interface or in the specified manner (i.e., facsimile) that receive an FOC during the reporting period, subject to exclusions specified below. (Acknowledgments sent separately from an FOC (e.g., EDI 997 transactions are not included.)
- For PO-5A, the interval measured is the period between the LSR received date/time (based on scheduled up time) and Qwest's response with a FOC notification (notification date and time).
- For PO-5B, 5C, and 5D, the interval measured is the period between the application date and time, as defined herein, and Qwest's response with a FOC notification (notification date and time).
- "Fully electronic" LSRs are those (1) that are received via IMA-GUI or IMA-EDI, (2) that involve no manual intervention, and (3) for which FOCs are provided mechanically to the CLEC. NOTE 2
- "Electronic/manual" LSRs are received electronically via IMA-GUI or IMA-EDI and involve manual processing.
- "Manual" LSRs are received manually (via facsimile) and processed manually.
- ASRs are measured only in business days.
- LSRs will be evaluated according to the FOC interval categories shown in the "Standards" section below, based on the number of lines/services requested on the LSR or, where multiple LSRs from the same CLEC are related, based on the combined number of lines/services requested on the related LSRs.

Reporting Period: One month Unit of Measure: Percent

Reporting

Comparisons: CLEC aggregate and individual CLEC results

Disaggregation Reporting: Statewide level (per multi-state system serving the state).

Results for this indicator are reported as follows:

- PO-5A:* FOCs provided for fully electronic LSRs received via:
 - PO-5A-1 IMA-GUI
 - PO-5A-2 IMA-EDI
- PO-5B:* FOCs provided for electronic/manual LSRs received via:
 - PO-5B-1 IMA-GUI
 - PO-5B-2 IMA-EDI
- PO-5C:* FOCs provided for manual LSRs received via Facsimile.
- PO-5D: FOCs provided for ASRs requesting LIS Trunks.
 - * Each of the PO-5A, PO-5B and PO-5C measurements listed above will be further disaggregated as follows:
 - (a) FOCs provided for Resale services and UNE-P
 - (b) FOCs provided for Unbundled Loops and specified Unbundled Network Elements
 - (c) FOCs provided for LNP

Formula:

PO-5A = {[Count of LSRs for which the original FOC's "(FOC Notification Date & Time) - (LSR received date/time (based on scheduled up time))" is within 20 minutes] ÷ (Total Number of original FOC Notifications transmitted for the service category in the reporting period)} x 100

PO-5B, 5C, & 5D = {[Count of LSRs/ASRs for which the original FOC's "(FOC Notification Date & Time) - (Application Date & Time)" is within the intervals specified for the service category involved]

 \div (Total Number of original FOC Notifications transmitted for the service category in the reporting period)} x 100

PO-5 – Firm Order Confirmations (FOCs) On Time (continued)

Exclusions:

- LSRs/ASRs involving individual case basis (ICB) handling based on quantities of lines, as specified in the "Standards" section below, or service/request types, deemed to be projects.
- Hours on Weekends and holidays. (Except for PO-5A which only excludes hours outside the scheduled up time).
- LSRs with CLEC-requested FOC arrangements different from standard FOC arrangements.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.
- Duplicate LSR numbers. (Exclusion to be eliminated upon implementation of IMA capability to disallow duplicate LSR #'s.)
- Invalid start/stop dates/times.

Additional PO-5D exclusion:

· Records with invalid application or confirmation dates.

Product Reporting:	Standards:		
	For PO-5A (all):	95% within 20 minutes NOTE:	2
 For PO-5A, -5B and -5C: (a) Resale services UNE-P (POTS) 	For PO-5B (all):	90% within standard FOC in (specified below)	ntervals
	For PO-5C (manual):	90% within standard FOC in specified below PLUS	tervals 24 hours NOTE 3
and UNE-P Centrex	For PO-5D (LIS Trunks):	85% within eight business d	
(b) Unbundled Loops and specified Unbundled Network	Standard FOC In	tervals for PO-5B and PO-50	C
Elements.	Product Group NOTE 1		FOC Interval
(c) LNP	Resale		
For PO-5D: LIS	Residence and Business POTS		
Trunks.	ISDN-Basic	1-10 lines	_
TIUTIKS.	 Conversion As Is 		24 hours
	 Adding/Changing feature 		
		isting to established loop	
	 Add call appearance 		
	Centrex Non-Design	1-19 lines	
	with no Common Block		
	Centrex line feature change		
	LNP	1-24 lines	
	Unbundled Loops	1-24 loops	
	2/4 Wire analog		
	DS3 Capable Sub-loop	1-24 sub-loops	_
	[included in Product Report	•	
			-
	Line Sharing/Line Splitting/Loop Splitting 1-24 shared loops		
	[included in Product Reporting group (b)]		
	Unbundled Network Element–Platform (UNE-P POTS)		1
		1 – 39 lines	

PO-5 – Firm Order Confirmations (FOCs) On Time (continued)

	 Change to add Loop ISDN-PRI (Facility) 	1-3	
	ISDN-PRI (Facility)	1-3	
	PBX	1-24 trunks	
	DS0 or Voice Grade Equivalent DS1 Facility	1-24 1-24	
	DS3 Facility	1-3	
	LNP	25-49 lines	
	Enhanced Extended Loops (EELs)		
	[included in Product Reporting group (b)]	4 - i i t	
	DS1 1-24	4 circuits	
	Resale	nian.	
	Centrex (including Centrex 21, Non-des Centrex 21 Basic ISDN, Centre		
	Centron, Centrex Primes)	1-10 lines	
	 With Common Block Configuration 	required	
	 Initial establishment of Centrex CN 	MS services	
	Tie lines or NARs activity	.1	
	Subsequent to initial Common BloStation lines	CK	
	Station linesAutomatic Route Selection		72 hours
	Automatic Route Selection Uniform Call Distribution		
	Additional numbers		
	UNE-P Centrex 1-10 lines		
	UNE-P Centrex 21 1-10 lines Unbundled Loops with Facility Check(NOTE 2, 3) 1 - 24 loops		
	2/4 wire Non-loaded	1 – 24 loops	
	ADSL compatible		
	ADSL compatible ISDN capable XDSL-I capable DS1 capable		
	ADSL compatible ISDN capable XDSL-I capable DS1 capable Resale	4.40 tours	OC hours
	ADSL compatible ISDN capable XDSL-I capable DS1 capable Resale ISDN-PRI (Trunks)	1-12 trunks	96 hours
	ADSL compatible ISDN capable XDSL-I capable DS1 capable Resale ISDN-PRI (Trunks) For PO-5D:	1-12 trunks 240 trunk circuits	8 business
Availability:	ADSL compatible ISDN capable XDSL-I capable DS1 capable Resale ISDN-PRI (Trunks) For PO-5D: LIS Trunks 1-2	240 trunk circuits	8 business days
Availability: Available	ADSL compatible ISDN capable XDSL-I capable DS1 capable Resale ISDN-PRI (Trunks) For PO-5D: LIS Trunks 1-2 Notes: 1. LSRs with quantities above the	240 trunk circuits highest number sp	8 business days
	ADSL compatible ISDN capable XDSL-I capable DS1 capable Resale ISDN-PRI (Trunks) For PO-5D: LIS Trunks 1-2 Notes: 1. LSRs with quantities above the each product type are considered	240 trunk circuits highest number sped ICB.	8 business days
	ADSL compatible ISDN capable XDSL-I capable DS1 capable Resale ISDN-PRI (Trunks) For PO-5D: LIS Trunks 1-2 Notes: 1. LSRs with quantities above the each product type are considered as a company of the company of t	240 trunk circuits highest number sp ed ICB. neck can be proce	8 business days Decified for assed
	ADSL compatible ISDN capable XDSL-I capable DS1 capable Resale ISDN-PRI (Trunks) For PO-5D: LIS Trunks 1-2 Notes: 1. LSRs with quantities above the each product type are considered electronically; however, because	240 trunk circuits highest number sped ICB. neck can be proceethis category alw	8 business days Decified for assed ways carries a
	ADSL compatible ISDN capable XDSL-I capable DS1 capable Resale ISDN-PRI (Trunks) For PO-5D: LIS Trunks 1-2 Notes: 1. LSRs with quantities above the each product type are considered each product type are considered 2. Unbundled Loop with Facility Chelectronically; however, because 72-hour FOC interval the FOC mappear in PO-5B if received electronically	240 trunk circuits highest number sped ICB. neck can be proce this category alw esults for this proce	8 business days Decified for assed ways carries a duct will
	ADSL compatible ISDN capable XDSL-I capable DS1 capable Resale ISDN-PRI (Trunks) For PO-5D: LIS Trunks 1-2 Notes: 1. LSRs with quantities above the each product type are considered each product type are considered each product type are considered electronically; however, because 72-hour FOC interval the FOC mappear in PO-5B if received electronically.	240 trunk circuits highest number sped ICB. heck can be procee this category alwesults for this procetronically or PO-5	8 business days Decified for assed ways carries a duct will according to the following section of the following section o
	ADSL compatible ISDN capable XDSL-I capable DS1 capable Resale ISDN-PRI (Trunks) For PO-5D: LIS Trunks 1-2 Notes: 1. LSRs with quantities above the each product type are considered each product	240 trunk circuits highest number sped ICB. heck can be procee this category alwesults for this procetronically or PO-5	8 business days Decified for assed ways carries a duct will of if received an additional
	ADSL compatible ISDN capable XDSL-I capable DS1 capable Resale ISDN-PRI (Trunks) For PO-5D: LIS Trunks 1-2 Notes: 1. LSRs with quantities above the each product type are considered each product type are considered each product type are considered electronically; however, because 72-hour FOC interval the FOC mappear in PO-5B if received electronically.	240 trunk circuits highest number sped ICB. heck can be procee this category alwesults for this procetronically or PO-5	8 business days Decified for assed ways carries a duct will of if received an additional

PO-6 – Work Completion Notification Timeliness

Purpose:

To evaluate the timeliness of Qwest issuing electronic notification at an LSR level to CLECs that provisioning work on all service orders that comprise the CLEC LSR have been completed in the Service Order Processor and the service is available to the customer.

Description:

PO-6A & 6B:

- Includes all orders completed in the Qwest Service Order Processor that generate completion notifications in the reporting period, subject to exclusions shown below.
- The start time is the date/time when the last of the service orders that comprise the CLEC LSR is
 posted as completed in the Service Order Processor.
- The end time is when the electronic order completion notice is made available (IMA-GUI) NOTE 1 or transmitted (IMA-EDI) to the CLEC via the ordering interface used to place the local service request. The notification is transmitted at an LSR level when all service orders that comprise the CLEC LSR are complete.
- With hours: minutes reporting, hours counted are during the published Gateway Availability hours.
 Gateway Availability hours are based on the currently published hours of availability found on the following website: http://www.qwest.com/wholesale/cmp/ossHours.html.

Tollowing Wobolto: http://www.qwoot.oom/wholoodio/omp/ooorlodio.html:			
Reporting Period:		Unit of Measure:	
One month		PO-6A - 6B:	Hrs:Mins
Reporting Comparisons: CLEC aggregate and individual CLEC results.	PO-6A Notices tranPO-6B Notices tran	· ·	

Formula:

For completion notifications generated from LSRs received via IMA-GUI:

PO–6A = Σ ((Date and Time Completion Notification made available to CLEC) - (Date and Time the last of the service orders that comprise the CLEC LSR is completed in the Service Order Processor)) \div (Number of completion notifications made available in reporting period)

For completion notifications generated from LSRs received via IMA-EDI:

PO–6B = Σ ((Date and Time Completion Notification transmitted to CLEC) - (Date and Time the last of the service orders that comprise the CLEC LSR is completed in the Service Order Processor.)) ÷ (Number of completion notifications transmitted in reporting period)

Exclusions:

PO – 6A & 6B:

- Records with invalid completion dates.
- LSRs submitted manually (e.g., via facsimile).
- ASRs submitted via EXACT.

Product Reporti	ing:	Standard:
PO – 6A & 6B A	Aggregate reporting for all products ordered through	6 hours
IMA-GUI and, s	eparately, IMA-EDI (see disaggregation reporting).	
Availability:	Notes:	
Available	The time a notice is "made available" via the IN a status update related to the completion notic database. When this occurs, the notice can be CLEC using the Status Updates window or by function.	e in the IMA Status Updates e immediately viewed by the

PO-7 – Billing Completion Notification Timeliness

Purpose:

To evaluate the timeliness with which electronic billing completion notifications are made available or transmitted to CLECs, focusing on the percentage of notifications that are made available or transmitted (for CLECs) or posted in the billing system (for Qwest retail) within five business days.

Description:

PO-7A & 7B:

- This measurement includes all orders posted in the CRIS billing system for which billing completion notices are made available or transmitted in the reporting period, subject to exclusions shown below.
- Intervals used in this measurement are from the time a service order is completed in the SOP to the time billing completion for the order is made available or transmitted to the CLEC.
 - The time a notice is "made available" via the IMA-GUI consists of the time Qwest stores the completion notice in the IMA Status Updates database. When this occurs, the notice can be immediately viewed by the CLEC using the Status Updates window.
 - The time a notice is "transmitted" via IMA-EDI consists of the time Qwest actually transmits the completion notice via IMA-EDI. Applicable only to those CLECs who are certified and setup to receive the notices via IMA-EDI.
- The start time is when the completion of the service order is posted in the Qwest SOP. The end
 time is when, confirming that the order has been posted in the CRIS billing system, the electronic
 billing completion notice is made available to the CLEC via the same ordering interface (IMA-GUI
 or IMA-EDI) as used to submit the LSR.
- Intervals counted in the numerator of these measurements are those that are five business days or less.

PO-7C:

- This measurement includes all retail orders posted in the CRIS Billing system in the reporting period, subject to exclusions shown below.
- Intervals used in this measurement are from the time an order is completed in the SOP to the time it is posted in the CRIS billing system.
- The start time is when the completion of the order is posted in the SOP. The end time is when the order is posted in the CRIS billing system.
- Intervals counted in the numerator of this measurement are those that are five business days or less

Reporting Period: One month

Reporting Comparisons:
PO-7A and -7B: CLEC
aggregate and individual CLEC
results.
PO-7C: Qwest retail results.

Unit of Measure: Percent

Disaggregation Reporting: Statewide level.

PO-7A Notices made available via IMA-GUI

PO-7B Notices transmitted via IMA-EDI

PO-7C Billing system posting completions for Qwest Retail

Formula:

For wholesale service orders Qwest generates for LSRs received via IMA:

PO-7A = (Number of electronic billing completion notices in the reporting period made available within five business days of posting complete in the SOP) ÷ (Total Number of electronic billing completion notices made available during the reporting period)

PO-7B = (Number of electronic billing completion notices in the reporting period transmitted within five business days of posting complete in the SOP) ÷ (Total Number of electronic billing completion notices transmitted during the reporting period)

For service orders Qwest generates for retail customers (i.e., the retail analogue for PO-7A & -7B):

PO-7C = (Total number of retail service orders posted in the CRIS billing system in the reporting period that were posted within 5 business days) ÷ (Total number of retail service orders posted in the CRIS billing system in the reporting period)

PO-7 – Billing Completion Notification Timeliness (continued)

Exclusions:					
 PO-7A, 7B & 7C Services that are not billed through CRIS, e.g. Resale Frame Relay. Records with invalid completion dates. PO-7A & 7B 					
			LSRs submitted manually.		
			 ASRs submitted via EXACT. 		
Product Reporting:		Standard:			
Aggregate reporting for all products ordered through IMA-		PO-7A and -7B: Parity with PO-7C			
GUI and, separately, IMA-EDI (see disaggregation					
reporting).					
Availability:	Notes:				
Available					

PO-8 – Jeopardy Notice Interval

Purpose:

Evaluates the timeliness of jeopardy notifications, focusing on how far in advance of original due dates jeopardy notifications are provided to CLECs (regardless of whether the due date was actually missed).

Description:

Measures the average time lapsed between the date the customer is first notified of an order jeopardy event and the original due date of the order.

• Includes all orders completed in the reporting period that received jeopardy notifications.

Reporting Period: One month	Unit of Measure: Average Business days NOTE 1
Reporting Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results	Disaggregation Reporting: Statewide level. (This measure is reported by jeopardy notification process as used for the categories shown under Product Reporting.)

Formula:

 $[\Sigma(\text{Date of the original due date of orders completed in the reporting period that received jeopardy notification – Date of the first jeopardy notification) <math>\div$ Total orders completed in the reporting period that received jeopardy notification]

Exclusions:

- Jeopardies done after the original due date is past.
- Records involving official company services.
- Records with invalid due dates or application dates.
- · Records with invalid completion dates.
- Records with invalid product codes.

Records missing data essential to the calculation of the measurement per the PID.

Product Reporting:	Standards:
A Non-Designed Services	A Parity with Retail POTS
B Unbundled Loops (with or without	B Parity with Retail POTS
Number Portability)	,
C LIS Trunks	C Parity with Feature Group D (FGD) services
D UNE-P (POTS)	D Parity with Retail POTS
	2 Tany marridan Poro
Availability:	Notes:
Available	1. For PO-8A and -D, Saturday is counted as a
	business day for all non-dispatched orders for
	Resale Residence, Resale Business, and UNE-P
	(POTS), as well as for the retail analogues
	specified above as standards. For dispatched
	orders for Resale Residence, Resale Business,
	and UNE-P (POTS) and for all other products
	reported under PO-8B and -8C, Saturday is
	l ·
	counted as a business day when the service order
	is due on Saturday.

PO-9 – Timely Jeopardy Notices

Purpose:

When original due dates are missed, measures the extent to which Qwest notifies customers in advance of jeopardized due dates.

Description:

Measures the percentage of late orders for which advance jeopardy notification is provided.

- Includes all inward orders (Change, New, and Transfer order types) assigned a due date by
 Qwest and which are completed/closed in the reporting period that missed the original due date.
 Change order types included in this measurement consist of all C orders representing inward
 activity.
- Missed due date orders with jeopardy notifications provided on or after the original due date is past will be counted in the denominator of the formula but will not be counted in the numerator.

Reporting Period: One month		Unit of Measure: Percent
Reporting Comparisons: CLEC	Disaggreg	ation Reporting: Statewide level.
aggregate, individual CLEC and	(This meas	ure is reported by jeopardy notification process as
Qwest Retail results	used for the	e categories shown under Product Reporting.)

Formula:

[(Total missed due date orders completed in the reporting period that received jeopardy notification in advance of original due date) ÷ (Total number of missed due date orders completed in the reporting period)] x 100

Exclusions:

- · Orders missed for customer reasons.
- · Records with invalid product codes.
- Records involving official company services.
- Records with invalid due dates or application dates.
- · Records with invalid completion dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

Product Reporting:	Standards:	
A Non-Designed Services	A Parity with Retail POTS	
B Unbundled Loops (with or without Number	B Parity with Retail POTS	
Portability)		
C LIS Trunks	C Parity with Feature Group D (FGD) Services	
D UNE-P (POTS)	D Parity with Retail POTS	
Availability:	Notes:	
Available		

PO-15 – Number of Due Date Changes per Order

		J I			
Purpose:					
To evaluate the extent to v	hich Qwest change	es du	e dates on orders.		
Description:					
	ers (Change, New,	and ⁻	Transfer order types) that have been assigned a		
	due date in the reporting period subject to the exclusions below. Change order types for additional lines consist of all "C" orders representing inward activity.				
 Counts all due date ch date. 	anges made for Qv	west r	easons following assignment of the original due		
Reporting Period: One m	Reporting Period: One month Unit of Measure: Average Number of Due Date Changes				
Reporting Comparisons:	<u> </u>		Disaggregation Reporting: Statewide level.		
CLEC aggregate, individual CLEC, and Qwest retail results.					
Formula:					
Σ (Count of Qwest due dat	e changes on all or	ders)	÷ (Total orders in reporting period)		
Exclusions:					
 Customer requested d 	ue date changes.				
 Records involving office 	ial company service	es.			
Records with invalid du	ue dates or applicat	tion d	ates.		
 Records with invalid presented in the control of the					
•		culatio	on of the measurement per the PID.		
Product Reporting:			Standard:		
None		Diagnostic			
Availability: Available	Notes:				

PO-16 – Timely Release Notifications

Purpose:

Measures the percent of release notifications for changes to specified OSS interfaces sent by Qwest to CLECs within the intervals and scope specified within the change management plan found on Qwest's Change Management Process, (CMP) website at http://www.qwest.com/wholesale/cmp/whatiscmp.html.

Description:

- Measures the percent of release notices that are sent by Qwest within the intervals/timeframes
 prescribed by the release notification procedure on Qwest's CMP website.
 - Release notices measured are:
 - Draft Technical Specifications (for App to App interfaces only);
 - Final Technical Specifications (for App to App interfaces only);
 - Draft Release Notices (for IMA-GUI interfaces only);
 - Final Release Notices (for IMA-GUI interfaces only); and
 - OSS Interface Retirement Notices. NOTE 2
 - For the following OSS interfaces:
 - IMA-GUI, IMA-EDI;
 - CEMR:
 - Exchange Access, Control, & Tracking (EXACT); NOTE 3
 - Electronic Bonding Trouble Administration (EB -TA); NOTE 4
 - IABS and CRIS Summary Bill Outputs; NOTE 5
 - Loss and Completion Records: Note 5
 - New OSS interfaces (for introduction notices only.) NOTE 6
 - Also included are notifications for connectivity or system function changes to Resale Product Database.
 - Includes OSS interface release notifications by Qwest relating to the following products and service categories: LIS/Interconnection, Collocation, Unbundled Network Elements (UNE), Ancillary, and Resale Products and Services.
 - Includes OSS interface release notifications by Qwest to CLECs for the following OSS functions: Pre-Ordering, Ordering, Provisioning, Repair and Maintenance, and Billing.
 - Includes Types of Changes as specified in the "Qwest Wholesale Change Management Process Document" (Section 4 – Types of Changes).
 - Includes all OSS interface release notifications pertaining to the above OSS systems, subject to the exclusions specified below.
- Release Notifications sent on or before the date required by the CMP are considered timely. A
 release notification "sent date" is determined by the date of the e-mail sent by Qwest that provides the
 Release Notification. NOTE 7
- Release Notifications sent after the date required by the (CMP) are considered untimely. Release Notifications required but not sent are considered untimely.

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC Aggregate	Disaggregation Reporting: Region-wide level.

Formula:

[(Number of required release notifications for specified OSS interface changes made within the reporting period that are sent on or before the date required by the change management plan (CMP) ÷ Total number of required release notifications for specified OSS interface changes within reporting period)]x100

Exclusions:

- Changes to be implemented on an expedited basis (exception to OSS notification intervals) as mutually agreed upon by CLECs and Qwest through the CMP.
- Changes where Qwest and CLECs agree, through the CMP, that notification is unnecessary.

PO-16 Timely Release Notifications (continued)

Product Reporting:	None	Standards:
-		Vol. 1-10: No more than one
		untimely notification
		Vol. > 10: 92.5% timely notifications
Availability: N Available	otes:	
3. 4. 5. 6.	intervals for release notificat documented in the change r. The documents described in Interfaces" of the "Qwest WI as "Initial Retirement Notice. EXACT is a Telecordia system by Qwest for hardware or concept. EB-TA is the same system as CRIS, IABS, and Loss and Cocumented in section 8.1—Interface. The documents described in the "Qwest Wholesale Chanan Release Announcement and only), "Initial Interface Technical Specification (new GUI only). CMP notice in this measurement even the	n section "9.0 – Retirement of Existing OSS molesale Change Management Process Document" and "Final Retirement Notice." em. Only release notifications for changes initiated connectivity will be included in this measurement. as MEDIACC. Completions will adhere to the notification intervals Changes to Existing Application to Application a section "7.0 – Introduction of New OSS Interface" of ge Management Process Document" as "Initial design Preliminary Implementation Plan" (new App to Applications (new App to Applications (new App to Applications), "Final actions (new App to Application" (new App to Applications) as for "Introduction of a New OSS" are to be included tough the new system is not explicitly listed in the
	not be added to the measure	PID. However, once implemented, the system will ement for purposes of measuring release, change unless specifically incorporated as an authorized
7.	•	nine timeliness are based on CMP guidelines.

PO-19 – Stand-Alone Test Environment (SATE) Accuracy

Purpose:

Evaluates Qwest's ability to provide accurate production-like tests to CLECs for testing new releases in the SATE and production environments and testing between releases in the SATE environment.

Description:

PO-19A

- Measures the percentage of test transactions that conform to the test scenarios published in the IMA EDI Data Document for the Stand Alone Test Environment (SATE) that are successfully executed in SATE at the time a new IMA Release is deployed to SATE. In months where no release activity occurs, measures the percentage of test transactions that conform to the test scenarios published in the current IMA EDI Data Document-for the Stand Alone Test Environment (SATE) that are successfully executed in SATE during the between-releases monthly performance test.
- Includes one test transaction for each test scenario published in the IMA EDI Data Document for the Stand Alone Test Environment (SATE).
- Test transactions will be executed for each of the IMA releases supported in SATE utilizing all test scenarios for each of the current versions of the IMA EDI Data Document – for the Stand Alone Test Environment (SATE).
- The successful execution of a transaction is determined by the Qwest Test Engineer according to:
 - The expected results of the test scenario as described in the *IMA EDI Data Document for the Stand Alone Test Environment (SATE)* and the EDI disclosure document.
 - The transactions strict adherence to business rules published in Qwest's most current IMA EDI Disclosure Documentation for each release and the associated Addenda. NOTE 1
- For this measurement, Qwest will execute the test transactions in the Stand-Alone Test Environment.
 - Release related test transactions will be executed when a full or point release of IMA is installed in SATE. These transactions will be executed within five business days of the numbered release being originally installed in SATE. This five-business day period will be referred to as the "Testing Window."
 - Mid-release monthly performance test transactions will be executed in the months when no Testing Window for a release is completed. These transactions will be executed on the 15th, or the nearest working day to the 15th of the month, in the months when no release related test transactions are executed.
- Test transaction results will be reported by release and included in the Reporting Period during which the release transactions or mid-release test transactions are completed.

PO-19B

- Validates the extent that SATE mirrors production by measuring the percentage of IMA EDI test transactions that produce comparable results in SATE and in production.
 - Transactions counted as producing comparable results are those that return correctly formatted data and fields as specified in the release's EDI disclosure document and developer worksheets related to the IMA release being tested.
 - Comparability will be determined by evaluating the data and fields in each EDI message for the
 test transactions against the same data and fields for Preorder queries, LSRs, and
 Supplementals, and returned as Query Responses, Acknowledgements, Firm Order
 Confirmations (FOCs) for flow-through eligible products, and rejects.
- Test transactions are executed one time for each new major IMA release within 7 days after the IMA release.
 - Test transactions consist of a defined suite of Product/Activity combinations. Qwest's three regions will be represented. NOTE 2
 - Pre-order, Order, and Post-order transactions (FOCs for flow-through products) are included.
- With respect to the comparability of the structure and content of results from SATE and production environments, this measurement focuses only on the validity of the structure and the validity of the content, per developer worksheets and EID mapping examples distributed as part of release notifications.

Reporting Period:	Unit of Measure:	Percent
PO-19A One month		
PO-19B: One month (for those months in		

PO-19 Stand-Alone Test Environment (SATE) Accuracy (continued)

which release-related test transactions are completed)	
Reporting Comparisons: None	Disaggregation Reporting: PO-19A – Reported separately for each release tested in the reporting period PO-19B None

Formula:

PO-19A

[(Total number of successfully completed SATE test transactions executed for a Software Release or between-releases performance test completed in the Reporting Period) \div (Total number of SATE test transactions executed for each Software Release or between-releases performance test completed in the Reporting Period)] x 100

PO-19B

[(Total number of completed IMA EDI test transactions executed in SATE and production that produce comparable results for each new major IMA Software Release completed in the Reporting Period) ÷ (Total number of completed IMA EDI test transactions executed in SATE and production for each new major IMA Software Release completed in the Reporting Period)] x 100

Exclusions:

For PO-19B:

- Transactions that fail due to the unavailability of a content item (e.g., TN exhaustion in SATE or the
 production environment) or a function in the SATE or production environments (e.g., address
 validation query or CSR query) that is unsuccessful due to an outage in systems that interface with
 IMA-EDI (e.g., PREMIS or SIA).
- Transactions that fail because of differences between the production and SATE results caused when an IMA candidate is implemented into IMA and not SATE (i.e., where CMP decides not to implement an IMA candidate in a SATE release: e.g., the Reject Duplicate LSR candidate in IMA 12.0). This exclusion does not apply during reporting periods in which there are no differences between production IMA and SATE caused by SATE releases packaged pursuant to CMP decisions.

Product Reporting: None	Standard:
	PO-19A – 95% for each release tested
	PO-19B – 95%
Availability:	Notes:
Available	 Transactions that are executed and found to have inconsistencies with the data and format rules will be corrected and rerun. Rerun volumes will not be counted in the denominator for PO-19. Such corrections and re-executions are intended to enforce strict adherence to business rules published in Qwest's most current IMA EDI Data and Disclosure Documents. The product and activity combinations that
	make up the test decks for PO-19B will be updated after each major IMA software release and provided to CLECs with the publication of IMA EDI Draft Interface Technical Specifications for the next major IMA software release as defined in the CMP process. All combinations with EDI transaction volumes > 100 in the previous 12-month period will be included in the test deck. 75 days prior to the execution of the test, Qwest will run a query against IMA to determine which combinations
	meet the criteria for inclusion (i.e., volumes > 100).

PO-19 Stand-Alone Test Environment (SATE) Accuracy (continued)		
	3. The intent of this provision is to avoid including the effects of circumstances beyond the SATE environment that could cause differences in SATE and production results that are not due to problems in mirroring production. For example, because of real-time data manipulation in production, an appointment availability query transaction in SATE will not return the same list of available appointments as in production. Available appointments in production are fully dependent on real-time activities that occur there, whereas available appointments in SATE are based on a predefined list that is representative of production.	

PO-20 (Expanded) – Manual Service Order Accuracy

Purpose:

Evaluates the degree to which Qwest accurately processes CLECs' Local Service Requests (LSRs), which are electronically-submitted and manually processed by Qwest, into Qwest Service Orders, based on mechanized comparisons of specified LSR-Service Order fields and focusing on the percentage of manually-processed Service Orders that are accurate/error-free.

Description:

Measures the percentage of manually-processed Qwest Service Orders that are populated correctly, in specified data fields, with information obtained from CLEC LSRs.

- Includes only Service Orders created from CLEC LSRs that Qwest receives NOTE 1 electronically (via IMA-GUI or IMA-EDI) and manually processes in the creation of Service Orders, regardless of flow through eligibility, subject to exclusions specified below.
- Includes only Service Orders, from the product reporting categories specified below, that request inward line or feature activity (Change, New, and Transfer order types), are assigned a due date by Qwest, and are completed/closed in the reporting period. Change Service Order types included in this measurement consist of all C orders with "I" and "T" action-coded line or feature USOCs.
- All Service Orders satisfying the above criteria and as specified in the Availability section below are
 evaluated in this measurement.
- An inward line Service Order will be classified as "accurate" and thus counted in the numerator in the formula below when the mechanized comparisons of this measurement determine that the fields specified in the Service Order Fields Evaluated section below (when the source fields have been properly populated on the LSR) are all accurate on the Service Order. An inward feature Service Order will be classified as "accurate" if the fields specified in the Service Order Fields Evaluated section below (when the source fields have been properly populated on the LSR) are all accurate on the Service Order and if no CLEC notifications to the call center have generated call center tickets coded to LSR/SO mismatch for that order.
 - Service Orders will be counted as being accurate if the contents of the relevant fields, as recorded in the completed Service Orders involved in provisioning the service, properly match or correspond to the information from the specified fields as provided in the latest version of associated LSRs.
 - Service orders generated from LSRs receiving a PIA (Provider Initiated Activity value will be counted
 as being accurate if each and every mismatch has a correct and corresponding PIA value.
 - Service Orders, including those otherwise considered accurate under the above-described mechanized field comparison, will not be counted as accurate if Qwest corrects errors in its Service Order(s) as a result of contacts received from CLECs no earlier than one business day prior to the original due date.

arrears (i.e., results first appear in reports one month later than results for measurements that are not reported in arrears), in order to exclude Service Orders that are the subject of call center tickets counted in OP-5B and OP-5T, as having new service problems attributed to Service Order errors.	Unit of Measure: Percent
Reporting Comparisons: CLEC Aggregate and individual CLEC	Disaggregation Reporting: Statewide Level
Formula:	

[(Number of accurate, evaluated Service Orders) ÷ (Number of evaluated Service Orders completed in the reporting period)] x 100

Exclusions:

- Service Orders that are the subject of call center tickets counted in OP-5B and OP-5T as having new service problems attributed to Service Order errors.
- · Cancelled Service Orders.
- Service Orders that cannot be matched to a corresponding LSR
- Records missing data essential to the calculation of the measurement per the PID.

Product Reporting:

- Resale and UNE-P (POTS and Centrex 21)
- Unbundled Loops (Analog and Non-Loaded 2/4-wire, DS1 Capable, DS3 and higher Capable, ADSL Compatible, XDSL-I Capable, ISDN-BRI Capable)

Standard:

Benchmarks, as follows:

Phase 1	97%
Phase 2	96%
Phase 3 & beyond	95%

Availability:

- Phase 0 PO-20 (Old) (the first version using sampling of limited fields). (Available now)
- Phase 1^{NOTE 2} PO-20 (Expanded) Mechanized version (as defined herein). All qualifying orders associated with initial LSRs received via IMA version 15.0 or higher beginning with May 2004 data reported in Jul 04.
- Phase 2 Additional fields added. No later than Sep 04 results reported in Nov 04
- Phase 3– Additional fields added. Targeted for 1st Quarter 05
- Phase 4 Additional fields added. (Date TBD).

Notes:

- To be included in the measurement, Service Orders created from CLEC LSRs must be received and completed in the same version of IMA-GUI or IMA-EDI.
- 2. Phase 1: Consists of all manually-processed, qualifying Service Orders per product reporting category specified above, from throughout Qwest's 14-state local service region.

LSR-Service Order Fields Evaluated Phase 1 – (Effective with LSRs received beginning May 2004) Mechanized comparison of the fields from the Service Order to the LSR: LSR Field **LSR Field Name** Remarks/Service Order Field: **Form** Code **CCNA Customer Carrier** CCNA field of LSR form compared to the RSID/ZCID field **LSR** identifier in the Extended ID section of the Service Order. Name Abbreviation Purchase Order PON field of LSR form compared to the PON field in Bill PON Number Section of the Service Order. The D/TSENT field of LSR form from the Firm Order D/TSENT Date and time sent Manager, using applied business day cut-off rules and business typing rules, and compare to the APP (Application Date) used on the Service Order. CHC Coordinated Hot Applies only to Unbundled Loop. Validate that the installation USOC used on the Service Cut Requested Order matches the Coordinated Cut request. (Evaluated in conjunction with the TEST field to determine correct USOC.) **TEST** Testing required Applies only to Unbundled Loop. Validate that the installation USOC used on the Service Order matches the TEST request. (Evaluated in conjunction with the CHC field to determine correct USOC.) Network Channel NC Applies only to Unbundled Loop. NC field on the LSR form compared to provisioning USOC for CKL1 on the Service Code Order.

LSR-Service Order Fields Evaluated				
Phase 1 – (Effective with LSRs received beginning May 2004)				
Mechanized comparison of the fields from the Service Order to the LSR:				
Form	LSR Field Code	LSR Field Name	Remarks/Service Order Field:	
	NCI	Network Channel Interface Code	Applies only to Unbundled Loop NCI field on the LSR form compared to provisioning USOC for CKL1 on the Service Order.	
	SECNCI	Secondary Network Channel Interface Code	Applies only to Unbundled Loop orders. SECNCI field on the LSR form compared to the provisioning USOC for CKL2 on the Service Order.	
	PIC	InterLATA Presubscription Indicator Code	PIC field on Resale or Centrex form compared to PIC populated on the "I" or "T" action lines in the Service and Equipment section of the Service Order. Note: LSR PIC = None; S.O. PIC = None	
Resale or Centrex	LPIC	IntraLATA Presubscription Indicator Code	LPIC field on Resale or Centrex form compared to LPIC populated on the "I" or "T" action lines in the Service and Equipment section of the Service Order. Note: LSR LPIC = None; S.O. LPIC = 9199 LSR LPIC = DFLT; S.O. LPIC = 5123	
	TNS	Telephone Numbers	Validate that all telephone numbers in the TNS fields in the Service Details section on the Resale or Centrex form requiring inward activity are addressed on the Service Order.	
Resale or Centrex	FA/ FEATURE	Feature Activity/Feature Codes	When the FA = N, T, V Validate line and feature USOCs provided in the FEATURE field on the Resale or Centrex form are addressed with "I" and/or "T" action lines on the Service Order. Note: Comparison will be based on the USOCs associated with line and feature activity listed in the PO-20 USOC List posted on Qwest's public website, on the web page containing the current PID www.qwest.com/wholesale/results). Qwest may add USOCs to the list, delete grand-fathered/ discontinued or obsolete USOCs, or update USOCs assigned to listed descriptions by providing notice in the monthly Summary of Notes and updating the list.	

	LSR-Service Order Fields Evaluated							
	Phase 1 – (Effective with LSRs received beginning May 2004) Mechanized comparison of the fields from the Service Order to the LSR:							
Form	LSR Field Code	LSR Field Name	Remarks/Service Order Field:					
LS	ECCKT	Exchange Company Circuit ID	Applies to LSRs with ACT = C (only when NC code has not changed, M, or T. ECCKT field on the LS form compared to the CLS field in the Service and Equipment section of the Service Order.					
LS/ LSNP	CFA	Connecting Facility Assignment	CFA field on the LS or LSNP forms compared to the CFA field used in CKL1 of the Service Order. (Verbal acceptance of CFA changes will be FOC'd and PIA'd, which will account for the mismatch and eliminate it as an error in the PO-20 calculation.					
DL – Directory Listings form (Evaluated only for Local Main Listings)	LTY	Listing Type	LTY = 1 (Listed – appears in DA and the directory.) Validate that there is a LN in the List section of the Service Order. LTY = 2 (Non Listed – appears only in DA.) Validate that there is non listing instructions in the LN field in the List section of the Service Order. Central/Western Region: Validate that the left handed field is NLST and (NON-LIST) is contained in the NLST data field in the List section of the Service order. Eastern Region: Validate that the left handed field is NL and (NON LIST) is contained in the NL data field in the List section of the Service Order. LTY = 3 (Non Pub - does not appear in the directory and telephone number does not appear in DA.) Validate that there is non published instructions in the LN field in the List section of the Service Order. Central/Western Regions: Validate that the left handed field is NP and (NON-PUB) is contained in the NP data field in the List section of the Service Order. Eastern Region: Validate that the left handed field is NP and (NP LODA) or (NP NODA) is contained in the NP data field in the List section of the Service Order.					
	TOA	Type of Account	 Validate TOA entries (only reviewed when BRO field on DL form is not populated): TOA valid entries are B or RP Validate that there is a semi colon (;) within the LN in the List section of the Service Order. TOA valid entries are R or BP Validate that there is a comma (,) within the LN in the List section of the Service Order. Exception: When LSR-TOS = 3, TOA review is Not Applicable. Handled by Complex Listing Group. Requires separate Service Order. 					
	DML	Direct Mail List	DML field = O on DL form; Service Order LN contains					
	NOSL	No Solicitation Indicator	(OCLS). Arizona Only NOSL field = Y on DL form; Service Order LN contains (NSOL) (OCLS).					

	LSR-Service Order Fields Evaluated							
	Phase 1 – (Effective with LSRs received beginning May 2004)							
	Mechanized comparison of the fields from the Service Order to the LSR:							
Form	LSR Field Code	LSR Field Name	Remarks/Service Order Field:					
	TMKT	Telemarketing	Colorado Only TMKT field = O on DL form; Service Order LN contains (OATD). When both the DML and the TMKT fields are populated, DML validation applies.					
	LNLN and LNFN	Listed Name	LNLN and LNFN fields on DL form compared to the LN field in the List section of the Service Order.					
	ADI	Address Indicator	ADI = O on DL form; Service Order LA contains (OAD).					
	LAPR	Listed Address Number Prefix	LAPR field of the Listing form compared to LA in the List section of the Service Order.					
	LANO	Listed Address Number	LANO field of the Listing form compared to LA in the List section of the Service Order.					
	LASF	Listed Address Number Suffix	LASF field of the Listing form compared to LA in the List section of the Service Order.					
	LASD	Listed Address Street Directional	LASD field of the Listing form compared to LA in the List section of the Service Order.					
	LASN	Listed Address Street Name	LASN field of the Listing form compared to LA in the List section of the Service Order.					
	LATH	Listed Address Street Type	LATH field of the Listing form compared to LA in the List section of the Service Order.					
	LASS	Listed Address Street Directional Suffix	LASS field of the Listing form compared to LA in the List section of the Service Order.					
	LALOC	Listed Address Locality	LALOC field of the Listing form compared to LA in the List section of the Service Order.					

Phase 2 – No later than Sep 04 results							
LSR-Service Order Fields Evaluated							
Mechanized comparison of the fields from the Service Order to the LSR:							
Form	LSR Field Code	LSR Field Name	Remarks/Service Order Field:				
LSR	DSPTCH	Dispatch	Limited to Unbundled Loops where ACT = Z or V only. If DSPTCH field on the LSR form = Y, validate dispatch USOC in the Service and Equipment section of the Service Order.				
Centrex	LTC	Line Treatment Code	Applies only to Centrex 21 LTC field numeric value on the Centrex form compared to the data following the CAT field for the Line USOC on the Service Order.				
	COS	Class of Service – Qwest Specific	Applies only to Centrex 21. COS field of the Centrex form compared to the CS field in the ID section of the Service Order.				

PO-20 (Expanded) – Manual Service Order Accuracy (continued)

Phase 2 – No later than Sep 04 results					
LSR-Service Order Fields Evaluated					
		ized comparison of	the fields from the Service Order to the LSR:		
	LSR Field				
Form	Code	LSR Field Name	Remarks/Service Order Field:		
Resale	FEATURE	Feature Details	As specified in Appendix A of the 14 State Working PID.		
or	DETAILS		Comparison would be based on the fields associated with the		
Centrex			USOC list referenced under Feature Activity in Phase 1 above.		
		Phase 3 –	Targeted for 1 st Quarter 05		
			ce Order Fields Evaluated		
	Mechan		the fields from the Service Order to the LSR:		
	LSR Field	-			
Form	Code	LSR Field Name	Remarks/Service Order Field:		
Resale or Centrex	BLOCK (Stage 1)	Blocking Type	For each LNUM provided in the Service Detail section of the Resale or Centrex form when BA = E: Note: The BLOCK field may have one or more alpha and/or numeric values per LNUM. This review will only validate based on BA/BLOCK fields and will not address blocking information provided in the "Remark" section on the LSR or the Feature Detail section of the LSR. The values listed below will be considered as follows: If BLOCK contains A, validate FID TBE A is present on the service order floated behind line USOC associated with the TNS for that LNUM. If BLOCK contains B, validate FID TBE B is present on the service order floated behind line USOC associated with the TNS for that LNUM. If BLOCK contains C, validate FID TBE C is present on the service order floated behind line USOC associated with the TNS for that LNUM. If BLOCK contains H, validate FID BLKD is present on the service order floated behind line USOC associated with the TNS for that LNUM.		

PO-20 (Expanded) – Manual Service Order Accuracy (continued)

Phase 4 – Date TBD					
LSR-Service Order Fields Evaluated					
		zed comparison of	the fields from the Service Order to the LSR:		
_	LSR Field				
Form	Code	LSR Field Name	Remarks/Service Order Field:		
	DFDT	Desired Frame Due Time	Applicable only to orders for Resale and UNE-P (POTS and Centrex 21) DFDT field on the LSR form compared to the FDT field in the		
LSR	DDD	Desired Due Date	Extended ID section of the Service Order. DDD field from the last FOC'd LSR compared to the original or last subsequent due date in the Extended ID section on the Service Order when no CFLAG/PIA is present on the FOC. (i.e. Evaluation includes recognition of valid differences between DDD and Service Order based on population of the CFLAG/PIA field on the LSRC (FOC))		
DL – Directory Listings form (Evaluated only for Local Main Listings)	LTN	Listed Telephone Number	For Resale and UNE-P (POTS and Centrex 21): LTN field on the Listing form compared to the Main Account Number of the Service Order. For Unbundled Loop: LTN field on the Listing form compared to the TN floated after the LN in the Listing section of the Service Order.		
_		Letter Name Placement	LNPL field on the Listing form = L, validate that LN on the Service Order follows letter placement versus word placement.		
Resale or Centrex	FEATURE DETAILS	Feature Details	If CLECs propose additional FIDs for review, Qwest will undertake a feasibility evaluation.		
	BLOCK (Stage 2)	Blocking Type	If CLECs identify value in additional Blocking review, Qwest will undertake development. [Requirements to be developed]		

Ordering and Provisioning

OP-2 - Calls Answered within Twenty Seconds - Interconnect Provisioning Center

Purpose:

Evaluates the timeliness of CLEC access to Qwest's interconnection provisioning center(s) and retail customer access to the Business Office, focusing on the extent calls are answered within 20 seconds.

Description:

Measures the percentage of (Interconnection Provisioning Center or Retail Business Office) calls that are answered by an agent within 20 seconds of the first ring.

- Includes all calls to the Interconnect Provisioning Center/Retail Business Office during the reporting period, subject to exclusions specified below.
- Abandoned calls and busy calls are counted as calls which are not answered within 20 seconds.
- First ring is defined as when the customer's call is first placed in queue by the ACD (Automatic Call Distributor).

 Answer is defined as when the call is first picked up by the Qwest agent. 				
Reporting Period: One month	Unit of Measure: Percent			
Reporting Comparisons: CLEC aggregate and	Disaggregation Reporting: Region-wide level.			
Qwest Retail results				
Formula:				
[(Total Calls Answered by Center within 20 seconds) ÷ (Total Calls received by Center)] x 100			
Exclusions: Time spent in the VRU Voice Response Unit is not counted.				
Product Reporting: Not applicable	Standard: Parity			
Availability:	Notes:			
Available				

OP-3 – Installation Commitments Met

Purpose:

Evaluates the extent to which Qwest installs services for Customers by the scheduled due date.

Description:

Measures the percentage of orders for which the scheduled due date is met.

- All inward orders (Change, New, and Transfer order types) assigned a due date by Qwest and which are completed/closed during the reporting period are measured, subject to exclusions specified below. Change order types included in this measurement consist of all C orders representing inward activity. Also included are orders with customer-requested due dates longer than the standard interval.
- Completion date on or before the Applicable Due Date recorded by Qwest is counted as a met due date. The Applicable Due Date is the original due date or, if changed or delayed by the customer, the most recently revised due date, subject to the following: If Qwest changes a due date for Qwest reasons, the Applicable Due Date is the customer-initiated due date, if any, that is (a) subsequent to the original due date and (b) prior to a Qwest-initiated, changed due date, if any.

Reporting Period: One month **Unit of Measure**: Percent

Reporting Comparisons: CLEC aggregate

CLEC aggregate, individual CLEC and Qwest Retail results

Disaggregation Reporting: Statewide level.

- Results for product/services listed in Product Reporting under "MSA-Type Disaggregation" will be reported according to orders involving:
 - OP-3A Dispatches within MSAs;
 - OP-3B Dispatches outside MSAs; and
 - OP-3C No dispatches.
- Results for products/services listed in Product Reporting under "Zone-type Disaggregation" will be disaggregated according to installations:
 - OP-3D In Interval Zone 1 areas; and
 - OP-3E In Interval Zone 2 areas.

Formula:

[(Total Orders completed in the reporting period on or before the Applicable Due Date) ÷ (Total Orders Completed in the Reporting Period)] x 100

- Disconnect, From (another form of disconnect) and Record order types.
- Due dates missed for standard categories of customer and non-Qwest reasons. Standard
 categories of customer reasons are: previous service at the location did not have a customerrequested disconnect order issued, no access to customer premises, and customer hold for
 payment. Standard categories of non-Qwest reasons are: Weather, Disaster, and Work Stoppage.
- Records involving official company services.
- Records with invalid due dates or application dates.
- Records with invalid completion dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

OP – 3 Installation Commitments Met (continued)

Product Reporting:	Standards:
MSA-Type Disaggregation -	
Resale	
Residential single line service	Parity with retail service
Business single line service	Parity with retail service
Centrex	Parity with retail service
Centrex 21	Parity with retail service
DS0 (non-designed provisioning)	Parity with retail service
PBX Trunks (non-designed provisioning)	Parity with retail service
Primary ISDN (non-designed provisioning)	Parity with retail service
Basic ISDN (non-designed provisioning)	Parity with retail service
Qwest DSL (non-designed provisioning)	Parity with retail service
Unbundled Network Element – Platform	Parity with like retail service
(UNE-P) (POTS)	,
 Unbundled Network Element – Platform (UNE-P) (Centrex 21) 	Parity with retail Centrex 21
 Unbundled Network Element – Platform (UNE-P) (Centrex) 	Parity with retail Centrex
Line Splitting	95%
Loop Splitting NOTE 1	Diagnostic
Line Sharing	95%
Sub-Loop Unbundling	CO : 90%
	All Other States: Diagnostic
Zone-Type Disaggregation -	•
Resale	
Primary ISDN (designed provisioning)	Parity with retail service
Basic ISDN (designed provisioning)	Parity with retail service
DS0 (designed provisioning)	Parity with retail service
DS1	Parity with retail service
PBX Trunks (designed provisioning)	Parity with retail service
Qwest DSL (designed provisioning)	Parity with retail service
DS3 and higher bit-rate services	Parity with retail service
(aggregate)	
Frame Relay	Parity with retail service
LIS Trunks	Parity with Feature Group D (aggregate)
Unbundled Dedicated Interoffice Transport (UDI	T)
UDIT – DS1 level	Parity with retail DS1 Private Line
UDIT – Above DS1 level	Parity with retail Private Lines above DS1 level
Dark Fiber – IOF	Diagnostic
Unbundled Loops:	
Analog Loop	90%
Non-loaded Loop (2-wire)	90%
Non-loaded Loop (4-wire)	Parity with retail DS1 Private Line
DS1-capable Loop	Parity with retail DS1 Private Line
xDSL-I capable Loop	90%
ISDN-capable Loop	Parity with retail ISDN BRI
ADSL-qualified Loop	90%
Loop types of DS3 and higher bit-rates	Parity with retail DS3 and higher bit-rate Private
(aggregate)	Line services (aggregate)
Dark Fiber – Loop	Diagnostic
Loops with Conditioning	90%
• E911/911 Trunks	Parity with retail E911/911 Trunks
- 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7	, · · · · · · · · · · · · · · · · · · ·

OP – 3 Installation Commitments Met (continued)

Enhanced Extended Loops (EELs) – (DS0		WA: 90%
level)		All Other States: Diagnostic
Enhanced Extended Loops (EELs) – (DS1 level)		90%
Enhanced Extended Loops (EELs) – (DS3)		WA: 90%
level)		All Other States: Diagnostic
Availability:	Notes:	
Available	 Reporting will begin at the time CLECs order the product, in any quantity, for three consecutive months. 	

OP-4 – Installation Interval

Purpose:

Evaluates the timeliness of Qwest's installation of services for customers, focusing on the average time to install service.

Description:

Measures the average interval (in business days) NOTE 1 between the application date and the completion date for service orders accepted and implemented.

- Includes all inward orders (Change, New, and Transfer order types) assigned a due date by Qwest and which are completed/closed during the reporting period, subject to exclusions specified below. Change order types for additional lines consist of all C orders representing inward activity.
- Intervals for each measured event are counted in whole days: the application date is day zero (0): the day following the application date is day one (1).
- The Applicable Due Date is the original due date or, if changed or delayed by the customer, the most recently revised due date, subject to the following: If Qwest changes a due date for Qwest reasons, the Applicable Due Date is the customer-initiated due date, if any, that is (a) subsequent to the original due date and (b) prior to a Qwest-initiated, changed due date, if any.
- Time intervals associated with customer-initiated due date changes or delays occurring after the Applicable Due Date, as applied in the formula below, are calculated by subtracting the latest Qwest-initiated due date, if any, following the Applicable Due Date, from the subsequent customer-initiated due date, if any. NOTE 2

Reporting Period: One month **Unit of Measure**: Average Business Days

Reporting **Comparisons: CLEC** aggregate,

individual CLEC and Qwest Retail results

Disaggregation Reporting: Statewide level.

- Results for product/services listed in Product Reporting under "MSA-Type Disaggregation" will be reported according to orders involving:
 - OP-4A Dispatches within MSAs;
 - OP-4B Dispatches outside MSAs; and
 - OP-4C No dispatches.
- Results for products/services listed in Product Reporting under "Zone-type Disaggregation" will be disaggregated according to installations:
 - OP-4D In Interval Zone 1 areas: and
 - OP-4E In Interval Zone 2 areas.

Formula:

Σ[(Order Completion Date) – (Order Application Date) – (Time interval between the Original Due Date and the Applicable Date) - (Time intervals associated with customer-initiated due date changes or delays occurring after the Applicable Due Date)] ÷ Total Number of Orders Completed in the reporting period

Explanation: The average installation interval is derived by dividing the sum of installation intervals for all orders (in business days) NOTE 1 by total number of service orders completed in the reporting period.

- Orders with customer requested due dates greater than the current standard interval.
- Disconnect, From (another form of disconnect) and Record order types.
- Records involving official company services.
- Records with invalid due dates or application dates.
- · Records with invalid completion dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

OP-4 – Installation Interval (continued)

Product Reporting:	Standards:
MSA-Type Disaggregation -	
Resale	
Residential single line service	Parity with retail service
Business single line service	Parity with retail service
Centrex	Parity with retail service
Centrex 21	Parity with retail service
DS0 (non-designed provisioning)	Parity with retail service
PBX Trunks (non-designed provisioning)	Parity with retail service
Primary ISDN (non-designed	Parity with retail service
provisioning)	,
Basic ISDN (non-designed provisioning)	Parity with retail service
Qwest DSL (non-designed provisioning)	Parity with retail service
Unbundled Network Element – Platform (UNE-P) (POTS)	Parity with like retail service
 Unbundled Network Element – Platform (UNE-P) (Centrex 21) 	Parity with retail Centrex 21
 Unbundled Network Element – Platform (UNE-P) (Centrex) 	Parity with retail Centrex
Line Splitting	3.3 days
Loop Splitting NOTE 3	Diagnostic
Line Sharing	3.3 days
Sub-Loop Unbundling	CO: 6 days
	All Other States: Diagnostic
Zone-Type Disaggregation -	
Resale	
Primary ISDN (designed provisioning)	Parity with retail service
Basic ISDN(designed provisioning)	Parity with retail service
DS0 (designed provisioning)	Parity with retail service
DS1	Parity with retail service
PBX Trunks (designed provisioning)	Parity with retail service
Qwest DSL (designed provisioning)	Parity with retail service
DS3 and higher bit-rate services	Parity with retail service
(aggregate)	
Frame Relay	Parity with retail service
LIS Trunks	Parity with Feature Group D (aggregate)
Unbundled Dedicated Interoffice Transport (Ul	DIT)
UDIT – DS1 level	Parity with DS1 Private Line Service
UDIT – Above DS1 level	Parity with Private Lines above DS1 level
Dark Fiber – IOF	Diagnostic
Unbundled Loops:	
Analog Loop	6 days
Non-loaded Loop (2-wire)	6 days
Non-loaded Loop (4-wire)	Parity with retail DS1 Private Line
DS1-capable Loop	Idaho, Iowa, Montana, Nebraska, North Dakota, Oregon, Wyoming: Parity with retail DS1 Private Line
	Arizona, Colorado, Minnesota, New Mexico, South Dakota, Utah, Washington: 5.5 days
xDSL-I capable Loop	6 days
ISDN-capable Loop	Parity with retail ISDN BRI
ADSL-qualified Loop	6 days
Loop types of DS3 and higher bit-rates (aggregate)	Parity with retail DS3 and higher bit-rate services (aggregate)

OP-4 – Installation Interval (continued)

Dark Fiber – Loop	Diagnostic
Loops with Conditioning	15 days
• E911/911 Trunks	Parity with retail E911/911 Trunks
Enhanced Extended Loops (EELs) – (DS0 level)	Diagnostic
Enhanced Extended Loops (EELs) – (DS1 level)	6 days
Enhanced Extended Loops (EELs) – (DS3 level)	Diagnostic

Availability:

Available

Notes:

- For OP-4C, Saturday is counted as a business day for all orders for Resale Residence, Resale Business, and UNE-P (POTS), as well as for the retail analogues specified above as standards. For all other products under OP-4C and for all products under OP-4A, -4B, -4D, and -4E. Saturday is counted as a business day when the service order is due or completed on Saturday.
- 2. According to this definition, the Applicable Due Date can change, per successive customer-initiated due date changes or delays, up to the point when a Qwest-initiated due date change occurs. At that point, the Applicable Due Date becomes fixed (i.e., with no further changes) as the date on which it was set prior to the first Qwest-initiated due date change, if any. Following the first Qwestinitiated due date change, any further customer-initiated due date changes or delays are measured as time intervals that are subtracted as indicated in the formula. These delay time intervals are calculated as stated in the description. (Though infrequent, in cases where multiple Qwest-initiated due date changes occur, the stated method for calculating delay intervals is applied to each pair of Qwest-initiated due date change and subsequent customerinitiated due date change or delay. The intervals thus calculated from each pairing of Qwest and customer-initiated due dates are summed and then subtracted as indicated in the formula.) The result of this approach is that Qwest-initiated impacts on intervals are counted in the reported interval, and customer-initiated impacts on intervals are not counted in the reported interval.
- 3. Reporting will begin at the time CLECs order the product, in any quantity, for three consecutive months.

OP-5 – New Service Quality

Purpose:

Evaluates the quality of ordering and installing new services (inward line service orders), focusing on the percentage of newly-installed service orders that are free of CLEC/customer-initiated trouble reports during the provisioning process and within 30 calendar days following installation completion, and focusing on the quality of Qwest's resolution of such conditions with respect to multiple reports.

Description:

Measures two components of new service provisioning quality (OP-5A and -5B) and also reports a combined result (OP-5T), as described below, each as a percentage of all inward line service orders completed in the reporting period that are free of CLEC/customer-reported provisioning and repair trouble reports, as described below. Also measures the percentage of all provisioning and repair trouble reports that constitute multiple trouble reports for the affected service orders. (OP-5R)

- Orders for new services considered in calculating all components of this performance indicator are all inward line service orders completed in the reporting period, including Change (C-type) orders for additional lines/circuits, subject to exclusions shown below. Change order types considered in these measurements consist of all C orders representing inward activity.
- Orders for new service installations include conversions (Retail to CLEC, CLEC to CLEC, and same CLEC converting between products).
- Provisioning or repair trouble reports include both out of service and other service affecting conditions, such as features on a line that are missing or do not function properly upon conversion, subject to exclusions shown below.

OP-5A: New Service Installation Quality Reported to Repair

- Measures the percentage of inward line service orders that are free of repair trouble reports within 30 calendar days of installation completion, subject to exclusions below.
- Repair trouble reports are defined as CLEC/customer notifications to Qwest of out-of-service and other service affecting conditions for which Qwest opens repair tickets in its maintenance and repair management and tracking systems NOTE that are closed in the reporting period or the following month, NOTE to exclusions shown below.
- Qwest is able to open repair tickets for repair trouble reports received from CLECs/customers once the service order is completed in Qwest's systems.

OP-5B: New Service Provisioning Quality

- Measures the percentage of inward line service orders that are free of provisioning trouble reports during the provisioning process and within 30 calendar days of installation completion, subject to exclusions shown below.
- Provisioning trouble reports are defined as CLEC notifications to Qwest of out of service or other service affecting conditions that are attributable to provisioning activities, including but not limited to LSR/service order mismatches and conversion outages. For provisioning trouble reports, Qwest creates call center tickets in its call center database. Subject to exclusions shown below, call center tickets closed in the reporting period or the following month NOTE 4 are captured in this measurement. Call center tickets closed to Network reasons will not be counted in OP-5B when a repair trouble report for that order is captured in OP-5A.

OP-5T: New Service Installation Quality Total

 Measures the percentage of inward line service orders that are free of repair or provisioning trouble reports during the provisioning process and within 30 calendar days of installation completion, subject to exclusion shown below.

OP-5R: New Service Quality Multiple Report Rate

- Evaluates the quality of Qwest's responses to repair and provisioning trouble reports for inward line service orders completed in the reporting period. This measurement reports, for those service orders that were *not* free of repair or provisioning trouble reports in OP-5A or OP-5B, the percentage of trouble reports affecting the same service orders that were followed by additional repair and provisioning trouble reports, as specified below.
- Measures the percentage of all repair and provisioning trouble reports considered in OP-5A and OP-5B that are additional repair or provisioning trouble reports received by Qwest for the same service order during the provisioning process or within 30 calendar days following installation

OP- 5 – New Service Quality (continued)

completion.

Additional repair or provisioning trouble reports are defined as all such reports that are received following the first report (whether the first report is represented by a call center ticket or a repair ticket) relating to the same service order during the provisioning process or within 30 calendar days following installation completion. In all cases, the trouble reports counted are those that are defined for OP-5A and OP-5B above. NOTE 7

Reporting Period: One month, reported in arrears (i.e., results first appear Unit of Measure: in reports one month later than results for measurements that are not Percent reported in arrears), in order to cover the 30-day period following installation. Reporting Comparisons: CLEC aggregate, **Disaggregation Reporting:** Statewide level

individual CLEC and Qwest Retail results

Formulas:

- **OP-5A** = (Number inward line service orders completed in the reporting period Number of inward line service orders with any repair trouble reports as specified above) ÷ (Number of inward line service orders completed in the reporting period) x 100
- **OP-5B** = (Number of inward line service orders completed in the reporting period Number of inward line service orders with any provisioning trouble reports as specified above) + (Number of inward line service orders completed in the reporting period) x 100
- **OP-5T** = ([Number of inward line service orders completed in the reporting period] Number of inward line service orders with repair or provisioning trouble reports as defined above under OP-5A or OP-5B, as applicable) \div (Number of inward line service orders completed in the reporting period) x 100
- **OP-5R** = (Number of all repair and provisioning trouble reports, relating to inward line service orders closed in the reporting period as defined above under OP-5A or OP-5B, that constitute additional repair and provisioning trouble reports, within 30 calendar days following the installation date + Number of all repair and provisioning trouble reports relating to inward line service orders closed In the reporting period, as defined above under OP-5A or OP-5B) x 100

Exclusions:

Applicable to OP-5A, OP-5T and OP-5R:

- Repair trouble reports attributable to CLEC or coded to non-Qwest reasons as follows:
 - For products measured from MTAS data, repair trouble reports coded to disposition codes for:
 - Customer Action; Non-Telco Plant; Trouble Beyond the Network Interface; and Miscellaneous -Non-Dispatch, non-Qwest (includes CPE, Customer Instruction, Carrier, Alternate Provider); and Reports from other than the CLEC/customer that result in a charge if dispatched.
 - For products measured from WFA (Workforce Administration) data, repair reports coded to codes for:
 - Carrier Action (IEC); Customer Provided Equipment (CPE); Commercial power failure; Customer requested service order activity; and Other non-Qwest.
 - Repair reports coded to disposition codes for referral to another department (i.e., for non-repair ticket resolutions of non-installation-related problems, except cable cuts, which are not excluded).

Applicable to OP-5B, OP-5T and OP-5R only:

- Provisioning trouble reports attributable to CLEC or non-Qwest causes.
- Call center tickets relating to activities that occur as part of the normal process of conversion (i.e., while Qwest is actively and properly engaged in process of converting or installing the service). Provisioning trouble reports involving service orders that, at the time of the calls, have fallen out for manual handling and been disassociated from the related service order, as applicable, will be considered as not in the normal process of conversion and will not be excluded.

Applicable to OP-5A, OP-5B, OP-5T and OP-5R:

- Repair or provisioning trouble reports related to service orders captured as misses under measurements OP-13 (Coordinated Cuts Timeliness) or OP-17 (LNP Timeliness).
- Subsequent repair or provisioning trouble reports of any trouble on the installed service before the original repair or provisioning trouble report is closed.
- Service orders closed in the reporting period with App Dates earlier than eight months prior to the

OP-5 – New Service Quality (continued)

beginning of the reporting period.

- Information tickets generated for internal Qwest system/network monitoring purposes.
- Disconnect, From (another form of disconnect) and Record order types. When out of service or service
 affecting problems are reported to the call center on conversion and move requests, the resulting call
 center ticket will be included in the calculation of the numerator in association with the related inward
 order type even when the call center ticket reflects the problem was caused by the Disconnect or From
 order.
- Records involving official Qwest company services.

Records missing data essential to the calculation of the measurement as defined herein.

Product Reporting Categories:

 As specified below – one percentage result reported for each bulleted category under the sub-measurements shown.

Standards:

OP-5A: Parity with retail service

OP-5B: Diagnostic for six months following first reporting. After

six months Benchmark (TBD)

OP-5T: Diagnostic

OP-5R: Diagnostic for six months following first reporting.

Possible standard (TBD)

(Where parity comparisons involve multiple service varieties in a product category, weighting based on the retail analogue volumes may be used if necessary to create a comparison that is not affected by different proportions of wholesale and retail analogue volumes in the same reporting category.)

OP-5 – New Service Quality (continued)

Product Reporting:	Standards:		
Reported under OP-5A, OP-5E	B. OP-5T and OP-5R:		
		ne parties in Long-Term PID Administr	ation.)
<u>, </u>	OP-5A	OP-5B	OP-5T & OP-5R
Resale			
Residential single line service	Parity with retail service	6 mo. Diagnostic; Benchmark TBD	Diagnostic
Business single line service	Parity with retail service	6 mo. Diagnostic; Benchmark TBD	Diagnostic
Centrex	Parity with retail service	6 mo. Diagnostic; Benchmark TBD	Diagnostic
Centrex 21	Parity with retail service	6 mo. Diagnostic; Benchmark TBD	Diagnostic
PBX Trunks	Parity with retail service	6 mo. Diagnostic; Benchmark TBD	Diagnostic
Basic ISDN	Parity with retail service	6 mo. Diagnostic; Benchmark TBD	Diagnostic
Qwest DSL	Parity with retail service	6 mo. Diagnostic; Benchmark TBD	Diagnostic
Primary ISDN	Parity with retail service	6 mo. Diagnostic; Benchmark TBD	Diagnostic
DS0	Parity with retail service	6 mo. Diagnostic; Benchmark TBD	Diagnostic
DS1	Parity with retail service	6 mo. Diagnostic; Benchmark TBD	Diagnostic
DS3 and higher bit- rate services (aggregate)	Parity with retail service	6 mo. Diagnostic; Benchmark TBD	Diagnostic
Frame Relay	Parity with retail service	6 mo. Diagnostic; Benchmark TBD	Diagnostic
Unbundled Network	Parity with like retail	6 mo. Diagnostic; Benchmark TBD	Diagnostic
Element – Platform (UNE-P) (POTS)	service	o mo. Diagnostic, Denominare 155	Diagnostic
 Unbundled Network Element – Platform (UNE-P) (Centrex 21) 	Parity with retail Centrex 21	6 mo. Diagnostic; Benchmark TBD	Diagnostic
 Unbundled Network Element – Platform (UNE-P) (Centrex) 	Parity with retail Centrex	6 mo. Diagnostic; Benchmark TBD	Diagnostic
Line Splitting	Parity with retail Qwest DSL	Diagnostic	Diagnostic
Loop Splitting NOTE 8	Diagnostic	Diagnostic	Diagnostic
Line Sharing	Parity with retail RES & BUS POTS	6 mo. Diagnostic; Benchmark TBD	Diagnostic
Sub-Loop Unbundling	Diagnostic	Diagnostic	Diagnostic
Unbundled Loops:			
Analog Loop	Parity with retail Res & Bus POTS with dispatch	6 mo. Diagnostic; Benchmark TBD	Diagnostic
Non-loaded Loop (2- wire)	Parity with retail ISDN BRI	6 mo. Diagnostic; Benchmark TBD	Diagnostic
Non-loaded Loop (4- wire)	Parity with retail DS1	6 mo. Diagnostic; Benchmark TBD	Diagnostic
DS1-capable Loop	Parity with retail DS1	6 mo. Diagnostic; Benchmark TBD	Diagnostic
xDSL-I capable Loop	Parity with retail Qwest DSL	Diagnostic	Diagnostic
ISDN-capable Loop	Parity with retail ISDN BRI	6 mo. Diagnostic; Benchmark TBD	Diagnostic
ADSL-qualified Loop	Parity with retail Qwest DSL with dispatch	6 mo. Diagnostic; Benchmark TBD	Diagnostic
Loop types of DS3 and higher bit-rates (aggregate)	Parity with retail DS3 and higher bit-rate services (aggregate)	6 mo. Diagnostic; Benchmark TBD	Diagnostic
Dark Fiber - Loop	Diagnostic	Diagnostic	Diagnostic

OP-5 – New Service Quality (continued)

Enhanced Extended Loops (EELs) – (DS0 level)		Diagnostic until volume criteria are met	Diagnostic until volume criteria are met	Diagnostic
Enhanced Extended Loops (EELs) – (DS1 level)		Parity with retail DS1 Private Line	6 mo. Diagnostic; Benchmark TBD	Diagnostic
Enhanced Exter (EELs) – (above level)		Diagnostic until volume criteria are met	Diagnostic until volume criteria are met	Diagnostic
Reported under OP	P-5A and un	der OP-5R (per OP-5A spe	ecifications):	
		OP-5A	OP-5R	
LIS Trunks		Parity with Feature Group D (aggregate)	Diagnostic	
Unbundled Dedicate		Transport (UDIT)		
UDIT (DS1 Le	vel)	Parity with Retail Private Lines (DS1)	Diagnostic	
UDIT (Above I		Parity with Retail Private Lines (Above DS1 level)	Diagnostic	
Dark Fiber - IC		Diagnostic	Diagnostic	
• E911/911 Trunk	S	Parity with Retail E911/911 Trunks	Diagnostic	
Availability:	Notes:			
Available	Parity with Retail Diagnostic E911/911 Trunks			ail results). Is, such as Exports of after the action of a total action

OP-6 - Delayed Days

Purpose:

Evaluates the extent Qwest is late in installing services for customers, focusing on the average number of days that late orders are completed beyond the committed due date.

Description:

- OP-6A Measures the average number of business days NOTE 1 that service is delayed beyond the Applicable Due Date for non-facility reasons attributed to Qwest.
 - Includes all inward orders (Change, New, and Transfer order types) that are completed/closed during the reporting period, later, due to non-facility reasons, than the Applicable Due Date recorded by Qwest, subject to exclusions specified below.
- OP-6B Measures the average number of business days NOTE 1 that service is delayed beyond the Applicable Due Date for facility reasons attributed to Qwest.
 - Includes all inward orders (Change, New, and Transfer order types) that are completed/closed during the reporting period later due to facility reasons than the original due date recorded by Qwest, subject to exclusions specified below.

For both OP-6A and OP-6B:

- Change order types for additional lines consist of "C" orders representing inward activity.
- The Applicable Due Date is the original due date or, if changed or delayed by the customer, the most recently revised due date, subject to the following: If Qwest changes a due date for Qwest reasons, the Applicable Due Date is the customer-initiated due date, if any, that is (a) subsequent to the original due date and (b) prior to a Qwest-initiated, changed due date, if any.
- Time intervals associated with customer-initiated due date changes or delays occurring after the
 Applicable Due Date, as applied in the formula below, are calculated by subtracting the latest Qwestinitiated due date, if any, following the Applicable Due Date, from the subsequent customer-initiated
 due date, if any. NOTE 2

Reporting Period: One month

Unit of Measure: Average Business Days

Reporting Comparisons:

CLEC aggregate, individual CLEC and Qwest Retail results

Disaggregation Reporting: Statewide level.

- Results for products/services listed under Product Reporting under "MSA-type Disaggregation" will be reported for OP-6A and OP-6B according to orders involving:
 - Dispatches within MSAs;
 - 2. Dispatches outside MSAs; and
 - 3. No dispatches.
- Results for products/services listed in Product Reporting under "Zone-type Disaggregation" will be disaggregated according to installations:
 - 4. In Interval Zone 1 areas; and
 - 5. In Interval Zone 2 areas.

Formula:

- OP-6A = ∑[(Actual Completion Date of late order for non-facility reasons) (Applicable Due Date of late order) (Time intervals associated with customer-initiated due date changes or delays occurring after the Applicable Due Date)] ÷ (Total Number of Late Orders for non-facility reasons completed in the reporting period)
- OP-6B = Σ [(Actual Completion Date of late order for facility reasons) (Applicable Due Date of late order)] (Time intervals associated with customer-initiated due date changes or delays occurring after the Applicable Due Date) \div (Total Number of Late Orders for facility reasons completed in the reporting period)

OP- 6 – Delayed Days (continued)

- Orders affected only by delays that are solely for customer and/or CLEC reasons.
- Disconnect, From (another form of disconnect) and Record order types.
- Records involving official company services.
- Records with invalid due dates or application dates.
- Records with invalid completion dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

•	 Records missing data essential to the calculation of the measurement per the PID. 			
Product Reporting: Standards:				
MS	SA-Type Disaggregation -			
•	Resale			
	Residential single line service	Parity with retail service		
	Business single line service	Parity with retail service		
	Centrex	Parity with retail service		
	Centrex 21	Parity with retail service		
	DS0 (non-designed provisioning)	Parity with retail service		
	PBX Trunks (non-designed provisioning)	Parity with retail service		
	Primary ISDN (non-designed provisioning)	Parity with retail service		
	Basic ISDN (non-designed provisioning)	Parity with retail service		
	Qwest DSL (non-designed provisioning)	Parity with retail service		
•	Unbundled Network Element – Platform (UNE-P) (POTS)	Parity with like retail service		
•	Unbundled Network Element – Platform (UNE-P) (Centrex 21)	Parity with retail Centrex 21		
•	Unbundled Network Element – Platform (UNE-P) (Centrex)	Parity with retail Centrex		
•	Line Splitting	Parity with retail Qwest DSL		
•	Loop Splitting NOTE 3	Diagnostic		
•	Line Sharing	Parity with retail Qwest DSL		
•	Sub-Loop Unbundling	Diagnostic		
	ne-type Disaggregation -			
•	Resale			
<u> </u>	Primary ISDN (designed provisioning)	Parity with retail service		
	Basic ISDN (designed provisioning)	Parity with retail service		
	DS0 (designed provisioning)	Parity with retail service		
	DS1	Parity with retail service		
	PBX Trunks (designed provisioning)	Parity with retail service		
	Qwest DSL (designed provisioning)	Parity with retail service		
	DS3 and higher bit-rate services	Parity with retail service		
	(aggregate)	,		
	Frame Relay	Parity with retail service		
•	LIS Trunks	Parity with Feature Group D (aggregate)		
•	Unbundled Dedicated Interoffice Transport (UDIT	Γ)		
	UDIT – DS1 level	Parity with retail DS1 Private Line- Service		
	UDIT – Above DS1 level	Parity with retail Private Line- Services above DS1 level		
	Dark Fiber – IOF	Diagnostic		
•	Unbundled Loops:	<u>, </u>		
	Analog Loop	Parity with retail Res and Bus POTS with dispatch		
	Non-loaded Loop (2-wire)	Parity with retail ISDN BRI		
	Non-loaded Loop (4-wire)	Parity with retail DS1 Private Line		
	DS1-capable Loop	Parity with retail DS1 Private Line		
	xDSL-I capable Loop			
	ADSL-qualified Loop	Parity with retail Qwest DSL, with dispatch		
	xDSL-I capable Loop ISDN-capable Loop	Parity with retail Qwest DSL, with dispatch Parity with retail ISDN BRI		

OP- 6 – Delayed Days (continued)

(500)	
Loop types of DS3 and higher bit-rates	Parity with retail DS3 and higher bit-rate Private
(aggregate)	Line services (aggregate)
Dark Fiber – Loop	Diagnostic
• E911/911 Trunks	Parity with retail E911/911 Trunks
Enhanced Extended Loops (EELs) – (DS0 level)	Diagnostic
 Enhanced Extended Loops (EELs) – (DS1 	OP-6A: Parity with retail DS1 Private Line
level)	OP-6B: Diagnostic
Enhanced Extended Loops (EELs) – (DS3)	Diagnostic
level)	

Availability:

Available

Notes:

- For OP-6A-3 and OP-6B-3, Saturday is counted as a business day for all orders for Resale Residence, Resale Business, and UNE-P (POTS), as well as for the retail analogues specified above as standards. For all other products under OP-6A-3 and OP-6B-3, and for all products under OP-6A-1, -6A-2, -6A-4, -6A-5, -6B-1, -6B-2, -6B-4, and -6B-5, Saturday is counted as a business day when the service order is due or completed on Saturday.
- 2. According to this definition, the Applicable Due Date can change, per successive customer-initiated due date changes or delays, up to the point when a Qwest-initiated due date change occurs. At that point, the Applicable Due Date becomes fixed (i.e., with no further changes) as the date on which it was set prior to the first Qwest-initiated due date change, if any. Following the first Qwest-initiated due date change, any further customer-initiated due date changes or delays are measured as time intervals that are subtracted as indicated in the formula. These delay time intervals are calculated as stated in the description. (Though infrequent, in cases where multiple Qwestinitiated due date changes occur, the stated method for calculating delay intervals is applied to each pair of Qwest-initiated due date change and subsequent customer-initiated due date change or delay. The intervals thus calculated from each pairing of Qwest and customer-initiated due dates are summed and then subtracted as indicated in the formula.) The result of this approach is that Qwestinitiated impacts on intervals are counted in the reported interval, and customer-initiated impacts on intervals are not counted in the reported interval.
- Reporting will begin at the time CLECs order the product, in any quantity, for three consecutive months.

OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop

Purpose:

Evaluates the duration of completing coordinated "hot cuts" of unbundled loops, focusing on the time actually involved in disconnecting the loop from the Qwest network and connecting/testing the loop.

Description:

Measures the average time to complete coordinated "hot cuts" for unbundled loops, based on intervals beginning with the "lift" time and ending with the completion time of Qwest's applicable tests for the loop.

- Includes all coordinated hot cuts of unbundled loops that are completed/closed during the reporting period, subject to exclusions specified below.
- "Hot cut" refers to moving the service of existing customers from Qwest's switch/frames to the CLEC's equipment, via unbundled loops, that will serve the customers.
- "Lift" time is defined as when Qwest disconnects the existing loop.
- "Completion time" is defined as when Qwest completes the applicable tests after connecting the loop to the CLEC.

Reporting Period: One month		Unit of Measure: Hours and Minutes			
Reporting Comparisons: CLEC aggregate and individual CLEC	Disaggregation	on Reporting: Statewide level.			
results					
Formula:					
	tal Number of u	nbundled loops with coordinated cutovers			
completed in the reporting period)					
	Exclusions:				
Time intervals associated with 0		·			
ı		on of the measurement per the PID.			
 Invalid start/stop dates/times or 					
Product Reporting: Coordinated U	Inbundled	Standard:			
Loops – Reported separately for:		CO: 1 hour			
Analog Loops		All Other States: Diagnostic in light of OP-13			
All other Loop Types		(Coordinated Cuts On Time)			
Availability:		Notes:			
Available					

OP-8 – Number Portability Timeliness

Purpose:

Evaluates the timeliness of cutovers of local number portability (LNP).

Description:

- OP-8B LNP Timeliness with Loop Coordination (percent): Measures the percentage of coordinated LNP triggers set prior to the scheduled start time for the loop.
 - All orders for LNP coordinated with unbundled loops that are completed/closed during the reporting period are measured, subject to exclusions specified below.
- OP-8C LNP Timeliness without Loop Coordination (percent): Measures the percentage of LNP triggers set prior to the Frame Due Time or scheduled start time for the LNP cutover as applicable.
 - All orders for LNP for which coordination with a loop was not requested that are completed/closed during the reporting period are measured (including standalone LNP coordinated with other than Qwest-provided Unbundled Loops and non-coordinated, standalone LNP), subject to exclusions specified below.
- For purposes of these measurements (OP-8B and -8C), "trigger" refers to the "10-digit unconditional trigger" or Line Side Attribute (LSA) that is set or translated by Qwest.
- "Scheduled start time" is defined as the confirmed appointment time (as stated on the FOC), or a newly negotiated time. In the case of LNP cutovers coordinated with loops, the scheduled time used in this measurement will be no later than the "lay" time for the loop.

Reporting Period: One month	Unit of Measure: Percent of triggers set on time
Reporting Comparisons: CLEC aggregate and individual CLEC results	Disaggregation Reporting: Statewide level.

Formula:

- OP-8B = [(Number of LNP triggers set before the scheduled time for the coordinated loop cutover) ÷ (Total Number of LNP activations coordinated with unbundled loops completed)] x 100
- OP-8C = [(Number of LNP triggers set before the Frame Due Time or Scheduled Start Time) ÷ (Total Number of LNP activations without loop cutovers completed)] x 100

- CLEC-caused delays in trigger setting.
- LNP requests that do not involve automatic triggers (e.g., DID lines without separate, unique telephone numbers and Centrex 21).
- LNP requests for which the records used as sources of data for these measurements have the following types of errors:
 - Records with no PON (purchase order number) or STATE.
 - Records where triggers cannot be set due to switch capabilities.
 - Records with invalid due dates, application dates, or start dates.
 - Records with invalid completion dates.
 - Records missing data essential to the calculation of the measurement per the PID.
 - Invalid start/stop dates/times or invalid frame due or scheduled date/times.

Product Reporting: None	Standard: 95%
Availability:	Notes:
Available	

OP-13 – Coordinated Cuts On Time – Unbundled Loop

Purpose:

Evaluates the percentage of coordinated cuts of unbundled loops that are completed on time, focusing on cuts completed within one hour of the committed order due time and the percent that were started without CLEC approval.

Description:

- Includes all LSRs for coordinated cuts of unbundled loops that are completed/closed during the reporting period, subject to exclusions specified below.
- OP-13A Measures the percentage of LSRs (CLEC orders) for all coordinated cuts of unbundled loops that are started and completed on time. For coordinated loop cuts to be counted as "on time" in this measurement, the CLEC must agree to the start time, and Qwest must (1) receive verbal CLEC approval before starting the cut or lifting the loop, (2) complete the physical work and appropriate tests, (3) complete the Qwest portion of any associated LNP orders and (4) call the CLEC with completion information, all within one hour of the time interval defined by the committed order due time.
- OP-13B Measures the percentage of all LSRs for coordinated cuts of unbundled loops that are actually started without CLEC approval.
- "Scheduled start time" is defined as the confirmed appointment time (as stated on the FOC), or a newly negotiated appointment time.
- The "committed order due time" is based on the number and type of loops involved in the cut and is calculated by adding the applicable time interval from the following list to the scheduled start time:
 - Analog unbundled loops:

1 to 16 lines: 1 Hour 17 to 24 lines: 2 Hours 25+ lines: Project*

All other unbundled loops:

1 to 5 lines: 1 Hour 6 to 8 lines: 2 Hours 9 to 11 lines: 3 Hours 12 to 24 lines: 4 Hours 25+ lines: Project*

*For Projects scheduled due dates and scheduled start times will be negotiated between CLEC and Qwest, but no committed order due time is established. Therefore, projects are not included in OP-13A (see exclusion below).

- "Stop" time is defined as when Qwest notifies the CLEC that the Qwest physical work and the appropriate tests have been successfully accomplished, including the Qwest portion of any coordinated LNP orders.
- Time intervals following the scheduled start time or during the cutover process associated with customer-caused delays are subtracted from the actual cutover duration.
- Where Qwest's records of completed coordinated cut transactions are missing evidence of CLEC approval of the cutover, the cut will be counted as a miss under both OP-13A and OP-13B.

Reporting Period: One month		Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate and individual CLEC results	Results for this OP-13A	on Reporting: Statewide level. Is measurement will be reported according to: Cuts Completed On Time Cuts Started Without CLEC Approval

OP-13 – Coordinated Cuts On Time – Unbundled Loop (continued)

Formula:

OP-13A = [(Count of LSRs for Coordinated Unbundled Loop cuts completed "On Time") ÷ (Total Number of LSRs for Coordinated Unbundled Loop Cuts completed in the reporting period)] x 100

OP-13B = [(Count of LSRs for Coordinated Unbundled Loop cuts whose actual start time occurs without CLEC approval) ÷ (Total Number of LSRs for Coordinated Unbundled Loop Cuts completed in the reporting period)] x 100

Exclusions:

Applicable to OP-13A:

• Loop cuts that involve CLEC-requested non-standard methodologies, processes, or timelines.

OP-13A & OP-13B:

- Records with invalid completion dates.
- Records missing data essential to the calculation of the measurement per the PID which are not otherwise designated to be "counted as a miss".
- Invalid start/stop dates/times or invalid scheduled date/times.
- Projects involving 25 or more lines.

Product Reporting: Coordinated Unbundled	Standards:
Loops – Reported separately for:	OP-13A:
Analog Loops	AZ: 90 Percent or more
All Other Loops	All Other States: 95 Percent or more
	OP-13B: Diagnostic
Availability:	Notes:
Available	

OP-15 – Interval for Pending Orders Delayed Past Due Date

Purpose:

Evaluates the extent to which Qwest's pending orders are late, focusing on the average number of days the pending orders are delayed past the Applicable Due Date, as of the end of the reporting period.

Description:

OP-15A – Measures the average number of business days that pending orders are delayed beyond the Applicable Due Date for reasons attributed to Qwest.

- Includes all pending inward orders (Change, New, and Transfer order types) for which the Applicable
 Due Date recorded by Qwest has been missed, subject to exclusions specified below. Change order
 types included in this measurement consist of all "C" orders representing inward activity.
- The Applicable Due Date is the original due date or, if changed or delayed by the customer, the most recently revised due date, subject to the following: If Qwest changes a due date for Qwest reasons, the Applicable Due Date is the customer-initiated due date, if any, that is (a) subsequent to the original due date and (b) prior to a Qwest-initiated, changed due date, if any.
- Time intervals associated with customer-initiated due date changes or delays occurring after the Applicable Due Date, as applied in the formula below, are calculated by subtracting the latest Qwestinitiated due date, if any, following the Applicable Due Date, from the subsequent customer-initiated due date, if any. NOTE 1

OP-15B – Reports the number of pending orders measured in the numerator of OP-15A that were delayed for Qwest facility reasons.

Reporting Period: One month	Unit of Measure: OP-15A – Average Business Days NOTE 2 OP-15B – Number of orders pending facilities
Reporting Comparisons: CLEC aggregate, individual CLEC, Qwest retail	Disaggregation Reporting: Statewide

Formula:

- OP-15A = ∑[(Last Day of Reporting Period) (Applicable Due Date of Late Pending Order) (Time intervals associated with customer-initiated due date changes or delays occurring after the Applicable Due Date)] ÷ (Total Number of Pending Orders Delayed for Qwest reasons as of the last day of Reporting Period)
- OP-15B = Count of pending orders measured in numerator of OP-15A that were delayed for Qwest facility reasons

- Disconnect, From (another form of disconnect) and Record order types.
- Records involving official company services.
- Records with invalid due dates or application dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

OP-15 – Interval for Pending Orders Delayed Past Due Date (continued)

Product Reporting:	Standards: OP-15B = diagnostic only For OP-15A:
Resale	
Residential single line service	Diagnostic (Expectation: Parity with retail service)
Business single line service	Diagnostic (Expectation: Parity with retail service)
Centrex	Diagnostic (Expectation: Parity with retail service)
Centex 21	Diagnostic (Expectation: Parity with retail service)
PBX Trunk	Diagnostic (Expectation: Parity with retail service)
Basic ISDN	Diagnostic (Expectation: Parity with retail service
Qwest DSL	Diagnostic (Expectation: Parity with retail service)
Primary ISDN	Diagnostic (Expectation: Parity with retail service)
DS0	Diagnostic (Expectation: Parity with retail service)
DS1	Diagnostic (Expectation: Parity with retail service)
DS3 and higher bit-rate services	Diagnostic (Expectation: Parity with retail service)
(aggregate)	
Frame Relay	Diagnostic (Expectation: Parity with retail service)
Unbundled Network Element – Platform	Diagnostic (Expectation: Parity with retail service)
(UNE-P) (POTS)	
Unbundled Network Element – Platform	Diagnostic (Expectation: Parity with retail Centrex 21)
(UNE-P) (Centrex 21)	
Unbundled Network Element – Platform	Diagnostic (Expectation: Parity with retail Centrex)
(UNE-P) (Centrex)	
Line Splitting	Diagnostic (Expectation: Parity with retail Qwest
	DSL)
Loop Splitting NOTE 3	Diagnostic
Line Sharing	Diagnostic (Expectation: Parity with retail Qwest DSL)
Sub-Loop Unbundling	Diagnostic
LIS Trunks	Diagnostic (Expectation: Parity with Feature Group D
	(aggregate)) (separately reported)
Unbundled Dedicated Interoffice Transport (UD	IT)
UDIT – DS1 level	Diagnostic (Expectation: Parity with DS1 Private
	Line- Service)
UDIT – Above DS1 level	Diagnostic (Expectation: Parity with Private Line-
	Services above DS1 level)
Dark Fiber – IOF	Diagnostic
Unbundled Loops:	
Analog Loop	Diagnostic (Expectation: Parity with retail Res and
	Bus POTS with dispatch)
Non-loaded Loop (2-wire)	Diagnostic (Expectation: Parity with retail ISDN BRI)
Non-loaded Loop (4-wire)	Diagnostic (Expectation: Parity with retail DS1)
DS1-capable Loop	Diagnostic (Expectation: Parity with retail DS1)
ISDN-capable Loop	Diagnostic (Expectation: Parity with ISDN-BRI)
ADSL-qualified Loop	Diagnostic (Expectation: Parity with retail Qwest DSL with dispatch)
Loop types of DS3 or higher bit rate	Diagnostic (Expectation: Parity with retail DS3 and
(aggregate)	higher bit-rate services (aggregate)
Dark Fiber – Loop	Diagnostic
• E911/911 Trunks	Diagnostic (Expectation: Parity with retail E911/911
	Trunks)
Enhanced Extended Loops (EELs)	Diagnostic

OP-15 – Interval for Pending Orders Delayed Past Due Date (continued)

Availability:

Available

Notes:

- 1. According to this definition, the Applicable Due Date can change, per successive customer-initiated due date changes or delays, up to the point when a Qwest-initiated due date change occurs. At that point, the Applicable Due Date becomes fixed (i.e., with no further changes) as the date on which it was set prior to the first Qwest-initiated due date change, if any. Following the first Qwest-initiated due date change, any further customer-initiated due date changes or delays are measured as time intervals that are subtracted as indicated in the formula. These delay time intervals are calculated as stated in the description. (Though infrequent, in cases where multiple Qwestinitiated due date changes occur, the stated method for calculating delay intervals is applied to each pair of Qwest-initiated due date change and subsequent customer-initiated due date change or delay. The intervals thus calculated from each pairing of Qwest and customer-initiated due dates are summed and then subtracted as indicated in the formula.) The result of this approach is that Qwest-initiated impacts on intervals are counted in the reported interval, and customer-initiated impacts on intervals are not counted in the reported interval.
- For OP-15A, Saturday is counted as a business day for all non-dispatched orders for Resale Residence, Resale Business, and UNE-P (POTS), as well as for non-dispatched orders in the retail analogues specified above as standards. For all other non-dispatched products and for all dispatched products under OP-15A, Saturday is not counted as a business day.
- 3. Reporting will begin at the time CLECs order the product, in any quantity, for three consecutive months.

OP-17 - Timeliness of Disconnects associated with LNP Orders

Purpose:

Evaluates the quality of Qwest completing LNP telephone number porting, focusing on the degree to which porting occurs without implementing associated disconnects before the scheduled time/date.

Description:

OP-17A

- Measures the percentage of all LNP telephone numbers (TNs), both stand alone and associated with loops, that are ported without the incidence of disconnects being made by Qwest before the scheduled time/date, as identified by associated qualifying trouble reports.
 - Focuses on disconnects associated with timely CLEC requests for delaying the disconnects or no requests for delays.
 - The scheduled time/date is defined as 11:59 p.m. on (1) the due date of the LNP order recorded by Qwest or (2) the delayed disconnect date requested by the CLEC, where the CLEC submits a timely request for delay of disconnection.
 - A CLEC request for delay of disconnection is considered timely if received by Qwest before 8:00 p.m. MT on the current due date of the LNP order recorded by Qwest.

OP-17B

- Measures the percentage of all LNP telephone numbers (TNs), both stand alone and associated
 with loops, that are ported without the incidence of disconnects being made by Qwest before the
 scheduled time/date, as identified by associated qualifying trouble reports.
 - Includes only disconnects associated with untimely CLEC requests for delaying the disconnects.
 - A CLEC request for delay of disconnection is considered "untimely" if received by Qwest after 8:00 p.m. MT on the current due date of the LNP order recorded by Qwest and before 12:00 p.m. MT (noon) on the day after the current due date.
- Disconnects are defined as the removal of switch translations, including the 10-digit trigger.
- Disconnects that are implemented early, and thus counted as a "miss" under this measurement, are
 those that the CLEC identifies as such to Qwest via trouble reports, within four calendar days of the
 actual disconnect date, that are confirmed to be caused by disconnects being made before the
 scheduled time.
- Includes all CLEC orders for LNP TNs completed in the reporting period, subject to exclusions specified below.

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC Aggregate and Individual CLEC	Disaggregation Reporting: Statewide

Formula:

[(Total number of LNP TNs ported pursuant to orders completed in the reporting period – Number of TNs with qualifying trouble reports notifying Qwest that disconnection before the scheduled time has occurred) ÷ Total Number of LNP TNs ported pursuant to orders completed in the reporting period] x 100

OP-17 – Timeliness of Disconnects associated with LNP Orders (continued)

Exclusions:

OP-17A only

 Trouble reports notifying Qwest of early disconnects associated with situations for which the CLEC has failed to submit timely requests to have disconnects held for later implementation.

OP-17A & B

- Trouble reports not related to valid requests (LSRs) for LNP and associated disconnects.
- LNP requests that do not involve automatic triggers (e.g., DID lines without separate, unique TNs, and Centrex 21).
- Records with invalid trouble receipt dates.
- Records with invalid cleared, closed or due dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

OP-17B only

 Trouble reports notifying Qwest of early disconnects associated with situations for which the CLEC did not submit its untimely requests by 12:00 p.m. MT (noon) on the day after the LNP due date to have disconnects held for later implementation.

Product Reporting: LNP	Standards: OP-17A – 98.25% OP-17B – Diagnostic only, in light of its measuring only requests for delay of disconnect that are defined as untimely.
Availability: Available	Notes:

Maintenance and Repair

MR-2 – Calls Answered within 20 Seconds – Interconnect Repair Center

Purpose:

Evaluates Customer access to Qwest's Interconnection and/or Retail Repair Center(s), focusing on the number of calls answered within 20 seconds.

Description:

Measures the percentage of Interconnection and/or Retail Repair Center calls answered within 20 seconds of the first ring.

- Includes all calls to the Interconnect Repair Center during the reporting period, subject to exclusions specified below.
- First ring is defined as when the customer's call is first placed in queue by the ACD (Automatic Call Distributor).
- Answer is defined as when the call is first picked up by the Qwest agent.

 Abandoned calls and busy calls are counted as 	calls which are not answered within 20 seconds.	
Reporting Period: One month	Unit of Measure: Percent	
Reporting Comparisons: CLEC aggregate and Qwest Retail levels.	Disaggregation Reporting: Region-wide level.	
Formula:		
[(Total Calls Answered by Center within 20 seconds	s) ÷ (Total Calls received by Center)] x 100	
Exclusions: Time spent in the VRU (Voice Response Unit) is not counted.		
Product Reporting: None	Standard: Parity	
Availability:	Notes:	
Available		

MR-3 - Out of Service Cleared within 24 Hours

Purpose:

Evaluates timeliness of repair for specified services, focusing on trouble reports where the out-of-service trouble reports were cleared within the standard estimate for specified services (i.e., 24 hours for out-of-service conditions).

Description:

Measures the percentage of out of service trouble reports, involving specified services, that are cleared within 24 hours of receipt of trouble reports from CLECs or from retail customers.

- Includes all trouble reports, closed during the reporting period, which involve a specified service that is out-of-service (i.e., unable to place or receive calls), subject to exclusions specified below.
- Time measured is from date and time that Qwest is first notified of the trouble by CLEC to date and time trouble is cleared.

Reporting Period: One month Unit of Measure: Percent

Reporting Comparisons:

CLEC aggregate, individual CLEC and Qwest Retail results

Disaggregation Reporting: Statewide level.

 Results for product/services listed in Product Reporting under "MSA-Type Disaggregation" will be disaggregated and reported according to trouble reports involving:

MR-3A Dispatches within MSAs;

MR-3B Dispatches outside MSAs; and

MR-3C No dispatches.

 Results for products/services listed in Product Reporting under "Zone-type Disaggregation" will be disaggregated according to trouble reports involving:

MR-3D In Interval Zone 1 areas; and

MR-3E In Interval Zone 2 areas.

Formula:

[(Number of Out of Service Trouble Reports closed in the reporting period that are cleared within 24 hours) ÷ (Total Number of Out of Service Trouble Reports closed in the reporting period)] x 100

- Trouble reports coded as follows:
 - For products measured from MTAS data (products listed for MSA-type disaggregation), trouble reports coded to disposition codes for: Customer Action; Non-Telco Plant; Trouble Beyond the Network Interface; and Miscellaneous – Non-Dispatch, non-Qwest (includes CPE, Customer Instruction, Carrier, Alternate Provider).
 - For products measured from WFA (Workforce Administration) data (products listed for Zonetype disaggregation) trouble reports coded to trouble codes for Carrier Action (IEC) and Customer Provided Equipment (CPE).
- Subsequent trouble reports of any trouble before the original trouble report is closed.
- Information tickets generated for internal Qwest system/network monitoring purposes.
- Time delays due to "no access" are excluded from repair time for products/services listed in Product Reporting under "Zone-type Disaggregation".
- For products measured from MTAS data (products listed for MSA-type disaggregation), trouble reports involving a "no access" delay.
- Trouble reports on the day of installation before the installation work is reported by the technician/installer as complete.
- Records involving official company services.
- · Records with invalid trouble receipt dates.
- Records with invalid cleared or closed dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

MR-3 – Out of Service Cleared within 24 Hours (Continued)

Product Reporting:	Standards:
MSA-Type Disaggregation -	
Resale	•
Residential single line service	Parity with retail service
Business single line service	Parity with retail service
Centrex	Parity with retail service
Centrex 21	Parity with retail service
PBX Trunks	Parity with retail service
Basic ISDN	Parity with retail service
Unbundled Network Element – Platform (UNE-P) (POTS)	Parity with appropriate retail service
 Unbundled Network Element – Platform (UNE-P) (Centrex 21) 	Parity with retail Centrex 21
 Unbundled Network Element – Platform (UNE-P) (Centrex) 	Parity with retail Centrex
Line Splitting	Parity with retail Qwest DSL
Loop Splitting NOTE 1	Diagnostic
Line Sharing	CO: Parity with Qwest DSL
· ·	All Other States: Parity with RES and BUS POTS
Sub-Loop Unbundling	CO: Parity with retail ISDN-BRI
	All Other States: Diagnostic
Zone-type Disaggregation -	•
Resale	
Qwest DSL	Parity with retail service
Unbundled Loops	
Analog Loop	Parity with retail Res and Bus POTS
Non-loaded Loop (2 wire)	Parity with retail ISDN-BRI
xDSL-I capable Loop	Parity with retail Qwest IDSL
ISDN-capable Loop	Parity with ISDN-BRI
ADSL-qualified Loop	Parity with retail Qwest DSL
Availability:	Notes:
Available	 Reporting will begin at the time CLECs order the product, in any quantity, for three consecutive months.

MR-4 - All Troubles Cleared within 48 hours

Purpose:

Evaluates timeliness of repair for specified services, focusing on trouble reports of all types (both out of service and service affecting) and on the number of such trouble reports cleared within the standard estimate for specified services (i.e., 48 hours for service-affecting conditions).

Description:

Measures the percentage of trouble reports, for specified services, that are cleared within 48 hours of receipt of trouble reports from CLECs or from retail customers.

- Includes all trouble reports, closed during the reporting period, which involve a specified service, subject to exclusions specified below.
- Time measured is from date and time that Qwest is first notified of the trouble by CLEC to date and time trouble is cleared.

Reporting Period: One month Unit of Measure: Percent

Reporting Comparisons:

CLEC aggregate, individual CLEC and Qwest Retail results

Disaggregation Reporting: Statewide level.

 Results for product/services listed in Product Reporting under "MSA-Type Disaggregation" will be disaggregated and reported according to trouble reports involving:

MR-4A Dispatches within MSAs;

MR-4B Dispatches outside MSAs; and

MR-4C No dispatches.

 Results for products/services listed in Product Reporting under "Zone-type Disaggregation" will be disaggregated according to trouble reports involving:

MR-4D In Interval Zone 1 areas; and

MR-4E In Interval Zone 2 areas

Formula:

[(Total Trouble Reports closed in the reporting period that are cleared within 48 hours) ÷ (Total Trouble Reports closed in the reporting period)] x 100

- Trouble reports coded as follows:
 - For products measured from MTAS data (products listed for MSA-type disaggregation), trouble reports coded to disposition codes for: Customer Action; Non-Telco Plant; Trouble Beyond the Network Interface; and Miscellaneous – Non-Dispatch, non-Qwest (includes CPE, Customer Instruction, Carrier, Alternate Provider).
 - For products measured from WFA (Workforce Administration) data (products listed for Zonetype disaggregation) trouble reports coded to trouble codes for Carrier Action (IEC) and Customer Provided Equipment (CPE).
- Subsequent trouble reports of any trouble before the original trouble report is closed.
- Information tickets generated for internal Qwest system/network monitoring purposes.
- Time delays due to "no access" are excluded from repair time for products/services listed in Product Reporting under "Zone-type Disaggregation".
- For products measured from MTAS data (products listed for MSA-type disaggregation), trouble reports involving a "no access" delay.
- Trouble reports on the day of installation before the installation work is reported by the technician/installer as complete.
- · Records involving official company services.
- · Records with invalid trouble receipt dates.
- Records with invalid cleared or closed dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

MR-4 – All Troubles Cleared within 48 Hours (Continued)

Product Reporting:	Standards:
MSA-Type Disaggregation -	
Resale	
Residential single line service	Parity with retail service
Business single line service	Parity with retail service
Centrex	Parity with retail service
Centrex 21	Parity with retail service
PBX Trunks	Parity with retail service
Basic ISDN	Parity with retail service
Unbundled Network Element – Platform (UNE-P) (POTS)	Parity with appropriate retail service
Unbundled Network Element – Platform (UNE-P) (Centrex 21)	Parity with retail Centrex 21
Unbundled Network Element – Platform (UNE-P) (Centrex)	Parity with retail Centrex
Line Splitting	Parity with retail Qwest DSL
Loop Splitting NOTE 1	Diagnostic
Line Sharing	Parity with RES and BUS POTS
Sub-Loop Unbundling	Diagnostic
Zone-Type Disaggregation -	
Resale	
Qwest DSL	Parity with retail service
Unbundled Loops:	
Analog Loop	Parity with retail Res and Bus POTS
Non-loaded Loop (2 wire)	Parity with retail ISDN-BRI
xDSL-I capable Loop	Parity with retail Qwest IDSL
ISDN-capable Loop	Parity with retail ISDN-BRI
ADSL-qualified Loop	Parity with retail Qwest DSL
Availability:	Notes:
Available	 Reporting will begin at the time CLECs order the product, in any quantity, for three consecutive months.

MR-5 – All Troubles Cleared within 4 hours

Purpose:

Evaluates timeliness of repair for specified services, focusing on all trouble reports of all types (including out of service and service affecting troubles) and on the number of such trouble reports cleared within the standard estimate for specified services (i.e., 4 hours).

Description:

Measures the percentage of trouble reports for specified services that are cleared within 4 hours of receipt of trouble reports from CLECs or from retail customers.

- Includes all trouble reports, closed during the reporting period, which involve a specified service, subject to exclusions specified below.
- Time measured is from date and time that Qwest is first notified of the trouble by CLEC to date and time trouble is cleared.

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results	Disaggregation Reporting: Statewide level. Results for listed products will be disaggregated according to trouble reports: MR-5A In Interval Zone 1 areas; and MR-5B In Interval Zone 2 areas.

Formula:

[(Number of Trouble Reports closed in the reporting period that are cleared within 4 hours) ÷ (Total Trouble Reports closed in the reporting period)] x 100

- Trouble reports coded as follows:
 - For products measured using WFA (Workforce Administration) data (products listed for Zonetype disaggregation) trouble reports coded to trouble codes for Carrier Action (IEC) and Customer Provided Equipment (CPE).
- Subsequent trouble reports of any trouble before the original trouble report is closed.
- Information tickets generated for internal Qwest system/network monitoring purposes.
- Time delays due to "no access" are excluded from repair time.
- Trouble reports on the day of installation before the installation work is reported by the technician/installer as complete.
- Records involving official company services.
- · Records with invalid trouble receipt dates.
- Records with invalid cleared or closed dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

MR-5 – All Troubles Cleared within 4 hours (continued)

Product Reporting:	Standards:
Zone-Type Disaggregation -	-
Resale	
Primary ISDN	Parity with retail service
DS0	Parity with retail service
DS1	Parity with retail service
DS3 and higher bit-rate services (aggregate)	Parity with retail service
Frame Relay	Parity with retail service
LIS Trunks	Parity with Feature Group D (aggregate)
 Unbundled Dedicated Interoffice Transport (UDI 	T)
UDIT – DS1 level	Parity with DS1 Private Line Service
UDIT – Above DS1 level	Parity with Private Line Services above DS1 level
Unbundled Loops:	
Non-loaded Loop (4-wire)	Parity with retail DS1
DS1-capable Loop	Parity with retail DS1
Loop types of DS3 and higher bit-rates (aggregate)	Parity with retail DS3 and higher bit-rate services (aggregate)
• E911/911 Trunks	Parity with retail E911/911 Trunks
Enhanced Extended Loops (EELs) – (DS0 level)	Diagnostic
 Enhanced Extended Loops (EELs) – (DS1 level) 	Parity with retail DS1 Private Line
Enhanced Extended Loops (EELs) – (DS3 level)	Diagnostic
Availability:	Notes:
Available	

MR-6 - Mean Time to Restore

Purpose:

Evaluates timeliness of repair, focusing how long it takes to restore services to proper operation.

Description:

Measures the time actually taken to clear trouble reports.

- Includes all trouble reports closed during the reporting period, subject to exclusions specified below.
- Includes customer direct reports, customer-relayed reports, and test assist reports that result in a trouble report.
- Time measured is from date and time that Qwest is first notified of the trouble by CLEC to date and time trouble is cleared.

Reporting Period: One month Unit of Measure: Hours and Minutes

Reporting Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results

Disaggregation Reporting: Statewide level.

 Results for product/services listed in Product Reporting under "MSA-Type Disaggregation" will be reported according to trouble reports involving:

MR-6A Dispatches within MSAs;

MR-6B Dispatches outside MSAs; and

MR-6C No dispatches.

 Results for products/services listed in Product Reporting under "Zone-type Disaggregation" will be disaggregated according to trouble reports involving: MR-6D In Interval Zone 1 areas; and

MR-6E In Interval Zone 2 areas.

Formula:

 \sum [(Date & Time Trouble Report Cleared) – (Date & Time Trouble Report Opened)] \div (Total number of Trouble Reports closed in the reporting period)

- Trouble reports coded as follows:
 - For products measured from MTAS data (products listed for MSA-type disaggregation), trouble reports coded to disposition codes for: Customer Action; Non-Telco Plant; Trouble Beyond the Network Interface; and Miscellaneous – Non-Dispatch, non-Qwest (includes CPE, Customer Instruction, Carrier, Alternate Provider).
 - For products measured from WFA (Workforce Administration) data (products listed for Zonetype disaggregation) trouble reports coded to trouble codes for Carrier Action (IEC) and Customer Provided Equipment (CPE).
- Subsequent trouble reports of any trouble before the original trouble report is closed.
- Information tickets generated for internal Qwest system/network monitoring purposes.
- Time delays due to "no access" are excluded from repair time for products/services listed in Product Reporting under "Zone-type Disaggregation".
- For products measured from MTAS data (products listed for MSA-type disaggregation), trouble reports involving a "no access" delay.
- Trouble reports on the day of installation before the installation work is reported by the technician/installer as complete.
- Records involving official company services.
- Records with invalid trouble receipt dates.
- Records with invalid cleared or closed dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

MR-6 – Mean Time to Restore (Continued)

Product Reporting:	Standards:
MSA-Type Disaggregation -	Otanida do.
Resale	
Residential single line service	Parity with retail service
Business single line service	Parity with retail service
Centrex	Parity with retail service
Centrex 21	Parity with retail service
PBX Trunks	Parity with retail service
Basic ISDN	Parity with retail service
Unbundled Network Element – Platform	Parity with like retail service
(UNE-P) (POTS)	
Unbundled Network Element – Platform (UNE-P) (Centrex 21)	Parity with retail Centrex 21
Unbundled Network Element – Platform (UNE-P) (Centrex)	Parity with retail Centrex
Line Splitting	Parity with retail Qwest DSL
Loop Splitting NOTE 1	Diagnostic
Line Sharing	CO: Parity with Qwest DSL
	All Other States: Parity with RES and BUS POTS
Sub-Loop Unbundling	CO: Parity with retail ISDN-BRI
Cab Loop Oribationing	All Other States: Diagnostic
Zone-Type Disaggregation -	
Resale	
Qwest DSL	Parity with retail service
Primary ISDN	Parity with retail service
DS0	Parity with retail service
DS1	Parity with retail service
DS3 and higher bit-rate services	Parity with retail service
(aggregate)	
Frame Relay	Parity with retail service
LIS Trunks	Parity with Feature Group D (aggregate)
Unbundled Dedicated Interoffice Transport (UD	IT)
UDIT – DS1 level	Parity with retail DS1 Private Line
UDIT – Above DS1 level	Parity with retail Private Lines above DS1 level
Dark Fiber – IOF	Diagnostic
Unbundled Loops:	
Analog Loop	Parity with retail Res and Bus POTS
Non-loaded Loop (2-wire)	Parity with retail ISDN BRI
Non-loaded Loop (4-wire)	Parity with retail DS1 Private Line
DS1-capable Loop	Parity with retail DS1 Private Line
xDSL-I capable Loop	Parity with retail Qwest IDSL
ISDN-capable Loop	Parity with retail ISDN BRI
ADSL-qualified Loop	Parity with retail Qwest DSL
Loop types of DS3 and higher bit-rates	Parity with retail DS3 and higher bit-rate Private
(aggregate)	Line services (aggregate)
Dark Fiber – Loop	Diagnostic
• E911/911 Trunks	Parity with retail E911/911 Trunks
 Enhanced Extended Loops (EELs) – (DS0 level) 	Diagnostic
Enhanced Extended Loops (EELs) – (DS1 level)	Parity with retail DS1 Private Line
Enhanced Extended Loops (EELs) – (DS3 level)	Diagnostic

MR-6 – Mean Time to Restore (Continued)

Availability:	Notes:
Available	 Reporting will begin at the time CLECs order the product, in any quantity, for three consecutive months.

MR-7 – Repair Repeat Report Rate

Purpose:

Evaluates the accuracy of repair actions, focusing on the number of repeated trouble reports received for the same line/circuit within a specified period (30 calendar days).

Description:

Measures the percentage of trouble reports that are repeated within 30 days on end user lines and circuits.

- Includes all trouble reports closed during the reporting period that have a repeated trouble report received within thirty (30) days of the initial trouble report for the same service (regardless of whether the report is about the same type of trouble for that service), subject to exclusions specified below.
- In determining same service Qwest will compare the end user telephone number or circuit access code of the initial trouble reports closed during the reporting period with reports received within 30 days of when the initial trouble report closed.
- Includes reports due to Qwest network or system causes, customer-direct and customer-relayed reports.
- The 30-day period applied in the numerator of the formula below is from the date and time that the initial trouble report is closed to the date and time that the next, or "repeat" trouble report is received (i.e., opened).

Reporting Period: One month, reported in arrears (i.e., results first appear in reports one month later than results for measurements that are not reported in arrears), in order to cover the 30-day period following the initial trouble report.

Unit of Measure: Percent

Reporting Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results

Disaggregation Reporting: Statewide level.

- Results for product/services listed in Product Reporting under "MSA-Type Disaggregation" will be reported according to trouble reports involving:
 - MR-7A Dispatches within MSAs;
 - MR-7B Dispatches outside MSAs; and
 - MR-7C No dispatches.
- Results for products/services listed in Product Reporting under "Zone-type Disaggregation" will be disaggregated according to trouble reports involving:
 - MR-7D In Interval Zone 1 areas; and
 - MR-7E In Interval Zone 2 areas.

Formula:

[(Total trouble reports closed within the reporting period that had a repeated trouble report received within 30 calendar days of when the initial trouble report closed) \div (Total number of Trouble Reports Closed in the reporting period)] x 100

- Trouble reports coded as follows:
 - For products measured from MTAS data (products listed for MSA-type disaggregation), trouble reports coded to disposition codes for: Customer Action; Non-Telco Plant; Trouble Beyond the Network Interface; and Miscellaneous – Non-Dispatch, non-Qwest (includes CPE, Customer Instruction, Carrier, Alternate Provider).
 - For products measured from WFA (Workforce Administration) data (products listed for Zonetype disaggregation) trouble reports coded to trouble codes for Carrier Action (IEC) and Customer Provided Equipment (CPE).
- Subsequent trouble reports of any trouble before the original trouble report is closed.
- Information tickets generated for internal Qwest system/network monitoring purposes.
- Trouble reports on the day of installation before the installation work is reported by the technician/installer as complete.
- Records involving official company services.
- Records with invalid trouble receipt dates.

MR-7 - Repair Repeat Report Rate (Continued)

Records with invalid cleared or closed dates.		
 Records with invalid product codes. 		
 Records missing data essential to the calculation 	on of the measurement per the DID	
Product Reporting:	Standards:	
MSA-Type Disaggregation -	Standards.	
_ :		
	Doubt with rotal comics	
Residential single line service	Parity with retail service	
Business single line service	Parity with retail service	
Centrex 24	Parity with retail service	
Centrex 21	Parity with retail service	
PBX Trunks Basic ISDN	Parity with retail service Parity with retail service	
	· ·	
 Unbundled Network Element – Platform (UNE-P) (POTS) 	Parity with like retail service	
 Unbundled Network Element – Platform (UNE-P) (Centrex 21) 	Parity with retail Centrex 21	
 Unbundled Network Element – Platform (UNE- P) (Centrex) 	Parity with retail Centrex	
Line Splitting	Parity with Qwest Retail DSL	
Loop Splitting NOTE 1	Diagnostic	
Line Sharing	AZ & CO: Parity with Qwest Retail DSL	
	All Other States: Diagnostic Comparison with Qwest Retail DSL	
Sub-Loop Unbundling	CO: Parity with Retail ISDN-BRI	
	All Other States: Diagnostic	
Zone-Type Disaggregation -		
Resale		
Qwest DSL	Parity with retail service	
Primary ISDN	Parity with retail service	
DS0	Parity with retail service	
DS1	Parity with retail service	
DS3 and higher bit-rate services (aggregate)	Parity with retail service	
Frame Relay	Parity with retail service	
LIS Trunks	Parity with Feature Group D (aggregate)	
Unbundled Dedicated Interoffice Transport (UDI		
UDIT – DS1 level	Parity with retail DS1 Private Line	
UDIT – Above DS1 level	Parity with retail Private Lines above DS1 level	
Dark Fiber – IOF	Diagnostic	
Unbundled Loops:	1g	
Analog Loop	Parity with retail Res and Bus POTS	
Non-loaded Loop (2-wire)	Parity with retail ISDN BRI	
Non-loaded Loop (4-wire)	Parity with retail DS1 Private Line	
DS1-capable Loop	Parity with retail DS1 Private Line	
xDSL-I capable Loop	Parity with retail Qwest IDSL	
ISDN-capable Loop	Parity with retail ISDN BRI	
ADSL-qualified Loop	Parity with retail Qwest DSL	
Loop types of DS3 and higher bit-rates	Parity with retail DS3 and higher bit-rate Private	
(aggregate)	Line services (aggregate)	
Dark Fiber – Loop	Diagnostic	

MR-7 – Repair Repeat Report Rate (Continued)

Enhanced Extended Loops (EELs) – (DS0 level)	Diagnostic
Enhanced Extended Loops (EELs) – (DS1 level)	Parity with retail DS1 Private Line
Enhanced Extended Loops (EELs) – (DS3 level)	Diagnostic
Availability:	Notes:
Targeted availability with July 2004 results reported in September 2004	Reporting will begin at the time CLECs order the product, in any quantity, for three consecutive months.

MR-8 - Trouble Rate

Purpose:

Evaluates the overall rate of trouble reports as a percentage of the total installed base of the service or element.

Description:

Measures trouble reports by product and compares them to the number of lines in service.

- Includes all trouble reports closed during the reporting period, subject to exclusions specified below.
- Includes all applicable trouble reports, including those that are out of service and those that are only service-affecting.

- J		
Reporting Period: One month	Unit of Measure: Percent	
Reporting Comparisons: CLEC aggregate,	Disaggregation Reporting: Statewide level.	
individual CLEC and Owest Retail results		

Formula:

[(Total number of trouble reports closed in the reporting period involving the specified service grouping) ÷ (Total number of the specified services that are in service in the reporting period)] x 100

- Trouble reports coded as follows:
 - For products measured from MTAS data, trouble reports coded to disposition codes for:
 Customer Action; Non-Telco Plant; Trouble Beyond the Network Interface; and Miscellaneous
 Non-Dispatch, non-Qwest (includes CPE, Customer Instruction, Carrier, Alternate Provider).
 - For products measured from WFA data trouble reports coded to trouble codes for Carrier Action (IEC) and Customer Provided Equipment (CPE).
- Subsequent trouble reports of any trouble before the original trouble report is closed.
- Information tickets generated for internal Qwest system/network monitoring purposes.
- Trouble reports on the day of installation before the installation work is reported by the technician/installer as complete.
- Records involving official company services.
- Records with invalid trouble receipt dates.
- Records with invalid cleared or closed dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

MR-8 – Trouble Rate (continued)

Product Reporting:	Standards:	
Resale		
Residential single line service	Parity with retail service	
Business single line service	Parity with retail service	
Centrex	Parity with retail service	
Centrex 21	Parity with retail service	
PBX Trunks	Parity with retail service	
Basic ISDN	Parity with retail service	
Qwest DSL	Parity with Qwest DSL service	
Primary ISDN	Parity with retail service	
DS0	Parity with retail service	
DS1	Parity with retail service	
DS3 and higher bit-rate services (aggregate)	Parity with retail service	
Frame Relay	Parity with retail service	
 Unbundled Network Element – Platform (UNE-P) (POTS) 	Parity with like retail service	
 Unbundled Network Element – Platform (UNE-P) (Centrex 21) 	Parity with retail Centrex 21	
Unbundled Network Element – Platform(UNE-P) (Centrex)	Parity with retail Centrex	
Line Splitting	Parity with retail Qwest DSL	
Loop Splitting NOTE 1	Diagnostic	
Line Sharing	CO: Parity with Qwest DSL	
	All Other States: Parity with RES and BUS POTS	
Sub-Loop Unbundling	CO: Parity with retail ISDN-BRI	
3	All Other States: Diagnostic	
LIS Trunks	Parity with Feature Group D (aggregate)	
Unbundled Dedicated Interoffice Transport (UD	, , , , , , , , , , , , , , , , , , , ,	
UDIT – DS1 level	Parity with retail DS1 Private Line Service	
UDIT – Above DS1 level	Parity with retail Private Lines above DS1 level	
Dark Fiber – IOF	Diagnostic	
Unbundled Loops:		
Analog Loop	Parity with retail Res and Bus POTS	
Non-loaded Loop (2-wire)	Parity with retail ISDN BRI	
Non-loaded Loop (4-wire)	Parity with retail DS1 Private Line	
DS1-capable Loop	Parity with retail DS1 Private Line	
xDSL-I capable Loop	Parity with retail Qwest IDSL	
ISDN-capable Loop	Parity with retail ISDN BRI	
ADSL-qualified Loop	Parity with retail Qwest DSL	
Loop types of DS3 and higher bit-rates	Parity with retail DS3 and higher bit-rate services	
(aggregate)	(aggregate)	
Dark Fiber – Loop	Diagnostic	
• E911/911 Trunks	Parity with retail E911/911 Trunks	
Enhanced Extended Loops (EELs) – (DS0 level)	Diagnostic	
Enhanced Extended Loops (EELs) – (DS1 level)	Parity with retail DS1 Private Line	
Enhanced Extended Loops (EELs) – (DS3 level)	Diagnostic	
	1	

MR-8 – Trouble Rate (continued)

Availability:	Notes:
Available	Reporting will begin at the time CLECs order the product, in any quantity, for three consecutive months.

MR-9 – Repair Appointments Met

Purpose:

Evaluates the extent to which Qwest repairs services for Customers by the appointment date and time.

Description:

Measures the percentage of trouble reports for which the appointment date and time is met.

- Includes all trouble reports closed during the reporting period, subject to exclusions specified below.
- Time measured is from date and time that Qwest is first notified of the trouble by CLEC to date and time trouble is cleared.

Reporting Period: One month Unit of Measure: Percent Disaggregation Reporting: Statewide level. Reporting **Comparisons:** CLEC Results for listed services will be disaggregated and reported aggregate, individual according to trouble reports involving: CLEC and Qwest Retail MR-9A Dispatches within MSAs: results MR-9B Dispatches outside MSAs; and MR-9C No dispatches.

Formula:

[(Total Trouble Reports Cleared by appointment date and time) ÷ (Total Trouble Reports Closed in the Reporting Period)] x 100

- Trouble reports coded as follows:
 - For products measured from MTAS data, trouble reports coded to disposition codes for:
 Customer Action; Non-Telco Plant; Trouble Beyond the Network Interface; and Miscellaneous
 Non-Dispatch, non-Qwest (includes CPE, Customer Instruction, Carrier, Alternate Provider).
- Subsequent trouble reports of any trouble before the original trouble report is closed.
- Information tickets generated for internal Qwest system/network monitoring purposes.
- Time delays due to "no access" are excluded from repair time by using the rescheduled appointment time to determine if the repair appointment is met.
- Trouble reports on the day of installation before the installation work is reported by the technician/installer as complete.
- Records involving official company services.
- Records with invalid trouble receipt dates.
- Records with invalid cleared or closed dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

Product Reporting:	Standard: Parity
Resale:	
Residential single line service	
Business single line service	
Centrex	
Centrex 21	
PBX Trunks	
Basic ISDN	
Unbundled Elements – Platform (UNE-P)	
(POTS)	
Availability:	Notes:
Available	

MR-10 – Customer and Non-Qwest Related Trouble Reports

Purpose:

Evaluates the extent that trouble reports were customer related, and provides diagnostic information to help address potential issues that might be raised by the core maintenance and repair performance indicators.

Description:

Measures the percentage of all trouble reports that are attributed to the customer as a percentage of all trouble reports resolved during the reporting period, subject to exclusions specified below. Includes trouble reports closed during the reporting period coded as follows:

- For products measured from MTAS data, trouble reports coded to disposition codes for: Customer Action; Non-Telco Plant, Trouble Beyond the Network Interface; and Miscellaneous – Non-Dispatch, non-Qwest (includes CPE, Customer Instruction, Carrier, Alternate Provider) and trouble reports involving a "no access" delay for MSA type disaggregated products.
- For products measured from WFA (Workforce Administration) data trouble reports coded to trouble codes for Carrier Action (IEC) and Customer Provided Equipment (CPE).

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results	Disaggregation Reporting: Statewide level.

Formula:

[(Number of Trouble Reports coded to disposition codes specified above) ÷ (Total Number of Trouble Reports Closed in the Reporting Period)] x 100

- Subsequent trouble reports of any trouble before the original trouble report is closed
- Information tickets generated for internal Qwest system/network monitoring purposes.
- Records involving official company services.
- · Records with invalid trouble receipt dates.
- Records with invalid cleared or closed dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.
- Trouble reports on the day of installation before the installation work is reported by the technician/installer as complete.

MR-10 Customer and Non-Qwest Related Trouble Reports (continued)

Product Reporting:	Standards:	
Resale		
Residential single line service	Diagnostic	
Business single line service	Diagnostic	
Centrex	Diagnostic	
Centrex 21	Diagnostic	
PBX Trunks	Diagnostic	
Basic ISDN	Diagnostic	
Qwest DSL	Diagnostic	
Unbundled Network Element – Platform (UNE-P) (POTS)	Diagnostic	
Unbundled Network Element – Platform (UNE-P) (Centrex 21)	Diagnostic	
Unbundled Network Element – Platform (UNE-P) (Centrex)	Diagnostic	
Resale		
Primary ISDN	Diagnostic	
DS0	Diagnostic	
DS1	Diagnostic	
DS3 and higher bit-rate services (aggregate)	Diagnostic	
Frame Relay	Diagnostic	
LIS Trunks	Diagnostic	
Unbundled Dedicated Interoffice Transport (UDI	T)	
UDIT – DS1 level	Diagnostic	
UDIT – Above DS1 level	Diagnostic	
Unbundled Loops:		
Analog Loop	Diagnostic	
Non-loaded Loop (2-wire)	Diagnostic	
Non-loaded Loop (4-wire)	Diagnostic	
DS1-capable Loop	Diagnostic	
xDSL-I capable Loop	Diagnostic	
ISDN-capable Loop	Diagnostic	
ADSL-qualified Loop	Diagnostic	
Loop types of DS3 and higher bit-rates (aggregate)	Diagnostic	
• E911/911 Trunks	Diagnostic	
Availability:	Notes:	
Available		

MR-11 – LNP Trouble Reports Cleared within 24 Hours

Purpose:

Evaluates timeliness of clearing LNP trouble reports, focusing on the degree to which residence and business, disconnect-related, out-of-service trouble reports are cleared within four business hours and all LNP-related trouble reports are cleared within 48 hours.

Description:

- MR-11A: Measures the percentage of specified LNP-only (i.e., not unbundled-loop), residence and business, out-of-service trouble reports that are cleared within four business hours of Qwest receiving these trouble reports from CLECs.
 - Includes only trouble reports that are received on or before the currently-scheduled due date
 of the actual LNP-related disconnect time/date, or the next business day, that are confirmed
 to be caused by disconnects being made before the scheduled time, and that are closed
 during the reporting period, subject to exclusions specified below.
- MR-11B: Measures the percentage of specified LNP-only trouble reports that are cleared within 48 hours of Qwest receiving these trouble reports from CLECs.
 - Includes all LNP-only trouble reports, received within four calendar days of the actual LNPrelated disconnect date and closed during the reporting period.
- The "currently-scheduled due date/time" is the original due date/time established by Qwest in response to CLEC/customer request for disconnection of service ported via LNP or, if CLEC submits to Qwest a timely or untimely request for delay of disconnection, it is the CLEC/customer-requested later date/time.
- A request for delay of disconnection is considered timely if received by Qwest before 8:00 p.m. MT on the due date that Qwest has on record at the time of the request.
- A request for delay of disconnection is considered untimely if received by Qwest after 8:00 p.m. MT on the due date and before 12:00 p.m. MT (noon) on the day after the due date
- Time measured is from the date and time Qwest receives the trouble report to the date and time trouble is cleared.

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC Aggregate and Individual CLEC	Disaggregation Reporting: Statewide level (all are "non-dispatched").

Formula:

- MR-11A = [(Number of specified out-of-service LNP-only Trouble Reports, for LNP-related troubles confirmed to be caused by disconnects, that Qwest executed before the currently-scheduled due date/time, that were closed in the reporting period and cleared within four business hours) ÷ (Total Number of specified out of service LNP-only Trouble Reports for LNP-related troubles confirmed to be caused by disconnects that Qwest executed before the currently-scheduled due date/time, that were closed in the reporting period)] x 100
- MR-11B = [(Number of specified LNP-only Trouble Reports closed in the reporting period that were cleared within 48 hours) ÷ (Total Number of specified LNP-only Trouble Reports closed in the reporting period)] x 100

MR-11 – LNP Trouble Reports Cleared within 24 Hours (Continued)

- Trouble reports attributed to customer or non-Qwest reasons
- Trouble reports not related to valid requests (LSRs) for LNP and associated disconnects.
- Subsequent trouble reports of LNP trouble before the original trouble report is closed.
- For MR-11B only: Trouble reports involving a "no access" delay.
- Information tickets generated for internal Qwest system/network monitoring purposes.
- Records involving official company services.
- Records with invalid trouble receipt dates.
- Records with invalid cleared or closed dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

 Records missing data ess 	sential to the calculation of the measurement per the PID.
Product Reporting: LNP	Standards: MR-11A:
	 If OP-17 result meets its standard, the MR-11A standard is Diagnostic. If OP-17 result does not meet its standard, the MR-11A standard is as follows:
	 For 0-20 trouble reports*: No more than 1 ticket cleared in > four business hours
	 For > 20 trouble reports*: The lesser of 95% or Parity with MR-3C results for Retail Residence and Business
	MR-11B:
	 For 0-20 trouble reports**: No more than 1 ticket cleared > 48 hours For > 20 trouble reports**: The lesser of 95% or Parity with MR-4C results for Retail Residence and Business
	* Based on MR-11A denominator.
	** Based on MR-11B denominator.
Availability: Available	Notes:

Billing

BI-1 - Time to Provide Recorded Usage Records

Purpose:

Evaluates the timeliness with which Qwest provides recorded daily usage records to CLECs.

Description:

Measures the average time interval from date of recorded daily usage to date usage records are transmitted or made available to CLECs as applicable.

- BI-1A Measures recorded daily usage for UNEs and Resale and includes industry standard electronically transmitted usage records for feature group switched access, NOTE 1 local measured usage, local message usage, toll usage, and local exchange service components priced on a per-use basis, subject to exclusions specified below.
- BI-1B Measures the percent of recorded daily usage for Jointly provided switched access provided within four days. This includes usage created by the CLEC and Qwest or IXC providing access, usually via 2-way Feature Group X trunk groups for Feature Group A, Feature Group B, Feature Group D, Phone to Phone IP Telephony, 8XX access, and 900 access and their successors or similar Switched Access services.
- BI-1C Provides separate reporting for two elements captured in BI-1A above, as follows:
 - BI-1C-1 Measures recorded daily usage for UNEs and Resale and includes industry standard electronically transmitted usage records for feature group switched access, NOTE 1 subject to exclusions specified below.
 - BI-1C-2 Measures recorded daily usage for UNEs and Resale and includes industry standard electronically transmitted usage records for local measured usage, local message usage, toll usage, and local exchange service components priced on a per-use basis, subject to exclusions specified below.

Reporting Period: One month	Unit of Measure:	
	BI-1A, BI-1C-1, BI-1C-2:	Average Business Days
	BI-1B:	Percent
Reporting Comparisons: CLEC aggregate,	Disaggregation Report	ing: State level.
individual CLECs, and Qwest Retail results		

Formula:

- BI-1A, BI-1C-1, BI-1C-2 (for specified products & records) = ∑(Date Record Transmitted or made available − Date Usage Recorded) ÷ (Total number of records)
- BI-1B = [(# of daily usage records for Jointly provided switched access sent within four days) ÷ (Total daily usage records for Jointly provided switched access in the report period)] x 100

- Instances where the CLEC requests other than daily usage transmission or availability.
- Duplicate records.

Buplicate records:	
 Product Reporting: UNEs and Resale Jointly-provided Switched Access 	Standards: BI-1A: Parity with Qwest retail. BI-1B: 95% within 4 business days BI-1C-1, BI-1C-2: Diagnostic Comparison with the Qwest Retail results used in standard for BI-1A
Availability: Available	Notes: 1. "Feature group switched access" includes all type 110XXX detail records for Feature Groups A, B, C, and D.

BI-2 – Invoices Delivered within 10 Days

Purpose:

Evaluates the timeliness with which Qwest delivers industry standard electronically transmitted bills to CLECs, focusing on the percent delivered within ten calendar days.

Description:

Measures the percentage of invoices that are delivered within ten days, based on the number of days between the bill date and bill delivery.

 Includes all industry standard electronically transmitted invoices for local exchange services and toll, subject to exclusions specified below.

Reporting Period: One month			Unit of Measure: Percent
	Reporting Comparisons: Con	hinad Owest	Disaggregation Reporting: State level
	Retail/CLEC results (Parity by o		Disaggregation Reporting. State level

Formula:

[(Count of Invoices for which Bill Transmission Date to Bill Date is ten calendar days or less) ÷ (Total Number of Invoices)] x 100

- Bills transmitted via paper, magnetic tape, CD-ROM, diskette.
- Records with missing data essential to the calculation of the measurement per the PID.

Product Reporting: • UNEs and Resale	Standard: Parity by design.
Availability: Available	Notes:

BI-3 – Billing Accuracy – Adjustments for Errors

Purpose:

Evaluates the accuracy with which Qwest bills CLECs, focusing on the percentage of billed revenue adjusted due to errors.

Description:

Measures the billed revenue minus amounts adjusted off bills due to errors, as a percentage of total billed revenue.

- Both the billed revenue and amounts adjusted off bills due to error are calculated from bills rendered in the reporting period.
- "Amounts adjusted off bills due to errors" is the sum of all bill adjustments made in the reporting
 period that involve, either in part or in total, adjustment codes related to billing errors. (Each
 adjustment thus qualifying is added to the sum in its entirety.)

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate,	Disaggregation Reporting: State level.
individual CLECs, and Qwest Retail results	

Formula:

[Σ (Total Billed Revenue Billed in Reporting Period - Amounts Adjusted Off Bills Due to Errors) \div (Total Billed Revenue billed in Reporting Period)] x 100

- BI-3A UNEs and Resale None
- BI-3B Reciprocal Compensation Minutes of Use Billing adjustments as a result of CLEC-caused errors in return of minutes of use

Product Reporting: BI-3A - UNEs and Resale BI-3B - Reciprocal Compensation Minutes of Use (MOU)	Standards: BI-3A – UNEs and Resale: Parity with Qwest retail bills. BI-3B – Reciprocal Compensation (MOU) – 95%
Availability: Available	Notes:

BI-4 – Billing Completeness

Purpose:

- UNEs and Resale Evaluates the completeness with which Qwest reflects non-recurring and recurring charges associated with completed service orders on the bills.
- Reciprocal Compensation Minutes of Use (MOU) Evaluates the completeness with which Qwest reflects the revenue for Local Minutes of Use associated with CLEC local traffic over Qwest's network on the bills.

Description:

BI-4A – UNEs and Resale: Measures the percentage of non-recurring and recurring charges associated with completed service orders appear on the correct bill.*

BI-4B – Reciprocal Compensation (MOU): Measures the percentage of revenue associated with local minutes of use appearing on the correct (current) bill.*

* Correct bill = next available bill

Corroct biii - rickt dydilable biii		
Reporting Period: One month	Unit of Measure: Percent	
Reporting Comparisons: CLEC aggregate,	Disaggregation Reporting: Statewide level.	
individual CLECs, and Qwest Retail results		

Formula:

- BI-4A UNEs and Resale = [∑(Count of service orders with non-recurring and recurring charges associated with completed service orders on the bills that are billed on the correct bill ÷ total count of service orders with non-recurring and recurring charges associated with completed service orders billed on the bill)] x 100
- BI-4B Reciprocal Compensation MOU = $[\Sigma(Revenue for Local Minutes of Use billed on the correct* bill <math>\div$ Total revenue for Local Minutes of Use collected during the month)] x 100

Product Reporting:

• UNEs and Resale

• Reciprocal Compensation (MOU)

Availability:

Standards:

BI-4A - UNEs and Resale: Parity with Qwest
Retail bills.
BI-4B - Reciprocal Compensation (MOU): 95%

Notes:

Database Updates

DB-1 – Time to Update Databases

Purpose:

Evaluates the time required for updates to the databases of E911, LIDB, and Directory Builder.

Description:

- Measures the average time required to update the databases of E911, LIDB, and Directory Builder.
- Includes all database updates as specified under Disaggregation Reporting completed during the reporting period.
- For DB-1A the time to update the E911 database is provided by the third party vendor that performs the update. The elapsed time is captured automatically by the database system. There are no "individual E911 database update records" provided with which to measure the database update process.
- The numerator of DB-1A is calculated by multiplying the vendor-calculated results (Average Minutes in Process Time) by the denominator (Count of records Processed). This method produces a result from the vendor data that is the same as that which would be produced by totalling the update times from individual E911 database update records.

Reporting Period: One month	Unit of Measure:	
	E911 – Hrs: Mins.	
	LIDB & Directory Listings – Seconds	
Reporting Comparisons:	Disaggregation Reporting:	
DB-1A - E911: Combined results for Qwest Retail	DB-1A: E911 for Qwest Retail and Reseller	
and Reseller CLEC Aggregate;	CLEC-State level	
DB-1B - LIDB: Combined results for all Qwest	DB-1B: LIDB for Qwest Retail, Reseller CLEC	
Retail, Reseller CLEC and Facilities Based CLEC	and Facilities Based CLEC – Multi	
updates;	state region-wide level	
DB-1C-1 - Listings: Combined results for all	DB-1C-1: Listings for all Provider types including	
Provider types including Qwest Retail, Reseller	Qwest Retail, Reseller CLEC, and	
CLEC, and Facilities Based CLEC, ILEC and	Facilities Based CLEC, ILEC and	
Unknown Provider, Electronically Submitted,	Unknown Provider, Electronically	
Electronically Processed updates. NOTE 1	Submitted, Electronically Processed-	
	Sub-region applicable to state	

Formula:

 Σ [(Date and Time of database update for each database update as specified under Disaggregation Reporting in the reporting period) – (Date and Time of submissions of data for entry into the database for each database update as specified under Disaggregation Reporting in the reporting period)] \div Total database updates as specified under Disaggregation Reporting completed in the reporting period

Exclusion:

Invalid start/stop dates/times.

DB-1 – Time to Update Databases (continued)

Product Reporting: Not applicable (Reported by database type)		Standards: DB-1A-E911: Parity by design DB-1B-LIDB: Parity by design DB-1C-1 - Listings: Parity by design
Availability: Available	Notes: 1. Because they cannot be separated, results for Qwest Retail, Reseller CLEC, Facilities-based CLECs, ILEC and Unknown Provider updates are reported combined within these disaggregations.	

DB-2 – Accurate Database Updates

Purpose:

Evaluates the accuracy of database updates completed without errors in the reporting period.

Description:

- Measures the percentage of database updates completed without errors in the reporting period.
- Includes all database updates as specified under Disaggregation Reporting completed during the reporting period.

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons:	Disaggregation Reporting:
DB-2C-1 Listings – Combined results for all	DB-2C-1, Listings for Qwest Retail, Reseller
Qwest Retail, Reseller CLEC and Facilities-	CLEC, and Facilities-Based CLEC Electronically
Based CLEC Electronically Submitted,	Submitted, Electronically Processed updates:
Electronically Processed updates	Statewide
·	

Formula:

[Total database updates as specified under Disaggregation Reporting completed without errors in the reporting period \div Total database updates as specified under Disaggregation Reporting completed in the reporting period] x 100

Exclusions:

Invalid start/stop dates/times.

Not applicable (Reported by database type)		DB-2C-1 – Listings: Parity by design NOTE 1
Facilities-based (Processed cannot		I Reseller CLECs are parity by design. Because CLEC Electronically Submitted, Electronically ot be separated out from Reseller CLECs they are sed within this disaggregation.

Directory Assistance

DA-1 – Speed of Answer – Directory Assistance

Purpose:

Evaluates timeliness of customer access to Qwest's Directory Assistance operators, focusing on how long it takes for calls to be answered.

Description:

Measures the average time following first ring until a call is first picked up by the Qwest agent/system to answer Directory Assistance calls.

- Includes all calls to Qwest directory assistance during the reporting period.
- Because a system (electronic voice) prompts for city, state, and listing requested before the actual operator comes on the line, the first ring is defined as when the voice response unit places the call into queue.
- Measurements are taken by sampling calls from the network queue at 10-second intervals. A count of calls in the queue is taken for every sampling event (10-second snapshot), and this count is multiplied by 10 to get a measurement of waiting intervals.
- Using this method, calls that enter the queue after a sample is taken but exit before the next sample is taken are not counted, i.e., are effectively counted as a zero interval. However, this situation is offset by calls that enter just prior to a sampling time, but exit before the next sampling time, and which are counted as 10 seconds. The call intervals shorter than 10 seconds that are counted as 10 seconds are offset by those calls shorter than 10 seconds that are not counted.

Reporting Period: One month	Unit of Measure: Seconds	
Reporting Comparisons: Results for Qwest and all CLECs are combined.	Disaggregation Reporting: Sub-region applicable to state	
Formula: $\Sigma[(\text{Date and Time of Call Answer}) - (\text{Date and Time of First Ring})] \div (\text{Total Calls Answered by Center})$		
Exclusions: Abandoned Calls are not included in the total number of calls answered by the center.		
Product Reporting: None	Standard: Parity by design	
Availability: Available	Notes:	

Operator Services

OS-1 – Speed of Answer – Operator Services

Purpose:

Evaluates timeliness of customer access to Qwest's operators, focusing on how long it takes for calls to be answered.

Description:

Measures the time following first ring until a call is answered by the Qwest agent.

- Includes all calls to Qwest's operator services during the reporting period, subject to exclusions specified below.
- Measurements are taken by sampling calls from the network queue at 10-second intervals. A
 count of calls in the queue is taken for every sampling event (10-second snapshot), and this count
 is multiplied by 10 to get a measurement of waiting intervals.
- Using this method, calls that enter the queue after a sample is taken but exit before the next sample is taken are not counted, i.e., are effectively counted as a zero interval. However, this situation is offset by calls that enter just prior to a sampling time, but exit before the next sampling time, and which are counted as 10 seconds. The call intervals shorter than 10 seconds that are counted as 10 seconds are offset by those calls shorter than 10 seconds that are not counted.

Reporting Period: One month	Unit of Measure: Seconds	
Reporting Comparisons: Qwest and all CLECs are aggregated in a single measure.	Disaggregation Reporting: Sub-region applicable to state	
Formula: $\Sigma[(\text{Date and Time of Call Answer}) - (\text{Date and Time of First Ring})] \div (\text{Total Calls Answered by Center})$		
Exclusions: Abandoned Calls are not included in the total number of calls answered by the center.		
Product Reporting: None	Standard: Parity by design	
Availability: Available	Notes:	

Network Performance

NI-1 - Trunk Blocking

Purpose:

Evaluates factors affecting completion of calls from Qwest end offices to CLEC end offices, compared with the completion of calls from Qwest end offices to other Qwest end offices, focusing on average busy-hour blocking percentages in interconnection or interoffice final trunks.

Description:

Measures the percentage of trunks blocking in interconnection and interoffice final trunks.

• Includes blocking percentages on all direct final and alternate final interconnection and interoffice trunk groups that are in service during the reporting period, subject to exclusions specified below.

Reporting Period: One month

Unit of Measure: Percent Blockage

Reporting Comparisons:	Disaggregation Reporting: Statewide level.		
		e percentage of trunks blocking in interconnection final trunks,	
individual CLEC, and	reported by:		
Qwest Interoffice trunk	eroffice trunk NI-1A	Interconnection (LIS) trunks to Qwest tandem offices, with TGSR-	
blocking results.		related exclusions applied as specified below;	
	NI-1B	LIS trunks to Qwest end offices, with TGSR-related exclusions applied as specified below;	
	NI-1C	LIS trunks to Qwest tandem offices, without TGSR-related exclusions;	
	NI-1D	LIS trunks to other Qwest end offices, without TGSR-related exclusions.	

Formula:

 $\{[\sum (Blockage in Final Trunk Group of Specified Type)x(Number of Circuits in Trunk Group)] <math>\div$ (Total Number of Final Trunk Circuits in all Final Trunk Groups)} x 100

Explanation: Actual average percentage of trunk blockage is calculated by dividing the equivalent average number of trunk circuits blocking by the total number of trunk circuits in final trunks of the type being measured.

Exclusions:

For NI-1A and NI-1B only:

- Trunk groups, blocking in excess of one percent in the reporting period, for which:
 - A Trunk Group Service Request (TGSR) NOTES 1 & 2 has been issued in the reporting period; or
 - CLECs do not submit, within 20 calendar days of receiving a TGSR:
 - a) Responsive ASRs (or have ASRs pending that are delayed for CLEC reasons NOTE 3);
 - b) Trouble Reports; or
 - c) Notification of traffic re-routing (as described in Note 1 below).

For NI-1A, NI-1B, NI-1C, and NI-1D:

- Trunk groups, blocking in excess of one percent in the reporting period, for which Qwest can identify, in time to incorporate in the regular reporting of this measurement, the cause as being attributable to:
 - Trunk group out-of-service conditions arising from cable cuts, severe weather, or force majeure circumstances;
 - The CLEC placing trunks in a "busy" condition;
 - Lack of interconnection facilities to fulfill LIS requests for which the CLEC did not provide a timely forecast to Qwest. (This portion of the exclusion is limited to being applied in (a) the month the LIS requests could not be fulfilled, due to lack of facilities, and (b) each month thereafter up to the month following facility availability OR up to five months after the month the LIS requests could not be fulfilled, whichever is sooner NOTE 4); or
 - Isolated incidences of blocking, about which Qwest provides notification to the CLEC, that (a) are not recurring or persistent (affecting the same trunk groups), (b) do not warrant corrective action by CLEC or Qwest, and (c) thus, do not require an actionable TGSR.

NI-1 – Trunk Blocking (Continued)

- Trunk groups recently activated that have not been in service for a full "20-high-day, busy hour" review period.
- Toll trunks, non-final trunks, and trunks that are not connected to the public switched network.
- One-way trunks originating at CLEC end offices.
- Qwest official services trunks, local interoffice operator and directory assistance trunks, and local interoffice 911/E911 trunks.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

Product Reporting:	Standards:	·
LIS Trunks	Where NI-1A ≤ 1%:	1 %
	Where NI-1A > 1%:	Parity with Qwest Interoffice Trunks to tandems
	Where NI-1B ≤ 1%:	1 %
	Where NI-1B > 1%:	Parity with Qwest Interoffice Trunks to end offices
	NI-1C and NI-1D:	Diagnostic NOTE 5

Availability:

Notes:

Available

- 1. Qwest uses TGSRs to notify CLECs when trunk blocking exceeds standard thresholds or is determined to be persistent. To respond properly to TGSRs, a CLEC must (a) submit within 20 days ASRs to provide necessary trunk augmentations to avoid further blocking, (b) notify Qwest within 20 days that it is initiating a Trouble Report where Qwest traffic routing problems are causing the blocking referenced by the TGSR, or (c) notify Qwest that the CLEC will undertake its own re-routing of traffic within 20 days to alleviate the blocking.
- 2. The TGSR-related exclusion is applied in the month in which the TGSR is issued and in the month in which the above-specified 20-day response period ends. Thus, any trunk group excluded in one month will not be excluded in the next month, unless there is (a) a 20-day period following a TGSR ends in that month, (b) there is another TGSR applicable to the next month for the same trunk group or (c) an exception documented, in lieu of issuing a subsequent TGSR, where the CLEC's response to the previous TGSR indicated that, for its own reasons, it plans to take no action at any time to augment the trunk group.
- 3. CLEC delays are reflected by CLEC-initiated order supplements that move the due date later.
 - a) Qwest-initiated due date delays, including supplements made pursuant to Qwest requests to delay due dates, shall not be counted as CLEC delays in this measurement.
 - b) Qwest-initiated due date changes to earlier dates that the CLEC does not meet shall not be counted as a CLEC delay in this measurement unless the earlier dates were mutually agreed-upon.
 - c) CLEC delays (e.g., "customer not ready" in advance of a due date) that do not contribute to a Qwest-established due date being missed shall not be counted as a CLEC delay in this measurement.
- 4. The limitation on part (3) of this exclusion is intended to bound its applicability to a period of time that treats the unforecasted ASR as if it were, in effect, the first forecast for the facilities needed.
 - a) Given that forecast advance intervals are currently six months, this provision allows the exclusion to apply for no longer than that period of time.
 - b) Nevertheless, this limitation to the exclusion also recognizes that facilities may become available sooner and, if so, reduces the limitation accordingly. In that context, this limitation recognizes that, absent a CLEC forecast, Qwest still retains a responsibility to provide facilities for the ASR, although in a longer timeframe than for ASRs covered by forecasts. NI-1C and NI-1D will be reported for information purposes only, with no standard to be applied.
 - c) This limitation may change depending on the outcome of separate workshops dealing with issues of interconnection forecasting.
- 5. NI-1C and NI-1D will be reported for information purposes only, with no standard to be applied.

NP-1 - NXX Code Activation

Purpose:

Evaluates the timeliness of Qwest's NXX code activation prior to the LERG effective date or by the "revised" effective date, as set forth herein.

Description:

- NP-1A: Measures the percentage of NXX codes activated in the reporting period that are actually loaded and tested prior to the LERG effective date or the "revised" date, subject to exclusions shown below.
- NP-1B: Measures the percentage of NXX codes activated in the reporting period that are delayed beyond the LERG date or "revised" date due to Qwest-caused Interconnection facility delays, subject to exclusions shown below. Included among activations counted as a Qwest delay in this sub-measurement are cases in which "2-6 codes" NOTE 1 associated with the Qwest interconnection facilities are provided late by Qwest to the CLEC.
- Qwest must receive complete and accurate routing information required for code activation, which includes but is not limited to "2-6 codes" for all interconnection trunk groups associated with the activation no less than 25 days prior to the LERG Due Date or Revised Due Date.
- The "revised" date, for purposes of this measurement, is a CLEC-initiated renegotiation of the activation effective date that is no less than 25 days after Qwest receives complete and accurate routing information required for code activation, which includes but is not limited to "2-6 codes" for all interconnection trunk groups associated with the activation.
- The NXX code activation notice is provided by the LERG (Local Exchange Routing Guide) to Qwest.
- NXX code activation is defined as complete when all translations associated with the new NXX are complete by 11:59 p.m. of the day prior to the date identified in the LERG or the "revised" date (if different than the LERG date).
- The NXX code activation completion process includes testing, including calls to the test number when provided.

mien promaca.	
Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate,	Disaggregation Reporting: Statewide.
individual CLEC and Qwest Retail results.	

Formula:

- NP-1A = [(Number of NXX codes loaded and tested in the reporting period prior to the LERG effective date or the "revised" date) ÷ (Number of NXX codes loaded and tested in the reporting period)] x 100
- NP-1B = [(Number of NXX codes loaded and tested in the reporting period that were delayed past the LERG effective date or "revised" date affected by Qwest Interconnection Facility Delays) ÷ (Number of NXX codes loaded and tested in the reporting period, including NXX codes loaded and tested in the reporting period that were delayed past the LERG effective date or the "revised" date due to Interconnection Facility Delays)] x 100

Exclusions:

NP-1A:

 NXX code activations completed after the LERG date or "revised" date due to delays in the installation of Qwest provided interconnection facilities associated with the activations.

NP-1A and NP-1B:

- NXX codes with LERG dates or "revised" dates resulting in loading intervals shorter than industry standard (currently 45 calendar days).
- NXX codes where QWEST received complete and accurate routing information required for code activations less than 25 days prior to the LERG due date or Revised due date.

NP-1 – NXX Code Activation (continued)

Product Reporting: None	Standards:
	NP-1A: Parity
	NP-1B: Diagnostic
Availability:	Notes:
Available	 "2-6 codes" are industry-standard designators for local interconnection trunk groups, consisting of 2 alpha letters and six numeric digits. Only Qwest-provided interconnection facilities are noted in this exclusion, because delays related to facilities provided by CLECs or others are accounted for by revising the due date.

Collocation

CP-1 – Collocation Completion Interval

Purpose:

Evaluates the timeliness of Qwest's installation of collocation arrangements for CLECs, focusing on the average time to complete such arrangements.

Description:

Measures the interval between the Collocation Application Date and Qwest's completion of the collocation installation.

- Includes all collocations of types specified herein that are assigned a Ready for Service (RFS) date by Qwest and completed during the reporting period, subject to exclusions specified below.
- Collocation types included are: physical cageless, physical caged, shared physical caged, physicalline sharing, cageless-line sharing, and virtual.
- The Collocation Application Date is the date Qwest receives from the CLEC a complete and valid
 application for collocation. In cases where the CLEC's collocation application is received by Qwest
 on a weekend or holiday, the Collocation Application Date is the next business day following the
 weekend or holiday.
- Major Infrastructure Modifications include conditioning the collocation space, obtaining permits, and installing DC power plant, standby generators, heating, venting or air conditioning equipment.
- Completion of the collocation installation is the date on which the requested collocation arrangement is "Ready For Service" as defined in the Definition of Terms section herein.
- Establishment of RFS Dates: RFS dates are established according to intervals specified in interconnection agreements. Where an interconnection agreement does not specify intervals, or where the CLEC requests, RFS dates are established as follows:
 - Collocation Applications with Timely Quote Acceptance and, for Virtual Collocations, also
 with Timely Equipment Ready for collocation applications where the CLEC accepts the quote
 in seven or fewer calendar days after the quote date and, for virtual collocations, where the CLEC
 provides the equipment to be collocated to Qwest 53 calendar days or less after the Collocation
 Application Date, the RFS date shall be:
 - Forecasted Collocations: 90 calendar days after the Collocation Application Date for collocations for which the CLEC provides a complete forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Unforecasted Collocations: 120 calendar days after the Collocation Application Date for collocations for which the CLEC does not provide a forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Collocation Applications with Late Quote Acceptance and, for Virtual Collocations, also with Timely Equipment Ready – for collocation applications where the CLEC accepts the quote in eight or more calendar days after the quote date and, for virtual collocations, where the CLEC provides the equipment to be collocated to Qwest 53 calendar days or less after the Collocation Application Date, the RFS date shall be:
 - Forecasted Collocations: 90 calendar days after the quote acceptance date for collocations for which the CLEC provides a complete forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Unforecasted Collocations: 120 calendar days after the quote acceptance date for collocations for which the CLEC does not provide a forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Virtual Collocation Applications with Timely Quote Acceptance and Late Equipment Ready

 for virtual collocation applications where the CLEC (1) accepts the quote in seven or fewer
 calendar days after the quote date and (2) provides the equipment to be collocated to Qwest
 more than 53 calendar days after the Collocation Application Date, the RFS date shall be:
 - Forecasted Collocations: 45 calendar days after the equipment is provided to Qwest, for collocations for which the CLEC provides a complete forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Unforecasted Collocations: 75 calendar days after the equipment is provided to Qwest, for

CP-1 – Collocation Completion Interval (continued)

collocations for which the CLEC does not provide a forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.

- Virtual Collocation Applications with Late Quote Acceptance and Late Equipment Ready for virtual collocation applications where the CLEC (1) accepts the quote in eight or more calendar days after the quote date and (2) provides the equipment to be collocated to Qwest more than 53 calendar days after the Collocation Application Date, the RFS date shall be:
 - Forecasted Collocations: 45 calendar days after the equipment is provided to Qwest, for collocations for which the CLEC provides a complete forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Unforecasted Collocations: 75 calendar days after the equipment is provided to Qwest, for collocations for which the CLEC does not provide a forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
- All Collocations (physical, virtual, forecasted, or unforecasted) requiring Major
 Infrastructure Modifications: the later of (1) up to 150 calendar days (as specified in the quote)
 after the Collocation Application Date, or (2) for virtual collocations, 45 days following the date
 equipment to be collocated is provided to Qwest for collocations in which Major Infrastructure
 Modifications are required. Qwest will provide to the CLEC, as part of the quotation, the need for,
 and the duration of, such extended intervals.
- When a CLEC submits six (6) or more Collocation applications in a one-week period in any state, completion intervals will be individually negotiated. These collocation arrangements will be included in CP-1A, -1B, or -1C according to the interval criteria specified below for these measurements.
- Where there is a CLEC-caused delay, the RFS Date is rescheduled
- RFS dates may be extended beyond the above intervals for CLEC reasons, or for reasons beyond Qwest's control, but not for Qwest reasons.
- Where CLECs do not accept the quote within thirty days of the quote date, the application is considered expired.
- **CP-1A** Measures collocation installations for which the scheduled interval from Collocation Application Date to RFS date is 90 calendar days or less.
- **CP-1B** Measures collocation installations for which the scheduled interval from Collocation Application Date to RFS date is 91 to 120 calendar days.
- **CP-1C** Measures collocation installations for which the scheduled interval from Collocation Application Date to RFS date is 121 to 150 calendar days.

Reporting Period: One month	Unit of Measure: Calendar Days
Reporting Comparisons: CLEC aggregate and individual CLEC results	Disaggregation Reporting: Statewide.

Formula: (for CP-1A, CP-1B and CP-1C)

 Σ [(Collocation Completion Date) – (Complete Application Date)] \div (Total Number of Collocations Completed in Reporting Period)

CP-1 – Collocation Completion Interval (continued)

Exclusions:

- CP-1A: CLEC collocation applications with RFS dates yielding scheduled intervals longer than 90 calendar days from Collocation Application Date to RFS date.
- CP-1B: CLEC collocation applications with RFS dates yielding scheduled intervals shorter than 91 calendar days or longer than 120 calendar days from Collocation Application Date to RFS date.
- CP-1C: CLEC collocation applications with RFS dates yielding scheduled intervals shorter than 121 calendar days or longer than 150 calendar days from Collocation Application Date to RFS date.

· Cancelled or expired applications.

Cancelled or expired applications.		
Product Reporting: None		Standards:
		CP-1A: 90 calendar days
		CP-1B: 120 calendar days
		CP-1C: 150 calendar days
Availability:	Notes:	
Available	Notes: 1. Collocations covered by this measurement are central office related. As additional types of central office collocation are defined and offered, they will be included in this measurement. Non-central office-based types of collocation (such as remote collocation and field connection points) will be considered for either inclusion in this measurement, or in new, separate measurements, after the terms, conditions, and processes for such collocation types become finalized, accepted, mature (i.e., six months of experience from first installations), and ordered in volumes warranting reporting (i.e., consistently more than two per month in any state).	

CP-2 – Collocations Completed within Scheduled Intervals

Purpose:

Evaluates the extent to which Qwest completes collocation arrangements for CLECs within the standard intervals or intervals established in interconnection agreements.

Description:

Measures the percentage of collocation applications that are completed within standard intervals, including intervals set forth in interconnection agreements.

- Includes all collocations of types specified herein that are assigned a Ready for Service Date RFS date by
 Qwest and that are completed within the reporting period, including those with CLEC-requested RFS dates
 longer than the standard interval and those with extended RFS dates negotiated with the CLEC (including
 supplemented collocation orders that extend the RFS date) subject to exclusions specified below.
 Collocation types included are: physical cageless, physical caged, shared physical caged, physical-line
 sharing, cageless-line sharing, and virtual.
- The Collocation Application Date is the date Qwest receives from the CLEC a complete and valid
 application for collocation. In cases where the CLEC's collocation application is received by Qwest on a
 weekend or holiday, the Collocation Application Date is the next business day following the weekend or
 holiday.
- Major Infrastructure Modifications are defined as conditioning the collocation space, obtaining permits, and installing DC power plant, standby generators, heating, venting or air conditioning equipment.
- A collocation arrangement is counted as met under this measurement if its RFS date is met.
- Establishment of RFS Dates: RFS dates are established as follows, except where interconnection agreements require different intervals, in which case the intervals specified in the interconnection agreements apply:
 - Collocation Applications with Timely Quote Acceptance and, for Virtual Collocations, also with Timely Equipment Ready – for collocation applications where the CLEC accepts the quote in seven or fewer calendar days after the quote date and, for virtual collocations, where the CLEC provides the equipment to be collocated to Qwest 53 calendar days or less after the Collocation Application Date, the RFS date shall be:
 - Forecasted Collocations: 90 calendar days after the Collocation Application Date for physical
 collocations for which the CLEC provides a complete forecast to Qwest 60 or more calendar days
 in advance of the Collocation Application Date.
 - Unforecasted Collocations: 120 calendar days after the Collocation Application Date for physical collocations for which the CLEC does not provide a forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Collocation Applications with Late Quote Acceptance and, for Virtual Collocations, also with Timely Equipment Ready – for collocation applications where the CLEC accepts the quote in eight or more calendar days after the quote date and, for virtual collocations, where the CLEC provides the equipment to be collocated to Qwest 53 calendar days or less after the Collocation Application Date, the RFS date shall be:
 - Forecasted Collocations: 90 calendar days after the quote acceptance date for collocations for which the CLEC provides a complete forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Unforecasted Collocations: 120 calendar days after the quote acceptance date for collocations for which the CLEC does not provide a forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Virtual Collocation Applications with Timely Quote Acceptance and Late Equipment Ready for virtual collocation applications where the CLEC (1) accepts the quote in seven or fewer calendar days after the quote date and (2) provides the equipment to be collocated to Qwest more than 53 calendar days after the Collocation Application Date, the RFS date shall be:
 - Forecasted Collocations: 45 calendar days after the equipment is provided to Qwest, for collocations for which the CLEC provides a complete forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Unforecasted Collocations: 75 calendar days after the equipment is provided to Qwest, for collocations for which the CLEC does not provide a forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Virtual Collocation Applications with Late Quote Acceptance and Late Equipment Ready for

CP-2 – Collocations Completed within Scheduled Intervals (continued)

virtual collocation applications where the CLEC (1) accepts the quote in eight or more calendar days after the quote date and (2) provides the equipment to be collocated to Qwest more than 53 calendar days after the Collocation Application Date, the RFS date shall be:

- Forecasted Collocations: 45 calendar days after the equipment is provided to Qwest, for collocations for which the CLEC provides a complete forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
- Unforecasted Collocations: 75 calendar days after the equipment is provided to Qwest, for collocations for which the CLEC does not provide a forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
- All Collocations (physical, virtual, forecasted, or unforecasted) requiring Major Infrastructure
 Modifications: the later of (1) up to 150 calendar days (as specified in the quote) after the Collocation
 Application Date, or (2) for virtual collocations, 45 calendar days following the date equipment to be
 collocated is provided to Qwest for collocations in which Major Infrastructure Modifications are
 required. Qwest will provide to the CLEC, as part of the quotation, the need for, and the duration of,
 such extended intervals.
- When a CLEC submits six (6) or more Collocation applications in a one-week period in any state, completion intervals will be individually negotiated. These collocation arrangements will be included in CP-2A, -2B, or -2C according to the criteria specified below for these measurements.
- Where there is a CLEC-caused delay, the RFS Date is rescheduled.
- Where CLECs do not accept the quote within thirty calendar days of the quote date, the application is considered expired.
- **CP-2A Forecasted Collocations**: Measures collocation installations for which CLEC provides a forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
- **CP-2B** Non-Forecasted and Late Forecasted Collocations: Measures collocation installations for which CLEC does not provide a forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
- CP-2C All Collocations requiring Major Infrastructure Modifications and Collocations with intervals longer than 120 days: Measures all collocation installations requiring Major Infrastructure Modifications and collocations for which the RFS date is more than 120 calendar days after the Collocation Application Date.

Reporting Period: One month	Unit of Measure: Percent
reporting remode one month	one of measure. I croom
Reporting Comparisons: CLEC aggregate and individual CLEC results	Disaggregation Reporting: Statewide level.
Formula: (for CP-2A, CP-2B and CP-2C) [(Count of Collocations for which the RFS is met) ÷ (T Period)] x 100	otal Number of Collocations Completed in the Reporting
Exclusions:RFS dates missed for reasons beyond Qwest's concelled or expired requests.	ontrol.
Product Reporting: None	Standards: CP-2A & -2B: 90% CP-2C: 90%

CP-2 – Collocations Completed within Scheduled Intervals (continued)

Availability:	Notes:
Available	1. Collocations covered by this measurement are central office related. As additional types of central office collocation are defined and offered, they will be included in this measurement. Non-central office-based types of collocation (such as remote collocation and field connection points) will be considered for either inclusion in this measurement, or in new, separate measurements, after the terms, conditions, and processes for such collocation types become finalized, accepted, mature (i.e., six months of experience from first installations), and ordered in volumes warranting reporting (i.e., consistently more than two per month in any state).

CP-3 – Collocation Feasibility Study Interval

Purpose:

Evaluates the timeliness of the Qwest sub-process function of providing a collocation feasibility study to the CLEC.

Description:

Measures average interval to respond to collocation studies for feasibility of installation.

- Includes feasibility studies, for collocations of types specified herein that are completed in the reporting period, subject to exclusions specified below. Collocation types included are: physical cageless, physical caged, shared physical caged, physical-line sharing, cageless-line sharing, and virtual.
- Interval begins with the Collocation Application Date and ends with the date Qwest completes the Feasibility Study and provides it to the CLEC.
- The Collocation Application Date is the date Qwest receives from the CLEC a complete
 application for collocation. In cases where the CLEC's application for collocation is received by
 Qwest on a weekend or holiday, the Collocation Application Date is the next business day
 following the weekend or holiday.

Reporting Period: One month	Unit of Measure: Calendar Days
Reporting Comparisons: CLEC aggregate and individual CLEC results	Disaggregation Reporting: Statewide level.

Formula:

 Σ [(Date Feasibility Study provided to CLEC) – (Date Qwest receives CLEC request for Feasibility Study)] \div (Total Feasibility Studies Completed in the Reporting Period)

Exclusions:

 CLEC-caused delays of, or CLEC requests for feasibility study completions resulting in greater than ten calendar days from Collocation Application Date to scheduled feasibility study completion date.

Product Reporting: Nor	ne Standard: 10 calendar days or less
Availability:	Notes:
Available	1. Collocations covered by this measurement are central office related. As additional types of central office collocation are defined and offered, they will be included in this measurement. Non-central office-based types of collocation (such as remote collocation and field connection points) will be considered for either inclusion in this measurement, or in new, separate measurements, after the terms, conditions, and processes for such collocation types become finalized, accepted, mature (i.e., six months of experience from first installations), and ordered in volumes warranting reporting (i.e., consistently more than two per month in any state).

CP-4 – Collocation Feasibility Study Commitments Met

Purpose:

Evaluates the degree that Qwest completes the sub-process function of providing a collocation feasibility study to the CLEC as committed.

Description:

Measures the percentage of collocation feasibility studies for installations that are completed within the Scheduled Interval

- The Scheduled Interval is ten calendar days from the Collocation Application Date or, if
 interconnection agreements call for different intervals, within intervals specified in the agreements,
 or if otherwise delayed by the CLEC, the interval resulting from the delay.
- Includes all feasibility studies for collocations of types specified herein, that are completed in the reporting period. Collocation types included are: physical cageless, physical caged, shared physical caged, physical-line sharing, cageless-line sharing, and virtual.
- Considers the interval from the Collocation Application Date to the date Qwest completes the Feasibility Study and provides it to the CLEC.
- The Collocation Application Date is the date Qwest receives from the CLEC a complete
 application for collocation. In cases where the CLEC's application for collocation is received by
 Qwest on a weekend or holiday, the Collocation Application Date is the next business day
 following the weekend or holiday.
- Subject to superceding terms in the CLEC's interconnection agreement, when a CLEC submits six
 (6) or more Collocation applications in a one-week period in any state, feasibility study intervals
 will be individually negotiated and the resulting intervals used instead of ten calendar days in this
 measurement.

Reporting Period: One month		Unit of Measure	: Percent
Reporting Comparisons: CLEC aggregate and individual CLEC results		Disaggregation	Reporting: Statewide level.
Formula:	11 11 4 P	1 . 1	
[(Total Applicable Collocation Feasibility studies completed within Scheduled Intervals) ÷ (Total applicable Collocation Feasibility studies completed in the reporting period)] x 100			
Exclusions: None			
Product Reporting: None		Standard:	90 percent or more
Availability: Available	related. A defined ar Non-centr collocation either incl measuren such collo six month volumes v	As additional types and offered, they will rail office-based typen and field connectusion in this meas nents, after the term ocation types becomes of experience from	s measurement are central office of central office collocation are III be included in this measurement. Deso of collocation (such as remote tion points) will be considered for urement, or in new, separate ms, conditions, and processes for me finalized, accepted, mature (i.e., om first installations), and ordered in g (i.e., consistently more than two

DEFINITION OF TERMS

Application Date (and Time) – The date (and time) on which Qwest receives from the CLEC a complete and accurate local service request (LSR) or access service request (ASR) or retail order, subject to the following:

- For the following types of requests/orders, the application date (and time) is the start of the next business day:
 - (1) LSRs and ASRs received after 3:00PM MT for Designed Services and Local Number Portability (except non-designed, flow-through LNP).
 - (2) Retail orders received after 3:00 PM local time for Designed Services.
 - (3) LSRs received after 7:00PM MT for POTS Resale (Residence and Business), Non-Design Resale Centrex, non-designed UNE-P, Unbundled Loops, and non-designed, flow-through INP
 - (4) Retail orders for comparable non-designed services cannot be received after closing time, so the cutoff time is essentially the business office closing time.
- For all types of orders that are received from Friday at 7:00 PM MT through Sunday, or on holidays, and do not flow through, the application date (and time) is the next, non-weekend business day.

Automatic Location Information (ALI) – The feature of E911 that displays at the Public Safety Answering Point (PSAP) the street address of the calling telephone number. This feature requires a data storage and retrieval system for translating telephone numbers to the associated address. ALI may include Emergency Service Number (ESN), street address, room or floor, and names of the enforcement, fire and medical agencies with jurisdictional responsibility for the address. The Management System (E911) database is used to update the Automatic E911 Location Information databases.

Bill Date – The date shown at the top of the bill, representing the date on which Qwest begins to close the bill.

Blocking – Condition on a telecommunications network where, due to a maintenance problem or an traffic volumes exceeding trunking capacity in a part of the network, some or all originating or terminating calls cannot reach their final destinations. Depending on the condition and the part of the network affected, the network may make subsequent attempts to complete the call or the call may be completely blocked. If the call is completely blocked, the calling party will have to re-initiate the call attempt.

Business Day – Workdays that Qwest is normally open for business. Business Day = Monday through Friday, excluding weekends and Qwest published Holidays including New Year's Day, Memorial Day, July 4th, Labor Day, Thanksgiving and Christmas. Individual measurement definitions may modify (typically expanding) this definition as described in the Notes section of the measurement definition.

Cleared Trouble Report – A trouble report for which the trouble has been cleared, meaning the customer is "back in service".

Closed Trouble Report – A trouble report that has been closed out from a maintenance center perspective, meaning the ticket is closed in the trouble reporting system following repair of the trouble.

Code Activation (Opening) – Process by which new NPA/NXXs (area code/prefix) is defined, through software translations to network databases and switches, in telephone networks. Code activation (openings) allow for new groups of telephone numbers (usually in blocks of 10,000) to be made available for assignment to an ILEC's or CLEC's customers, and for calls to those numbers to be passed between carriers.

Common Channel Signaling System 7 (CCSS7) – A network architecture used to for the exchange of signaling information between telecommunications nodes and networks on an out-of-band basis. Information exchanged provides for call set-up and supports services and features such as CLASS and database query and response.

Common Transport – Trunk groups between tandem and end office switches that are shared by more than one carrier, often including the traffic of both the ILEC and several CLECs.

Completion – The time in the order process when the service has been provisioned and service is available.

DEFINITION OF TERMS (continued)

Completion Notice – A notification the ILEC provides to the CLEC to inform the CLEC that the requested service order activity is complete.

Coordinated Customer Conversion -- Orders that have a due date negotiated between the ILEC, the CLEC, and the customer so that work activities can be performed on a coordinated basis under the direction of the receiving carrier.

Customer Requested Due Date – A specific due date requested by the customer which is either shorter or longer than the standard interval or the interval offered by the ILEC.

Customer Trouble Reports – A report that the carrier providing the underlying service opens when notified that a customer has a problem with their service. Once resolved, the disposition of the trouble is changed to closed.

Dedicated Transport – A network facility reserved to the exclusive use of a single customer, carrier or pair of carriers used to exchange switched or special, local exchange, or exchange access traffic.

Delayed Order – An order which has been completed after the scheduled due date and/or time.

Directory Assistance Database – A database that contains subscriber records used to provide live or automated operator-assisted directory assistance. Including 411, 555-1212, NPA-555-1212.

Directory Listings – Subscriber information used for DA and/or telephone directory publishing, including name and telephone number, and optionally, the customer's address.

DS-0 – Digital Service Level 0. Service provided at a digital signal speed commonly at 64 kbps, but occasionally at 56 kbps.

DS-1 – Digital Service Level 1. Service provided at a digital signal speed of 1.544 Mbps.

DS-3 – Digital Service Level 3. Service provided at a digital signal speed of 44.736 Mbps.

Due Date – The date provided on the Firm Order Confirmation (FOC) the ILEC sends the CLEC identifying the planned completion date for the order.

End Office Switch – A switch from which an end users' exchange services are directly connected and offered.

Final Trunk Groups – Interconnection and interoffice trunk groups that do not overflow traffic to other trunk groups when busy.

Firm Order Confirmation (FOC) – Notice the ILEC sends to the CLEC to notify the CLEC that it has received the CLECs service request, created a service order, and assigned it a due date.

Flow-Through –The term used to describe whether a LSR electronically is passed from the OSS interface system to the ILEC legacy system to automatically create a service order. LSRs that do not flow through require manual intervention for the service order to be created in the ILEC legacy system.

Interval Zone 1/Zone 2 – Interval Zone 1 areas are wire centers for which Qwest specifies shorter standard service intervals than for Interval Zone 2 areas.

Installation – The activity performed to activate a service.

Installation Troubles – A trouble, which is identified after service order activity and installation, has completed on a customer's line. It is likely attributable to the service activity (within a defined time period).

Interconnection Trunks – A network facility that is used to interconnect two switches generally of different local exchange carriers

Inward Activity – Refers to all orders for new or additional lines/circuits. For change order types, additional lines/circuits consist of all C orders with "I" and "T" action coded line/circuit USOCs that represent new or additional lines/circuits, including conversions from retail to CLEC and CLEC to CLEC.

Jeopardy – A condition experienced in the service provisioning process which results potentially in the inability of a carrier to meet the committed due date on a service order

Jeopardy Notice – The actual notice that the ILEC sends to the CLEC when a jeopardy has been identified.

Lack of Facilities – A shortage of cable facilities identified after a due date has been committed to a customer, including the CLEC. The facilities shortage may be identified during the inventory assignment process or during the service installation process, and typically triggers a jeopardy.

Local Exchange Routing Guide (LERG) – A Bellcore master file that is used by the telecom industry to identify NPA-NXX routing and homing information, as well as network element and equipment designations. The file also includes scheduled network changes associated with activity within the North American Numbering Plan (NANP).

Local Exchange Traffic – Traffic originated on the network of a LEC in a local calling area that terminates to another LEC in a local calling area.

DEFINITION OF TERMS (continued)

Local Number Portability (formerly defined under Permanent Number Portability and also known as – Long Term Number Portability) – A network technology which allows end user customers to retain their telephone number when moving their service between local service providers. This technology does not employ remote call forwarding, but actually allows the customer's telephone number to be moved and redefined in the network of the new service provider. The activity to move the telephone number is called "porting."

Local Service Request (LSR) – Transaction sent from the CLEC to the ILEC to order services or to request a change(s) be made to existing services.

MSA/Non-MSA – Metropolitan Statistical Area is a government defined geographic area with a population of 50,000 or greater. Non-Metropolitan Statistical Area is a government defined geographic area with population of less than 50,000. Qwest depicts MSA Non-MSA based on NPA NXX. Where a wire center is predominantly within an MSA, all lines are counted within the MSA.

Mechanized Bill – A bill that is delivered via electronic transmission.

NXX, NXX Code or Central Office Code – The three digit switch entity indicator that is defined by the "D", "E", and "F" digits of a 10-digit telephone number within the NANP. Each NXX Code contains 10,000 station numbers.

Plain Old Telephone Service (POTS) – Refers to basic 2-wire, non-complex analog residential and business services. Can include feature capabilities (e.g., CLASS features).

Projects – Service requests that exceed the line size and/or level of complexity which would allow for the use of standard ordering and provisioning processes. Generally, due dates for projects are negotiated, coordination of service installations/changes is required and automated provisioning may not be practical.

Query Types – Pre-ordering information that is available to a CLEC that is categorized according to standards issued by OBF and/or the FCC.

Ready For Service (RFS) – The status achieved in the installation of a collocation arrangement when all "operational" work has been completed. Operational work consists of the following as applicable to the particular type of collocation:

- · Cage enclosure complete;
- DC power is active (including fuses available, BDFB [Battery Distribution Fuse Board] in place, and cables between the CLEC and power terminated);
- Primary AC outlet in place;
- Cable racking and circuit terminations are complete (e.g. fiber jumpers placed between the Outside Plant Fiber Distribution Panel and the Central Office Fiber Distribution Panel serving the CLEC). and
- The following items complete, subject to the CLEC having made required payments to Qwest (e.g., final payment): (If the required CLEC payments have not been made, the following items are not required for RFS):
 - Key turnover made available to CLEC.
 - APOT/CFA complete, as defined/required in the CLEC's interconnection agreement and
 - Basic telephone service and other services and facilities complete, if ordered by CLEC in time to be provided on the scheduled RFS date (per Qwest's published standard installation intervals for such telephone service).

Ready for Service Date (RFS date) – The due date assigned to a collocation order (typically determined by regulatory rulings, contract terms, or negotiations with CLEC) to indicate when collocation installation is scheduled to be ready for service, as defined above.

Reject – A status that can occur to a CLEC submitted local service request (LSR) when it does not meet certain criteria. There are two types of rejects: (1) syntax, which occur if required fields are not included in the LSR; and (2) content, which occur if invalid data is provided in a field. A rejected service request must be corrected and re-submitted before provisioning can begin.

Repeat Report – Any trouble report that is a second (or greater) report on the same telephone number/circuit ID and at the same premises address within 30 days. The original report can be any category, including excluded reports, and can carry any disposition code.

Service Group Type – The designation used to identify a category of similar services, .e.g., UNE loops.

Service Order – The work order created and distributed in ILECs systems and to ILEC work groups in response to a complete, valid local service request.

DEFINITION OF TERMS (continued)

Service Order Type – The designation used to identify the major types of provisioning activities associated with a local service request.

Standard Interval – The interval that the ILEC publishes as a guideline for establishing due dates for provisioning a service request. Typically, due dates will not be assigned with intervals shorter than the standard. These intervals are specified by service type and type of service modification requested. ILECs publish these standard intervals in documents used by their own service representatives as well as ordering instructions provided to CLECs in the Qwest Standard Interval Guidelines.

Subsequent Reports – A trouble report that is taken in relation to a previously-reported trouble prior to the date and time the initial report has a status of "closed."

Tandem Switch – Switch used to connect and switch trunk circuits between and among Central Office switches.

Time to Restore – The time interval from the receipt, by the ILEC, of a trouble report on a customer's service to the time service is fully restored to the customer.

Unbundled Network Element – Platform (UNE-P) – Combinations of network elements, including both new and conversions, involving POTS (i.e., basic services providing dial tone).

Unbundled Loop - The Unbundled Loop is a transmission path between a Qwest Central Office Distribution Frame, or equivalent, and the Loop Demarcation Point at an end user premises. Loop Demarcation Point is defined as the point where Qwest owned or controlled facilities cease, and CLEC, end user, owner or landlord ownership of facilities begins.

Usage Data – Data generated in network nodes to identify switched call data on a detailed or summarized basis. Usage data is used to create customer invoices for the calls.

GLOSSARY OF ACRONYMS

ACRONYM	DESCRIPTION	
ACD	Automatic Call Distributor	
ADSL	Asymmetric Digital Subscriber Line	
ALI	Automatic Line Information (for 911/E911 systems)	
ASR	Service Request (processed via Exact system)	
BRI	Basic Rate Interface (type of ISDN service)	
CABS	Carrier Access Billing System	
CKT	Circuit	
CLEC	Competitive Local Exchange Carrier	
CO	Central Office	
CPE	Customer Premises Equipment	
CRIS	Customer Record Information System	
CSR	Customer Service Record	
DA	Directory Assistance	
DB	Decibel	
DB	Database	
DS0	Digital Service 0	
DS1	Digital Service 1	
DS3	Digital Service 3	
E911 MS	E911 Management System	
EAS	Extended Area Service	
EB-TA	Electronic Bonding – Trouble Administration	
EDI	Electronic Data Interchange	
EELS	Enhanced Extended Loops	
ES	Emergency Services (for 911/E911)	
FOC	Firm Order Confirmation	
GUI	Graphical User Interface	
HDSL	High-Bit-Rate Digital Subscriber Line	
HICAP	High Capacity Digital Service	
IEC	Interexchange Carrier	
ILEC	Incumbent Local Exchange Carrier	
INP	Interim Number Portability	
IOF	Interoffice Facilities (refers to trunk facilities located between	
	Qwest central offices)	
ISDN	Integrated Services Digital Network	
IMA	Interconnect Mediated Access	
LATA	Local Access Transport Area	
LERG	Local Exchange Routing Guide	
LIDB	Line Identification Database	
LIS	Local Interconnection Service Trunks	
LNP	Long Term Number Portability	
LSR	Local Service Request	
N, T, C	Service Order Types N (new), T (to or transfer), C (change)	
NANP	North American Numbering Plan	
NDM	Network Data Mover	
NPAC	Number Portability Administration Center	
NXX	Telephone number prefix	
OBF	Ordering and Billing Forum	

GLOSSARY OF ACRONYMS (continued)

ACRONYM	DESCRIPTION
OOS	Out of service (type of trouble condition)
OSS	Operations Support Systems
PBX	Private Branch Exchange
PON	Purchase Order Number
POTS	Plain Old Telephone Service
PRI	Primary Rate Interface (type of ISDN service)
RFS	Ready for Service (refers to collocation installations)
SIA	SAAFE (Strategic Application Architecture Framework and
	Environment) Information Access
SOP	Service Order Processor
SOT	Service Order Type
SS7	Signaling System 7
STP	Signaling Transfer Point
TN	Telephone Number
UDIT	Unbundled Dedicated Interoffice Transport
UNE	Unbundled Network Element
UNE-P	Unbundled Network Element – Platform
VRU	Voice Response Unit
WFA	Work Force Administration
XDSL	(x) Digital Subscriber Line. (The "x" prefix refers to DSL generically. An "x" replaced by an "A" refers to Asymmetric DSL, and by an "H" refers to High-bit-rate DSL.)

APPENDIX A

PO-20 Feature Detail Fields

Feature Detail

Resale and UNE-P (POTS and Centrex 21):

CEN

Validate the call forwarding TN

CFNB

Validate the call forwarding TN

CFND

Validate the call forwarding TN

RCYC

FID associated with a call forwarding don't answer USOC that determines how many rings before the call forwards to the TN provided with the CFN or CFND FIDs.

HLN (HLA Hot Line)

FID associated with the USOC HLA (which is on our USOC list to validate.) The Hot Line feature call forwards automatically to a pre-programmed number. This TN is provided following the HLN FID. The data provided in the Feature Detail section on the LSR will be validated against the HLN FID on the service order to determine whether the FID is present and the TN provided on the LSR with the FID is correct on the service order.

LINK (HME CALL FORWARDING TO CELLULAR)

FID associated with the USOC HME (which is on our USOC list to validate.) The HME feature call forwards a call from the landline telephone number to a cellular telephone number. The LINK FID, along with the PCS telephone number provided in the Feature Detail section on the LSR, will be validated against the LINK FID on the service order to determine whether the FID is present and the telephone number provided on the LSR matches the telephone number on the service order.

DES on DID MBB

If the CLEC requests a DID voice mailbox the DID number will follow the FID DES on the LSR in the Feature Detail section and on the service order. The DES FID along with the DID telephone number provided in the Feature Detail section on the LSR will be validated against the DES FID on the service order to determine whether the FID is present and the DID telephone number provided on the matches the telephone number on the service order.

TN on Custom Ring USOC (RGG1A etc.)

We currently have 9 custom ring USOCs on our PO-20 USOC list. Along with the custom ring USOC is the TN FID. The TN FID along with the custom ring telephone number provided in the Feature Detail section on the LSR will be validated against the TN FID on the service order to determine whether the FID is present and the custom ring telephone provided on the LSR with the FID is correct on the service order. (The validation would only apply if the USOC and FID were present in the Feature Detail section of the LSR.)

CAS (If provided on LSR for SEA)

Call Screening Code Assignment is a FID associated with the selective class of call feature (which is on our USOC list to validate.) Along with the CAS FID is a two-digit number that indicates what type of screening is being requested. The CAS FID along with a two-digit number is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the two-digit number matches the two-digit number provided on the LSR.

WW (if provided on LSR for TFM)

Working With is a FID associated with the transfer mailbox feature (which is on our USOC list to validate.) Along with the WW FID is a ten-digit number that indicates where the voice mailbox is located. The WW FID along with the ten-digit number is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the ten-digit number matches the ten-digit number provided on the LSR.

MBOA (if provided on LSR for VFN)

Mailbox out-dial notification is a FID associated with the message notification feature (which is on our USOC list to validate.) Along with the MBOA FID is a two-digit alphanumeric combination that indicates where the notification will be sent (i.e., identifies pager type.) The MBOA FID along with the two-digit alphanumeric combination is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the two-digit alphanumeric matches the two-digit alphanumeric provided on the LSR.

DES on VGT (if provided on LSR)

Description is a FID associated with the scheduled greeting feature (which is on our USOC list to validate.) Along with the DES FID is a ten-digit telephone number that reflects the DID mailbox number. The DES FID along with the ten-digit telephone number is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the ten-digit telephone number matches the ten-digit telephone number provided on the LSR.

WLT (WLS Warm Line)

Warm line timeout is a FID associated with the warm line feature. Along with the WLT FID is a one or two numeric value that indicates the number of seconds that must elapse before the DMS-100 switch sets up the connection for a warm line service number. The WLT FID along with the one or two numeric value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the one or two numeric value matches the one or two numeric value provided on the LSR.

FIDs associated with WFA (800 service line feature which is on our USOC list to validate):

SIT (if provided on LSR for WFA)

Special identifying telephone number is a FID associated with the 800 service line feature. Along with the SIT FID is a ten-digit telephone number that reflects the 800, 888, 877, or 866 service line feature. The SIT FID along with the ten-digit telephone number is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the ten-digit telephone number matches the ten-digit telephone number provided on the LSR.

SIS (if provided on LSR for WFA)

Special Identifying Telephone Number Supplemental is a FID associated with the 800 service line feature. The SIS FID along with a one-digit number is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the one-digit number matches the one-digit number provided on the LSR.

ELN (if provided on LSR for WFA)

800 Service listed name is a FID associated with the 800 service line feature. Along with the ELN FID is a listed name, which follows the format of a business name. The ELN FID along with the name is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the name matches the name provided on the LSR.

ELA (if provided on LSR for WFA)

800 listed address is a FID associated with the 800 service line feature. Along with the ELA FID is an address, which follows the format of a listed address plus LATA, State, and ZIP code. The ELA FID along with the address is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the address matches the address provided on the LSR.

AOS (if provided on LSR for WFA)

Area of service is a FID associated with the 800 service line feature. Along with the AOS FID are one to two alphanumeric characters and three numeric characters which represents LATA and AC of the address. The AOS FID along with the additional characters are provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the additional characters match the additional characters provided on the LSR.

ALC (if provided on LSR for WFA)

IntraLATA carrier is a FID associated with the 800 service line feature. It indicates the IntraLATA carrier for the 800 service. Along with the ALC FID is the three-digit code (OTC) for the IntraLATA carrier. The ALC FID along with the three-digit code is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the three-digit code matches the three-digit code provided on the LSR.

Resale and UNE-P Centrex 21

FIDs associated with SO3, SO5, SFB, C2TAX (Electronic Business Set USOCs which are on our USOC list to validate):

KEY (If provided on LSR for Electronic Business Set EBS USOCs)

Key Designation (KEY number) is a FID associated with the Electronic Business Set feature. Along with the KEY FID is a numeric value that indicates the key designated for different features or lines on the EBS. The KEY FID along with the numeric value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the numeric value matches the numeric value provided on the LSR.

MADN (If provided on LSR for Electronic Business Set EBS USOCs)

Multiple Appearance Directory Number Call Arrangement is a FID associated with the Electronic Business Set feature. Along with the MADN FID is a set of alpha values that indicate the type, appearance and ring status desired for different features or lines on the EBS. The KEY FID along with the alpha values is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the alpha values match the alpha values provided on the LSR.

ROL (If provided on LSR for Electronic Business Set EBS USOCs)

Ring On Line is a FID associated with the Electronic Business Set feature. Along with the ROL FID is an alpha value that indicates if the line will ring (Y or N). The ROL FID along with the alpha value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the alpha value matches the alpha value provided on the LSR.

TTYD (If provided on LSR for C2TAX)

Terminal Type is a FID associated with the adjunct module feature. Along with the TTYD FID is a 4 character alpha value based on customer equipment. The TTYD FID along with the 4 character alpha value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the 4 character alpha value matches the 4 character alpha value provided on the LSR.

FIDs associated with E3PPK (CALL PICK-UP feature which is on our USOC list to validate):

CPG (If provided on LSR for E3PPK)

Call Pickup Group is a FID associated with the CALL PICK-UP feature. Along with the CPG FID is a 1-3 digit numeric value that identifies the call pickup group. The CPG FID along with the 1-3 digit numeric value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the 1-3 digit numeric value matches the 1-3 digit numeric value provided on the LSR.

CPUO (If provided on LSR for E3PPK)

Call Pickup-Originating is a FID associated with the CALL PICK-UP feature. Along with the CPUO FID is an alphanumeric value that identifies the call pickup group. The CPUO FID along with the alphanumeric value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the alphanumeric value matches alphanumeric value provided on the LSR.

CPUT (If provided on LSR for E3PPK)

Call Pickup-Terminating is a FID associated with the CALL PICK-UP feature. Along with the CPUT FID is an alphanumeric value that identifies the call pickup group. The CPUT FID along with the alphanumeric value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the alphanumeric value matches alphanumeric value provided on the LSR.

FIDs associated with GVJ, EZJ, GVZ, GV2, EVH, GVV (Speed Call feature USOCs that are on our USOC list to validate):

SCG (If provided on LSR for Speed call USOCs)

Speed Call Group is a FID associated with the Speed call feature. Along with the SCG FID is a 7 digit numeric value that identifies the controller of the group. The SCG FID along with the 7 digit numeric value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the 7 digit numeric value matches 7 digit numeric value provided on the LSR.

CSL (If provided on LSR for Speed call USOCs)

Change Speed Calling Group List is a FID associated with the Speed call feature. Along with the CSL FID is a 2 digit numeric value that identifies the size of the group list. The SCG FID along with the 7 digit numeric value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the 2 digit numeric value matches 2 digit numeric value provided on the LSR.

SCF (If provided on LSR for Speed call USOCs)

Speed Calling Feature Name is a FID associated with the Speed call feature. Along with the SCF FID is an alphanumeric value that identifies the controller of the shared list. The SCF FID along with the alphanumeric value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the alphanumeric value matches alphanumeric value provided on the LSR.