



Qwest Corporation (Qwest or CTL-Q) Performance Results

Washington January 2016 - January 2017

Statistical parameters used to calculate whether PAP standards have been met or missed, and any applicable PAP payments, are sometimes required to be different than those used to calculate performance in this report. See the Reading Reports link on CenturyLink's Wholesale Website for details.

February 21, 2017

CenturyLink QC Performance Results – Current 271 PID

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
January 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A
January 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A
January 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A
January 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A
January 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A
January 2017	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A
January 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A
January 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A
January 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A
January 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A
January 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A
January 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A
January 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A
January 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A
January 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A
January 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
January 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
January 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
January 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
January 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A
January 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A
January 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
January 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSLi	Parity	N/A
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A
January 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk	Parity	N/A
January 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk	Parity	N/A
January 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
January 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A
January 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
January 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A
January 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A
January 2017	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
January 2017	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
January 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A
January 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A
January 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
January 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
January 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A
January 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
January 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
January 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A
January 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A
January 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%
January 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs	Benchmark	95.00%
January 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%
January 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%
January 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs	Benchmark	90.00%
January 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%
January 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%
January 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A
December 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A
December 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A
December 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A
December 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A
December 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A
December 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A
December 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A
December 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A
December 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A
December 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A
December 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A
December 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A
December 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A
December 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk	Parity	N/A
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
December 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
December 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk	Parity	N/A
December 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
December 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A
December 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
December 2016	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A
December 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
December 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A
December 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
December 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A
December 2016	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A
December 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
December 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A
December 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
December 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A
December 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A
December 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A
December 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A
December 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk	Parity	N/A
December 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk	Parity	N/A
December 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
December 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
December 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A
December 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
December 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A
December 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
December 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A
December 2016	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%
December 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
December 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A
December 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
December 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%
December 2016	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00
December 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
December 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
December 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
December 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00
December 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
December 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
December 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A
December 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A
December 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A
December 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
December 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
December 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A
December 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
December 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
December 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A
December 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%
December 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs	Benchmark	95.00%

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
December 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%
December 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%
December 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs	Benchmark	90.00%
December 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%
December 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%
December 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A
November 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A
November 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A
November 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A
November 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A
November 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A
November 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A
November 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A
November 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A
November 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A
November 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A
November 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A
November 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A
November 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A
November 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk	Parity	N/A
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
November 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
November 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk	Parity	N/A
November 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
November 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
November 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A
November 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	Residence	Parity	N/A
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A
November 2016	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/I MSA	Residence	Parity	N/A
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A
November 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A
November 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A
November 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSLi	Parity	N/A
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A
November 2016	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/I MSA	Residence	Parity	N/A
November 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk	Parity	N/A
November 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk	Parity	N/A
November 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
November 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
November 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A
November 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
November 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A
November 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
November 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A
November 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
November 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%
November 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
November 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
November 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%
November 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
November 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A
November 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
November 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00
November 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
November 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
November 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A
November 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP	Benchmark	95.00%
November 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A
November 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A
November 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
November 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
November 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A
November 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
November 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
November 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A
November 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%
November 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs	Benchmark	95.00%
November 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%
November 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%
November 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs	Benchmark	90.00%
November 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%
November 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%
November 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
October 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A
October 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A
October 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A
October 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A
October 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A
October 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A
October 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A
October 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A
October 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A
October 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A
October 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A
October 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A
October 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A
October 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A
October 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
October 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A
October 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
October 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
October 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
October 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk	Parity	N/A
October 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
October 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
October 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A
October 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A
October 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A
October 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A
October 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk	Parity	N/A
October 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk	Parity	N/A
October 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
October 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
October 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A
October 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
October 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A
October 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A
October 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
October 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A
October 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00
October 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A
October 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
October 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A
October 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A
October 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP	Benchmark	95.00%
October 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A
October 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A
October 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
October 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
October 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A
October 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
October 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
October 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A
October 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A
October 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%
October 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs	Benchmark	95.00%
October 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%
October 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%
October 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs	Benchmark	90.00%
October 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%
October 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%
October 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%
October 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A
September 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A
September 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A
September 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A
September 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A
September 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A
September 2016	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
September 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A
September 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A
September 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A
September 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A
September 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A
September 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A
September 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A
September 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A
September 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A
September 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
September 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk	Parity	N/A
September 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A
September 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
September 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
September 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
September 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A
September 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
September 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
September 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A
September 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
September 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
September 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
September 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
September 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A
September 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
September 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A
September 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
September 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
September 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
September 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A
September 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
September 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
September 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
September 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
September 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A
September 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A
September 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A
September 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A
September 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A
September 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
September 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
September 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A
September 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSLi	Parity	N/A
September 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A
September 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk	Parity	N/A
September 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk	Parity	N/A
September 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
September 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
September 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A
September 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
September 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A
September 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
September 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A
September 2016	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	90.00%
September 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A
September 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%
September 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
September 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
September 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%
September 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
September 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A
September 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%
September 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
September 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
September 2016	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	6.00
September 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A
September 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00
September 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
September 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
September 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00
September 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
September 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00
September 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
September 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
September 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A
September 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A
September 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
September 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
September 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A
September 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A
September 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A
September 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A
September 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
September 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
September 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A
September 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
September 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
September 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A
September 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A
September 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%
September 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs	Benchmark	95.00%
September 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%
September 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%
September 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs	Benchmark	90.00%
September 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%
September 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%
September 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%
September 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A
August 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A
August 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A
August 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A
August 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A
August 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A
August 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A
August 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A
August 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
August 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A
August 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A
August 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A
August 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A
August 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A
August 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A
August 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
August 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A
August 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
August 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
August 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
August 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A
August 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
August 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
August 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A
August 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A
August 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	SUB-LOOP UNBUNDLING	Parity	N/A
August 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
August 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
August 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
August 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
August 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A
August 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
August 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
August 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
August 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
August 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A
August 2016	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/I MSA	SUB-LOOP UNBUNDLING	Parity	N/A
August 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
August 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
August 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
August 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
August 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A
August 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
August 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
August 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
August 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
August 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A
August 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A
August 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A
August 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A
August 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A
August 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
August 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
August 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A
August 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSLi	Parity	N/A
August 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A
August 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk	Parity	N/A
August 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk	Parity	N/A
August 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
August 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
August 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A
August 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
August 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A
August 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
August 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A
August 2016	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A
August 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
August 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A
August 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
August 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
August 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%
August 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
August 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A
August 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
August 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
August 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%
August 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
August 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A
August 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
August 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
August 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00
August 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
August 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
August 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
August 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00
August 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A
August 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A
August 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
August 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A
August 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A
August 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A
August 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A
August 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
August 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
August 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A
August 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
August 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
August 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A
August 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A
August 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%
August 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs	Benchmark	95.00%
August 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%
August 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%
August 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs	Benchmark	90.00%
August 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%
August 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%
August 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%
August 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A
July 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A
July 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A
July 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A
July 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A
July 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A
July 2016	Collocation	CP-2B	Non-Forecasted and Late Forecasted Collocations	All	Diagnostic	N/A
July 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A
July 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A
July 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A
July 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A
July 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A
July 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A
July 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
July 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A
July 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A
July 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
July 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A
July 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
July 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
July 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - XDSLi	Diagnostic	N/A
July 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
July 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A
July 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
July 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
July 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A
July 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A
July 2016	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - XDSLi	Parity	N/A
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A
July 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
July 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
July 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
July 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
July 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A
July 2016	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - XDSLi	Parity	N/A
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A
July 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
July 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
July 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
July 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
July 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A
July 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A
July 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A
July 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSLi	Parity	N/A
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A
July 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk	Parity	N/A
July 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk	Parity	N/A
July 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
July 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
July 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A
July 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
July 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A
July 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
July 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A
July 2016	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%
July 2016	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A
July 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
July 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A
July 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%
July 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
July 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
July 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%
July 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
July 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A
July 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
July 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
July 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%
July 2016	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00
July 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
July 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
July 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
July 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A
July 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP	Benchmark	95.00%
July 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A
July 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A
July 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
July 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
July 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A
July 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
July 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
July 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A
July 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A
July 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%
July 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs	Benchmark	95.00%
July 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%
July 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%
July 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs	Benchmark	90.00%
July 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%
July 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%
July 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%
July 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A
June 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A
June 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A
June 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A
June 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A
June 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A
June 2016	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A
June 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
June 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A
June 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A
June 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A
June 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A
June 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A
June 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A
June 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A
June 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A
June 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
June 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A
June 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
June 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
June 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
June 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk	Parity	N/A
June 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
June 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
June 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A
June 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	Residence	Parity	N/A
June 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
June 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
June 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
June 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
June 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A
June 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
June 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A
June 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
June 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
June 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A
June 2016	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/l MSA	Residence	Parity	N/A
June 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
June 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
June 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
June 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
June 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A
June 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
June 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A
June 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
June 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
June 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A
June 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A
June 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A
June 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A
June 2016	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/I MSA	Residence	Parity	N/A
June 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A
June 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A
June 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
June 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
June 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	LIS Trunk	Parity	N/A
June 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A
June 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
June 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A
June 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A
June 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	LIS Trunk	Parity	N/A
June 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
June 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A
June 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A
June 2016	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A
June 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
June 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A
June 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
June 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
June 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%
June 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
June 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A
June 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
June 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
June 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%
June 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
June 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
June 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
June 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00
June 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
June 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
June 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
June 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00
June 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A
June 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A
June 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
June 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A
June 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A
June 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP	Benchmark	95.00%
June 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A
June 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A
June 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
June 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
June 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A
June 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
June 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
June 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A
June 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A
June 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%
June 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs	Benchmark	95.00%
June 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%
June 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%
June 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs	Benchmark	90.00%
June 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%
June 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%
June 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%
June 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A
May 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A
May 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A
May 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A
May 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A
May 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A
May 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A
May 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
May 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A
May 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A
May 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A
May 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A
May 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A
May 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A
May 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A
May 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
May 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk	Parity	N/A
May 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A
May 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
May 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
May 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
May 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
May 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A
May 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A
May 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	Residence	Parity	N/A
May 2016	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A
May 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
May 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
May 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A
May 2016	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/l MSA	Residence	Parity	N/A
May 2016	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A
May 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
May 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
May 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A
May 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A
May 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A
May 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSLi	Parity	N/A
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A
May 2016	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/ MSA	Residence	Parity	N/A
May 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk	Parity	N/A
May 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk	Parity	N/A
May 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
May 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
May 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A
May 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
May 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A
May 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
May 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A
May 2016	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%
May 2016	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Residence	Parity	N/A
May 2016	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	90.00%
May 2016	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%
May 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
May 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A
May 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%
May 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
May 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%
May 2016	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00
May 2016	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Residence	Parity	N/A

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
May 2016	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	6.00
May 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00
May 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
May 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
May 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00
May 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
May 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00
May 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
May 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00
May 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A
May 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A
May 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A
May 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
May 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
May 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A
May 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A
May 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A
May 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A
May 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
May 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
May 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A
May 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
May 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
May 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A
May 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A
May 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%
May 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs	Benchmark	95.00%
May 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%
May 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%
May 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs	Benchmark	90.00%
May 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%
May 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%
May 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%
May 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A
April 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A
April 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A
April 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A
April 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
April 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A
April 2016	Collocation	CP-2B	Non-Forecasted and Late Forecasted Collocations	All	Diagnostic	N/A
April 2016	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A
April 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A
April 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A
April 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A
April 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A
April 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A
April 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A
April 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A
April 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A
April 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A
April 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
April 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A
April 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
April 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
April 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
April 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk	Parity	N/A
April 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
April 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
April 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A
April 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A
April 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	SUB-LOOP UNBUNDLING	Parity	N/A
April 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
April 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
April 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
April 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
April 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A
April 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
April 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A
April 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
April 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
April 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A
April 2016	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/I MSA	SUB-LOOP UNBUNDLING	Parity	N/A
April 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
April 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
April 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
April 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
April 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A
April 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
April 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A
April 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
April 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
April 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A
April 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A
April 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A
April 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A
April 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A
April 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
April 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
April 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A
April 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A
April 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A
April 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk	Parity	N/A
April 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk	Parity	N/A
April 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
April 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
April 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A
April 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
April 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A
April 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A
April 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
April 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A
April 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A
April 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A
April 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
April 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
April 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%
April 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
April 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A
April 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
April 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
April 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%
April 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
April 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
April 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00
April 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
April 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
April 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
April 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00
April 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A
April 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
April 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A
April 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A
April 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP	Benchmark	95.00%
April 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A
April 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A
April 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
April 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
April 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A
April 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
April 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
April 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A
April 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A
April 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%
April 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs	Benchmark	95.00%
April 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%
April 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%
April 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs	Benchmark	90.00%
April 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%
April 2016	Pre-Ordering	PO-5C-(a)	FOCs on Time for manual LSRs via Facsimile	Resale Aggregate	Benchmark	90.00%
April 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%
April 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%
April 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A
April 2016	Pre-Ordering	PO-9C	LIS Trunks	LIS Trunk	Parity	N/A
March 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A
March 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A
March 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A
March 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A
March 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A
March 2016	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A
March 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
March 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A
March 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A
March 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A
March 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A
March 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A
March 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A
March 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A
March 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A
March 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
March 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk	Parity	N/A
March 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A
March 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
March 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
March 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
March 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk	Parity	N/A
March 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
March 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
March 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A
March 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	Residence	Parity	N/A
March 2016	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	Residence	Parity	N/A
March 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
March 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A
March 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
March 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
March 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
March 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A
March 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
March 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A
March 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
March 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
March 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A
March 2016	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/I MSA	Residence	Parity	N/A
March 2016	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	Residence	Parity	N/A
March 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
March 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A
March 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
March 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
March 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
March 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A
March 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
March 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A
March 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
March 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
March 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A
March 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A
March 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A
March 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A
March 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A
March 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
March 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
March 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A
March 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSLi	Parity	N/A
March 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A
March 2016	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/I MSA	Residence	Parity	N/A
March 2016	Maintenance and Repair	MR-9B	Repair Appointments Met-Disp out MSA	Residence	Parity	N/A
March 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk	Parity	N/A
March 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk	Parity	N/A
March 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
March 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
March 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A
March 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
March 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A
March 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A
March 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
March 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A
March 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A
March 2016	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%
March 2016	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A
March 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
March 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A
March 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%
March 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
March 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
March 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
March 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
March 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A
March 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
March 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
March 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%
March 2016	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00
March 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
March 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00
March 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
March 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
March 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00
March 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
March 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
March 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
March 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00
March 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A
March 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A
March 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A
March 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
March 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
March 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A
March 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A
March 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP	Benchmark	95.00%
March 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A
March 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A
March 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
March 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
March 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A
March 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
March 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
March 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A
March 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A
March 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%
March 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs	Benchmark	95.00%
March 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%
March 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%
March 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs	Benchmark	90.00%
March 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
March 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%
March 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%
March 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A
February 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A
February 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A
February 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A
February 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A
February 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A
February 2016	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A
February 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A
February 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A
February 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A
February 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A
February 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A
February 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A
February 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A
February 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A
February 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A
February 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
February 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk	Parity	N/A
February 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A
February 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
February 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
February 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
February 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk	Parity	N/A
February 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
February 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
February 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A
February 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A
February 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	Residence	Parity	N/A
February 2016	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A
February 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
February 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A
February 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
February 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
February 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
February 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
February 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
February 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A
February 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
February 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
February 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A
February 2016	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/l MSA	Residence	Parity	N/A
February 2016	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A
February 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
February 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A
February 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
February 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
February 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
February 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A
February 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
February 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A
February 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
February 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
February 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A
February 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A
February 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A
February 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A
February 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A
February 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
February 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
February 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A
February 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A
February 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A
February 2016	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/l MSA	Residence	Parity	N/A
February 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk	Parity	N/A
February 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk	Parity	N/A
February 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
February 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
February 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Residence	Parity	N/A
February 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A
February 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
February 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A
February 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Residence	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
February 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
February 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A
February 2016	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A
February 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
February 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A
February 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%
February 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
February 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
February 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%
February 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
February 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A
February 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%
February 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
February 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
February 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%
February 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00
February 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
February 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
February 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00
February 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
February 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00
February 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
February 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
February 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00
February 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A
February 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A
February 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
February 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
February 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A
February 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A
February 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A
February 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A
February 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A
February 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
February 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
February 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A
February 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
February 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
February 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
February 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A
February 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%
February 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs	Benchmark	95.00%
February 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%
February 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%
February 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs	Benchmark	90.00%
February 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%
February 2016	Pre-Ordering	PO-5C-(a)	FOCs on Time for manual LSRs via Facsimile	Resale Aggregate	Benchmark	90.00%
February 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%
February 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%
February 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A
February 2016	Pre-Ordering	PO-9C	LIS Trunks	LIS Trunk	Parity	N/A
January 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A
January 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A
January 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A
January 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A
January 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A
January 2016	Collocation	CP-2B	Non-Forecasted and Late Forecasted Collocations	All	Diagnostic	N/A
January 2016	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A
January 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A
January 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A
January 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A
January 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A
January 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A
January 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A
January 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A
January 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A
January 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A
January 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
January 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk	Parity	N/A
January 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A
January 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A
January 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
January 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
January 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk	Parity	N/A
January 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
January 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
January 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A
January 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	Residence	Parity	N/A
January 2016	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A
January 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
January 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A
January 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
January 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
January 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
January 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A
January 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
January 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A
January 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
January 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A
January 2016	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/l MSA	Residence	Parity	N/A
January 2016	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A
January 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A
January 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A
January 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
January 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
January 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A
January 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A
January 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A
January 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A
January 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A
January 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A
January 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A
January 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A
January 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A
January 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A
January 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
January 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
January 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A
January 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A
January 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A
January 2016	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/l MSA	Residence	Parity	N/A
January 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk	Parity	N/A
January 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
January 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
January 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A
January 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A
January 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
January 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A
January 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A
January 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
January 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A
January 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A
January 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
January 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A
January 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%
January 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
January 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
January 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%
January 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%
January 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A
January 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%
January 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A
January 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%
January 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
January 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
January 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
January 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00
January 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00
January 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00
January 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50
January 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00
January 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A
January 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A
January 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A
January 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A
January 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A
January 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP	Benchmark	95.00%
January 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A
January 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A
January 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A
January 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
January 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark
January 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A
January 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A
January 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A
January 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A
January 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A
January 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%
January 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs	Benchmark	95.00%
January 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%
January 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%
January 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs	Benchmark	90.00%
January 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%
January 2016	Pre-Ordering	PO-5C-(a)	FOCs on Time for manual LSRs via Facsimile	Resale Aggregate	Benchmark	90.00%
January 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%
January 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%
January 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
1,726	1,729	99.83%							
1,648,903	1,648,903	100.00%							
22,187	22,187	100.00%							
2,440	2,441	99.96%	2.02%	52,029	52,870	98.41%	12.51%	-5.983105	-4.63747
22,112	22,112	100.00%							
1	1	100.00%							
2,689,617	2,512,227	1.07							
5077.86	32,161	0.16							
30,060	30,060	100.00%							
30,060	30,060	100.00%							
30,060	30,060	100.00%							
42,900	42,900	100.00%							
41,820	41,820	100.00%							
22,320	22,320	100.00%							
21,960	21,960	100.00%							
0	0								
2	5	40.00%	48.99%	10	15	66.67%	47.14%	0.535415	-0.674491
3	7	42.86%							
5	8	62.50%							
14	34	41.18%	49.22%	11	16	68.75%	46.35%	1.520626	-0.075525
1	3	33.33%	47.14%	11	17	64.71%	47.79%	0.401952	-0.75563
3	3	100.00%							
1	4	25.00%	43.30%	11	17	64.71%	47.79%	0.879837	-0.465097
2	9	22.22%	41.57%	396	694	57.06%	49.50%	1.758184	0.0689
23:35	5	4:43	2:46	55:29	14	3:58	2:50	0.473299	-0.712255
28:01	7	4:00	2:12	7:47	1	7:47	0:00		
29:06	8	3:38	3:12	7:47	1	7:47	0:00		
208:30	34	6:08	4:34	57:56	15	3:52	2:45	1.750686	0.064342
587:33	61	9:38	9:15	168276:56	3,619	46:30	199:08	-1.433905	-1.871753
25:35	3	8:32	7:58	69:20	15	4:37	5:14	0.742144	-0.548808
8:23	3	2:48	1:04						
19:47	4	4:57	2:44	69:20	15	4:37	5:14	0.302855	-0.815877
38:22	2	19:11	5:46	34763:23	931	37:20	47:13	-0.54318	-1.33023
8	1,372	0.58%	7.61%	32	2,417	1.32%	11.43%	-1.917563	-2.165795
0	70,552	0.00%		0	55,921	0.00%			
0	59	0.00%		4,182	323,898	1.29%	11.29%	-0.878408	-1.534034
0	216	0.00%		34	2,751	1.24%	11.05%	-1.583099	-1.962456

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
7	2,161	0.32%	5.68%	1	950	0.11%	3.24%	1.732211	0.05311
11	14,624	0.08%	2.74%	1	951	0.11%	3.24%	-0.275986	-1.167788
38	4,697	0.81%	8.96%	33	2,455	1.34%	11.52%	-1.866037	-2.13447
0	22	0.00%		34	2,744	1.24%	11.06%	-0.523278	-1.31813
63	23,630	0.27%	5.16%	5,046	482,053	1.05%	10.18%	-11.504931	-7.994501
1	34,032	0.00%	0.02%						-2.988449
0	13,063	0.00%	0.01%						-2.996472
4	34,128	0.01%							
0	13,063	0.00%							
39	2	19.50							
426	11	38.73	26.76						
0	1	0.00	0.00	256	2	128.00	135.76	-0.7698	-1.468005
1,335	40	33.38	49.37	43,405	362	119.90	193.72	-2.680719	-2.629761
5	11	45.45%	49.79%						
1	1	100.00%	0.00%	2	2	100.00%	0.00%		
23	40	57.50%	49.43%	153	362	42.27%	49.40%	1.943134	0.181341
3	3	100.00%							
2	2	100.00%	0.00%	2	2	100.00%	0.00%		
152	161	94.41%							
48	49	97.96%	14.14%	1	1	100.00%	0.00%	-2.053749	-2.248591
89	93	95.70%							
2	2	100.00%							
4	4	100.00%	0.00%						
14	14	100.00%							
2	2	100.00%	0.00%						
9	3	3.00							
7	1	7.00	0.00						
300	101	2.97							
193	34	5.68							
455	90	5.06							
0	1	0.00							
10	1	10.00	0.00						
24	8	3.00							
7	2	3.50							
3,535	3,559	99.33%							
6846.35	19,561	0.35							
15751.78	13,018	1.21							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
22598.13	19,561	1.16							
3146.25	4,195	0.75							
3727.65	4,195	0.89							
720.30	1,715	0.42							
1241.15	1,205	1.03							
1961.45	1,715	1.14							
3223.08	3,837	0.84							
8107.65	3,771	2.15							
11330.73	3,837	2.95							
8216.53	7,679	1.07							
6486.00	5,640	1.15							
14702.53	7,679	1.91							
2265.90	1,079	2.10							
655.05	1,191	0.55							
2920.95	1,079	2.71							
3686.58	6,827	0.54							
7878.00	13,130	0.60							
11564.58	6,827	1.69							
264.75	1,059	0.25							
817.54	1,994	0.41							
1237.11	959	1.29							
2319.40	1,994	1.16							
2293.41	3,423	0.67							
51346.01	2,701	19.01							
53639.42	3,423	15.67							
8412.78	4,523	1.86							
7614.30	4,479	1.70							
67178.52	6,876	9.77							
26253.76	6,311	4.16							
47120.81	3,373	13.97							
3863.25	765	5.05							
15057.00	4,780	3.15							
3895.20	3,246	1.20							
5612.12	1,622	3.46							
2,555	3,173	80.52%							
39	76	51.32%							
466	555	83.96%							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
2,555	2,561	99.77%							
39	39	100.00%							
466	470	99.15%							
1:38	1	1:38							
165:50	169	0:59							
183	183	100.00%							
458	458	100.00%							
2,289	2,290	99.96%							
108	108	100.00%							
175	179	97.77%							
502	502	100.00%							
18	18	100.00%							
22	60	36.67%	48.19%	2	90	2.22%	14.74%	-14.020278	-9.523724
1,671	1,673	99.88%							
1,244,310	1,244,440	99.99%							
21,945	21,945	100.00%							
2,286	2,287	99.96%	2.09%	60,711	61,511	98.70%	11.33%	-5.20913	-4.166926
21,945	21,945	100.00%							
3,466,468	3,229,169	1.07							
4394.53	29,217	0.15							
30,420	30,420	100.00%							
30,420	30,420	100.00%							
30,420	30,420	100.00%							
43,140	43,140	100.00%							
41,925	41,925	100.00%							
22,500	22,500	100.00%							
0	0								
7	11	63.64%	48.10%	10	19	52.63%	49.93%	-0.581737	-1.353671
0	1	0.00%	0.00%						
2	8	25.00%							
6	9	66.67%							
18	49	36.73%	48.21%	10	21	47.62%	49.94%	0.589479	-0.641622
4	9	44.44%	49.69%	10	15	66.67%	47.14%	0.642636	-0.609305
0	1	0.00%	0.00%	0	1	0.00%	0.00%		
6	6	100.00%	0.00%	10	15	66.67%	47.14%	-1.46385	-1.889958
3	5	60.00%	48.99%	356	616	57.79%	49.39%	-0.099554	-1.060524
1	1	100.00%	0.00%	2,250	4,491	50.10%	50.00%	-0.997887	-1.606672

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
20:53	1	20:53	0:00	28981:34	756	38:20	64:24	-0.270834	-1.164655
58:21	11	5:18	4:34	79:00	16	4:56	4:02	0.133245	-0.918993
5:46	1	5:46	0:00						
56:16	8	7:02	3:24	12:46	1	12:46	0:00		
29:29	9	3:17	1:51	12:46	1	12:46	0:00		
299:26	49	6:07	5:45	96:38	18	5:22	4:02	0.579873	-0.647462
847:31	63	13:27	14:11	146070:21	3,670	39:48	84:50	-2.444271	-2.486011
37:02	9	4:07	2:20	51:35	13	3:58	3:20	-0.032592	-1.019814
6:15	1	6:15	0:00	5:50	1	5:50	0:00		
17:08	6	2:51	0:41	51:35	13	3:58	3:20	-0.675382	-1.410603
26:24	8	3:18	0:44	29686:35	788	37:40	63:27	-1.524559	-1.926866
0	1	0.00%	0.00%	0	1	0.00%	0.00%		
1	11	9.09%	28.75%	5	22	22.73%	41.91%	-0.881176	-1.535717
0	1	0.00%	0.00%						
0	8	0.00%	0.00%	0	1	0.00%	0.00%		
0	9	0.00%	0.00%	0	1	0.00%	0.00%		
8	49	16.33%	36.96%	5	22	22.73%	41.91%	-0.595146	-1.361823
7	63	11.11%	31.43%	508	4,043	12.56%	33.15%	-0.345461	-1.210025
3	9	33.33%	47.14%	1	15	6.67%	24.94%	1.124338	-0.316451
0	1	0.00%	0.00%	0	1	0.00%	0.00%		
2	6	33.33%	47.14%	1	15	6.67%	24.94%	0.899435	-0.453182
0	8	0.00%	0.00%	98	839	11.68%	32.12%	-1.023737	-1.622388
20	1,407	1.42%	11.84%	34	2,439	1.39%	11.72%	0.069937	-0.957481
2	70,788	0.00%	0.53%	1	56,233	0.00%	0.42%	0.439535	-0.732782
0	60	0.00%		4,121	326,985	1.26%	11.16%	-0.875039	-1.531986
1	211	0.47%	6.87%	37	2,778	1.33%	11.46%	-1.048065	-1.637178
8	2,239	0.36%	5.97%	1	968	0.10%	3.21%	2.055442	0.24962
9	14,797	0.06%	2.47%	1	969	0.10%	3.21%	-0.39801	-1.241973
55	4,750	1.16%	10.70%	36	2,480	1.45%	11.96%	-0.991252	-1.602639
0	22	0.00%		37	2,771	1.34%	11.48%	-0.543495	-1.330422
71	23,967	0.30%	5.43%	4,882	486,100	1.00%	9.97%	-10.732325	-7.52479
8	33,960	0.02%	0.25%						-2.927491
1	13,087	0.01%	0.09%						-2.974417
12	34,032	0.03%							
1	13,087	0.01%							
157	3	52.33							
246	6	41.00	0.00						

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
974	12	81.17	34.64	61,008	413	147.72	207.15	-1.0971	-1.66699
0	6	0.00%	0.00%						
2	12	16.67%	37.27%	192	413	46.49%	49.88%	-2.041821	-2.241339
0	1	0.00%							
4	4	100.00%							
2	2	100.00%	0.00%						
1	1	100.00%							
121	123	98.37%							
39	40	97.50%	15.61%	1	4	25.00%	43.30%	-3.192795	-2.941081
35	40	87.50%							
4	5	80.00%							
2	2	100.00%	0.00%	1	2	50.00%	50.00%	-1	-1.607957
4	4	100.00%	0.00%						
1	1	100.00%							
5	1	5.00							
5	1	5.00							
340	99	3.43							
113	23	4.91							
174	41	4.24							
5	1	5.00							
16	4	4.00							
5	1	5.00							
4	4	100.00%	0.00%	3	3	100.00%	0.00%		
1	1	100.00%	0.00%	2	4	50.00%	50.00%	-0.894427	-1.543773
1	1	100.00%	0.00%	4	4	100.00%	0.00%		
135	135	100.00%	0.00%	4	4	100.00%	0.00%		
47	47	100.00%	0.00%	2	4	50.00%	50.00%	-1.919967	-2.167257
39	42	92.86%	25.75%	1,904	2,022	94.16%	23.44%	0.122746	-0.925376
3,574	3,580	99.83%							
6544.66	19,249	0.34							
15825.84	12,972	1.22							
22370.50	19,249	1.16							
3308.54	4,471	0.74							
3797.28	4,471	0.85							
701.22	1,798	0.39							
1356.48	1,256	1.08							
2057.70	1,798	1.14							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
3295.45	3,877	0.85							
8364.16	3,734	2.24							
11659.61	3,877	3.01							
8078.70	7,694	1.05							
6486.00	5,640	1.15							
14564.70	7,694	1.89							
2371.81	1,093	2.17							
697.16	1,202	0.58							
3068.97	1,093	2.81							
3315.00	6,500	0.51							
7924.84	12,782	0.62							
11239.84	6,500	1.73							
246.33	1,071	0.23							
773.96	1,759	0.44							
1097.46	871	1.26							
2117.75	1,759	1.20							
2467.25	3,475	0.71							
48167.14	2,558	18.83							
50634.39	3,475	14.57							
8412.78	4,523	1.86							
7300.77	4,479	1.63							
66721.92	6,726	9.92							
26569.31	6,311	4.21							
46040.56	3,368	13.67							
3991.25	775	5.15							
15372.00	4,880	3.15							
3680.60	3,346	1.10							
5266.12	1,522	3.46							
2,248	2,827	79.52%							
32	72	44.44%							
428	527	81.21%							
2,248	2,260	99.47%							
32	32	100.00%							
428	428	100.00%							
324:28	164	1:59							
32	32	100.00%							
429	429	100.00%							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
2,066	2,066	100.00%							
13	13	100.00%							
182	184	98.91%							
469	469	100.00%							
20	20	100.00%							
6	24	25.00%	43.30%	12	92	13.04%	33.68%	-1.548915	-1.941674
1,584	1,584	100.00%							
1,204,113	1,276,510	94.33%							
22,437	22,437	100.00%							
3,365	3,367	99.94%	2.44%	57,013	57,752	98.72%	11.24%	-6.123633	-4.722904
22,437	22,437	100.00%							
3,224,472	2,968,433	1.09							
8678.44	30,355	0.29							
29,520	29,520	100.00%							
29,520	29,520	100.00%							
29,520	29,520	100.00%							
41,760	41,760	100.00%							
40,740	40,740	100.00%							
21,960	21,960	100.00%							
0	0								
3	10	30.00%	45.83%	8	16	50.00%	50.00%	0.590424	-0.641048
1	1	100.00%	0.00%	1	1	100.00%	0.00%		
7	15	46.67%							
8	16	50.00%							
16	26	61.54%	48.65%	10	18	55.56%	49.69%	-0.392678	-1.238731
3	6	50.00%	50.00%	7	12	58.33%	49.30%	-0.159464	-1.096947
1	2	50.00%	50.00%						
1	2	50.00%							
3	3	100.00%	0.00%	7	12	58.33%	49.30%	-1.309307	-1.796002
1	3	33.33%	47.14%	413	805	51.30%	49.98%	0.046599	-0.97167
55:03	2	27:31	1:58	188009:45	3,859	48:43	74:36	-0.401659	-1.244192
64:33	10	6:27	2:38	90:16	14	6:27	6:29	0.040117	-0.975611
0:58	1	0:58	0:00	2:43	1	2:43	0:00		
68:23	15	4:34	2:56	13:48	2	6:54	6:23	-0.486883	-1.296004
88:32	16	5:32	5:55	13:48	2	6:54	6:23	-0.285278	-1.173437
141:00	26	5:25	4:23	93:27	15	6:14	6:19	-0.394391	-1.239772
907:49	78	11:38	10:43	212183:55	4,738	44:47	69:12	-4.196181	-3.551097

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
24:21	6	4:03	2:02	51:21	10	5:08	4:13	-0.494711	-1.300763
4:27	2	2:13	2:32						
7:08	2	3:34	1:04						
8:58	3	2:59	0:39	51:21	10	5:08	4:13	-0.773562	-1.470292
44:16	8	5:32	4:59	56737:46	1,004	56:31	168:58	-0.849942	-1.516728
0	2	0.00%	0.00%	525	4,109	12.78%	33.38%	-0.541134	-1.328986
1	10	10.00%	30.00%	6	19	31.58%	46.48%	-1.188268	-1.722416
0	1	0.00%	0.00%	0	1	0.00%	0.00%		
0	15	0.00%	0.00%	0	2	0.00%	0.00%		
1	16	6.25%	24.21%	0	2	0.00%	0.00%	-1.22064	-1.742097
5	26	19.23%	39.41%	6	19	31.58%	46.48%	-0.88017	-1.535105
9	78	11.54%	31.95%	657	5,168	12.71%	33.31%	-0.309036	-1.18788
1	6	16.67%	37.27%	2	12	16.67%	37.27%	0	-1
0	2	0.00%	0.00%						
0	2	0.00%	0.00%						
0	3	0.00%	0.00%	2	12	16.67%	37.27%	-0.69282	-1.421205
0	8	0.00%	0.00%	125	1,072	11.66%	32.09%	-1.023789	-1.62242
16	1,452	1.10%	10.44%	28	2,479	1.13%	10.57%	-0.078916	-1.047977
3	71,316	0.00%	0.65%	1	56,090	0.00%	0.42%	1.017141	-0.381622
2	60	3.33%	17.95%	5,258	329,875	1.59%	12.52%	0.680407	-0.586342
0	211	0.00%		31	2,821	1.10%	10.43%	-1.47692	-1.897903
15	2,269	0.66%	8.10%	2	980	0.20%	4.51%	2.649206	0.610603
18	14,887	0.12%	3.48%	2	981	0.20%	4.51%	-0.557985	-1.339231
29	4,788	0.61%	7.76%	30	2,518	1.19%	10.85%	-2.19301	-2.333255
0	22	0.00%		31	2,813	1.10%	10.44%	-0.493199	-1.299844
86	24,249	0.35%	5.94%	6,240	490,338	1.27%	11.21%	-12.448446	-8.568118
2	2	100.00%	0.00%	3,202	4,109	77.93%	41.47%	-0.752493	-1.457483
5	34,200	0.01%	0.10%						-2.959221
0	13,111	0.00%	0.04%						-2.989786
5	34,224	0.01%							
0	13,111	0.00%							
130	1	130.00							
140	8	17.50	6.48						
760	10	76.00	0.00	76,071	461	165.01	230.89	-1.206094	-1.733253
2	8	25.00%	43.30%						
0	10	0.00%	0.00%	199	461	43.17%	49.53%	-2.726565	-2.657634
1	1	100.00%							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
6	6	100.00%							
157	171	91.81%							
29	39	74.36%	43.67%						
18	20	90.00%							
1	1	100.00%							
1	1	100.00%	0.00%						
0	3	0.00%	0.00%						
28	28	100.00%							
5	1	5.00							
12	6	2.00							
476	127	3.75							
202	31	6.52							
59	15	3.93							
5	1	5.00							
22	2	11.00							
70	14	5.00							
1	1	100.00%	0.00%	3	3	100.00%	0.00%		
4	6	66.67%	47.14%	5	7	71.43%	45.18%	-0.405222	-1.246357
168	172	97.67%	15.07%	5	7	71.43%	45.18%	-1.506764	-1.916048
42	43	97.67%	15.07%						
48	48	100.00%	0.00%	1,975	2,124	92.98%	25.54%	-1.881818	-2.144064
26	26	100.00%							
10,072	10,074	99.98%							
6417.18	19,446	0.33							
15693.60	13,078	1.20							
22110.78	19,446	1.14							
3072.24	4,267	0.72							
3564.94	4,267	0.84							
704.38	1,718	0.41							
1314.60	1,252	1.05							
2018.98	1,718	1.18							
3083.67	3,807	0.81							
7957.00	3,650	2.18							
11040.67	3,807	2.90							
8012.59	7,351	1.09							
6542.40	5,640	1.16							
14554.99	7,351	1.98							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
2284.37	1,093	2.09							
603.72	1,161	0.52							
2888.09	1,093	2.64							
3804.08	6,793	0.56							
7014.70	12,754	0.55							
10818.78	6,793	1.59							
268.75	1,075	0.25							
731.05	1,860	0.39							
1263.39	980	1.29							
2263.19	1,860	1.22							
2306.04	3,494	0.66							
53203.83	2,787	19.09							
55509.87	3,494	15.89							
8593.70	4,523	1.90							
7830.09	4,579	1.71							
67806.72	6,976	9.72							
26168.94	6,321	4.14							
47050.96	3,368	13.97							
4011.35	785	5.11							
15917.40	4,780	3.33							
3775.20	3,146	1.20							
5612.12	1,622	3.46							
2,224	2,786	79.83%							
53	92	57.61%							
382	505	75.64%							
2,224	2,235	99.51%							
53	53	100.00%							
382	382	100.00%							
238:11	182	1:19							
53	53	100.00%							
352	352	100.00%							
1,998	1,998	100.00%							
15	15	100.00%							
208	210	99.05%							
507	508	99.80%							
25	25	100.00%							
23	46	50.00%	50.00%	4	76	5.26%	22.33%	-10.724782	-7.520204

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
1,589	1,590	99.94%							
1,303,574	1,303,574	100.00%							
21,980	21,980	100.00%							
3,152	3,157	99.84%	3.98%	61,352	62,168	98.69%	11.38%	-5.558625	-4.379404
21,980	21,980	100.00%							
3,218,985	3,054,395	1.05							
5070.86	31,421	0.16							
29,880	29,880	100.00%							
29,880	29,880	100.00%							
29,880	29,880	100.00%							
42,840	42,840	100.00%							
41,565	41,565	100.00%							
21,600	21,600	100.00%							
0	0								
11	20	55.00%	49.75%	9	17	52.94%	49.91%	-0.125038	-1.076017
2	7	28.57%							
18	22	81.82%							
18	35	51.43%	49.98%	9	18	50.00%	50.00%	-0.098506	-1.059888
8	12	66.67%	47.14%	21	28	75.00%	43.30%	0.177325	-0.892194
1	1	100.00%	0.00%						
0	1	0.00%							
6	10	60.00%	48.99%	23	30	76.67%	42.30%	0.63075	-0.616531
5	18	27.78%	44.79%	366	774	47.29%	49.93%	1.411578	-0.141822
116:37	20	5:50	7:58	80:25	12	6:42	4:36	-0.518774	-1.315392
39:46	7	5:41	2:38						
79:11	22	3:36	4:21						
158:14	35	4:31	2:55	91:06	14	6:30	4:32	-1.387048	-1.843265
574:04	64	8:58	7:14	177153:16	4,309	41:07	41:43	-6.117521	-4.719189
45:04	12	3:45	3:07	112:38	24	4:42	5:03	-0.525437	-1.319443
0:25	1	0:25	0:00						
5:51	1	5:51	0:00						
33:53	10	3:23	1:53	117:56	26	4:32	4:52	-0.632972	-1.384819
32:39	4	8:10	4:11	56129:54	1,100	51:02	40:55	-2.091659	-2.271639
2	20	10.00%	30.00%	1	19	5.26%	22.33%	-0.049527	-1.030111
3	7	42.86%	49.49%						
2	23	8.70%	28.18%						
2	35	5.71%	23.21%	1	19	5.26%	22.33%	-0.581778	-1.353696

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
6	64	9.38%	29.15%	691	4,739	14.58%	35.29%	-1.172249	-1.712677
1	12	8.33%	27.64%	8	30	26.67%	44.22%	-1.21376	-1.737914
0	1	0.00%	0.00%						
0	1	0.00%	0.00%						
2	10	20.00%	40.00%	8	30	26.67%	44.22%	-0.412861	-1.251002
1	4	25.00%	43.30%	162	1,160	13.97%	34.66%	0.116725	-0.929036
32	1,476	2.17%	14.56%	45	2,501	1.80%	13.29%	0.845157	-0.486181
1	72,444	0.00%	0.37%	0	56,114	0.00%			
0	59	0.00%		4,935	333,078	1.48%	12.08%	-0.941889	-1.572628
0	209	0.00%		50	2,842	1.76%	13.15%	-1.867202	-2.135178
7	2,316	0.30%	5.49%	0	990	0.00%			
23	15,118	0.15%	3.90%	0	991	0.00%			
45	4,880	0.92%	9.56%	48	2,536	1.89%	13.63%	-2.909708	-2.768977
0	23	0.00%		49	2,837	1.73%	13.03%	-0.633231	-1.384977
68	24,594	0.28%	5.25%	5,884	494,466	1.19%	10.84%	-12.894503	-8.839301
2	34,704	0.01%	0.05%						-2.984419
0	13,111	0.00%	0.01%						-2.996485
6	34,872	0.02%							
0	13,111	0.00%							
128	2	64.00							
45	15	3.00	2.27	20	1	20.00	0.00		
11	5	2.20	0.84	163	1	163.00	0.00		
560	10	56.00	0.00	74,566	449	166.07	229.28	-1.501517	-1.912858
6	15	40.00%	48.99%	1	1	100.00%	0.00%		
2	5	40.00%	48.99%	1	1	100.00%	0.00%		
0	10	0.00%	0.00%	197	449	43.88%	49.62%	-2.765347	-2.681212
3	4	75.00%							
5	5	100.00%	0.00%						
203	210	96.67%							
24	26	92.31%	26.65%	3	4	75.00%	43.30%	-0.744208	-1.452447
67	68	98.53%							
7	7	100.00%							
2	2	100.00%	0.00%						
2	3	66.67%							
2	5	40.00%	48.99%						
7	7	100.00%							
5	1	5.00							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
44	2	22.00	0.00						
428	158	2.71							
109	22	4.95							
312	62	5.03							
2	1	2.00							
22	1	22.00	0.00						
7	2	3.50							
40	5	8.00							
35	7	5.00							
10	10	100.00%	0.00%						
232	240	96.67%	17.95%	1	1	100.00%	0.00%	-1.835781	-2.116076
31	31	100.00%	0.00%	4	4	100.00%	0.00%		
78	78	100.00%	0.00%	2,195	2,331	94.17%	23.44%	-2.162481	-2.314695
2	2	100.00%							
3,996	3,999	99.92%							
6537.96	19,812	0.33							
15899.28	12,822	1.24							
22437.24	19,812	1.13							
3104.69	4,253	0.73							
3614.84	4,253	0.85							
701.92	1,712	0.41							
1387.80	1,285	1.08							
2089.72	1,712	1.22							
3022.92	3,732	0.81							
8212.32	3,802	2.16							
11235.24	3,732	3.01							
8516.17	7,813	1.09							
6486.00	5,640	1.15							
15002.17	7,813	1.92							
2258.88	1,086	2.08							
618.51	1,167	0.53							
2877.39	1,086	2.65							
3769.36	6,731	0.56							
6994.08	12,952	0.54							
10763.44	6,731	1.60							
250.47	1,089	0.23							
730.36	1,922	0.38							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
1285.70	989	1.30							
2266.53	1,922	1.18							
2251.84	3,632	0.62							
53180.40	2,730	19.48							
55432.24	3,632	15.26							
8412.78	4,523	1.86							
7801.30	4,589	1.70							
66903.48	6,876	9.73							
26127.54	6,311	4.14							
48447.96	3,468	13.97							
4037.60	784	5.15							
16703.10	4,986	3.35							
3895.20	3,246	1.20							
5612.12	1,622	3.46							
2,395	2,881	83.13%							
40	105	38.10%							
600	726	82.64%							
2,395	2,403	99.67%							
40	40	100.00%							
600	602	99.67%							
5:30	3	1:50							
250:49	151	1:40							
39	39	100.00%							
577	577	100.00%							
2,215	2,215	100.00%							
17	17	100.00%							
227	229	99.13%							
440	440	100.00%							
4	4	100.00%							
49	49	100.00%							
19	48	39.58%	48.90%	5	98	5.10%	22.00%	-8.894886	-6.407706
1,612	1,615	99.81%							
1,314,952	1,314,996	100.00%							
21,340	21,340	100.00%							
3,382	3,385	99.91%	2.98%	64,408	65,283	98.66%	11.50%	-6.174842	-4.754037
21,340	21,340	100.00%							
2	2	100.00%							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
3,604,684	3,454,854	1.04							
5866.37	37,226	0.16							
29,520	29,520	100.00%							
29,520	29,520	100.00%							
29,520	29,520	100.00%							
41,760	41,760	100.00%							
40,740	40,740	100.00%							
21,960	21,960	100.00%							
0	0								
2	5	40.00%	48.99%	5	13	38.46%	48.65%	-0.060093	-1.036534
1	1	100.00%	0.00%						
10	12	83.33%							
9	16	56.25%							
29	42	69.05%	46.23%	8	16	50.00%	50.00%	-1.296705	-1.788341
4	5	80.00%	40.00%	14	23	60.87%	48.80%	-0.794396	-1.482959
1	1	100.00%							
1	1	100.00%							
2	2	100.00%	0.00%	14	22	63.64%	48.10%	-1.023533	-1.622264
3	5	60.00%	48.99%	308	607	50.74%	49.99%	-0.41241	-1.250727
22:45	5	4:33	2:52	74:41	12	6:13	5:24	-0.581835	-1.35373
3:04	1	3:04	0:00						
34:30	12	2:53	1:17	59:19	1	59:19	0:00		
113:01	16	7:04	7:31	59:19	1	59:19	0:00		
169:05	42	4:02	3:51	83:26	14	5:58	4:58	-1.262701	-1.767667
345:28	52	6:39	5:02	146392:39	3,179	46:03	153:20	-1.838218	-2.117557
34:34	5	6:55	9:45	85:56	21	4:06	3:06	0.896473	-0.454983
1:38	1	1:38	0:00						
2:27	1	2:27	0:00						
4:41	2	2:21	0:32	81:17	20	4:04	3:10	-0.731873	-1.444947
79:01	8	9:53	8:07	31211:48	729	42:49	40:17	-2.300119	-2.398373
0	5	0.00%	0.00%	5	17	29.41%	45.56%	-1.268798	-1.771374
0	1	0.00%	0.00%						
0	12	0.00%	0.00%	0	1	0.00%	0.00%		
0	16	0.00%	0.00%	0	1	0.00%	0.00%		
4	42	9.52%	29.35%	5	17	29.41%	45.56%	-1.518401	-1.923122
8	52	15.38%	36.08%	413	3,480	11.87%	32.34%	0.597587	-0.636693
1	5	20.00%	40.00%	4	23	17.39%	37.90%	-0.405979	-1.246818

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
0	1	0.00%	0.00%						
0	1	0.00%	0.00%						
0	2	0.00%	0.00%	4	23	17.39%	37.90%	-0.622389	-1.378386
1	8	12.50%	33.07%	99	775	12.77%	33.38%	-0.023114	-1.014053
10	1,522	0.66%	8.08%	36	2,529	1.42%	11.85%	-1.994459	-2.212545
1	72,722	0.00%	0.37%	1	58,274	0.00%	0.41%	-0.14803	-1.089996
0	62	0.00%		3,532	336,819	1.05%	10.19%	-0.810507	-1.492754
0	209	0.00%		40	2,873	1.39%	11.72%	-1.658561	-2.008333
13	2,414	0.54%	7.32%	1	998	0.10%	3.16%	3.681361	1.238109
17	15,350	0.11%	3.33%	1	999	0.10%	3.16%	0.103134	-0.937299
44	4,965	0.89%	9.37%	38	2,564	1.48%	12.08%	-2.027686	-2.232746
0	23	0.00%		40	2,869	1.39%	11.73%	-0.567994	-1.345316
60	24,973	0.24%	4.90%	4,255	499,173	0.85%	9.19%	-10.268987	-7.243101
9	34,560	0.03%	0.13%						-2.923354
0	13,039	0.00%	0.03%						-2.989067
14	34,776	0.04%							
0	13,039	0.00%							
89	1	89.00							
128	4	32.00	0.00						
419	13	32.23	5.26	74,416	486	153.12	215.97	-1.991754	-2.2109
4	4	100.00%	0.00%						
0	13	0.00%	0.00%	178	486	36.63%	48.18%	-2.705043	-2.644549
1	1	100.00%							
3	3	100.00%	0.00%	2	2	100.00%	0.00%		
2	2	100.00%							
181	190	95.26%							
38	43	88.37%	32.06%	1	1	100.00%	0.00%	-1.207414	-1.734056
18	24	75.00%							
4	8	50.00%							
2	2	100.00%	0.00%	3	3	100.00%	0.00%		
1	1	100.00%							
35	35	100.00%							
8	8	100.00%	0.00%	1	3	33.33%	47.14%	-2.088932	-2.26998
3	1	3.00							
8	1	8.00	0.00	22	1	22.00	0.00		
6	2	3.00							
342	122	2.80							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
220	35	6.29							
134	25	5.36							
47	5	9.40							
3	1	3.00							
143	33	4.33							
40	8	5.00							
7	7	100.00%	0.00%	6	7	85.71%	34.99%	-0.763763	-1.464335
1	1	100.00%	0.00%	4	4	100.00%	0.00%		
3	3	100.00%	0.00%	5	5	100.00%	0.00%		
225	231	97.40%	15.91%	5	5	100.00%	0.00%	-1.16603	-1.708896
43	51	84.31%	36.37%	4	4	100.00%	0.00%	-0.057635	-1.035039
25	25	100.00%	0.00%	2,353	2,515	93.56%	24.55%	-1.305475	-1.793673
3,611	3,611	100.00%							
6662.98	19,597	0.34							
15762.67	13,027	1.21							
22425.65	19,597	1.14							
3261.00	4,348	0.75							
3769.95	4,348	0.87							
780.45	1,815	0.43							
1345.68	1,246	1.08							
2126.13	1,815	1.17							
3350.85	3,765	0.89							
7659.08	3,718	2.06							
11009.93	3,765	2.92							
8026.79	7,793	1.03							
6894.81	5,893	1.17							
14921.60	7,793	1.91							
2329.02	1,026	2.27							
628.02	1,163	0.54							
2957.04	1,026	2.88							
3481.40	6,695	0.52							
7741.98	13,122	0.59							
11223.38	6,695	1.68							
224.07	1,067	0.21							
778.59	1,899	0.41							
1138.32	918	1.24							
2140.98	1,899	1.13							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
2578.01	3,631	0.71							
53737.32	2,812	19.11							
56315.33	3,631	15.51							
8597.50	4,525	1.90							
7777.38	4,602	1.69							
67038.84	6,897	9.72							
26711.25	6,375	4.19							
47873.10	3,586	13.35							
3959.20	784	5.05							
15150.72	4,856	3.12							
3940.97	3,257	1.21							
5619.04	1,624	3.46							
2,571	3,080	83.47%							
42	89	47.19%							
410	506	81.03%							
2,571	2,584	99.50%							
42	42	100.00%							
410	410	100.00%							
2:07	2	1:03							
378:34	201	1:53							
34	34	100.00%							
368	368	100.00%							
2,373	2,373	100.00%							
11	11	100.00%							
195	200	97.50%							
474	474	100.00%							
2	2	100.00%							
26	26	100.00%							
13	27	48.15%	49.97%	7	90	7.78%	26.78%	-6.869536	-5.176381
1,691	1,694	99.82%							
1,339,171	1,341,910	99.80%							
14,214	14,214	100.00%							
4,296	4,299	99.93%	2.64%	63,900	64,536	99.01%	9.88%	-5.885216	-4.577957
14,214	14,214	100.00%							
3,278,833	3,123,237	1.05							
5951.98	37,984	0.16							
30,600	30,600	100.00%							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
30,600	30,600	100.00%							
30,600	30,600	100.00%							
43,200	43,200	100.00%							
42,180	42,180	100.00%							
22,860	22,860	100.00%							
0	0								
7	10	70.00%	45.83%	8	11	72.73%	44.54%	-0.338972	-1.20608
3	5	60.00%							
14	21	66.67%							
24	37	64.86%	47.74%	9	12	75.00%	43.30%	0.274423	-0.833163
1	5	20.00%	40.00%	9	15	60.00%	48.99%	1.029158	-0.374317
1	1	100.00%							
0	2	0.00%							
3	6	50.00%	50.00%	9	15	60.00%	48.99%	-0.058236	-1.035405
5	11	45.45%	49.79%	310	610	50.82%	49.99%	0.049574	-0.969861
1	1	100.00%	0.00%	1,916	4,112	46.60%	49.88%	-1.070448	-1.650786
19:04	1	19:04	0:00	111554:51	2,943	37:54	36:57	-0.509825	-1.309952
30:53	10	3:05	3:03	29:07	9	3:14	2:49	-0.113153	-1.068792
63:35	5	12:43	19:13	2:50	1	2:50	0:00		
114:45	21	5:28	6:54	2:50	1	2:50	0:00		
147:29	37	3:59	5:32	29:07	9	3:14	2:49	0.077784	-0.952711
601:33	61	9:52	9:28	114773:54	3,201	35:51	36:23	-5.526638	-4.359957
33:12	5	6:38	3:52	73:10	12	6:06	5:18	0.181468	-0.889675
3:32	1	3:32	0:00						
16:19	2	8:10	0:22						
28:49	6	4:48	2:57	73:10	12	6:06	5:18	-0.487926	-1.296638
20:36	5	4:07	2:01	34903:52	871	40:04	38:49	-2.064831	-2.255328
0	1	0.00%	0.00%	0	2	0.00%	0.00%		
2	10	20.00%	40.00%	1	13	7.69%	26.65%	0.258319	-0.842953
0	5	0.00%	0.00%	0	1	0.00%	0.00%		
1	21	4.76%	21.30%	0	1	0.00%	0.00%	-1.690622	-2.027825
6	37	16.22%	36.86%	1	13	7.69%	26.65%	0.238761	-0.854844
3	61	4.92%	21.62%	383	3,538	10.83%	31.07%	-1.472313	-1.895103
0	5	0.00%	0.00%	1	15	6.67%	24.94%	-0.517549	-1.314648
0	1	0.00%	0.00%						
0	2	0.00%	0.00%						
0	6	0.00%	0.00%	1	15	6.67%	24.94%	-0.553283	-1.336372

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
0	5	0.00%	0.00%	103	919	11.21%	31.55%	-0.792283	-1.481674
15	1,568	0.96%	9.73%	26	2,550	1.02%	10.05%	-0.195334	-1.118755
0	73,274	0.00%		3	58,298	0.01%	0.72%	-1.292603	-1.785847
0	63	0.00%		3,706	340,742	1.09%	10.37%	-0.832233	-1.505961
1	209	0.48%	6.90%	28	2,897	0.97%	9.78%	-0.696488	-1.423435
6	2,471	0.24%	4.92%	1	1,006	0.10%	3.15%	1.216849	-0.260208
23	15,572	0.15%	3.84%	1	1,007	0.10%	3.15%	0.472551	-0.712709
43	5,024	0.86%	9.21%	27	2,583	1.05%	10.17%	-0.769188	-1.467633
0	24	0.00%		28	2,893	0.97%	9.79%	-0.482312	-1.293225
66	25,367	0.26%	5.09%	4,457	504,679	0.88%	9.36%	-10.347957	-7.291111
7	34,608	0.02%	0.18%						-2.942954
0	13,063	0.00%	0.02%						-2.991843
7	34,608	0.02%							
0	13,063	0.00%							
82	3	27.33							
968	10	96.80	73.84						
169	17	9.94	5.15	70,130	452	155.15	211.91	-2.773758	-2.686325
10	10	100.00%	0.00%						
4	17	23.53%	42.42%	171	452	37.83%	48.50%	-1.193726	-1.725734
1	1	100.00%	0.00%	1,333	1,336	99.78%	4.73%	-0.047422	-1.028831
2	2	100.00%							
2	2	100.00%	0.00%	2	2	100.00%	0.00%		
224	229	97.82%							
57	63	90.48%	29.35%	1	1	100.00%	0.00%	-1.318011	-1.801294
57	58	98.28%							
1	1	100.00%							
1	1	100.00%	0.00%	5	5	100.00%	0.00%		
3	3	100.00%							
3	3	100.00%	0.00%	3	4	75.00%	43.30%	-0.755929	-1.459572
4	4	100.00%							
10	2	5.00							
44	2	22.00	0.00						
400	140	2.86							
292	47	6.21							
269	66	4.08							
5	1	5.00							
6	2	3.00							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
15	3	5.00							
18	4	4.50							
5	5	100.00%	0.00%	11	11	100.00%	0.00%		
1	1	100.00%	0.00%	3,368	3,636	92.63%	26.13%	-0.282047	-1.171472
243	249	97.59%	15.33%	7	7	100.00%	0.00%	-1.016641	-1.618074
65	66	98.48%	12.22%	5	5	100.00%	0.00%	-1.472651	-1.895308
69	70	98.57%	11.87%	2,626	2,796	93.92%	23.90%	-1.608577	-1.977945
5,875	5,876	99.98%							
6614.36	19,454	0.34							
15586.80	12,989	1.20							
22201.16	19,454	1.14							
3232.46	4,198	0.77							
3698.18	4,198	0.88							
747.18	1,779	0.42							
1251.60	1,192	1.05							
1998.78	1,779	1.12							
3310.75	3,895	0.85							
8013.78	3,798	2.11							
11324.53	3,895	2.91							
8153.25	7,765	1.05							
6722.20	5,795	1.16							
14875.45	7,765	1.92							
2308.68	1,089	2.12							
669.20	1,195	0.56							
2977.88	1,089	2.73							
3713.60	6,752	0.55							
7574.22	13,059	0.58							
11287.82	6,752	1.67							
263.76	1,099	0.24							
812.21	1,981	0.41							
1265.92	989	1.28							
2341.89	1,981	1.18							
2571.06	3,522	0.73							
52558.95	2,759	19.05							
55130.01	3,522	15.65							
8418.64	4,478	1.88							
7903.40	4,595	1.72							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
68191.55	6,923	9.85							
26466.99	6,347	4.17							
47039.63	3,487	13.49							
3937.00	775	5.08							
15141.08	4,822	3.14							
3775.20	3,146	1.20							
5605.20	1,620	3.46							
2,654	3,251	81.64%							
36	70	51.43%							
524	660	79.39%							
2,654	2,666	99.55%							
36	37	97.30%							
524	525	99.81%							
21:15	2	10:38							
254:46	204	1:15							
22	22	100.00%							
491	491	100.00%							
2,423	2,423	100.00%							
12	12	100.00%							
223	227	98.24%							
560	560	100.00%							
2	2	100.00%							
21	21	100.00%							
28	64	43.75%	49.61%	5	103	4.85%	21.49%	-11.370783	-7.912945
1,753	1,754	99.94%							
1,327,448	1,346,228	98.61%							
13,138	13,138	100.00%							
2,760	2,767	99.75%	5.02%	59,927	60,587	98.91%	10.38%	-4.14474	-3.519823
13,138	13,138	100.00%							
1	1	100.00%							
3,148,839	2,993,806	1.05							
5746.52	37,606	0.15							
29,880	29,880	100.00%							
29,880	29,880	100.00%							
29,880	29,880	100.00%							
42,840	42,840	100.00%							
41,565	41,565	100.00%							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
21,600	21,600	100.00%							
0	0								
4	11	36.36%	48.10%	7	10	70.00%	45.83%	1.103463	-0.329142
4	6	66.67%							
8	19	42.11%							
24	42	57.14%	49.49%	8	11	72.73%	44.54%	0.582034	-0.646148
0	1	0.00%							
5	9	55.56%	49.69%	14	17	82.35%	38.12%	1.000524	-0.391724
1	1	100.00%							
0	1	0.00%							
2	3	66.67%	47.14%	14	17	82.35%	38.12%	-0.02199	-1.013369
0	3	0.00%	0.00%	223	495	45.05%	49.75%	0.96384	-0.414027
1	3	33.33%	47.14%	1,502	3,694	40.66%	49.12%	-0.35468	-1.21563
137:48	3	45:56	25:38	34424:37	701	49:06	53:31	-0.102532	-1.062335
49:01	11	4:27	1:40	22:18	5	4:28	3:06	-0.002358	-1.001434
24:27	6	4:04	3:12						
113:56	19	6:00	5:09						
198:42	42	4:44	4:24	25:52	6	4:19	2:48	0.062707	-0.961877
7:00	1	7:00	0:00	27:09	7	3:53	2:48	0.609791	-0.629273
500:17	53	9:26	11:03	120598:15	2,924	41:15	77:18	-2.968658	-2.804816
35:29	9	3:57	2:52	154:25	13	11:53	33:52	-0.540332	-1.328499
1:47	1	1:47	0:00						
8:38	1	8:38	0:00						
13:37	3	4:32	5:12	154:25	13	11:53	33:52	-0.338319	-1.205683
26:03	8	3:15	0:47	34774:37	729	47:42	53:05	-2.355403	-2.431983
0	3	0.00%	0.00%	2	4	50.00%	50.00%	-1.309307	-1.796002
4	11	36.36%	48.10%	3	12	25.00%	43.30%	0.139635	-0.915108
1	6	16.67%	37.27%	0	1	0.00%	0.00%	-1.067571	-1.649037
1	19	5.26%	22.33%	0	1	0.00%	0.00%	-1.644854	-2
6	42	14.29%	34.99%	3	12	25.00%	43.30%	-0.755929	-1.459572
0	1	0.00%	0.00%	3	12	25.00%	43.30%	-0.5547	-1.337234
3	53	5.66%	23.11%	361	3,237	11.15%	31.48%	-1.259884	-1.765955
3	9	33.33%	47.14%	3	17	17.65%	38.12%	0.433851	-0.736237
0	1	0.00%	0.00%						
0	1	0.00%	0.00%						
0	3	0.00%	0.00%	3	17	17.65%	38.12%	-0.739208	-1.449407
0	8	0.00%	0.00%	93	773	12.03%	32.53%	-1.04063	-1.632658

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
20	1,585	1.26%	11.16%	27	2,572	1.05%	10.19%	0.651583	-0.603865
0	74,042	0.00%		1	59,878	0.00%	0.41%	-0.743567	-1.452057
0	61	0.00%		3,391	343,859	0.99%	9.88%	-0.779385	-1.473833
3	206	1.46%	11.98%	29	2,919	0.99%	9.92%	0.374805	-0.772135
7	2,516	0.28%	5.27%	1	1,019	0.10%	3.13%	1.548899	-0.058336
20	15,604	0.13%	3.58%	1	1,020	0.10%	3.13%	0.297925	-0.818875
45	5,054	0.89%	9.39%	28	2,600	1.08%	10.32%	-0.74884	-1.455262
1	24	4.17%	19.98%	29	2,915	0.99%	9.92%	0.775486	-0.528538
61	25,649	0.24%	4.87%	4,010	508,504	0.79%	8.85%	-9.729879	-6.915347
7	34,512	0.02%	0.18%						-2.941168
0	13,063	0.00%	0.03%						-2.990685
11	34,680	0.03%							
0	13,063	0.00%							
45	1	45.00							
1,178	15	78.53	46.03						
125	4	31.25	11.50	162	2	81.00	24.04	-2.389453	-2.452684
15	15	100.00%	0.00%						
4	4	100.00%	0.00%	1	2	50.00%	50.00%	3.719016	1.261001
1	1	100.00%							
1	1	100.00%	0.00%	1,173	1,176	99.74%	5.04%	-0.050551	-1.030733
2	2	100.00%							
4	4	100.00%	0.00%	5	5	100.00%	0.00%		
1	1	100.00%							
187	212	88.21%							
27	36	75.00%	43.30%	1	1	100.00%	0.00%	-0.695908	-1.423082
62	69	89.86%							
4	5	80.00%							
1	1	100.00%	0.00%	3	3	100.00%	0.00%		
7	8	87.50%							
1	1	100.00%	0.00%	2	2	100.00%	0.00%		
1	1	100.00%							
4	1	4.00							
10	2	5.00							
22	1	22.00	0.00						
2	1	2.00							
586	175	3.35							
175	34	5.15							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
606	66	9.18							
22	5	4.40							
21	7	3.00							
5	1	5.00							
5	1	5.00							
6	6	100.00%	0.00%	10	10	100.00%	0.00%		
1	1	100.00%	0.00%	2,970	3,267	90.91%	28.75%	-0.316179	-1.192223
1	1	100.00%	0.00%	4	4	100.00%	0.00%		
1	1	100.00%	0.00%	1	1	100.00%	0.00%		
233	238	97.90%	14.34%	1	1	100.00%	0.00%	-2.035098	-2.237252
37	38	97.37%	16.01%	4	4	100.00%	0.00%	-1.309172	-1.79592
66	70	94.29%	23.21%	2,364	2,537	93.18%	25.21%	-0.361737	-1.21992
4	4	100.00%							
2,665	2,665	100.00%							
6405.96	19,412	0.33							
15570.00	12,975	1.20							
21975.96	19,412	1.13							
3288.48	4,216	0.78							
3876.63	4,216	0.92							
701.51	1,711	0.41							
1320.90	1,295	1.02							
2022.41	1,711	1.18							
3120.92	3,806	0.82							
8219.67	3,859	2.13							
11340.59	3,806	2.98							
8049.60	7,740	1.04							
6893.64	5,892	1.17							
14943.24	7,740	1.93							
2305.80	1,098	2.10							
630.18	1,167	0.54							
2935.98	1,098	2.67							
3619.62	6,703	0.54							
7515.64	12,958	0.58							
11135.26	6,703	1.66							
240.46	1,093	0.22							
794.00	1,985	0.40							
1214.12	956	1.27							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
2248.58	1,985	1.13							
2336.29	3,487	0.67							
52296.51	2,751	19.01							
54632.80	3,487	15.67							
8584.20	4,518	1.90							
7801.30	4,589	1.70							
67213.80	6,915	9.72							
26312.00	6,325	4.16							
46948.20	3,380	13.89							
3907.80	780	5.01							
15284.88	4,899	3.12							
3862.80	3,219	1.20							
5632.88	1,628	3.46							
2,305	2,788	82.68%							
58	103	56.31%							
475	564	84.22%							
2,305	2,309	99.83%							
58	59	98.31%							
475	475	100.00%							
23:54	3	7:58							
234:40	161	1:27							
31	31	100.00%							
432	432	100.00%							
2,136	2,136	100.00%							
25	25	100.00%							
180	181	99.45%							
441	441	100.00%							
3	3	100.00%							
8	8	100.00%							
37	87	42.53%	49.44%	4	97	4.12%	19.88%	-13.080516	-8.952389
1,718	1,720	99.88%							
1,348,684	1,351,852	99.77%							
14,883	14,883	100.00%							
2,976	2,981	99.83%	4.09%	59,664	60,272	98.99%	9.99%	-4.485574	-3.727035
14,883	14,883	100.00%							
1	1	100.00%							
3,210,363	3,071,398	1.05							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
6000.61	39,909	0.15							
29,520	29,520	100.00%							
29,520	29,520	100.00%							
29,480	29,520	99.86%							
41,760	41,760	100.00%							
40,740	40,740	100.00%							
21,960	21,960	100.00%							
0	0								
8	13	61.54%	48.65%	10	14	71.43%	45.18%	0.137136	-0.916627
1	4	25.00%							
13	16	81.25%							
23	35	65.71%	47.47%	11	15	73.33%	44.22%	0.181574	-0.889611
3	4	75.00%	43.30%	15	26	57.69%	49.40%	-0.652269	-1.396551
1	1	100.00%	0.00%						
2	2	100.00%							
8	11	72.73%	44.54%	16	28	57.14%	49.49%	-0.884995	-1.538039
8	11	72.73%	44.54%	339	582	58.25%	49.32%	-0.964749	-1.586526
28:34	1	28:34	0:00	88141:44	2,518	35:00	30:20	-0.212252	-1.12904
90:39	13	6:58	8:59	33:51	11	3:05	2:00	1.490853	-0.093626
39:21	4	9:50	9:45						
42:37	16	2:40	1:46						
126:58	35	3:38	2:02	39:55	12	3:20	2:12	0.369171	-0.77556
445:48	53	8:25	5:20	102248:24	3,092	33:04	29:35	-6.017199	-4.658197
13:02	4	3:15	2:04	102:49	20	5:08	4:51	-0.707839	-1.430336
0:55	1	0:55	0:00						
2:27	2	1:13	1:43						
42:35	11	3:52	2:47	111:17	22	5:03	4:38	-0.693939	-1.421885
57:26	5	11:29	7:47	32393:09	959	33:47	43:20	-1.147317	-1.697519
0	1	0.00%	0.00%	298	2,659	11.21%	31.55%	-0.355205	-1.215949
2	13	15.38%	36.08%	2	16	12.50%	33.07%	-0.29724	-1.180709
0	4	0.00%	0.00%						
1	16	6.25%	24.21%						
2	35	5.71%	23.21%	2	16	12.50%	33.07%	-0.679901	-1.41335
3	53	5.66%	23.11%	360	3,371	10.68%	30.89%	-1.173857	-1.713654
0	4	0.00%	0.00%	7	28	25.00%	43.30%	-1.080123	-1.656668
0	1	0.00%	0.00%						
0	2	0.00%	0.00%						

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
0	11	0.00%	0.00%	7	28	25.00%	43.30%	-1.622491	-1.986405
1	5	20.00%	40.00%	96	1,029	9.33%	29.08%	0.280525	-0.829453
17	1,621	1.05%	10.19%	40	2,636	1.52%	12.22%	-1.214744	-1.738512
1	75,770	0.00%	0.36%	0	59,662	0.00%			
1	63	1.59%	12.50%	3,698	347,786	1.06%	10.26%	0.024761	-0.984946
0	207	0.00%		44	2,990	1.47%	12.04%	-1.700433	-2.03379
4	2,593	0.15%	3.92%	0	1,023	0.00%			
18	15,699	0.11%	3.38%	0	1,024	0.00%			
46	5,101	0.90%	9.45%	43	2,666	1.61%	12.60%	-2.362111	-2.436062
0	24	0.00%		44	2,986	1.47%	12.05%	-0.596722	-1.362781
58	26,000	0.22%	4.72%	4,400	513,686	0.86%	9.22%	-10.814007	-7.57445
1	1	100.00%	0.00%	2,307	2,659	86.76%	33.89%	-0.39054	-1.237432
7	34,608	0.02%	0.18%						-2.940936
1	13,015	0.01%	0.08%						-2.979974
8	34,680	0.02%							
1	13,015	0.01%							
5	1	5.00	0.00						
25	1	25.00							
1,106	26	42.54	39.12						
52	4	13.00	8.00	122	2	61.00	24.04	-2.305402	-2.401585
0	1	0.00	0.00	59,119	374	158.07	203.78	-0.774667	-1.470964
0	1	0.00%	0.00%						
21	26	80.77%	39.41%						
4	4	100.00%	0.00%	2	2	100.00%	0.00%		
0	1	0.00%	0.00%	138	374	36.90%	48.25%	-0.763666	-1.464276
1	1	100.00%	0.00%	1,325	1,329	99.70%	5.48%	-0.054924	-1.033391
1	1	100.00%							
1	1	100.00%	0.00%	6	6	100.00%	0.00%		
199	214	92.99%							
46	47	97.87%	14.43%	1	2	50.00%	50.00%	-1.326113	-1.806219
80	92	86.96%							
1	1	100.00%							
4	4	100.00%	0.00%	1	1	100.00%	0.00%		
11	14	78.57%							
8	9	88.89%	31.43%						
8	9	88.89%							
5	1	5.00							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
582	195	2.98							
222	39	5.69							
474	100	4.74							
35	7	5.00							
13	4	3.25							
49	9	5.44							
42	9	4.67							
6	6	100.00%	0.00%	7	7	100.00%	0.00%		
1	1	100.00%	0.00%	3,357	3,632	92.43%	26.45%	-0.286174	-1.173982
235	238	98.74%	11.16%	4	4	100.00%	0.00%	-1.654911	-2.006115
58	61	95.08%	21.62%	2	2	100.00%	0.00%	-1.318298	-1.801468
106	110	96.36%	18.72%	2,663	2,820	94.43%	22.93%	-0.866534	-1.526816
1	1	100.00%							
5,870	5,871	99.98%							
6593.28	19,392	0.34							
15621.10	12,910	1.21							
22214.38	19,392	1.15							
3135.35	4,295	0.73							
3601.79	4,295	0.84							
748.86	1,783	0.42							
1313.96	1,228	1.07							
2062.82	1,783	1.16							
3190.32	3,798	0.84							
8066.60	3,805	2.12							
11256.92	3,798	2.96							
8027.76	7,719	1.04							
6672.32	5,752	1.16							
14700.08	7,719	1.90							
2298.24	1,026	2.24							
658.90	1,198	0.55							
2957.14	1,026	2.88							
3543.05	6,685	0.53							
7339.92	13,107	0.56							
10882.97	6,685	1.63							
258.00	1,075	0.24							
785.97	1,917	0.41							
1256.96	982	1.28							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
2300.93	1,917	1.20							
2349.40	3,455	0.68							
49617.00	2,682	18.50							
51966.40	3,455	15.04							
8349.54	4,489	1.86							
7779.07	4,603	1.69							
67803.20	6,835	9.92							
26258.49	6,297	4.17							
47863.92	3,588	13.34							
3858.20	764	5.05							
15693.30	4,982	3.15							
3789.60	3,158	1.20							
5580.51	1,599	3.49							
2,492	3,050	81.70%							
25	64	39.06%							
539	668	80.69%							
2,492	2,500	99.68%							
25	25	100.00%							
539	541	99.63%							
66:11	2	33:05							
267:01	151	1:46							
12	12	100.00%							
501	501	100.00%							
2,297	2,297	100.00%							
7	7	100.00%							
225	233	96.57%							
515	516	99.81%							
3	3	100.00%							
60	60	100.00%							
46	86	53.49%	49.88%	4	66	6.06%	23.86%	-12.146472	-8.384531
1,617	1,618	99.94%							
1,393,265	1,393,406	99.99%							
13,618	13,618	100.00%							
4,280	4,282	99.95%	2.16%	57,871	58,460	98.99%	9.99%	-6.076954	-4.694526
13,618	13,618	100.00%							
4,083,576	3,933,065	1.04							
6227.13	42,786	0.15							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
30,060	30,060	100.00%							
30,060	30,060	100.00%							
30,060	30,060	100.00%							
42,900	42,900	100.00%							
41,820	41,820	100.00%							
21,960	21,960	100.00%							
0	0								
8	13	61.54%	48.65%	20	23	86.96%	33.68%	1.334524	-0.188667
0	1	0.00%	0.00%						
3	6	50.00%							
20	29	68.97%							
22	46	47.83%	49.95%	19	22	86.36%	34.32%	2.872058	0.746087
5	6	83.33%	37.27%	8	12	66.67%	47.14%	-0.707107	-1.42989
2	3	66.67%	47.14%	10	15	66.67%	47.14%	0	-1
7	14	50.00%	50.00%	348	553	62.93%	48.30%	0.717299	-0.563913
0	1	0.00%	0.00%	2,129	3,791	56.16%	49.62%	0.154634	-0.905989
4:27	1	4:27	0:00	74511:40	2,463	30:15	40:06	-0.643411	-1.391166
65:40	1	65:40	0:00	26514:14	692	38:19	33:18	0.712751	-0.566678
44:12	13	3:24	2:11	47:25	17	2:47	1:40	0.830953	-0.494816
20:30	1	20:30	0:00						
55:06	6	9:11	9:18						
124:08	29	4:17	2:34						
194:58	46	4:14	3:07	43:27	16	2:43	1:46	1.959964	0.191573
752:32	63	11:57	18:56	86876:48	3,026	28:43	37:28	-3.514957	-3.136942
18:41	6	3:07	1:32	46:28	10	4:39	4:11	-0.710279	-1.431819
6:31	3	2:10	2:02	52:46	11	4:48	4:00	-1.008525	-1.61314
12:32	3	4:11	2:55	27446:49	731	37:33	33:32	-1.719798	-2.045563
0	1	0.00%	0.00%	268	2,592	10.34%	30.45%	-0.33952	-1.206414
0	1	0.00%	0.00%	1	5	20.00%	40.00%	-0.456435	-1.277493
2	13	15.38%	36.08%	2	24	8.33%	27.64%	0.149158	-0.909319
0	1	0.00%	0.00%						
2	6	33.33%	47.14%						
0	29	0.00%	0.00%						
8	47	17.02%	37.58%	2	24	8.33%	27.64%	0.612796	-0.627447
4	63	6.35%	24.38%	338	3,284	10.29%	30.39%	-1.020264	-1.620276
2	6	33.33%	47.14%	5	15	33.33%	47.14%	0	-1
0	3	0.00%	0.00%	5	15	33.33%	47.14%	-1.118034	-1.679716

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
0	3	0.00%	0.00%	73	782	9.34%	29.09%	-0.554712	-1.337241
19	1,637	1.16%	10.71%	35	2,683	1.30%	11.35%	-0.404232	-1.245756
1	75,914	0.00%	0.36%	0	59,590	0.00%			
1	62	1.61%	12.60%	3,401	351,415	0.97%	9.79%	0.118394	-0.928022
1	204	0.49%	6.98%	39	3,050	1.28%	11.24%	-0.970434	-1.589982
6	2,676	0.22%	4.73%	0	1,030	0.00%			
29	15,773	0.18%	4.28%	0	1,031	0.00%			
49	5,124	0.96%	9.73%	37	2,711	1.36%	11.60%	-1.482577	-1.901343
0	25	0.00%		39	3,046	1.28%	11.24%	-0.567101	-1.344773
66	26,259	0.25%	5.01%	4,066	518,626	0.78%	8.82%	-9.54795	-6.804742
1	1	100.00%	0.00%	2,205	2,592	85.07%	35.64%	-0.418859	-1.254648
10	34,776	0.03%	0.30%						-2.915797
1	13,567	0.01%	0.05%						-2.98461
10	34,776	0.03%							
2	13,615	0.01%							
197	2	98.50							
722	23	31.39	37.52						
76	4	19.00	0.00	62,601	475	131.79	177.10	-1.268404	-1.771135
19	23	82.61%	37.90%						
0	4	0.00%	0.00%	166	475	34.95%	47.68%	-1.459768	-1.887476
2	3	66.67%							
1	1	100.00%	0.00%	273	281	97.15%	16.63%	-0.17088	-1.103888
2	2	100.00%							
1	1	100.00%	0.00%	1,266	1,271	99.61%	6.26%	-0.06282	-1.038192
1	1	100.00%							
11	11	100.00%	0.00%	3	3	100.00%	0.00%		
62	62	100.00%							
183	212	86.32%							
52	62	83.87%	36.78%	1	4	25.00%	43.30%	-2.635448	-2.602238
44	53	83.02%							
2	2	100.00%							
11	11	100.00%	0.00%	1	1	100.00%	0.00%		
1	1	100.00%							
15	15	100.00%							
18	21	85.71%							
8	3	2.67							
7	1	7.00	0.00	850	223	3.81	5.12	1.589268	-0.033794

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
7	2	3.50							
367	62	5.92							
582	184	3.16							
258	54	4.78							
234	53	4.42							
10	2	5.00							
3	1	3.00							
42	14	3.00							
103	21	4.90							
23	23	100.00%	0.00%	5	5	100.00%	0.00%		
2	2	100.00%	0.00%	3,153	3,411	92.44%	26.44%	-0.404423	-1.245872
5	5	100.00%	0.00%	12	13	92.31%	26.65%	-0.548567	-1.333505
63	63	100.00%	0.00%	1	1	100.00%	0.00%		
242	247	97.98%	14.08%	1	1	100.00%	0.00%	-2.050429	-2.246572
66	68	97.06%	16.90%	12	13	92.31%	26.65%	-0.589025	-1.358101
75	77	97.40%	15.91%	2,469	2,612	94.53%	22.75%	-1.093883	-1.665033
4,000	4,001	99.98%							
6467.34	19,598	0.33							
15878.30	13,015	1.22							
22345.64	19,598	1.14							
3260.25	4,347	0.75							
3691.67	4,347	0.85							
740.46	1,806	0.41							
1257.90	1,198	1.05							
1998.36	1,806	1.11							
3136.50	3,825	0.82							
7568.40	3,710	2.04							
10704.90	3,825	2.80							
8076.60	7,692	1.05							
6657.35	5,789	1.15							
14733.95	7,692	1.92							
2308.68	1,089	2.12							
629.10	1,165	0.54							
2937.78	1,089	2.70							
3631.50	6,725	0.54							
7329.84	13,089	0.56							
10961.34	6,725	1.63							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
223.02	1,062	0.21							
792.54	1,887	0.42							
1216.66	958	1.27							
2232.22	1,887	1.18							
2231.46	3,381	0.66							
49381.20	2,610	18.92							
51612.66	3,381	15.27							
8567.10	4,509	1.90							
7620.48	4,536	1.68							
66802.70	6,782	9.85							
26520.00	6,375	4.16							
46393.52	3,512	13.21							
3912.81	781	5.01							
15612.25	4,925	3.17							
3764.40	3,137	1.20							
5565.12	1,581	3.52							
2,476	3,037	81.53%							
36	85	42.35%							
449	567	79.19%							
2,476	2,482	99.76%							
36	36	100.00%							
449	450	99.78%							
55:57	3	18:39							
223:09	179	1:15							
29	29	100.00%							
380	380	100.00%							
2,271	2,272	99.96%							
16	16	100.00%							
232	242	95.87%							
516	516	100.00%							
5	5	100.00%							
23	23	100.00%							
45	87	51.72%	49.97%	14	80	17.50%	38.00%	-5.814775	-4.535132
1,446	1,448	99.86%							
1,398,566	1,398,600	100.00%							
13,874	13,874	100.00%							
2,964	2,974	99.66%	5.79%	59,900	60,527	98.96%	10.13%	-3.679086	-3.236726

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
13,874	13,874	100.00%							
0	4	0.00%							
4	4	100.00%							
3,748,347	3,614,490	1.04							
5752.94	34,960	0.16							
28,956	29,340	98.69%							
29,340	29,340	100.00%							
29,340	29,340	100.00%							
40,857	41,700	97.98%							
39,601	40,485	97.82%							
21,600	21,600	100.00%							
0	0								
7	11	63.64%	48.10%	16	19	84.21%	36.46%	0.840359	-0.489098
1	9	11.11%							
21	32	65.63%							
14	23	60.87%	48.80%	17	21	80.95%	39.27%	1.128493	-0.313925
3	6	50.00%	50.00%	18	24	75.00%	43.30%	0.714975	-0.565326
1	1	100.00%	0.00%						
1	1	100.00%							
4	6	66.67%	47.14%	18	24	75.00%	43.30%	-0.049	-1.02979
6	7	85.71%	34.99%	363	663	54.75%	49.77%	-1.637243	-1.995373
0	1	0.00%	0.00%	2,000	4,053	49.35%	50.00%	-0.016695	-1.01015
74:19	1	74:19	0:00	108929:48	3,097	35:10	41:54	1.378659	-0.161835
67:39	11	6:09	8:23	38:14	14	2:44	2:27	1.589268	-0.033794
63:54	9	7:06	2:51	16:16	2	8:08	0:34	-2.336703	-2.420614
152:39	32	4:46	5:26	16:16	2	8:08	0:34	-8.156517	-5.95881
90:29	23	3:56	3:29	64:22	16	4:01	5:52	-0.046587	-1.028323
838:39	61	13:45	25:36	112480:53	3,284	34:15	41:22	-3.836087	-3.332175
23:34	6	3:56	1:40	131:55	17	7:46	18:20	-0.440227	-1.267639
0:20	1	0:20	0:00						
2:12	1	2:12	0:00						
17:26	6	2:54	2:04	131:55	17	7:46	18:20	-0.557661	-1.339034
64:08	7	9:10	8:39	25976:02	725	35:50	34:28	-2.036761	-2.238263
0	1	0.00%	0.00%	3	4	75.00%	43.30%	-1.549193	-1.941843
1	11	9.09%	28.75%	9	22	40.91%	49.17%	-1.752491	-2.065439
0	9	0.00%	0.00%	0	2	0.00%	0.00%		
1	32	3.13%	17.40%	0	2	0.00%	0.00%	-1.564726	-1.951286

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
3	23	13.04%	33.68%	9	22	40.91%	49.17%	-1.900498	-2.155421
6	61	9.84%	29.78%	378	3,627	10.42%	30.55%	-0.14849	-1.090276
1	6	16.67%	37.27%	7	24	29.17%	45.45%	-0.602516	-1.366304
0	1	0.00%	0.00%						
0	1	0.00%	0.00%						
1	6	16.67%	37.27%	7	24	29.17%	45.45%	-0.602516	-1.366304
0	7	0.00%	0.00%	75	767	9.78%	29.70%	-0.867069	-1.527141
17	1,682	1.01%	10.00%	43	2,703	1.59%	12.51%	-1.492941	-1.907644
1	76,442	0.00%	0.36%	3	59,806	0.01%	0.71%	-0.959048	-1.583059
0	62	0.00%		3,583	354,787	1.01%	10.00%	-0.795246	-1.483475
1	205	0.49%	6.97%	46	3,068	1.50%	12.15%	-1.153839	-1.701484
9	2,744	0.33%	5.72%	2	1,055	0.19%	4.35%	0.878395	-0.465974
33	15,834	0.21%	4.56%	2	1,056	0.19%	4.35%	0.13763	-0.916327
29	5,142	0.56%	7.49%	45	2,727	1.65%	12.74%	-3.599159	-3.188133
0	26	0.00%		46	3,065	1.50%	12.16%	-0.626758	-1.381042
68	26,604	0.26%	5.05%	4,394	523,656	0.84%	9.12%	-10.178319	-7.187978
7	34,416	0.02%	0.13%						-2.939833
1	13,519	0.01%	0.05%						-2.984875
7	34,416	0.02%							
5	13,543	0.04%							
173	1	173.00							
472	8	59.00	16.66						
10	3	3.33	2.89	36	2	18.00	24.04	-0.668279	-1.406285
145	6	24.17	11.84	58,897	425	138.58	174.45	-1.595333	-1.969893
8	8	100.00%	0.00%						
3	3	100.00%	0.00%	2	2	100.00%	0.00%		
5	6	83.33%	37.27%	184	425	43.29%	49.55%	2.457263	0.49391
2	2	100.00%	0.00%	6	6	100.00%	0.00%		
297	347	85.59%							
50	64	78.13%	41.34%	3	4	75.00%	43.30%	-0.140028	-1.085131
79	82	96.34%							
7	8	87.50%							
0	1	0.00%	0.00%	2	3	66.67%	47.14%	0	-1
29	29	100.00%							
15	18	83.33%	37.27%	3	4	75.00%	43.30%	-0.348155	-1.211663
6	6	100.00%							
1,152	279	4.13							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
300	57	5.26							
248	73	3.40							
20	4	5.00							
60	20	3.00							
103	18	5.72							
28	6	4.67							
4	4	100.00%	0.00%	10	10	100.00%	0.00%		
384	394	97.46%	15.73%	6	6	100.00%	0.00%	-1.072423	-1.651987
86	89	96.63%	18.05%	8	8	100.00%	0.00%	-0.739633	-1.449665
89	91	97.80%	14.66%	2,422	2,571	94.20%	23.37%	-1.443456	-1.877559
5	5	100.00%							
3,682	3,691	99.76%							
6216.32	19,426	0.32							
15578.40	12,982	1.20							
21794.72	19,426	1.12							
3043.44	4,227	0.72							
3510.60	4,227	0.83							
706.84	1,724	0.41							
1283.66	1,211	1.06							
1990.50	1,724	1.15							
3183.05	3,835	0.83							
8051.76	3,798	2.12							
11234.81	3,835	2.93							
8041.28	7,732	1.04							
6741.92	5,812	1.16							
14783.20	7,732	1.91							
2264.12	1,058	2.14							
649.23	1,139	0.57							
2913.35	1,058	2.75							
3671.25	6,675	0.55							
7478.97	13,121	0.57							
11150.22	6,675	1.67							
223.30	1,015	0.22							
731.60	1,829	0.40							
1137.08	917	1.24							
2091.98	1,829	1.14							
2229.76	3,328	0.67							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
49589.32	2,621	18.92							
51819.08	3,328	15.57							
8401.91	4,493	1.87							
7648.30	4,499	1.70							
66438.90	6,711	9.90							
26959.80	6,419	4.20							
46383.18	3,477	13.34							
3848.10	762	5.05							
15255.62	4,874	3.13							
3568.32	3,186	1.12							
5520.36	1,542	3.58							
2,382	2,948	80.80%							
21	50	42.00%							
599	744	80.51%							
2,382	2,395	99.46%							
21	21	100.00%							
599	603	99.34%							
79:16	5	15:51							
427:20	189	2:16							
20	20	100.00%							
544	544	100.00%							
2,208	2,210	99.91%							
9	9	100.00%							
235	246	95.53%							
514	514	100.00%							
9	9	100.00%							
5	5	100.00%							
34	34	100.00%							
71	118	60.17%	48.95%	12	67	17.91%	38.34%	-7.204686	-5.380138
0	1	0.00%	0.00%	0	1	0.00%	0.00%		
1,756	1,760	99.77%							
1,453,610	1,453,610	100.00%							
13,839	13,839	100.00%							
3,007	3,050	98.59%	11.79%	58,015	58,776	98.71%	11.30%	0.5482	-0.666718
13,839	13,839	100.00%							
1	1	100.00%							
2,905,313	2,774,316	1.05							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
5683.57	38,734	0.15							
30,600	30,600	100.00%							
30,600	30,600	100.00%							
30,600	30,600	100.00%							
43,200	43,200	100.00%							
42,180	42,180	100.00%							
22,860	22,860	100.00%							
0	0								
7	18	38.89%	48.75%	7	15	46.67%	49.89%	0.097813	-0.940534
1	1	100.00%	0.00%						
3	6	50.00%							
17	31	54.84%							
21	36	58.33%	49.30%	8	18	44.44%	49.69%	-0.968246	-1.588652
16	22	72.73%	44.54%	14	17	82.35%	38.12%	0.313713	-0.809276
2	2	100.00%	0.00%						
2	3	66.67%							
8	10	80.00%	40.00%	14	17	82.35%	38.12%	-0.327988	-1.199402
3	7	42.86%	49.49%	430	791	54.36%	49.81%	0.234942	-0.857166
24:44	1	24:44	0:00	133759:16	3,384	39:32	36:12	-0.408568	-1.248391
2:50	1	2:50	0:00	42056:29	745	56:27	48:49	-1.097612	-1.6673
95:19	18	5:18	3:49	57:00	12	4:45	2:46	0.366489	-0.77719
2:21	1	2:21	0:00						
27:48	6	4:38	2:12	35:33	1	35:33	0:00		
143:47	31	4:38	4:46	35:33	1	35:33	0:00		
185:23	36	5:09	4:48	69:33	15	4:38	2:30	0.487365	-0.703703
1130:10	90	12:33	14:18	153440:26	4,168	36:49	35:30	-6.412911	-4.898773
69:40	22	3:10	2:39	31:28	10	3:09	2:36	-0.00752	-1.004572
5:00	2	2:30	1:15						
7:50	3	2:37	1:53						
21:27	10	2:09	1:20	31:28	10	3:09	2:36	-0.860604	-1.52321
277:40	33	8:25	6:44	49189:43	922	53:21	47:44	-5.313084	-4.230126
0	1	0.00%	0.00%	432	3,582	12.06%	32.57%	-0.370276	-1.225112
0	1	0.00%	0.00%	73	775	9.42%	29.21%	-0.322265	-1.195923
1	18	5.56%	22.91%	3	21	14.29%	34.99%	-0.776709	-1.472205
0	1	0.00%	0.00%						
1	6	16.67%	37.27%	0	1	0.00%	0.00%	-1.067571	-1.649037
3	31	9.68%	29.57%	0	1	0.00%	0.00%	-1.318011	-1.801294

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
10	36	27.78%	44.79%	3	21	14.29%	34.99%	0.836999	-0.491141
7	90	7.78%	26.78%	551	4,585	12.02%	32.52%	-1.224977	-1.744733
4	22	18.18%	38.57%	1	17	5.88%	23.53%	0.638042	-0.612098
0	2	0.00%	0.00%						
0	3	0.00%	0.00%						
2	10	20.00%	40.00%	1	17	5.88%	23.53%	0.51704	-0.685662
12	33	36.36%	48.10%	88	971	9.06%	28.71%	4.012585	1.439478
40	1,717	2.33%	15.08%	32	2,736	1.17%	10.75%	3.504555	1.130618
3	76,898	0.00%	0.62%	0	60,118	0.00%			
2	63	3.17%	17.53%	4,579	358,607	1.28%	11.23%	0.869037	-0.471663
0	207	0.00%		38	3,103	1.22%	11.00%	-1.551096	-1.942999
6	2,816	0.21%	4.61%	1	1,071	0.09%	3.05%	1.091658	-0.336319
34	15,864	0.21%	4.62%	1	1,072	0.09%	3.05%	1.256379	-0.236176
46	5,195	0.89%	9.37%	35	2,761	1.27%	11.19%	-1.450532	-1.881861
0	26	0.00%		38	3,101	1.23%	11.00%	-0.565577	-1.343847
123	26,984	0.46%	6.74%	5,556	528,887	1.05%	10.20%	-9.346008	-6.681969
0	1	0.00%	0.00%	2,944	3,582	82.19%	38.26%	0.921701	-0.439645
1	1	100.00%	0.00%	666	775	85.94%	34.77%	-0.404293	-1.245793
2	34,656	0.01%	0.05%						-2.982382
0	13,519	0.00%	0.00%						-2.998828
2	34,656	0.01%							
4	13,543	0.03%							
152	1	152.00							
699	29	24.10	17.00						
14	6	2.33	1.51	297	4	74.25	84.62	-1.316591	-1.80043
82	7	11.71	7.85	56,471	392	144.06	172.53	-2.011645	-2.222994
20	29	68.97%	46.26%						
4	6	66.67%	47.14%	3	4	75.00%	43.30%	-0.298142	-1.181258
6	7	85.71%	34.99%	209	392	53.32%	49.89%	2.408916	0.464517
1	1	100.00%							
1	1	100.00%	0.00%	1,261	1,269	99.37%	7.91%	-0.079619	-1.048405
2	2	100.00%							
11	12	91.67%	27.64%	13	13	100.00%	0.00%	0.050154	-0.969509
4	4	100.00%							
261	289	90.31%							
39	45	86.67%	33.99%						
77	83	92.77%							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
8	8	100.00%							
9	9	100.00%	0.00%	1	1	100.00%	0.00%		
36	43	83.72%							
17	17	100.00%	0.00%	0	2	0.00%	0.00%		
8	8	100.00%							
2	1	2.00							
9	2	4.50							
11	3	3.67							
627	199	3.15							
148	32	4.63							
306	76	4.03							
29	6	4.83							
102	34	3.00							
80	17	4.71							
34	8	4.25							
21	21	100.00%	0.00%	16	16	100.00%	0.00%		
1	1	100.00%	0.00%	3,134	3,426	91.48%	27.92%	-0.305196	-1.185546
1	1	100.00%	0.00%	2	2	100.00%	0.00%		
6	6	100.00%	0.00%	5	5	100.00%	0.00%		
351	359	97.77%	14.76%	5	5	100.00%	0.00%	-1.249606	-1.759707
62	62	100.00%	0.00%	2	2	100.00%	0.00%		
88	91	96.70%	17.86%	2,546	2,707	94.05%	23.65%	-1.051649	-1.639357
6	6	100.00%							
2,841	2,841	100.00%							
6571.18	19,327	0.34							
15505.20	12,921	1.20							
22076.38	19,327	1.14							
3128.78	4,286	0.73							
3510.28	4,286	0.82							
728.98	1,778	0.41							
1344.60	1,245	1.08							
2073.58	1,778	1.17							
3369.54	3,786	0.89							
8183.70	3,897	2.10							
11553.24	3,786	3.05							
8010.45	7,629	1.05							
6576.85	5,719	1.15							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
14587.30	7,629	1.91							
2360.25	1,049	2.25							
655.60	1,192	0.55							
3015.85	1,049	2.88							
3614.22	6,693	0.54							
7303.52	13,042	0.56							
10917.74	6,693	1.63							
230.34	1,047	0.22							
768.80	1,922	0.40							
1047.96	852	1.23							
2047.10	1,922	1.07							
2360.28	3,471	0.68							
48861.27	2,573	18.99							
51221.55	3,471	14.76							
8597.50	4,525	1.90							
7770.96	4,518	1.72							
67674.24	6,822	9.92							
26163.00	6,156	4.25							
46934.31	3,379	13.89							
3774.44	743	5.08							
15412.95	4,893	3.15							
3931.20	3,276	1.20							
5301.12	1,506	3.52							
2,833	3,389	83.59%							
50	112	44.64%							
618	800	77.25%							
2,833	2,844	99.61%							
50	50	100.00%							
618	622	99.36%							
18:09	1	18:09							
365:57	158	2:19							
41	41	100.00%							
522	522	100.00%							
2,609	2,610	99.96%							
35	35	100.00%							
357	377	94.69%							
519	519	100.00%							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
7	7	100.00%							
18	18	100.00%							
74	112	66.07%	47.35%	10	85	11.76%	32.22%	-11.717292	-8.123608
1,473	1,475	99.86%							
1,458,305	1,459,323	99.93%							
16,080	16,080	100.00%							
3,794	3,797	99.92%	2.81%	63,814	64,459	99.00%	9.95%	-5.544881	-4.371048
16,080	16,080	100.00%							
1	1	100.00%							
2,876,270	2,676,972	1.07							
5330.11	37,929	0.14							
26,460	26,460	100.00%							
28,440	28,440	100.00%							
26,460	26,460	100.00%							
40,320	40,320	100.00%							
39,180	39,180	100.00%							
21,060	21,060	100.00%							
0	0								
8	11	72.73%	44.54%	9	12	75.00%	43.30%	-0.344721	-1.209576
7	7	100.00%	0.00%	1	1	100.00%	0.00%		
2	7	28.57%							
16	28	57.14%							
19	35	54.29%	49.82%	10	14	71.43%	45.18%	0.776067	-0.528185
6	8	75.00%	43.30%	17	31	54.84%	49.77%	-1.02161	-1.621095
1	1	100.00%	0.00%						
2	4	50.00%							
7	8	87.50%	33.07%	17	28	60.71%	48.84%	-1.368085	-1.831737
0	4	0.00%	0.00%	334	784	42.60%	49.45%	1.228839	-0.252919
2	2	100.00%	0.00%	1,921	5,789	33.18%	47.09%	-2.006409	-2.21981
148:08	2	74:04	35:13	318865:13	3,926	81:13	141:51	-0.071289	-1.04334
26:42	2	13:21	10:25	87022:54	1,019	85:24	109:56	-0.926027	-1.562985
27:38	11	2:31	2:09	42:40	9	4:44	5:02	-0.984909	-1.598782
9:52	7	1:25	0:44	2:06	1	2:06	0:00		
47:16	7	6:45	4:11	62:11	4	15:33	11:02	-1.27234	-1.773528
107:03	28	3:49	2:56	62:11	4	15:33	11:02	-1.988931	-2.209184
164:25	35	4:42	4:04	46:55	10	4:41	4:45	-0.047644	-1.028965
496:33	49	10:08	15:48	361274:28	4,696	76:56	143:37	-3.238982	-2.969161

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
22:27	8	2:48	2:17	137:23	25	5:30	3:51	-1.722979	-2.047497
1:01	1	1:01	0:00						
31:33	4	7:53	7:05						
24:18	8	3:02	1:17	120:54	22	5:30	4:06	-1.45358	-1.883714
115:22	10	11:32	5:57	88182:35	1,048	84:09	108:53	-2.098781	-2.275968
0	2	0.00%	0.00%	500	4,180	11.96%	32.45%	-0.521161	-1.316844
0	3	0.00%	0.00%	4	12	33.33%	47.14%	-1.095445	-1.665983
1	11	9.09%	28.75%	6	15	40.00%	48.99%	-1.58941	-1.966293
0	7	0.00%	0.00%	0	1	0.00%	0.00%		
1	7	14.29%	34.99%	1	4	25.00%	43.30%	-0.394771	-1.240004
0	28	0.00%	0.00%	1	4	25.00%	43.30%	-1.080123	-1.656668
7	35	20.00%	40.00%	6	15	40.00%	48.99%	-1.322876	-1.804251
1	49	2.04%	14.14%	615	5,158	11.92%	32.41%	-2.124615	-2.291674
2	8	25.00%	43.30%	7	31	22.58%	41.81%	-0.271665	-1.165161
0	1	0.00%	0.00%						
0	4	0.00%	0.00%						
0	8	0.00%	0.00%	7	31	22.58%	41.81%	-1.361874	-1.827961
2	10	20.00%	40.00%	101	1,117	9.04%	28.68%	0.737344	-0.551727
19	1,724	1.10%	10.44%	43	2,757	1.56%	12.39%	-1.202714	-1.731198
8	78,074	0.01%	1.01%	1	60,934	0.00%	0.41%	3.929852	1.38918
2	63	3.17%	17.53%	5,292	362,202	1.46%	12.00%	0.722937	-0.560486
3	208	1.44%	11.92%	46	3,130	1.47%	12.03%	-0.031731	-1.019291
7	2,887	0.24%	4.92%	4	1,094	0.37%	6.04%	-0.574772	-1.349437
32	15,786	0.20%	4.50%	4	1,095	0.37%	6.03%	-0.862378	-1.524289
43	5,252	0.82%	9.01%	42	2,788	1.51%	12.18%	-2.409409	-2.464817
0	26	0.00%		46	3,128	1.47%	12.04%	-0.620371	-1.377159
59	27,262	0.22%	4.65%	6,275	533,991	1.18%	10.78%	-14.327614	-9.710571
0	2	0.00%	0.00%	3,181	4,180	76.10%	42.65%	1.578292	-0.040467
22	35,016	0.06%	0.36%						-2.809657
1	13,447	0.00%	0.03%						-2.98822
22	35,016	0.06%							
1	13,447	0.00%							
2	1	2.00	0.00	46,662	430	108.52	148.55	-0.716195	-1.435416
252	3	84.00							
407	38	10.71	9.91	0	1	0.00	0.00		
7	4	1.75	3.50	61,942	542	114.28	152.92	-1.466421	-1.891521
0	1	0.00%	0.00%	178	430	41.40%	49.25%	-0.83947	-1.510362

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
23	38	60.53%	48.88%	0	1	0.00%	0.00%		
1	4	25.00%	43.30%	221	542	40.77%	49.14%	-0.639662	-1.388887
1	1	100.00%	0.00%	1,180	1,182	99.83%	4.11%	-0.041152	-1.025019
5	5	100.00%							
7	8	87.50%	33.07%	11	11	100.00%	0.00%	0.199201	-0.878894
2	2	100.00%							
248	283	87.63%							
51	55	92.73%	25.97%	4	8	50.00%	50.00%	-2.25835	-2.372979
78	81	96.30%							
5	6	83.33%							
2	2	100.00%	0.00%						
80	80	100.00%							
21	30	70.00%							
3	3	100.00%	0.00%	3	4	75.00%	43.30%	-0.755929	-1.459572
9	10	90.00%							
6	2	3.00							
664	201	3.30							
211	49	4.31							
369	78	4.73							
47	5	9.40							
506	80	6.33							
304	37	8.22							
16	3	5.33							
41	10	4.10							
13	13	100.00%	0.00%	11	11	100.00%	0.00%		
1	1	100.00%	0.00%	2,871	3,124	91.90%	27.28%	-0.296807	-1.180446
83	84	98.81%	10.85%	1	1	100.00%	0.00%	-2.264727	-2.376857
329	334	98.50%	12.14%	1	1	100.00%	0.00%	-2.172065	-2.320522
59	59	100.00%	0.00%	11	12	91.67%	27.64%	-0.952119	-1.578847
90	92	97.83%	14.58%	2,356	2,511	93.83%	24.07%	-1.565369	-1.951677
3,785	3,786	99.97%							
6738.90	19,254	0.35							
15890.50	13,025	1.22							
22629.40	19,254	1.18							
3254.52	4,398	0.74							
3707.64	4,398	0.84							
813.56	1,892	0.43							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
1249.50	1,190	1.05							
2063.06	1,892	1.09							
3240.75	3,725	0.87							
8138.73	3,821	2.13							
11379.48	3,725	3.05							
8024.73	7,791	1.03							
6721.04	5,794	1.16							
14745.77	7,791	1.89							
2268.84	1,022	2.22							
630.18	1,167	0.54							
2899.02	1,022	2.84							
3489.72	6,711	0.52							
7757.40	12,929	0.60							
11247.12	6,711	1.68							
201.20	1,006	0.20							
737.18	1,798	0.41							
1112.50	890	1.25							
2050.88	1,798	1.14							
2547.30	3,639	0.70							
51291.24	2,684	19.11							
53838.54	3,639	14.79							
8364.51	4,473	1.87							
7468.20	4,610	1.62							
67222.33	6,923	9.71							
26283.87	6,273	4.19							
48639.22	3,682	13.21							
3991.25	775	5.15							
15656.04	4,986	3.14							
3532.10	3,211	1.10							
5557.56	1,597	3.48							
2,671	3,236	82.54%							
32	82	39.02%							
523	735	71.16%							
2,671	2,683	99.55%							
32	33	96.97%							
523	526	99.43%							
113:28	6	18:55							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
1158:17	288	4:01							
26	26	100.00%							
460	460	100.00%							
2,466	2,466	100.00%							
23	23	100.00%							
320	334	95.81%							
509	509	100.00%							
1	1	100.00%							
9	9	100.00%							
56	56	100.00%							
68	134	50.75%	49.99%	13	99	13.13%	33.77%	-8.403629	-6.109044
0	1	0.00%	0.00%						
1,702	1,704	99.88%							
1,368,056	1,368,056	100.00%							
15,955	15,955	100.00%							
2,676	2,687	99.59%	6.39%	60,260	60,899	98.95%	10.19%	-3.185777	-2.936815
15,955	15,955	100.00%							
1	1	100.00%							
2	2	100.00%							
3,167,093	2,957,005	1.07							
5530.01	35,486	0.16							
29,880	29,880	100.00%							
29,880	29,880	100.00%							
29,880	29,880	100.00%							
42,840	42,840	100.00%							
41,565	41,565	100.00%							
21,600	21,600	100.00%							
0	0								
8	16	50.00%	50.00%	14	24	58.33%	49.30%	0.196233	-0.880699
0	1	0.00%	0.00%						
6	14	42.86%							
20	29	68.97%							
28	62	45.16%	49.77%	14	24	58.33%	49.30%	0.855281	-0.480026
3	8	37.50%	48.41%	12	24	50.00%	50.00%	0.198644	-0.879233
2	3	66.67%	47.14%						
4	5	80.00%	40.00%	13	25	52.00%	49.96%	-1.144011	-1.695509
3	8	37.50%	48.41%	305	1,021	29.87%	45.77%	-0.469507	-1.28544

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
1	1	100.00%	0.00%	1,139	7,531	15.12%	35.83%	-2.368796	-2.440126
98:31	1	98:31	0:00	1108207:59	5,298	209:10	229:21	-0.482426	-1.293294
17:51	1	17:51	0:00	136362:45	1,172	116:21	132:38	-0.742302	-1.451287
82:56	16	5:11	3:30	121:58	20	6:06	5:11	-0.525754	-1.319635
12:44	1	12:44	0:00						
119:25	14	8:32	11:19	1:00	2	0:30	0:41	1.580467	-0.039144
122:11	29	4:13	2:53	1:00	2	0:30	0:41	1.398377	-0.149847
355:29	62	5:44	4:02	116:20	18	6:28	5:21	-0.509114	-1.309519
1122:53	81	13:52	15:27	1177667:14	6,277	187:37	222:07	-6.995614	-5.253031
39:39	8	4:57	4:33	86:47	20	4:20	2:40	0.442676	-0.730872
47:27	3	15:49	23:35						
17:51	5	3:34	2:31	90:15	21	4:18	2:37	-0.559584	-1.340203
157:40	18	8:46	3:38	137876:04	1,201	114:48	132:15	-3.376593	-3.052823
0	1	0.00%	0.00%	777	5,543	14.02%	34.72%	-0.403733	-1.245452
0	1	0.00%	0.00%	2	9	22.22%	41.57%	-0.507093	-1.30829
2	16	12.50%	33.07%	1	27	3.70%	18.89%	0.501764	-0.694949
0	1	0.00%	0.00%						
0	14	0.00%	0.00%	0	2	0.00%	0.00%		
2	29	6.90%	25.34%	0	2	0.00%	0.00%	-1.141256	-1.693834
12	62	19.35%	39.51%	1	27	3.70%	18.89%	1.670692	0.015709
7	81	8.64%	28.10%	923	6,738	13.70%	34.38%	-1.315676	-1.799874
0	8	0.00%	0.00%	7	25	28.00%	44.90%	-1.535221	-1.933348
0	3	0.00%	0.00%						
1	5	20.00%	40.00%	7	25	28.00%	44.90%	-0.363696	-1.221112
0	18	0.00%	0.00%	161	1,276	12.62%	33.20%	-1.600921	-1.973291
24	1,754	1.37%	11.62%	48	2,765	1.74%	13.06%	-0.922245	-1.560685
4	78,080	0.01%	0.72%	0	60,859	0.00%			
1	65	1.54%	12.31%	6,796	366,186	1.86%	13.50%	-0.189606	-1.115272
1	207	0.48%	6.93%	52	3,135	1.66%	12.77%	-1.282654	-1.779798
14	2,939	0.48%	6.89%	2	1,107	0.18%	4.25%	1.974422	0.200363
29	15,806	0.18%	4.28%	2	1,108	0.18%	4.24%	0.022508	-0.986316
67	5,343	1.25%	11.13%	49	2,792	1.76%	13.13%	-1.633977	-1.993387
0	27	0.00%		52	3,133	1.66%	12.78%	-0.672163	-1.408646
99	27,589	0.36%	5.98%	8,014	539,421	1.49%	12.10%	-15.089813	-10.173955
1	1	100.00%	0.00%	4,468	5,543	80.61%	39.54%	-0.490466	-1.298182
16	35,568	0.04%	0.41%						-2.869089
2	13,471	0.01%	0.11%						-2.963709

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
16	35,568	0.04%							
2	13,471	0.01%							
204	2	102.00							
338	15	22.53	21.84						
9	3	3.00	0.00	473	5	94.60	67.76	-1.850992	-2.125323
81	5	16.20	9.55	57,217	518	110.46	148.54	-1.412119	-1.858507
14	15	93.33%	24.94%						
3	3	100.00%	0.00%	4	5	80.00%	40.00%	3.719016	1.261001
4	5	80.00%	40.00%	226	518	43.63%	49.59%	2.408916	0.464517
3	4	75.00%							
3	3	100.00%	0.00%	3	3	100.00%	0.00%		
0	2	0.00%							
301	337	89.32%							
33	42	78.57%	41.03%	3	4	75.00%	43.30%	-0.157622	-1.095827
68	80	85.00%							
5	5	100.00%							
4	4	100.00%	0.00%						
20	32	62.50%							
3	3	100.00%	0.00%	5	5	100.00%	0.00%		
5	5	100.00%							
34	4	8.50							
1,203	293	4.11							
323	41	7.88							
348	78	4.46							
34	5	6.80							
48	16	3.00							
11	3	3.67							
20	4	5.00							
8	8	100.00%	0.00%	4	4	100.00%	0.00%		
2	2	100.00%	0.00%	2	2	100.00%	0.00%		
354	373	94.91%	21.99%	2	2	100.00%	0.00%	-1.287874	-1.782972
51	52	98.08%	13.73%	10	10	100.00%	0.00%	-0.989169	-1.601372
83	86	96.51%	18.35%	2,124	2,274	93.40%	24.82%	-1.139798	-1.692948
7	7	100.00%							
1,904	1,904	100.00%							
6445.56	19,532	0.33							
15857.05	13,105	1.21							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
22302.61	19,532	1.14							
3234.00	4,312	0.75							
3664.65	4,312	0.85							
762.30	1,815	0.42							
1322.94	1,297	1.02							
2085.24	1,815	1.15							
3126.66	3,813	0.82							
7969.08	3,759	2.12							
11095.74	3,813	2.91							
8474.40	7,704	1.10							
6486.00	5,640	1.15							
14960.40	7,704	1.94							
2207.10	1,051	2.10							
660.24	1,179	0.56							
2867.34	1,051	2.73							
3441.48	6,748	0.51							
7741.98	13,122	0.59							
11183.46	6,748	1.66							
284.18	1,093	0.26							
792.80	1,982	0.40							
1267.20	990	1.28							
2344.18	1,982	1.18							
2570.33	3,521	0.73							
52619.68	2,768	19.01							
55190.01	3,521	15.67							
8006.44	4,498	1.78							
7944.16	4,592	1.73							
66891.35	6,791	9.85							
26328.64	6,329	4.16							
46562.79	3,579	13.01							
3907.80	780	5.01							
15620.16	4,912	3.18							
3750.00	3,125	1.20							
5619.04	1,624	3.46							
2,888	3,465	83.35%							
27	67	40.30%							
602	756	79.63%							

271_exhibit(14_state_pid)_excel_all_wa_jan17.xls

CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
2,888	2,896	99.72%							
27	30	90.00%							
602	604	99.67%							
208:21	10	20:50							
441:58	239	1:51							
24	24	100.00%							
534	534	100.00%							
2,647	2,647	100.00%							
10	10	100.00%							
304	315	96.51%							
506	506	100.00%							
3	3	100.00%							
9	9	100.00%							
24	24	100.00%							
51	122	41.80%	49.32%	11	82	13.41%	34.08%	-5.833172	-4.546317