

**BEFORE THE WASHINGTON
UTILITIES & TRANSPORTATION COMMISSION**

WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION,

Complainant,

v.

AVISTA CORPORATION, d/b/a AVISTA UTILITIES

Respondent.

DOCKETS UE-240006 & UG-240007 (*Consolidated*)

**ROBERT L. EARLE
ON BEHALF OF THE
WASHINGTON STATE OFFICE OF THE ATTORNEY GENERAL
PUBLIC COUNSEL UNIT**

EXHIBIT RLE-14

Avista's Response to Public Counsel Data Request No. 277

July 3, 2024

**AVISTA CORP.
RESPONSE TO REQUEST FOR INFORMATION**

JURISDICTION:	WASHINGTON	DATE PREPARED:	05/01/2024
CASE NO.:	UE-240006 & UG-240007	WITNESS:	Clint Kalich
REQUESTER:	Public Counsel	RESPONDER:	Lori Hermanson
TYPE:	Data Request	DEPT:	Resource Planning
REQUEST NO.:	PC – 277	TELEPHONE:	(509) 495-4658
		EMAIL:	lori.hermanson@avistacorp.com

SUBJECT: Power Supply/Energy Recovery Mechanism (ERM)

REQUEST:

Re: Avista Response to PC-128. Slide 11 of “5 minute Analysis internal analysis and modeling 20230612” (PowerPoint).

Please provide the file “20230406 All of 5C for pivots to interval.xlsx.”

RESPONSE:

Avista relied on the consultant’s expertise for this work and therefore does not have access to the consultant’s workpapers.