

**BEFORE THE WASHINGTON  
UTILITIES & TRANSPORTATION COMMISSION**

WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION,

Complainant,

v.

AVISTA CORPORATION, d/b/a AVISTA UTILITIES

Respondent.

---

DOCKETS UE-240006 & UG-240007 (*Consolidated*)

**ROBERT L. EARLE  
ON BEHALF OF THE  
WASHINGTON STATE OFFICE OF THE ATTORNEY GENERAL  
PUBLIC COUNSEL UNIT**

---

**EXHIBIT RLE-12**

Avista's Response to Public Counsel Data Request No. 275

**July 3, 2024**

**AVISTA CORP.**  
**RESPONSE TO REQUEST FOR INFORMATION**

JURISDICTION:	WASHINGTON	DATE PREPARED:	05/01/2024
CASE NO.:	UE-240006 & UG-240007	WITNESS:	Clint Kalich
REQUESTER:	Public Counsel	RESPONDER:	Lori Hermanson
TYPE:	Data Request	DEPT:	Resource Planning
REQUEST NO.:	PC – 275	TELEPHONE:	(509) 495-4658
		EMAIL:	lori.hermanson@avistacorp.com

**SUBJECT:** Power Supply/Energy Recovery Mechanism (ERM)

**REQUEST:**

**Re: Avista Response to PC-128. Slide 7 of “5 minute Analysis internal analysis and modeling 20230612” (PowerPoint).**

- a. Please provide the referenced file “MIDC Hour reg on 5mnHr 20230510.xlsx.”
- b. Please provide all other files including but not limited to Excel and code files used to perform the regression so that the regression can be replicated.

**RESPONSE:**

Please see Avista’s **CONFIDENTIAL** response to data request PC-DR-275C. Please note that Avista’s response to PC-DR-275C is **Confidential per Protective Order in UTC Dockets UE-240006 and UG-240007**.

- a) See PC-DR-275C Confidential Attachment A.
- b) Avista relied on the consultant’s expertise for this work and therefore does not have access to the consultants’ spreadsheet used to perform the regression.