

**AVISTA CORP.
RESPONSE TO REQUEST FOR INFORMATION**

JURISDICTION:	WASHINGTON	DATE PREPARED:	07/28/2009
CASE NO:	UE-090134 & UG-090135	WITNESS:	Bruce Folsom
REQUESTER:	Public Counsel	RESPONDER:	Patrick Ehrbar
TYPE:	Data Request	DEPT:	State & Federal Regulation
REQUEST NO.:	PC-006-Supplemental	TELEPHONE:	(509) 495-8620
		EMAIL:	pat.ehrbar@avistacorp.com

REQUEST:

Re: The attached excel spreadsheet provided on CD entitled, “nonres completed therms 123108 for titus.”

This spreadsheet contains completed commercial and industrial DSM projects, by customer and rate schedule, from January 1, 2008 through December 31, 2008. Please view the worksheet labeled “Lori completed WA and ID gas projects,” which was sent by Avista to the Stakeholder Advisory Group in the Decoupling Evaluation on January 7, 2009:

For each of the 11 customer accounts highlighted in yellow (Schedule 101 WA customers with estimated therm savings greater than 2,400 therms), that were shown as completed in 2008, please provide the following:

- a. The customer name, account number, and a description of the nature of the commercial enterprise.
- b. The customer address (meter location) where DSM measure(s) were installed.
- c. A description of the DSM measure(s) installed by the customer.
- d. The amount of incentive paid by Avista to the customer, as well as any additional non-incentive costs incurred by Avista to produce the estimated therm savings.
- e. Customer costs for the DSM measure(s).
- f. The date Avista confirmed installation and paid incentives for each DSM measure.
- g. The estimated first year therm savings (as shown on the worksheet)
- h. A billing history report for the customer, providing monthly actual therm sales and monthly billed revenues by rate element for each of the 12 months prior to the date in your response to part (f), as well as all available subsequent months.
- i. Complete copies of the documentation retained by Avista to support its DSM transactions with the customer.

RESPONSE:

The Company inadvertently provided the incorrect billing history for DSM project 22204 in its response PC-006C. The billing history provided was for this customer's retail store at a different site. The history provided in PC_DR_360C-Confidential Attachment A is the correct billing history for the site where the project in question occurred.

**AVISTA CORP.
RESPONSE TO REQUEST FOR INFORMATION**

JURISDICTION:	WASHINGTON	DATE PREPARED:	03/11/2009
CASE NO:	UE-090134 & UG-090135	WITNESS:	Bruce Folsom
REQUESTER:	Public Counsel	RESPONDER:	Renee Coelho
TYPE:	Data Request	DEPT:	Energy Solutions
REQUEST NO.:	PC-006C	TELEPHONE:	(509) 495-8607
		EMAIL:	renee.coelho@avistacorp.com

REQUEST:

Re: The attached excel spreadsheet provided on CD entitled, “nonres completed therms 123108 for titus.”

This spreadsheet contains completed commercial and industrial DSM projects, by customer and rate schedule, from January 1, 2008 through December 31, 2008. Please view the worksheet labeled “Lori completed WA and ID gas projects,” which was sent by Avista to the Stakeholder Advisory Group in the Decoupling Evaluation on January 7, 2009:

For each of the 11 customer accounts highlighted in yellow (Schedule 101 WA customers with estimated therm savings greater than 2,400 therms), that were shown as completed in 2008, please provide the following:

- a. The customer name, account number, and a description of the nature of the commercial enterprise.
- b. The customer address (meter location) where DSM measure(s) were installed.
- c. A description of the DSM measure(s) installed by the customer.
- d. The amount of incentive paid by Avista to the customer, as well as any additional non-incentive costs incurred by Avista to produce the estimated therm savings.
- e. Customer costs for the DSM measure(s).
- f. The date Avista confirmed installation and paid incentives for each DSM measure.
- g. The estimated first year therm savings (as shown on the worksheet)
- h. A billing history report for the customer, providing monthly actual therm sales and monthly billed revenues by rate element for each of the 12 months prior to the date in your response to part (f), as well as all available subsequent months.
- i. Complete copies of the documentation retained by Avista to support its DSM transactions with the customer.

RESPONSE:

Please see the attached listing (PC_DR_006C-Confidential Attachment A.xls) which has the requested information. In addition, please find in the folder titled “PC_DR_006C-Confidential Attachment B” which was included on the CD that accompanied this response, all of the billing history and documentation for each of the selected projects as requested.

The information in these documents is **CONFIDENTIAL** in nature and is protected per Protective Order in WUTC Dockets UE-090134 and UG-090135 and by WAC 480-07-160.

AVISTA GRC 2009 and AVISTA DECOUPLING
Docket Nos. UE-090134/UG-090135, UG-060518

AVISTA'S RESPONSE TO PUBLIC COUNSEL SUPPLEMENTAL
DATA REQUEST NO. 6

ATTACHMENT A IS CONFIDENTIAL IN ITS ENTIRETY