

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Mary Jane Engh <enghmje@frontier.com>  
**Sent:** Sunday, August 11, 2013 9:48 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:05  
OFFICE OF THE  
CLERK OF THE  
UTILITIES AND  
TRANSPORTATION  
COMMISSION

Sincerely,

Mary Jane Engh  
PO Box 97  
Garfield, WA 99130-0097

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Alice Goodwin <goodwinat@gmail.com>  
**Sent:** Sunday, August 11, 2013 9:48 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:14  
UTC DL RECORDS CENTER

Sincerely,

Alice Goodwin  
1622 NE 140th St  
Seattle, WA 98125-3228  
(206) 329-0614

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Connie Solo <clsolo\_1@hotmail.com>  
**Sent:** Sunday, August 11, 2013 9:48 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Connie Solo  
127 11th Ave E  
Seattle, WA 98102-5709

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Shelle Bowman <lmoirab@aol.com>  
**Sent:** Sunday, August 11, 2013 9:48 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Shelle Bowman  
1632 E Everett Ave  
Spokane, WA 99207-4025  
(509) 879-6435



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Meredith Bailey <m.bailey205@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:54  
UTC DL RECORDS CENTER

Sincerely,

Meredith Bailey  
7711 NE 175th St Unit D205  
Kenmore, WA 98028-3585

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of James Bradford <tomgunfun@hotmail.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:51  
UTC DL RECORDS CENTER

Sincerely,

James Bradford  
26629 Carnaby Way  
Kent, WA 98032-7634

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Rose Morrison  
<everrainbows@yahoo.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:57  
UTC DL RECORDS CENTER

Sincerely,

Rose Morrison  
220 Old Mill Hill Road  
Hoodsport, WA 98548

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of John Mclean <mcleanj@seattleu.edu>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

John Mclean  
21109 Pioneer Way  
Edmonds, WA 98026-6947  
(206) 296-5481



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Randy Shoemaker <lastshoe@yahoo.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:59  
UTC DL RECORDS CENTER

Sincerely,

Randy Shoemaker  
24025 Bothell Everett Hwy  
# 76  
Bothell, WA 98021-9342  
(425) 478-3610

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Sandra Petrarca <smpetrac@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Sandra Petrarca  
323 N 83rd St  
Seattle, WA 98103-4217  
(206) 784-7219

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Sandra Petrarca <smpetrac@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:51  
UTC DL RECORDS CENTER

Sincerely,

Sandra Petrarca  
323 N 83rd St  
Seattle, WA 98103-4217  
(206) 784-7219

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Robin Friend <crone2@ywave.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residuals rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:55  
UTC DL RECORDS CENTER  
1000 WEST 4TH AVENUE  
SEATTLE, WA 98101

Sincerely,

Robin Friend  
18414 119th Ave SE  
Yelm, WA 98597-9662



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Gerald Crouch <gcrouch@comcast.net>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Gerald Crouch  
465 N 45th St Apt 101  
Seattle, WA 98103-6465  
(206) 632-3985

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Dan Sutton  
<corduroyz@sbcglobal.net>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:55  
UTC DL RECORDS CENTER

Sincerely,

Dan Sutton  
1240 W Sims Way # 222  
Port Townsend, WA 98368-3058

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of John Soelling <jsoelling@aol.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:52  
UTC DL RECORDS CENTER

Sincerely,

John Soelling  
3815 Oregon Dr  
Vancouver, WA 98661-5834  
(360) 694-3844

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Shelley Rixon <rixon.shelley@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years. This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

As a Puget Sound Energy customer and Washington resident, I urge you to influence PSE in the direction of using cleaner energy sources.

Sincerely,

Shelley Rixon  
13317 423rd Ave SE  
North Bend, WA 98045-9019

2013 AUG 12 AM 10:52  
UTC DL RECORDS CENTER

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Heather Haverfield <hhaver@whidbey.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:52



Sincerely,

Heather Haverfield  
PO Box 964  
Langley, WA 98260-0964

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of John Dart <thedarts@oz.net>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed in learning that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years. We should care much more about health and wellbeing--especially for future generations--than for convenience and profits.

There are definitely cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

John Dart  
15619 138th Pl SE  
Renton, WA 98058-7808  
(425) 271-7493

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Melissa Monaghan <sismonaghan@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:52  
UTC DL RECORDS CENTER

Sincerely,

Melissa Monaghan  
360 E Lakeland Dr  
Allyn, WA 98524-8722

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Roger Cummings <rocstudio1@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am a PSE customer and very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Roger Cummings  
1831 Bethel St NE  
Olympia, WA 98506-3310

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Roger Cummings <rocstudio1@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am a PSE customer and very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.



Sincerely,

Roger Cummings  
1831 Bethel St NE  
Olympia, WA 98506-3310

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Christine Tolotti  
<gorgeraptors@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:52  
UTC DL RECORDS CENTER

Sincerely,

Christine Tolotti  
3451 Cook Underwood Rd  
Bingen, WA 98605-9044  
(605) 920-8477

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Allison Smith <getsgrants@yahoo.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Allison Smith  
3 Creekwood Ln SW  
Lakewood, WA 98499-1239  
(253) 566-2708

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Amanda Fox <foxrae@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residuals rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:52  
UTC DL RECORDS CENTER

Sincerely,

Amanda Fox  
4212 35th Ave W Apt B202  
Seattle, WA 98199-1362  
(720) 493-9798

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Mark Johnston <markjtn@earthlink.net>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

The bottom line is that it is just so critical that we transition as rapidly as possible away from coal, oil, and fossil fuels in general.

Let's instead move as rapidly as possible to cleaner sources and maximize efficiency options. No more coal please!!

2013 AUG 12 AM 10:51  
COMMUNICATIONS SECTION  
UTILITY AND TRANSPORTATION COMMISSION  
WASHINGTON STATE



I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Mark Johnston  
14818 SE 267th St  
Covington, WA 98042-8188  
(253) 639-3862

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Kristina Peterson <sparkyone2u@hotmail.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:52  
UTC DL RECORDS CENTER  
1000 WEST 10TH AVENUE  
SEATTLE, WA 98101  
TEL: 206.462.2000  
WWW.UTC.WA.GOV

Sincerely,

Kristina Peterson  
7915 199th St SW  
Edmonds, WA 98026-6543

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of S Henrikson <denisef@drizzle.com>  
**Sent:** Sunday, August 11, 2013 10:18 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

S Henrikson  
7956 34th Ave SW  
Seattle, WA 98126-3557

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Penny Chambers  
<penny.chambers@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:52  
UTC DL RECORDS CENTER  
1000 4TH AVENUE  
SEATTLE WA 98101

Sincerely,

Penny Chambers  
3025 Walnut St  
Bellingham, WA 98225-1611  
(360) 306-9912

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of John Hill <hillja@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 AM 10:52  
UTC DL RECORDS CENTER



John Hill  
22523 9th Dr SE  
Bothell, WA 98021-8287  
(425) 736-7976

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Marina Krasnovid <makimaging@yahoo.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:52  
UTC DL RECORDS CENTER  
2013

Sincerely,

Marina Krasnovid  
328 6th St NE  
Auburn, WA 98002-4342

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Alex Miles  
<emceeamile@yahoo.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Alex Miles  
6521 Chapin Pl N  
Seattle, WA 98103-5413  
(206) 527-9943

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of B. Beaudoin  
<themuseumconnection@yahoo.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

Each time I pay my bill, I will be thinking of how you are wasting my money and not thinking of the future.

Sincerely,

B. Beaudoin  
7615 50th Ave E  
Tacoma, WA 98443-2709  
(253) 527-8796

2013 AUG 12 AM 10:50  
UTC DL RECORDS CENTER

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Toni Christianson <chrisnsy@fidalgo.net>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:52  
COMMUNICATIONS SECTION  
UTILITY AND TRANSPORTATION COMMISSION  
WASHINGTON STATE

Sincerely,

Toni Christianson  
17544 Valentine Rd  
Mount Vernon, WA 98273-7196



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Roger Harrison <rogerh@whidbey.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

PSE touts its Green Power initiative, but its operation is anything but green, as long as it uses dirty coal and continues to pollute the environment.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Roger Harrison  
1760 Compass Blvd  
Freeland, WA 98249-9445  
(360) 331-7646

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Dennis Marceron <denmatmar@yahoo.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:53  
UTC DL RECORDS CENTER  
PSE-120767

Sincerely,

Dennis Marceron  
3720 37th Ave S  
Seattle, WA 98144-7111  
(206) 200-5261

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Laura Wood <laura.s.wood@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:53  
UTC DL RECORDS CENTER

Sincerely,

Laura Wood  
2710 Nequalicum Ave  
Bellingham, WA 98225-1533  
(360) 752-1380

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Sharlee Hughes <sharleekristen407@hotmail.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Sharlee Hughes  
4101 NW 402nd St  
Woodland, WA 98674-2939



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Mary Selby <westernwhitewolf@yahoo.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Mary Selby  
2627 Terrace St  
Bremerton, WA 98310-5042

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Monica Robbins <4waterdawgs@msn.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

When I recently looked at my Green Power report, I was surprised to learn the large percentage of power that PSE gets from coal! I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Monica Robbins  
3817 W Mercer Way  
Mercer Island, WA 98040-3317  
(206) 232-5838

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Sara Marshall <chistachica@yahoo.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:08  
UTC DL RECORDS CENTER  
1000 WEST 4TH AVENUE  
SEATTLE, WA 98101  
TEL: 206.462.1100  
WWW.UTC.WA.GOV

Sincerely,

Sara Marshall  
12712 NE 11th Ct  
Vancouver, WA 98685-3151

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Pamela Carsey <pamelacarsey@yahoo.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Pamela Carsey  
2215 N Houk Rd Apt 12  
Spokane Valley, WA 99216-2718



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Jennifer Madden <jmaddendvm@yahoo.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal. This has simply got to stop.

Sincerely,

Jennifer Madden  
97 Mountain View Ln  
Elma, WA 98541-9158  
(360) 500-7050

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Kevin Darcy <darcykevinj@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Kevin Darcy  
3140 Adams Ave Apt C304  
Bellingham, WA 98225-6577  
(360) 920-9017

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Chelsea Vukovich <chelserin@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:53  
UTC DL RECORDS CENTER

Sincerely,

Chelsea Vukovich  
672 Andy Ct  
Bellingham, WA 98226-7172

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Melba Falk <melba@falkicon.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Melba Falk  
2907 Warren Ave N  
Seattle, WA 98109-1730  
(206) 669-4296



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Robert Chattin <rcchattin@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:33  
RECEIVED  
UTC DL RECORDS CENTER  
1000 WEST 10TH AVENUE  
SEATTLE, WA 98101

Sincerely,

Robert Chattin  
309 W 23rd St  
Vancouver, WA 98660-2522

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Elaine Ott <elaineott22@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Elaine Ott  
5410 SW 244th St  
Vashon, WA 98070-8122  
(206) 465-1355

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Bernadette Mccrea <razzyz@comcast.net>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:52  
UTC DL RECORDS CENTER  
10/11/13 10:17 AM

Sincerely,

Bernadette Mccrea  
14419 Greenwood Ave N  
# A366  
Seattle, WA 98133-6865  
(206) 365-2214

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Joe Dray <joedray@comcast.net>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:54  
COMMUNICATIONS SECTION  
UTILITY AND TRANSPORTATION COMMISSION  
WASHINGTON STATE

Sincerely,

Joe Dray  
37739 Vista Key Dr NE  
Hansville, WA 98340-9730  
(360) 881-0438



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Gregory Pauley <gregorypauley@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 AM 10:54  
COMMUNICATIONS SECTION  
UTILITY AND TRANSPORTATION COMMISSION  
WASHINGTON STATE

Sincerely,

Gregory Pauley  
548 26th Ave  
Seattle, WA 98122-6122

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Carter Case <carterdcase@gmail.com>  
**Sent:** Sunday, August 11, 2013 10:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal. Because if we don't transition now, then when? There is never a better time for action than the present, and it's far beyond time in this country for energy companies to recognize the

dangers inherent with their business model. Coal doesn't belong in the Northwest, or anywhere in the world; it belongs left underground.

Sincerely,

Carter Case  
2120 159th Ct SE  
Mill Creek, WA 98012-5883