

**AVISTA CORP.**  
**RESPONSE TO REQUEST FOR INFORMATION**

JURISDICTION:	WASHINGTON	DATE PREPARED:	08/06/2009
CASE NO:	UE-090134 & UG-090135	WITNESS:	Bruce Folsom
REQUESTER:	Public Counsel	RESPONDER:	Chris Drake
TYPE:	Data Request	DEPT:	Energy Solutions
REQUEST NO.:	PC - 490	TELEPHONE:	(509) 495-8624
		EMAIL:	chris.drake@avistacorp.com

**REQUEST:****Re: Avista's Response to Public Counsel's Data Request No. 283, Attachment A.**

With respect to the following entry in Avista's Response to Public Counsel's Data Request No. 283, Attachment A, row 14713:

RE9	G INS - CEIL/ATTIC	213	-	10,837	426	WA	2008
-----	--------------------	-----	---	--------	-----	----	------

- a. Please clarify whether the therm savings estimate of 10,837 therms for this ceiling insulation program was correctly reported by Avista.
- b. If the therm savings estimate of 10,837 is correct, please explain why it is so large in comparison to other program participants. In addition, please explain why the therm savings is so large in comparison to the total project cost and the amount of incentive, as compared to other program participants.
- c. If this savings level is incorrect, please provide an explanation as to whether savings of 10,837 therms for this program participant was included in the 133,253 reported Washington savings for the Insulation programs, as reported in Table H3-E of the Decoupling Evaluation?
- d. If this savings level is incorrect, please provide an explanation as to whether savings of 10,837 therms for this program participant was included in the 153,026 verified Washington savings for the Insulation programs, as reported in Table H3-E of the Decoupling Evaluation?

**RESPONSE:**

- a. The savings were not correctly reported. The savings should have been 729 therms.
- b. See 'a' above.
- c. Yes, this incorrect savings level for this program participant was included in the 133,253 report Washington savings for the insulation programs.
- d. Yes, this incorrect savings level for this program participant was included in the 153,026 verified savings for insulation programs.