



Qwest Corporation (Qwest or CTL-Q) Performance Results

Washington March 2016 - March 2017

Statistical parameters used to calculate whether PAP standards have been met or missed, and any applicable PAP payments, are sometimes required to be different than those used to calculate performance in this report. See the Reading Reports link on CenturyLink's Wholesale Website for details.

April 17, 2017

CenturyLink QC Performance Results – Current 271 PID

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Month	PID Category	PID	PID Title	Product Category
March 2017	Billing	BI-2	Invoices Delivered within 10 Days	All
March 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate
March 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation
March 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate
March 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation
March 2017	Collocation	CP-2B	Non-Forecasted and Late Forecasted Collocations	All
March 2017	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All
March 2017	Database Updates	DB-1B	All	LIDB
March 2017	Database Updates	DB-1C-1	All	Directory Listing
March 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI
March 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA
March 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML
March 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA
March 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI
March 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE
March 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT
March 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL
March 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable
March 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
March 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
March 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable
March 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable
March 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
March 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable
March 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business
March 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	Residence
March 2017	Maintenance and Repair	MR-6C	Mean Time to Restore no dispatch	Residence
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog
March 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable
March 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded
March 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable
March 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Month	PID Category	PID	PID Title	Product Category
March 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence
March 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING
March 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSLi
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog
March 2017	Maintenance and Repair	MR-9B	Repair Appointments Met-Disp out MSA	Residence
March 2017	Maintenance and Repair	MR-9C	Repair Appointments Met-No Dispatch	Residence
March 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk
March 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk
March 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk
March 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk
March 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling
March 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded
March 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog
March 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded
March 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog
March 2017	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling
March 2017	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Sub-Loop Unbundling
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog
March 2017	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling
March 2017	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Sub-Loop Unbundling
March 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
March 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
March 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable

Month	PID Category	PID	PID Title	Product Category
March 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog
March 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	LIS Trunk
March 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
March 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog
March 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Month	PID Category	PID	PID Title	Product Category
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response
March 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP
March 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS
March 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate
March 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP
March 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS
March 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate
March 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate
March 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate
March 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate
March 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs
March 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP
March 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate
March 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs
March 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP
March 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk
March 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability
February 2017	Billing	BI-2	Invoices Delivered within 10 Days	All
February 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate
February 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation
February 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate
February 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation
February 2017	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All
February 2017	Database Updates	DB-1B	All	LIDB
February 2017	Database Updates	DB-1C-1	All	Directory Listing
February 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI
February 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA
February 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML
February 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA
February 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI
February 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE
February 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT
February 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL
February 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Month	PID Category	PID	PID Title	Product Category
February 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
February 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
February 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable
February 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable
February 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk
February 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable
February 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business
February 2017	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	Residence
February 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	Residence
February 2017	Maintenance and Repair	MR-6C	Mean Time to Restore no dispatch	Residence
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog
February 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable
February 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk
February 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable
February 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog
February 2017	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/I MSA	Residence
February 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	Residence
February 2017	Maintenance and Repair	MR-7C	Repair Repeat Report Rate-no dispatch	Residence
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog
February 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable
February 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk
February 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable
February 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable
February 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence
February 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING
February 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Month	PID Category	PID	PID Title	Product Category
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSLi
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog
February 2017	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/l MSA	Residence
February 2017	Maintenance and Repair	MR-9B	Repair Appointments Met-Disp out MSA	Residence
February 2017	Maintenance and Repair	MR-9C	Repair Appointments Met-No Dispatch	Residence
February 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk
February 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk
February 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk
February 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk
February 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling
February 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded
February 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable
February 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog
February 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded
February 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable
February 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog
February 2017	Ordering and Provisioning	OP-3C	No dispatches	Residence
February 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
February 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
February 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
February 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog
February 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk
February 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
February 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog
February 2017	Ordering and Provisioning	OP-4C	No dispatches	Residence
February 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
February 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
February 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
February 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog
February 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
February 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Month	PID Category	PID	PID Title	Product Category
February 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response

Month	PID Category	PID	PID Title	Product Category
February 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP
February 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS
February 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate
February 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP
February 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS
February 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate
February 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate
February 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate
February 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate
February 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs
February 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP
February 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate
February 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs
February 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP
February 2017	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP
February 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk
February 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability
January 2017	Billing	BI-2	Invoices Delivered within 10 Days	All
January 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate
January 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation
January 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate
January 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation
January 2017	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All
January 2017	Database Updates	DB-1B	All	LIDB
January 2017	Database Updates	DB-1C-1	All	Directory Listing
January 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI
January 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA
January 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML
January 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA
January 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI
January 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE
January 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT
January 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Month	PID Category	PID	PID Title	Product Category
January 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable
January 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
January 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable
January 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog
January 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable
January 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
January 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable
January 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable
January 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence
January 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING
January 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog
January 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk
January 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk
January 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk
January 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded

Month	PID Category	PID	PID Title	Product Category
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog
January 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded
January 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable
January 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog
January 2017	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
January 2017	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	LIS Trunk
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog
January 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Month	PID Category	PID	PID Title	Product Category
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response
January 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP
January 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS
January 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate
January 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP
January 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS
January 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate
January 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate
January 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate
January 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate

Month	PID Category	PID	PID Title	Product Category
January 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs
January 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP
January 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate
January 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs
January 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP
January 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk
January 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability
December 2016	Billing	BI-2	Invoices Delivered within 10 Days	All
December 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate
December 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation
December 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate
December 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation
December 2016	Database Updates	DB-1B	All	LIDB
December 2016	Database Updates	DB-1C-1	All	Directory Listing
December 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI
December 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA
December 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML
December 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA
December 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI
December 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT
December 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable
December 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable
December 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk
December 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable
December 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business
December 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	SUB-LOOP UNBUNDLING
December 2016	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable

Month	PID Category	PID	PID Title	Product Category
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog
December 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable
December 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk
December 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable
December 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog
December 2016	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog
December 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable
December 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk
December 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable
December 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable
December 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence
December 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING
December 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog
December 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk
December 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk
December 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk
December 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk
December 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling
December 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded
December 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog
December 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded
December 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog
December 2016	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk

Month	PID Category	PID	PID Title	Product Category
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog
December 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
December 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk
December 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
December 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog
December 2016	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling
December 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
December 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
December 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
December 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog
December 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
December 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
December 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog
December 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL

Month	PID Category	PID	PID Title	Product Category
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response
December 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP
December 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS
December 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate
December 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP
December 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS
December 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate
December 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate
December 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate
December 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs
December 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP
December 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate
December 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs
December 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP
December 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk
December 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability

Month	PID Category	PID	PID Title	Product Category
November 2016	Billing	BI-2	Invoices Delivered within 10 Days	All
November 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate
November 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation
November 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate
November 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation
November 2016	Database Updates	DB-1B	All	LIDB
November 2016	Database Updates	DB-1C-1	All	Directory Listing
November 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI
November 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA
November 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML
November 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA
November 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI
November 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT
November 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable
November 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable
November 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk
November 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
November 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable
November 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business
November 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	Residence
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog
November 2016	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/i MSA	Residence

Month	PID Category	PID	PID Title	Product Category
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable
November 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence
November 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING
November 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSLi
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog
November 2016	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/I MSA	Residence
November 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk
November 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk
November 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk
November 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk
November 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling
November 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded
November 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog
November 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded
November 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog
November 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
November 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE
November 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
November 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
November 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog
November 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
November 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk

Month	PID Category	PID	PID Title	Product Category
November 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
November 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog
November 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
November 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
November 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog
November 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP
November 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL

Month	PID Category	PID	PID Title	Product Category
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response
November 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP
November 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS
November 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate
November 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP
November 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS
November 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate
November 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate
November 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate
November 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs
November 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP
November 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate
November 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs
November 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP
November 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk
November 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability
October 2016	Billing	BI-2	Invoices Delivered within 10 Days	All
October 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate
October 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation
October 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate
October 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation
October 2016	Database Updates	DB-1B	All	LIDB

Month	PID Category	PID	PID Title	Product Category
October 2016	Database Updates	DB-1C-1	All	Directory Listing
October 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI
October 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA
October 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML
October 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA
October 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI
October 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT
October 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL
October 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable
October 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
October 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
October 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable
October 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable
October 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk
October 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
October 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable
October 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog

Month	PID Category	PID	PID Title	Product Category
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable
October 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence
October 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING
October 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSLi
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog
October 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk
October 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk
October 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk
October 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk
October 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling
October 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded
October 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable
October 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog
October 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded
October 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable
October 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	LIS Trunk

Month	PID Category	PID	PID Title	Product Category
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog
October 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk
October 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded
October 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable
October 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog
October 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP
October 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response

Month	PID Category	PID	PID Title	Product Category
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response
October 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP
October 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS
October 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate
October 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP
October 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS
October 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate
October 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate
October 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate
October 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate
October 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs
October 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP
October 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate
October 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs
October 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP
October 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP
October 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk
October 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability
September 2016	Billing	BI-2	Invoices Delivered within 10 Days	All
September 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate
September 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation
September 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate
September 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation
September 2016	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All
September 2016	Database Updates	DB-1B	All	LIDB
September 2016	Database Updates	DB-1C-1	All	Directory Listing
September 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI
September 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA
September 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML
September 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA

Month	PID Category	PID	PID Title	Product Category
September 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI
September 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT
September 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL
September 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable
September 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk
September 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
September 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
September 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable
September 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable
September 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE
September 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
September 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable
September 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog
September 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable
September 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE
September 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded
September 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable
September 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog
September 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable
September 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk
September 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
September 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
September 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable
September 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog
September 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable
September 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE
September 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
September 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable
September 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog
September 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable
September 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk

Month	PID Category	PID	PID Title	Product Category
September 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence
September 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING
September 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE
September 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded
September 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable
September 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSLi
September 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog
September 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk
September 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk
September 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk
September 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk
September 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling
September 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded
September 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog
September 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded
September 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog
September 2016	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Sub-Loop Unbundling
September 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk
September 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE
September 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
September 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
September 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog
September 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
September 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk
September 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE
September 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
September 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
September 2016	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Sub-Loop Unbundling
September 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk
September 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE
September 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
September 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
September 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog
September 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
September 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE
September 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
September 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Month	PID Category	PID	PID Title	Product Category
September 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk
September 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING
September 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE
September 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded
September 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable
September 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog
September 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response

Month	PID Category	PID	PID Title	Product Category
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response
September 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP
September 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS
September 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate
September 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP
September 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS
September 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate
September 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate
September 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate
September 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate
September 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs
September 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP
September 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate
September 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs
September 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP
September 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP
September 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk
September 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability
August 2016	Billing	BI-2	Invoices Delivered within 10 Days	All
August 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate
August 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation
August 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate
August 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation
August 2016	Database Updates	DB-1B	All	LIDB
August 2016	Database Updates	DB-1C-1	All	Directory Listing
August 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI
August 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA
August 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML
August 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA
August 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI
August 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT
August 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL

Month	PID Category	PID	PID Title	Product Category
August 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable
August 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
August 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
August 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable
August 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable
August 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE
August 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
August 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable
August 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business
August 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	SUB-LOOP UNBUNDLING
August 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	SUB-LOOP UNBUNDLING
August 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable
August 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
August 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded
August 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable
August 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog
August 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable
August 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE
August 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded
August 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable
August 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog
August 2016	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/I MSA	SUB-LOOP UNBUNDLING
August 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable
August 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
August 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
August 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable
August 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog
August 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable
August 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE
August 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
August 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable
August 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog
August 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable
August 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk
August 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence
August 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING
August 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE

Month	PID Category	PID	PID Title	Product Category
August 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded
August 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable
August 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL
August 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog
August 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk
August 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk
August 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk
August 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk
August 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling
August 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded
August 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog
August 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded
August 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog
August 2016	Ordering and Provisioning	OP-3C	No dispatches	Residence
August 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
August 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk
August 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
August 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
August 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog
August 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
August 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk
August 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
August 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
August 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog
August 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
August 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk
August 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
August 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
August 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog
August 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
August 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
August 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
August 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog
August 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk
August 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence
August 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded
August 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Month	PID Category	PID	PID Title	Product Category
August 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog
August 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response

Month	PID Category	PID	PID Title	Product Category
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response
August 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP
August 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS
August 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate
August 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP
August 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS
August 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate
August 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate
August 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate
August 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate
August 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs
August 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP
August 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate
August 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs
August 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP
August 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP
August 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk
August 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability
July 2016	Billing	BI-2	Invoices Delivered within 10 Days	All
July 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate
July 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation
July 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate
July 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation
July 2016	Collocation	CP-2B	Non-Forecasted and Late Forecasted Collocations	All
July 2016	Database Updates	DB-1B	All	LIDB
July 2016	Database Updates	DB-1C-1	All	Directory Listing
July 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI
July 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA
July 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML
July 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA
July 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI
July 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT
July 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL
July 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable
July 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
July 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
July 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable

Month	PID Category	PID	PID Title	Product Category
July 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - XDSLi
July 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable
July 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE
July 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
July 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable
July 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business
July 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	SUB-LOOP UNBUNDLING
July 2016	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - XDSLi
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog
July 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable
July 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE
July 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded
July 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable
July 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog
July 2016	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - XDSLi
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog
July 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable
July 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE
July 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
July 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable
July 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable
July 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence
July 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING
July 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded

Month	PID Category	PID	PID Title	Product Category
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSLi
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog
July 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk
July 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk
July 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk
July 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk
July 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling
July 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded
July 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable
July 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded
July 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable
July 2016	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling
July 2016	Ordering and Provisioning	OP-3C	No dispatches	Residence
July 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
July 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk
July 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE
July 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
July 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
July 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog
July 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
July 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk
July 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
July 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
July 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog
July 2016	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog
July 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
July 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
July 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
July 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk

Month	PID Category	PID	PID Title	Product Category
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog
July 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP
July 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response

Month	PID Category	PID	PID Title	Product Category
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response
July 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP
July 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS
July 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate
July 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP
July 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS
July 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate
July 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate
July 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate
July 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate
July 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs
July 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP
July 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate
July 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs
July 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP
July 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP
July 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk
July 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability
June 2016	Billing	BI-2	Invoices Delivered within 10 Days	All
June 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate
June 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation
June 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate
June 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation
June 2016	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All
June 2016	Database Updates	DB-1B	All	LIDB
June 2016	Database Updates	DB-1C-1	All	Directory Listing
June 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI
June 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA
June 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML
June 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA
June 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI

Month	PID Category	PID	PID Title	Product Category
June 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT
June 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL
June 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable
June 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
June 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
June 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable
June 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable
June 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk
June 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
June 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable
June 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business
June 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	Residence
June 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable
June 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
June 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded
June 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable
June 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog
June 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable
June 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk
June 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded
June 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable
June 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog
June 2016	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/I MSA	Residence
June 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable
June 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
June 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
June 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable
June 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog
June 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable
June 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk
June 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
June 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable
June 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable
June 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence
June 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING

Month	PID Category	PID	PID Title	Product Category
June 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSLi
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog
June 2016	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/I MSA	Residence
June 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk
June 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk
June 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk
June 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk
June 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	LIS Trunk
June 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling
June 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded
June 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable
June 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog
June 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	LIS Trunk
June 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded
June 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable
June 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog
June 2016	Ordering and Provisioning	OP-3C	No dispatches	Residence
June 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
June 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk
June 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
June 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
June 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog
June 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
June 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk
June 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
June 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
June 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog
June 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
June 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
June 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
June 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog
June 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
June 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
June 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Month	PID Category	PID	PID Title	Product Category
June 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog
June 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk
June 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence
June 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded
June 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable
June 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog
June 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP
June 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response

Month	PID Category	PID	PID Title	Product Category
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response
June 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP
June 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS
June 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate
June 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP
June 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS
June 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate
June 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate
June 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate
June 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate
June 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs
June 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP
June 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate
June 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs
June 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP
June 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP
June 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk
June 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability
May 2016	Billing	BI-2	Invoices Delivered within 10 Days	All
May 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate
May 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation
May 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate
May 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation
May 2016	Database Updates	DB-1B	All	LIDB
May 2016	Database Updates	DB-1C-1	All	Directory Listing
May 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI
May 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA
May 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML
May 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA
May 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI
May 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT

Month	PID Category	PID	PID Title	Product Category
May 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL
May 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable
May 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk
May 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
May 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
May 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable
May 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable
May 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable
May 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business
May 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	SUB-LOOP UNBUNDLING
May 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	Residence
May 2016	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog
May 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable
May 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable
May 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog
May 2016	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/l MSA	Residence
May 2016	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog
May 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable
May 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable
May 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable
May 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence
May 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING
May 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE

Month	PID Category	PID	PID Title	Product Category
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSLi
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog
May 2016	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/ MSA	Residence
May 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk
May 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk
May 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk
May 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk
May 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling
May 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded
May 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog
May 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded
May 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog
May 2016	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling
May 2016	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Residence
May 2016	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Sub-Loop Unbundling
May 2016	Ordering and Provisioning	OP-3C	No dispatches	Residence
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog
May 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
May 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk
May 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE
May 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
May 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog
May 2016	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling
May 2016	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Residence
May 2016	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Sub-Loop Unbundling
May 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE
May 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
May 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
May 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog
May 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable

Month	PID Category	PID	PID Title	Product Category
May 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE
May 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
May 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog
May 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk
May 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence
May 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING
May 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE
May 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded
May 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable
May 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog
May 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE

Month	PID Category	PID	PID Title	Product Category
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response
May 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP
May 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS
May 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate
May 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP
May 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS
May 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate
May 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate
May 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate
May 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate
May 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs
May 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP
May 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate
May 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs
May 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP
May 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP
May 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk
May 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability
April 2016	Billing	BI-2	Invoices Delivered within 10 Days	All
April 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate
April 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation
April 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate
April 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation
April 2016	Collocation	CP-2B	Non-Forecasted and Late Forecasted Collocations	All
April 2016	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All
April 2016	Database Updates	DB-1B	All	LIDB
April 2016	Database Updates	DB-1C-1	All	Directory Listing
April 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI

Month	PID Category	PID	PID Title	Product Category
April 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA
April 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML
April 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA
April 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI
April 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT
April 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL
April 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable
April 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
April 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
April 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable
April 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable
April 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk
April 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
April 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable
April 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business
April 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	SUB-LOOP UNBUNDLING
April 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	SUB-LOOP UNBUNDLING
April 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable
April 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
April 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded
April 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable
April 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog
April 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable
April 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk
April 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded
April 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable
April 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog
April 2016	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/l MSA	SUB-LOOP UNBUNDLING
April 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable
April 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
April 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
April 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable
April 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog
April 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable
April 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk
April 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
April 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable

Month	PID Category	PID	PID Title	Product Category
April 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog
April 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable
April 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk
April 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence
April 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING
April 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE
April 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded
April 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable
April 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSLi
April 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog
April 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk
April 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk
April 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk
April 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk
April 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling
April 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded
April 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable
April 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog
April 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded
April 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable
April 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog
April 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk
April 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
April 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
April 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog
April 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
April 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk
April 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
April 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
April 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog
April 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
April 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
April 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog
April 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
April 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
April 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
April 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Month	PID Category	PID	PID Title	Product Category
April 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk
April 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded
April 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable
April 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog
April 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP
April 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE
April 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response

Month	PID Category	PID	PID Title	Product Category
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response
April 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response
April 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP
April 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS
April 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate
April 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP
April 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS
April 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate
April 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate
April 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate
April 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate
April 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs
April 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP
April 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate
April 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs
April 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP
April 2016	Pre-Ordering	PO-5C-(a)	FOCs on Time for manual LSRs via Facsimile	Resale Aggregate
April 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP
April 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk
April 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability
April 2016	Pre-Ordering	PO-9C	LIS Trunks	LIS Trunk
March 2016	Billing	BI-2	Invoices Delivered within 10 Days	All
March 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate
March 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation
March 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate
March 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation
March 2016	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All
March 2016	Database Updates	DB-1B	All	LIDB
March 2016	Database Updates	DB-1C-1	All	Directory Listing
March 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI
March 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA
March 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML
March 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA
March 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI

Month	PID Category	PID	PID Title	Product Category
March 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT
March 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL
March 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable
March 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk
March 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
March 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
March 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable
March 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable
March 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk
March 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
March 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable
March 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business
March 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	Residence
March 2016	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	Residence
March 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable
March 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk
March 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
March 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded
March 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable
March 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog
March 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable
March 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk
March 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded
March 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable
March 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog
March 2016	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/I MSA	Residence
March 2016	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	Residence
March 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable
March 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk
March 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE
March 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded
March 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable
March 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog
March 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable
March 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk
March 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded
March 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable

Month	PID Category	PID	PID Title	Product Category
March 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog
March 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable
March 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk
March 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence
March 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING
March 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE
March 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded
March 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable
March 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSLi
March 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog
March 2016	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/l MSA	Residence
March 2016	Maintenance and Repair	MR-9B	Repair Appointments Met-Disp out MSA	Residence
March 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk
March 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk
March 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk
March 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk
March 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling
March 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded
March 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable
March 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog
March 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded
March 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable
March 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog
March 2016	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling
March 2016	Ordering and Provisioning	OP-3C	No dispatches	Residence
March 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
March 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk
March 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE
March 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
March 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
March 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog
March 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
March 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk
March 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
March 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
March 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog
March 2016	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling

Month	PID Category	PID	PID Title	Product Category
March 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable
March 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE
March 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded
March 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable
March 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog
March 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable
March 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded
March 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable
March 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog
March 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk
March 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence
March 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING
March 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE
March 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded
March 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable
March 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog
March 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP
March 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE

Month	PID Category	PID	PID Title	Product Category
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE
March 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response
March 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response
March 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP
March 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS
March 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate
March 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP
March 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS
March 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate
March 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate
March 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate
March 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate
March 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELs
March 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP
March 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate
March 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELs
March 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP
March 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP
March 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk
March 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity by Design	N/A	1,773	1,774	99.94%				
Diagnostic	N/A	1,649,104	1,649,104	100.00%				
Diagnostic	N/A	2,421	2,421	100.00%				
Parity	N/A	2,760	2,763	99.89%	3.29%	50,152	50,697	98.92%
Diagnostic	N/A	2,421	2,421	100.00%				
Diagnostic	N/A	1	1	100.00%				
Diagnostic	N/A	1	1	100.00%				
Diagnostic	N/A	4,321,230	4,010,738	1.08				
Diagnostic	N/A	5922.79	32,793	0.18				
Diagnostic	N/A	30,600	30,600	100.00%				
Diagnostic	N/A	30,600	30,600	100.00%				
Diagnostic	N/A	30,600	30,600	100.00%				
Diagnostic	N/A	43,200	43,200	100.00%				
Diagnostic	N/A	42,180	42,180	100.00%				
Diagnostic	N/A	27,960	27,960	100.00%				
Diagnostic	N/A	0	0					
Diagnostic	N/A	0	0					
Parity	N/A	9	10	90.00%	30.00%	14	22	63.64%
Diagnostic	N/A	3	6	50.00%				
Diagnostic	N/A	13	24	54.17%				
Parity	N/A	23	37	62.16%	48.50%	16	25	64.00%
Parity	N/A	6	8	75.00%	43.30%	5	15	33.33%
Diagnostic	N/A	1	1	100.00%				
Parity	N/A	1	1	100.00%	0.00%	5	15	33.33%
Parity	N/A	14	25	56.00%	49.64%	488	809	60.32%
Parity	N/A	12:24	1	12:24	0:00	36422:09	859	42:24
Parity	N/A	1:51	2	0:55	0:32	3940:28	246	16:01
Parity	N/A	32:31	10	3:15	3:06	75:09	16	4:42
Parity	N/A	28:54	6	4:49	3:04			
Parity	N/A	127:40	24	5:19	3:56			
Parity	N/A	153:46	37	4:09	3:14	84:52	18	4:43
Parity	N/A	764:05	66	11:35	17:10	160922:45	4,230	38:03
Parity	N/A	29:59	8	3:45	2:58	84:25	13	6:30
Parity	N/A	2:21	1	2:21	0:00			
Parity	N/A	1:21	1	1:21	0:00	84:25	13	6:30
Parity	N/A	15:55	3	5:18	2:15	41977:26	1,045	40:10
Parity	N/A	18	1,327	1.36%	11.57%	37	2,358	1.57%

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	0	69,904	0.00%		0	56,137	0.00%
Parity	N/A	3	58	5.17%	22.15%	4,813	317,622	1.52%
Parity	N/A	0	222	0.00%		40	2,682	1.49%
Parity	N/A	6	2,062	0.29%	5.39%	0	917	0.00%
Parity	N/A	25	14,237	0.18%	4.19%	0	917	0.00%
Parity	N/A	38	4,567	0.83%	9.08%	40	2,399	1.67%
Parity	N/A	0	21	0.00%		40	2,675	1.50%
Parity	N/A	69	23,031	0.30%	5.47%	5,839	473,114	1.23%
Parity	N/A	1	1	100.00%	0.00%	781	901	86.68%
Parity	N/A	2	2	100.00%	0.00%	270	284	95.07%
Parity	N/A	0	33,792	0.00%	0.01%			
Parity	N/A	5	13,087	0.04%	0.38%			
Diagnostic	N/A	17	33,888	0.05%				
Diagnostic	N/A	5	13,087	0.04%				
Diagnostic	N/A	10	2	5.00				
Parity	N/A	71	3	23.67	12.70			
Parity	N/A	1,742	12	145.17	34.64	34,441	315	109.34
Parity	N/A	3	3	100.00%	0.00%			
Parity	N/A	0	12	0.00%	0.00%	146	315	46.35%
Benchmark	90.00%	1	1	100.00%				
Benchmark	90.00%	1	1	100.00%				
Benchmark	90.00%	8	9	88.89%				
Parity	N/A	2	2	100.00%	0.00%	4	4	100.00%
Benchmark	90.00%	2	2	100.00%				
Benchmark	90.00%	123	142	86.62%				
Parity	N/A	33	51	64.71%	47.79%			
Benchmark	90.00%	59	73	80.82%				
Benchmark	90.00%	1	1	100.00%				
Parity	N/A	3	3	100.00%	0.00%			
Benchmark	90.00%	1	1	100.00%				
Parity	N/A	0	9	0.00%	0.00%	4	4	100.00%
Benchmark	90.00%	2	2	100.00%				
Benchmark	6.00	3	1	3.00				
Benchmark	6.00	3	1	3.00				
Benchmark	6.00	71	8	8.88				
Benchmark	6.00	308	92	3.35				
Benchmark	5.50	381	43	8.86				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Benchmark	6.00	338	48	7.04				
Parity	N/A	3	1	3.00	0.00			
Benchmark	5.50	63	9	7.00				
Benchmark	6.00	9	2	4.50				
Benchmark	95.00%	3,221	3,241	99.38%				
Diagnostic	N/A	6937.00	19,820	0.35				
Diagnostic	N/A	15473.48	12,788	1.21				
Diagnostic	N/A	22410.48	19,820	1.13				
Diagnostic	N/A	3193.52	4,202	0.76				
Diagnostic	N/A	3721.18	4,202	0.89				
Diagnostic	N/A	737.02	1,714	0.43				
Diagnostic	N/A	1235.96	1,166	1.06				
Diagnostic	N/A	1972.98	1,714	1.15				
Diagnostic	N/A	3284.34	3,819	0.86				
Diagnostic	N/A	8121.30	3,795	2.14				
Diagnostic	N/A	11405.64	3,819	2.99				
Diagnostic	N/A	8027.76	7,719	1.04				
Diagnostic	N/A	6542.40	5,640	1.16				
Diagnostic	N/A	14570.16	7,719	1.89				
Diagnostic	N/A	2299.50	1,095	2.10				
Diagnostic	N/A	635.60	1,135	0.56				
Diagnostic	N/A	2935.10	1,095	2.68				
Diagnostic	N/A	3602.34	6,671	0.54				
Diagnostic	N/A	7477.26	13,118	0.57				
Diagnostic	N/A	11079.60	6,671	1.66				
Diagnostic	N/A	268.00	1,072	0.25				
Diagnostic	N/A	853.55	1,985	0.43				
Diagnostic	N/A	1244.16	972	1.28				
Diagnostic	N/A	2365.71	1,985	1.19				
Diagnostic	N/A	2346.00	3,450	0.68				
Diagnostic	N/A	52038.72	2,736	19.02				
Diagnostic	N/A	54384.72	3,450	15.76				
Diagnostic	N/A	8373.10	4,526	1.85				
Diagnostic	N/A	7748.67	4,479	1.73				
Diagnostic	N/A	67292.68	6,916	9.73				
Diagnostic	N/A	26232.15	6,321	4.15				
Diagnostic	N/A	47050.96	3,368	13.97				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	3882.75	775	5.01				
Diagnostic	N/A	14996.64	4,776	3.14				
Diagnostic	N/A	3795.60	3,163	1.20				
Diagnostic	N/A	5626.95	1,631	3.45				
Diagnostic	N/A	2,824	3,588	78.71%				
Diagnostic	N/A	43	112	38.39%				
Diagnostic	N/A	443	546	81.14%				
Diagnostic	N/A	2,824	2,837	99.54%				
Diagnostic	N/A	43	44	97.73%				
Diagnostic	N/A	443	445	99.55%				
Diagnostic	N/A	57:35	3	19:12				
Diagnostic	N/A	407:07	319	1:17				
Benchmark	95.00%	560	560	100.00%				
Benchmark	95.00%	416	416	100.00%				
Benchmark	95.00%	2,513	2,513	100.00%				
Benchmark	90.00%	162	162	100.00%				
Benchmark	90.00%	168	177	94.92%				
Benchmark	90.00%	574	575	99.83%				
Benchmark	85.00%	12	15	80.00%				
Parity	N/A	21	89	23.60%	42.46%	1	87	1.15%
Parity by Design	N/A	1,492	1,493	99.93%				
Diagnostic	N/A	1,657,898	1,658,447	99.97%				
Diagnostic	N/A	4,755	4,755	100.00%				
Parity	N/A	2,944	2,945	99.97%	1.84%	52,719	53,180	99.13%
Diagnostic	N/A	4,755	4,755	100.00%				
Diagnostic	N/A	2	2	100.00%				
Diagnostic	N/A	2,967,622	2,759,277	1.08				
Diagnostic	N/A	4833.46	27,365	0.18				
Diagnostic	N/A	27,360	27,360	100.00%				
Diagnostic	N/A	27,360	27,360	100.00%				
Diagnostic	N/A	27,360	27,360	100.00%				
Diagnostic	N/A	38,880	38,880	100.00%				
Diagnostic	N/A	37,860	37,860	100.00%				
Diagnostic	N/A	24,720	24,720	100.00%				
Diagnostic	N/A	0	0					
Diagnostic	N/A	0	0					
Parity	N/A	5	10	50.00%	50.00%	5	12	41.67%

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	6	10	60.00%				
Diagnostic	N/A	4	13	30.77%				
Parity	N/A	30	53	56.60%	49.56%	6	13	46.15%
Parity	N/A	3	7	42.86%	49.49%	14	26	53.85%
Parity	N/A	0	1	0.00%	0.00%			
Parity	N/A	5	7	71.43%	45.18%	14	26	53.85%
Parity	N/A	4	13	30.77%	46.15%	384	798	48.12%
Parity	N/A	142:17	2	71:08	34:25	182510:49	3,497	52:11
Parity	N/A	24:44	1	24:44	0:00	34886:49	750	46:31
Parity	N/A	1:15	1	1:15	0:00	3370:50	232	14:32
Parity	N/A	49:01	10	4:54	3:50	62:38	10	6:16
Parity	N/A	78:00	10	7:48	15:45	0:14	1	0:14
Parity	N/A	69:24	13	5:20	2:56	0:14	1	0:14
Parity	N/A	261:36	53	4:56	4:13	64:53	11	5:54
Parity	N/A	1012:28	89	11:23	13:27	205864:42	4,253	48:24
Parity	N/A	43:57	7	6:17	6:59	119:10	20	5:58
Parity	N/A	10:11	1	10:11	0:00			
Parity	N/A	44:43	7	6:23	10:59	119:10	20	5:58
Parity	N/A	23:20	4	5:50	2:59	45881:08	1,014	45:15
Parity	N/A	1	2	50.00%	50.00%	533	3,711	14.36%
Parity	N/A	0	1	0.00%	0.00%	90	784	11.48%
Parity	N/A	1	1	100.00%	0.00%	24	271	8.86%
Parity	N/A	2	10	20.00%	40.00%	5	14	35.71%
Parity	N/A	0	10	0.00%	0.00%	0	1	0.00%
Parity	N/A	0	13	0.00%	0.00%	0	1	0.00%
Parity	N/A	9	53	16.98%	37.55%	5	14	35.71%
Parity	N/A	13	89	14.61%	35.32%	643	4,679	13.74%
Parity	N/A	0	7	0.00%	0.00%	5	26	19.23%
Parity	N/A	0	1	0.00%	0.00%			
Parity	N/A	0	7	0.00%	0.00%	5	26	19.23%
Parity	N/A	1	4	25.00%	43.30%	130	1,084	11.99%
Parity	N/A	17	1,329	1.28%	11.24%	38	2,403	1.58%
Parity	N/A	1	69,712	0.00%	0.38%	0	56,185	0.00%
Parity	N/A	4	60	6.67%	24.94%	4,766	320,805	1.49%
Parity	N/A	0	218	0.00%		40	2,738	1.46%
Parity	N/A	10	2,113	0.47%	6.86%	1	931	0.11%
Parity	N/A	13	14,375	0.09%	3.01%	1	931	0.11%

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	60	4,600	1.30%	11.35%	39	2,441	1.60%
Parity	N/A	0	22	0.00%		40	2,731	1.46%
Parity	N/A	93	23,371	0.40%	6.30%	5,763	477,563	1.21%
Parity	N/A	0	2	0.00%	0.00%	2,828	3,711	76.21%
Parity	N/A	1	1	100.00%	0.00%	665	784	84.82%
Parity	N/A	1	1	100.00%	0.00%	255	271	94.10%
Parity	N/A	15	32,664	0.04%	0.34%			
Parity	N/A	1	12,967	0.00%	0.04%			
Diagnostic	N/A	43	33,840	0.13%				
Diagnostic	N/A	3	13,063	0.02%				
Diagnostic	N/A	48	1	48.00				
Parity	N/A	594	13	45.69	35.56			
Parity	N/A	120	9	13.33	7.28	296	2	148.00
Parity	N/A	1,706	21	81.24	55.19	31,722	304	104.35
Parity	N/A	4	13	30.77%	46.15%			
Parity	N/A	9	9	100.00%	0.00%	2	2	100.00%
Parity	N/A	5	21	23.81%	42.59%	138	304	45.39%
Parity	N/A	1	1	100.00%	0.00%	823	829	99.28%
Benchmark	90.00%	1	1	100.00%				
Benchmark	90.00%	148	159	93.08%				
Parity	N/A	25	30	83.33%	37.27%	4	4	100.00%
Benchmark	90.00%	32	36	88.89%				
Parity	N/A	1	1	100.00%	0.00%			
Benchmark	90.00%	7	8	87.50%				
Benchmark	90.00%	14	14	100.00%				
Parity	N/A	1	1	1.00	0.00	802	298	2.69
Benchmark	6.00	5	1	5.00				
Benchmark	6.00	582	177	3.29				
Benchmark	5.50	179	34	5.26				
Benchmark	6.00	270	51	5.29				
Benchmark	6.00	27	8	3.38				
Benchmark	6.00	71	15	4.73				
Parity	N/A	1	1	100.00%	0.00%			
Parity	N/A	1	1	100.00%	0.00%	2,011	2,182	92.16%
Parity	N/A	226	227	99.56%	6.62%	1	1	100.00%
Parity	N/A	39	40	97.50%	15.61%	4	4	100.00%
Parity	N/A	66	66	100.00%	0.00%	1,637	1,754	93.33%

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Benchmark	95.00%	7,512	7,517	99.93%				
Diagnostic	N/A	6314.55	19,135	0.33				
Diagnostic	N/A	15756.30	12,810	1.23				
Diagnostic	N/A	22070.85	19,135	1.15				
Diagnostic	N/A	3210.00	4,280	0.75				
Diagnostic	N/A	3713.36	4,280	0.87				
Diagnostic	N/A	738.74	1,718	0.43				
Diagnostic	N/A	1262.52	1,169	1.08				
Diagnostic	N/A	2001.26	1,718	1.16				
Diagnostic	N/A	3414.93	3,837	0.89				
Diagnostic	N/A	8081.22	3,794	2.13				
Diagnostic	N/A	11496.15	3,837	3.00				
Diagnostic	N/A	8540.74	7,982	1.07				
Diagnostic	N/A	6486.00	5,640	1.15				
Diagnostic	N/A	15026.74	7,982	1.88				
Diagnostic	N/A	2319.76	1,084	2.14				
Diagnostic	N/A	678.30	1,190	0.57				
Diagnostic	N/A	2998.06	1,084	2.77				
Diagnostic	N/A	3399.30	6,295	0.54				
Diagnostic	N/A	7588.00	13,550	0.56				
Diagnostic	N/A	10987.30	6,295	1.75				
Diagnostic	N/A	259.92	1,083	0.24				
Diagnostic	N/A	828.66	1,973	0.42				
Diagnostic	N/A	1264.90	973	1.30				
Diagnostic	N/A	2353.48	1,973	1.19				
Diagnostic	N/A	2519.28	3,499	0.72				
Diagnostic	N/A	53639.15	2,801	19.15				
Diagnostic	N/A	56158.43	3,499	16.05				
Diagnostic	N/A	8389.75	4,535	1.85				
Diagnostic	N/A	7748.67	4,479	1.73				
Diagnostic	N/A	68191.76	6,916	9.86				
Diagnostic	N/A	26127.54	6,311	4.14				
Diagnostic	N/A	46713.96	3,468	13.47				
Diagnostic	N/A	3991.25	775	5.15				
Diagnostic	N/A	14994.00	4,760	3.15				
Diagnostic	N/A	3992.58	3,246	1.23				
Diagnostic	N/A	5612.12	1,622	3.46				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	2,489	3,095	80.42%				
Diagnostic	N/A	28	70	40.00%				
Diagnostic	N/A	430	527	81.59%				
Diagnostic	N/A	2,489	2,492	99.88%				
Diagnostic	N/A	28	28	100.00%				
Diagnostic	N/A	430	432	99.54%				
Diagnostic	N/A	24:17	1	24:17				
Diagnostic	N/A	221:22	153	1:27				
Benchmark	95.00%	195	195	100.00%				
Benchmark	95.00%	359	359	100.00%				
Benchmark	95.00%	2,202	2,202	100.00%				
Benchmark	90.00%	125	125	100.00%				
Benchmark	90.00%	196	199	98.49%				
Benchmark	90.00%	488	488	100.00%				
Benchmark	90.00%	3	3	100.00%				
Benchmark	85.00%	3	3	100.00%				
Parity	N/A	5	42	11.90%	32.38%	4	75	5.33%
Parity by Design	N/A	1,726	1,729	99.83%				
Diagnostic	N/A	1,648,903	1,648,903	100.00%				
Diagnostic	N/A	22,187	22,187	100.00%				
Parity	N/A	2,440	2,441	99.96%	2.02%	52,029	52,870	98.41%
Diagnostic	N/A	22,112	22,112	100.00%				
Diagnostic	N/A	1	1	100.00%				
Diagnostic	N/A	2,689,617	2,512,227	1.07				
Diagnostic	N/A	5077.86	32,161	0.16				
Diagnostic	N/A	30,060	30,060	100.00%				
Diagnostic	N/A	30,060	30,060	100.00%				
Diagnostic	N/A	30,060	30,060	100.00%				
Diagnostic	N/A	42,900	42,900	100.00%				
Diagnostic	N/A	41,820	41,820	100.00%				
Diagnostic	N/A	22,320	22,320	100.00%				
Diagnostic	N/A	21,960	21,960	100.00%				
Diagnostic	N/A	0	0					
Parity	N/A	2	5	40.00%	48.99%	10	15	66.67%
Diagnostic	N/A	3	7	42.86%				
Diagnostic	N/A	5	8	62.50%				
Parity	N/A	14	34	41.18%	49.22%	11	16	68.75%

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	1	3	33.33%	47.14%	11	17	64.71%
Diagnostic	N/A	3	3	100.00%				
Parity	N/A	1	4	25.00%	43.30%	11	17	64.71%
Parity	N/A	2	9	22.22%	41.57%	396	694	57.06%
Parity	N/A	23:35	5	4:43	2:46	55:29	14	3:58
Parity	N/A	28:01	7	4:00	2:12	7:47	1	7:47
Parity	N/A	29:06	8	3:38	3:12	7:47	1	7:47
Parity	N/A	208:30	34	6:08	4:34	57:56	15	3:52
Parity	N/A	587:33	61	9:38	9:15	168276:56	3,619	46:30
Parity	N/A	25:35	3	8:32	7:58	69:20	15	4:37
Parity	N/A	8:23	3	2:48	1:04			
Parity	N/A	19:47	4	4:57	2:44	69:20	15	4:37
Parity	N/A	38:22	2	19:11	5:46	34763:23	931	37:20
Parity	N/A	1	5	20.00%	40.00%	0	17	0.00%
Parity	N/A	1	7	14.29%	34.99%	0	1	0.00%
Parity	N/A	0	8	0.00%	0.00%	0	1	0.00%
Parity	N/A	5	34	14.71%	35.42%	0	17	0.00%
Parity	N/A	4	61	6.56%	24.75%	539	4,044	13.33%
Parity	N/A	0	3	0.00%	0.00%	8	17	47.06%
Parity	N/A	1	3	33.33%	47.14%			
Parity	N/A	0	4	0.00%	0.00%	8	17	47.06%
Parity	N/A	0	2	0.00%	0.00%	122	1,002	12.18%
Parity	N/A	8	1,372	0.58%	7.61%	32	2,417	1.32%
Parity	N/A	0	70,552	0.00%		0	55,921	0.00%
Parity	N/A	0	59	0.00%		4,182	323,898	1.29%
Parity	N/A	0	216	0.00%		34	2,751	1.24%
Parity	N/A	7	2,161	0.32%	5.68%	1	950	0.11%
Parity	N/A	11	14,624	0.08%	2.74%	1	951	0.11%
Parity	N/A	38	4,697	0.81%	8.96%	33	2,455	1.34%
Parity	N/A	0	22	0.00%		34	2,744	1.24%
Parity	N/A	63	23,630	0.27%	5.16%	5,046	482,053	1.05%
Parity	N/A	1	34,032	0.00%	0.02%			
Parity	N/A	0	13,063	0.00%	0.01%			
Diagnostic	N/A	4	34,128	0.01%				
Diagnostic	N/A	0	13,063	0.00%				
Diagnostic	N/A	39	2	19.50				
Parity	N/A	426	11	38.73	26.76			

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	0	1	0.00	0.00	256	2	128.00
Parity	N/A	1,335	40	33.38	49.37	43,405	362	119.90
Parity	N/A	5	11	45.45%	49.79%			
Parity	N/A	1	1	100.00%	0.00%	2	2	100.00%
Parity	N/A	23	40	57.50%	49.43%	153	362	42.27%
Benchmark	90.00%	3	3	100.00%				
Parity	N/A	2	2	100.00%	0.00%	2	2	100.00%
Benchmark	90.00%	152	161	94.41%				
Parity	N/A	48	49	97.96%	14.14%	1	1	100.00%
Benchmark	90.00%	89	93	95.70%				
Benchmark	90.00%	2	2	100.00%				
Parity	N/A	4	4	100.00%	0.00%			
Benchmark	90.00%	14	14	100.00%				
Parity	N/A	2	2	100.00%	0.00%			
Benchmark	6.00	9	3	3.00				
Parity	N/A	7	1	7.00	0.00			
Benchmark	6.00	300	101	2.97				
Benchmark	5.50	193	34	5.68				
Benchmark	6.00	455	90	5.06				
Benchmark	6.00	0	1	0.00				
Parity	N/A	10	1	10.00	0.00			
Benchmark	6.00	24	8	3.00				
Benchmark	5.50	7	2	3.50				
Parity	N/A	7	7	100.00%	0.00%	2	2	100.00%
Parity	N/A	3	3	100.00%	0.00%	2	2	100.00%
Parity	N/A	175	178	98.31%	12.87%	1	1	100.00%
Parity	N/A	49	51	96.08%	19.41%	2	2	100.00%
Parity	N/A	94	96	97.92%	14.28%	1,812	1,968	92.07%
Benchmark	95.00%	3,535	3,559	99.33%				
Diagnostic	N/A	6846.35	19,561	0.35				
Diagnostic	N/A	15751.78	13,018	1.21				
Diagnostic	N/A	22598.13	19,561	1.16				
Diagnostic	N/A	3146.25	4,195	0.75				
Diagnostic	N/A	3727.65	4,195	0.89				
Diagnostic	N/A	720.30	1,715	0.42				
Diagnostic	N/A	1241.15	1,205	1.03				
Diagnostic	N/A	1961.45	1,715	1.14				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	3223.08	3,837	0.84				
Diagnostic	N/A	8107.65	3,771	2.15				
Diagnostic	N/A	11330.73	3,837	2.95				
Diagnostic	N/A	8216.53	7,679	1.07				
Diagnostic	N/A	6486.00	5,640	1.15				
Diagnostic	N/A	14702.53	7,679	1.91				
Diagnostic	N/A	2265.90	1,079	2.10				
Diagnostic	N/A	655.05	1,191	0.55				
Diagnostic	N/A	2920.95	1,079	2.71				
Diagnostic	N/A	3686.58	6,827	0.54				
Diagnostic	N/A	7878.00	13,130	0.60				
Diagnostic	N/A	11564.58	6,827	1.69				
Diagnostic	N/A	264.75	1,059	0.25				
Diagnostic	N/A	817.54	1,994	0.41				
Diagnostic	N/A	1237.11	959	1.29				
Diagnostic	N/A	2319.40	1,994	1.16				
Diagnostic	N/A	2293.41	3,423	0.67				
Diagnostic	N/A	51346.01	2,701	19.01				
Diagnostic	N/A	53639.42	3,423	15.67				
Diagnostic	N/A	8412.78	4,523	1.86				
Diagnostic	N/A	7614.30	4,479	1.70				
Diagnostic	N/A	67178.52	6,876	9.77				
Diagnostic	N/A	26253.76	6,311	4.16				
Diagnostic	N/A	47120.81	3,373	13.97				
Diagnostic	N/A	3863.25	765	5.05				
Diagnostic	N/A	15057.00	4,780	3.15				
Diagnostic	N/A	3895.20	3,246	1.20				
Diagnostic	N/A	5612.12	1,622	3.46				
Diagnostic	N/A	2,555	3,173	80.52%				
Diagnostic	N/A	39	76	51.32%				
Diagnostic	N/A	466	555	83.96%				
Diagnostic	N/A	2,555	2,561	99.77%				
Diagnostic	N/A	39	39	100.00%				
Diagnostic	N/A	466	470	99.15%				
Diagnostic	N/A	1:38	1	1:38				
Diagnostic	N/A	165:50	169	0:59				
Benchmark	95.00%	183	183	100.00%				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Benchmark	95.00%	458	458	100.00%				
Benchmark	95.00%	2,289	2,290	99.96%				
Benchmark	90.00%	108	108	100.00%				
Benchmark	90.00%	175	179	97.77%				
Benchmark	90.00%	502	502	100.00%				
Benchmark	85.00%	18	18	100.00%				
Parity	N/A	22	60	36.67%	48.19%	2	90	2.22%
Parity by Design	N/A	1,671	1,673	99.88%				
Diagnostic	N/A	1,244,310	1,244,440	99.99%				
Diagnostic	N/A	21,945	21,945	100.00%				
Parity	N/A	2,286	2,287	99.96%	2.09%	60,711	61,511	98.70%
Diagnostic	N/A	21,945	21,945	100.00%				
Diagnostic	N/A	3,466,468	3,229,169	1.07				
Diagnostic	N/A	4394.53	29,217	0.15				
Diagnostic	N/A	30,420	30,420	100.00%				
Diagnostic	N/A	30,420	30,420	100.00%				
Diagnostic	N/A	30,420	30,420	100.00%				
Diagnostic	N/A	43,140	43,140	100.00%				
Diagnostic	N/A	41,925	41,925	100.00%				
Diagnostic	N/A	22,500	22,500	100.00%				
Diagnostic	N/A	0	0					
Parity	N/A	7	11	63.64%	48.10%	10	19	52.63%
Parity	N/A	0	1	0.00%	0.00%			
Diagnostic	N/A	2	8	25.00%				
Diagnostic	N/A	6	9	66.67%				
Parity	N/A	18	49	36.73%	48.21%	10	21	47.62%
Parity	N/A	4	9	44.44%	49.69%	10	15	66.67%
Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%
Parity	N/A	6	6	100.00%	0.00%	10	15	66.67%
Parity	N/A	3	5	60.00%	48.99%	356	616	57.79%
Parity	N/A	1	1	100.00%	0.00%	2,250	4,491	50.10%
Parity	N/A	20:53	1	20:53	0:00	28981:34	756	38:20
Parity	N/A	58:21	11	5:18	4:34	79:00	16	4:56
Parity	N/A	5:46	1	5:46	0:00			
Parity	N/A	56:16	8	7:02	3:24	12:46	1	12:46
Parity	N/A	29:29	9	3:17	1:51	12:46	1	12:46
Parity	N/A	299:26	49	6:07	5:45	96:38	18	5:22

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	847:31	63	13:27	14:11	146070:21	3,670	39:48
Parity	N/A	37:02	9	4:07	2:20	51:35	13	3:58
Parity	N/A	6:15	1	6:15	0:00	5:50	1	5:50
Parity	N/A	17:08	6	2:51	0:41	51:35	13	3:58
Parity	N/A	26:24	8	3:18	0:44	29686:35	788	37:40
Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%
Parity	N/A	1	11	9.09%	28.75%	5	22	22.73%
Parity	N/A	0	1	0.00%	0.00%			
Parity	N/A	0	8	0.00%	0.00%	0	1	0.00%
Parity	N/A	0	9	0.00%	0.00%	0	1	0.00%
Parity	N/A	8	49	16.33%	36.96%	5	22	22.73%
Parity	N/A	7	63	11.11%	31.43%	508	4,043	12.56%
Parity	N/A	3	9	33.33%	47.14%	1	15	6.67%
Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%
Parity	N/A	2	6	33.33%	47.14%	1	15	6.67%
Parity	N/A	0	8	0.00%	0.00%	98	839	11.68%
Parity	N/A	20	1,407	1.42%	11.84%	34	2,439	1.39%
Parity	N/A	2	70,788	0.00%	0.53%	1	56,233	0.00%
Parity	N/A	0	60	0.00%		4,121	326,985	1.26%
Parity	N/A	1	211	0.47%	6.87%	37	2,778	1.33%
Parity	N/A	8	2,239	0.36%	5.97%	1	968	0.10%
Parity	N/A	9	14,797	0.06%	2.47%	1	969	0.10%
Parity	N/A	55	4,750	1.16%	10.70%	36	2,480	1.45%
Parity	N/A	0	22	0.00%		37	2,771	1.34%
Parity	N/A	71	23,967	0.30%	5.43%	4,882	486,100	1.00%
Parity	N/A	8	33,960	0.02%	0.25%			
Parity	N/A	1	13,087	0.01%	0.09%			
Diagnostic	N/A	12	34,032	0.03%				
Diagnostic	N/A	1	13,087	0.01%				
Diagnostic	N/A	157	3	52.33				
Parity	N/A	246	6	41.00	0.00			
Parity	N/A	974	12	81.17	34.64	61,008	413	147.72
Parity	N/A	0	6	0.00%	0.00%			
Parity	N/A	2	12	16.67%	37.27%	192	413	46.49%
Benchmark	90.00%	0	1	0.00%				
Benchmark	90.00%	4	4	100.00%				
Parity	N/A	2	2	100.00%	0.00%			

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Benchmark	90.00%	1	1	100.00%				
Benchmark	90.00%	121	123	98.37%				
Parity	N/A	39	40	97.50%	15.61%	1	4	25.00%
Benchmark	90.00%	35	40	87.50%				
Benchmark	90.00%	4	5	80.00%				
Parity	N/A	2	2	100.00%	0.00%	1	2	50.00%
Parity	N/A	4	4	100.00%	0.00%			
Benchmark	90.00%	1	1	100.00%				
Benchmark	6.00	5	1	5.00				
Benchmark	6.00	5	1	5.00				
Benchmark	6.00	340	99	3.43				
Benchmark	5.50	113	23	4.91				
Benchmark	6.00	174	41	4.24				
Benchmark	6.00	5	1	5.00				
Benchmark	5.50	16	4	4.00				
Benchmark	6.00	5	1	5.00				
Parity	N/A	4	4	100.00%	0.00%	3	3	100.00%
Parity	N/A	1	1	100.00%	0.00%	2	4	50.00%
Parity	N/A	1	1	100.00%	0.00%	4	4	100.00%
Parity	N/A	135	135	100.00%	0.00%	4	4	100.00%
Parity	N/A	47	47	100.00%	0.00%	2	4	50.00%
Parity	N/A	39	42	92.86%	25.75%	1,904	2,022	94.16%
Benchmark	95.00%	3,574	3,580	99.83%				
Diagnostic	N/A	6544.66	19,249	0.34				
Diagnostic	N/A	15825.84	12,972	1.22				
Diagnostic	N/A	22370.50	19,249	1.16				
Diagnostic	N/A	3308.54	4,471	0.74				
Diagnostic	N/A	3797.28	4,471	0.85				
Diagnostic	N/A	701.22	1,798	0.39				
Diagnostic	N/A	1356.48	1,256	1.08				
Diagnostic	N/A	2057.70	1,798	1.14				
Diagnostic	N/A	3295.45	3,877	0.85				
Diagnostic	N/A	8364.16	3,734	2.24				
Diagnostic	N/A	11659.61	3,877	3.01				
Diagnostic	N/A	8078.70	7,694	1.05				
Diagnostic	N/A	6486.00	5,640	1.15				
Diagnostic	N/A	14564.70	7,694	1.89				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	2371.81	1,093	2.17				
Diagnostic	N/A	697.16	1,202	0.58				
Diagnostic	N/A	3068.97	1,093	2.81				
Diagnostic	N/A	3315.00	6,500	0.51				
Diagnostic	N/A	7924.84	12,782	0.62				
Diagnostic	N/A	11239.84	6,500	1.73				
Diagnostic	N/A	246.33	1,071	0.23				
Diagnostic	N/A	773.96	1,759	0.44				
Diagnostic	N/A	1097.46	871	1.26				
Diagnostic	N/A	2117.75	1,759	1.20				
Diagnostic	N/A	2467.25	3,475	0.71				
Diagnostic	N/A	48167.14	2,558	18.83				
Diagnostic	N/A	50634.39	3,475	14.57				
Diagnostic	N/A	8412.78	4,523	1.86				
Diagnostic	N/A	7300.77	4,479	1.63				
Diagnostic	N/A	66721.92	6,726	9.92				
Diagnostic	N/A	26569.31	6,311	4.21				
Diagnostic	N/A	46040.56	3,368	13.67				
Diagnostic	N/A	3991.25	775	5.15				
Diagnostic	N/A	15372.00	4,880	3.15				
Diagnostic	N/A	3680.60	3,346	1.10				
Diagnostic	N/A	5266.12	1,522	3.46				
Diagnostic	N/A	2,248	2,827	79.52%				
Diagnostic	N/A	32	72	44.44%				
Diagnostic	N/A	428	527	81.21%				
Diagnostic	N/A	2,248	2,260	99.47%				
Diagnostic	N/A	32	32	100.00%				
Diagnostic	N/A	428	428	100.00%				
Diagnostic	N/A	324:28	164	1:59				
Benchmark	95.00%	32	32	100.00%				
Benchmark	95.00%	429	429	100.00%				
Benchmark	95.00%	2,066	2,066	100.00%				
Benchmark	90.00%	13	13	100.00%				
Benchmark	90.00%	182	184	98.91%				
Benchmark	90.00%	469	469	100.00%				
Benchmark	85.00%	20	20	100.00%				
Parity	N/A	6	24	25.00%	43.30%	12	92	13.04%

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity by Design	N/A	1,584	1,584	100.00%				
Diagnostic	N/A	1,204,113	1,276,510	94.33%				
Diagnostic	N/A	22,437	22,437	100.00%				
Parity	N/A	3,365	3,367	99.94%	2.44%	57,013	57,752	98.72%
Diagnostic	N/A	22,437	22,437	100.00%				
Diagnostic	N/A	3,224,472	2,968,433	1.09				
Diagnostic	N/A	8678.44	30,355	0.29				
Diagnostic	N/A	29,520	29,520	100.00%				
Diagnostic	N/A	29,520	29,520	100.00%				
Diagnostic	N/A	29,520	29,520	100.00%				
Diagnostic	N/A	41,760	41,760	100.00%				
Diagnostic	N/A	40,740	40,740	100.00%				
Diagnostic	N/A	21,960	21,960	100.00%				
Diagnostic	N/A	0	0					
Parity	N/A	3	10	30.00%	45.83%	8	16	50.00%
Parity	N/A	1	1	100.00%	0.00%	1	1	100.00%
Diagnostic	N/A	7	15	46.67%				
Diagnostic	N/A	8	16	50.00%				
Parity	N/A	16	26	61.54%	48.65%	10	18	55.56%
Parity	N/A	3	6	50.00%	50.00%	7	12	58.33%
Parity	N/A	1	2	50.00%	50.00%			
Diagnostic	N/A	1	2	50.00%				
Parity	N/A	3	3	100.00%	0.00%	7	12	58.33%
Parity	N/A	1	3	33.33%	47.14%	413	805	51.30%
Parity	N/A	55:03	2	27:31	1:58	188009:45	3,859	48:43
Parity	N/A	64:33	10	6:27	2:38	90:16	14	6:27
Parity	N/A	0:58	1	0:58	0:00	2:43	1	2:43
Parity	N/A	68:23	15	4:34	2:56	13:48	2	6:54
Parity	N/A	88:32	16	5:32	5:55	13:48	2	6:54
Parity	N/A	141:00	26	5:25	4:23	93:27	15	6:14
Parity	N/A	907:49	78	11:38	10:43	212183:55	4,738	44:47
Parity	N/A	24:21	6	4:03	2:02	51:21	10	5:08
Parity	N/A	4:27	2	2:13	2:32			
Parity	N/A	7:08	2	3:34	1:04			
Parity	N/A	8:58	3	2:59	0:39	51:21	10	5:08
Parity	N/A	44:16	8	5:32	4:59	56737:46	1,004	56:31
Parity	N/A	0	2	0.00%	0.00%	525	4,109	12.78%

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	1	10	10.00%	30.00%	6	19	31.58%
Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%
Parity	N/A	0	15	0.00%	0.00%	0	2	0.00%
Parity	N/A	1	16	6.25%	24.21%	0	2	0.00%
Parity	N/A	5	26	19.23%	39.41%	6	19	31.58%
Parity	N/A	9	78	11.54%	31.95%	657	5,168	12.71%
Parity	N/A	1	6	16.67%	37.27%	2	12	16.67%
Parity	N/A	0	2	0.00%	0.00%			
Parity	N/A	0	2	0.00%	0.00%			
Parity	N/A	0	3	0.00%	0.00%	2	12	16.67%
Parity	N/A	0	8	0.00%	0.00%	125	1,072	11.66%
Parity	N/A	16	1,452	1.10%	10.44%	28	2,479	1.13%
Parity	N/A	3	71,316	0.00%	0.65%	1	56,090	0.00%
Parity	N/A	2	60	3.33%	17.95%	5,258	329,875	1.59%
Parity	N/A	0	211	0.00%		31	2,821	1.10%
Parity	N/A	15	2,269	0.66%	8.10%	2	980	0.20%
Parity	N/A	18	14,887	0.12%	3.48%	2	981	0.20%
Parity	N/A	29	4,788	0.61%	7.76%	30	2,518	1.19%
Parity	N/A	0	22	0.00%		31	2,813	1.10%
Parity	N/A	86	24,249	0.35%	5.94%	6,240	490,338	1.27%
Parity	N/A	2	2	100.00%	0.00%	3,202	4,109	77.93%
Parity	N/A	5	34,200	0.01%	0.10%			
Parity	N/A	0	13,111	0.00%	0.04%			
Diagnostic	N/A	5	34,224	0.01%				
Diagnostic	N/A	0	13,111	0.00%				
Diagnostic	N/A	130	1	130.00				
Parity	N/A	140	8	17.50	6.48			
Parity	N/A	760	10	76.00	0.00	76,071	461	165.01
Parity	N/A	2	8	25.00%	43.30%			
Parity	N/A	0	10	0.00%	0.00%	199	461	43.17%
Benchmark	90.00%	1	1	100.00%				
Benchmark	90.00%	6	6	100.00%				
Benchmark	90.00%	157	171	91.81%				
Parity	N/A	29	39	74.36%	43.67%			
Benchmark	90.00%	18	20	90.00%				
Benchmark	90.00%	1	1	100.00%				
Parity	N/A	1	1	100.00%	0.00%			

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	0	3	0.00%	0.00%			
Benchmark	90.00%	28	28	100.00%				
Benchmark	6.00	5	1	5.00				
Benchmark	6.00	12	6	2.00				
Benchmark	6.00	476	127	3.75				
Benchmark	5.50	202	31	6.52				
Benchmark	6.00	59	15	3.93				
Benchmark	6.00	5	1	5.00				
Benchmark	5.50	22	2	11.00				
Benchmark	6.00	70	14	5.00				
Parity	N/A	1	1	100.00%	0.00%	3	3	100.00%
Parity	N/A	4	6	66.67%	47.14%	5	7	71.43%
Parity	N/A	168	172	97.67%	15.07%	5	7	71.43%
Parity	N/A	42	43	97.67%	15.07%			
Parity	N/A	48	48	100.00%	0.00%	1,975	2,124	92.98%
Benchmark	95.00%	26	26	100.00%				
Benchmark	95.00%	10,072	10,074	99.98%				
Diagnostic	N/A	6417.18	19,446	0.33				
Diagnostic	N/A	15693.60	13,078	1.20				
Diagnostic	N/A	22110.78	19,446	1.14				
Diagnostic	N/A	3072.24	4,267	0.72				
Diagnostic	N/A	3564.94	4,267	0.84				
Diagnostic	N/A	704.38	1,718	0.41				
Diagnostic	N/A	1314.60	1,252	1.05				
Diagnostic	N/A	2018.98	1,718	1.18				
Diagnostic	N/A	3083.67	3,807	0.81				
Diagnostic	N/A	7957.00	3,650	2.18				
Diagnostic	N/A	11040.67	3,807	2.90				
Diagnostic	N/A	8012.59	7,351	1.09				
Diagnostic	N/A	6542.40	5,640	1.16				
Diagnostic	N/A	14554.99	7,351	1.98				
Diagnostic	N/A	2284.37	1,093	2.09				
Diagnostic	N/A	603.72	1,161	0.52				
Diagnostic	N/A	2888.09	1,093	2.64				
Diagnostic	N/A	3804.08	6,793	0.56				
Diagnostic	N/A	7014.70	12,754	0.55				
Diagnostic	N/A	10818.78	6,793	1.59				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	268.75	1,075	0.25				
Diagnostic	N/A	731.05	1,860	0.39				
Diagnostic	N/A	1263.39	980	1.29				
Diagnostic	N/A	2263.19	1,860	1.22				
Diagnostic	N/A	2306.04	3,494	0.66				
Diagnostic	N/A	53203.83	2,787	19.09				
Diagnostic	N/A	55509.87	3,494	15.89				
Diagnostic	N/A	8593.70	4,523	1.90				
Diagnostic	N/A	7830.09	4,579	1.71				
Diagnostic	N/A	67806.72	6,976	9.72				
Diagnostic	N/A	26168.94	6,321	4.14				
Diagnostic	N/A	47050.96	3,368	13.97				
Diagnostic	N/A	4011.35	785	5.11				
Diagnostic	N/A	15917.40	4,780	3.33				
Diagnostic	N/A	3775.20	3,146	1.20				
Diagnostic	N/A	5612.12	1,622	3.46				
Diagnostic	N/A	2,224	2,786	79.83%				
Diagnostic	N/A	53	92	57.61%				
Diagnostic	N/A	382	505	75.64%				
Diagnostic	N/A	2,224	2,235	99.51%				
Diagnostic	N/A	53	53	100.00%				
Diagnostic	N/A	382	382	100.00%				
Diagnostic	N/A	238:11	182	1:19				
Benchmark	95.00%	53	53	100.00%				
Benchmark	95.00%	352	352	100.00%				
Benchmark	95.00%	1,998	1,998	100.00%				
Benchmark	90.00%	15	15	100.00%				
Benchmark	90.00%	208	210	99.05%				
Benchmark	90.00%	507	508	99.80%				
Benchmark	85.00%	25	25	100.00%				
Parity	N/A	23	46	50.00%	50.00%	4	76	5.26%
Parity by Design	N/A	1,589	1,590	99.94%				
Diagnostic	N/A	1,303,574	1,303,574	100.00%				
Diagnostic	N/A	21,980	21,980	100.00%				
Parity	N/A	3,152	3,157	99.84%	3.98%	61,352	62,168	98.69%
Diagnostic	N/A	21,980	21,980	100.00%				
Diagnostic	N/A	3,218,985	3,054,395	1.05				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	5070.86	31,421	0.16				
Diagnostic	N/A	29,880	29,880	100.00%				
Diagnostic	N/A	29,880	29,880	100.00%				
Diagnostic	N/A	29,880	29,880	100.00%				
Diagnostic	N/A	42,840	42,840	100.00%				
Diagnostic	N/A	41,565	41,565	100.00%				
Diagnostic	N/A	21,600	21,600	100.00%				
Diagnostic	N/A	0	0					
Parity	N/A	11	20	55.00%	49.75%	9	17	52.94%
Diagnostic	N/A	2	7	28.57%				
Diagnostic	N/A	18	22	81.82%				
Parity	N/A	18	35	51.43%	49.98%	9	18	50.00%
Parity	N/A	8	12	66.67%	47.14%	21	28	75.00%
Parity	N/A	1	1	100.00%	0.00%			
Diagnostic	N/A	0	1	0.00%				
Parity	N/A	6	10	60.00%	48.99%	23	30	76.67%
Parity	N/A	5	18	27.78%	44.79%	366	774	47.29%
Parity	N/A	116:37	20	5:50	7:58	80:25	12	6:42
Parity	N/A	39:46	7	5:41	2:38			
Parity	N/A	79:11	22	3:36	4:21			
Parity	N/A	158:14	35	4:31	2:55	91:06	14	6:30
Parity	N/A	574:04	64	8:58	7:14	177153:16	4,309	41:07
Parity	N/A	45:04	12	3:45	3:07	112:38	24	4:42
Parity	N/A	0:25	1	0:25	0:00			
Parity	N/A	5:51	1	5:51	0:00			
Parity	N/A	33:53	10	3:23	1:53	117:56	26	4:32
Parity	N/A	32:39	4	8:10	4:11	56129:54	1,100	51:02
Parity	N/A	2	20	10.00%	30.00%	1	19	5.26%
Parity	N/A	3	7	42.86%	49.49%			
Parity	N/A	2	23	8.70%	28.18%			
Parity	N/A	2	35	5.71%	23.21%	1	19	5.26%
Parity	N/A	6	64	9.38%	29.15%	691	4,739	14.58%
Parity	N/A	1	12	8.33%	27.64%	8	30	26.67%
Parity	N/A	0	1	0.00%	0.00%			
Parity	N/A	0	1	0.00%	0.00%			
Parity	N/A	2	10	20.00%	40.00%	8	30	26.67%
Parity	N/A	1	4	25.00%	43.30%	162	1,160	13.97%

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	32	1,476	2.17%	14.56%	45	2,501	1.80%
Parity	N/A	1	72,444	0.00%	0.37%	0	56,114	0.00%
Parity	N/A	0	59	0.00%		4,935	333,078	1.48%
Parity	N/A	0	209	0.00%		50	2,842	1.76%
Parity	N/A	7	2,316	0.30%	5.49%	0	990	0.00%
Parity	N/A	23	15,118	0.15%	3.90%	0	991	0.00%
Parity	N/A	45	4,880	0.92%	9.56%	48	2,536	1.89%
Parity	N/A	0	23	0.00%		49	2,837	1.73%
Parity	N/A	68	24,594	0.28%	5.25%	5,884	494,466	1.19%
Parity	N/A	2	34,704	0.01%	0.05%			
Parity	N/A	0	13,111	0.00%	0.01%			
Diagnostic	N/A	6	34,872	0.02%				
Diagnostic	N/A	0	13,111	0.00%				
Diagnostic	N/A	128	2	64.00				
Parity	N/A	45	15	3.00	2.27	20	1	20.00
Parity	N/A	11	5	2.20	0.84	163	1	163.00
Parity	N/A	560	10	56.00	0.00	74,566	449	166.07
Parity	N/A	6	15	40.00%	48.99%	1	1	100.00%
Parity	N/A	2	5	40.00%	48.99%	1	1	100.00%
Parity	N/A	0	10	0.00%	0.00%	197	449	43.88%
Benchmark	90.00%	3	4	75.00%				
Parity	N/A	5	5	100.00%	0.00%			
Benchmark	90.00%	203	210	96.67%				
Parity	N/A	24	26	92.31%	26.65%	3	4	75.00%
Benchmark	90.00%	67	68	98.53%				
Benchmark	90.00%	7	7	100.00%				
Parity	N/A	2	2	100.00%	0.00%			
Benchmark	90.00%	2	3	66.67%				
Parity	N/A	2	5	40.00%	48.99%			
Benchmark	90.00%	7	7	100.00%				
Benchmark	6.00	5	1	5.00				
Parity	N/A	44	2	22.00	0.00			
Benchmark	6.00	428	158	2.71				
Benchmark	5.50	109	22	4.95				
Benchmark	6.00	312	62	5.03				
Benchmark	6.00	2	1	2.00				
Parity	N/A	22	1	22.00	0.00			

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Benchmark	6.00	7	2	3.50				
Benchmark	5.50	40	5	8.00				
Benchmark	6.00	35	7	5.00				
Parity	N/A	10	10	100.00%	0.00%			
Parity	N/A	232	240	96.67%	17.95%	1	1	100.00%
Parity	N/A	31	31	100.00%	0.00%	4	4	100.00%
Parity	N/A	78	78	100.00%	0.00%	2,195	2,331	94.17%
Benchmark	95.00%	2	2	100.00%				
Benchmark	95.00%	3,996	3,999	99.92%				
Diagnostic	N/A	6537.96	19,812	0.33				
Diagnostic	N/A	15899.28	12,822	1.24				
Diagnostic	N/A	22437.24	19,812	1.13				
Diagnostic	N/A	3104.69	4,253	0.73				
Diagnostic	N/A	3614.84	4,253	0.85				
Diagnostic	N/A	701.92	1,712	0.41				
Diagnostic	N/A	1387.80	1,285	1.08				
Diagnostic	N/A	2089.72	1,712	1.22				
Diagnostic	N/A	3022.92	3,732	0.81				
Diagnostic	N/A	8212.32	3,802	2.16				
Diagnostic	N/A	11235.24	3,732	3.01				
Diagnostic	N/A	8516.17	7,813	1.09				
Diagnostic	N/A	6486.00	5,640	1.15				
Diagnostic	N/A	15002.17	7,813	1.92				
Diagnostic	N/A	2258.88	1,086	2.08				
Diagnostic	N/A	618.51	1,167	0.53				
Diagnostic	N/A	2877.39	1,086	2.65				
Diagnostic	N/A	3769.36	6,731	0.56				
Diagnostic	N/A	6994.08	12,952	0.54				
Diagnostic	N/A	10763.44	6,731	1.60				
Diagnostic	N/A	250.47	1,089	0.23				
Diagnostic	N/A	730.36	1,922	0.38				
Diagnostic	N/A	1285.70	989	1.30				
Diagnostic	N/A	2266.53	1,922	1.18				
Diagnostic	N/A	2251.84	3,632	0.62				
Diagnostic	N/A	53180.40	2,730	19.48				
Diagnostic	N/A	55432.24	3,632	15.26				
Diagnostic	N/A	8412.78	4,523	1.86				

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	7801.30	4,589	1.70				
Diagnostic	N/A	66903.48	6,876	9.73				
Diagnostic	N/A	26127.54	6,311	4.14				
Diagnostic	N/A	48447.96	3,468	13.97				
Diagnostic	N/A	4037.60	784	5.15				
Diagnostic	N/A	16703.10	4,986	3.35				
Diagnostic	N/A	3895.20	3,246	1.20				
Diagnostic	N/A	5612.12	1,622	3.46				
Diagnostic	N/A	2,395	2,881	83.13%				
Diagnostic	N/A	40	105	38.10%				
Diagnostic	N/A	600	726	82.64%				
Diagnostic	N/A	2,395	2,403	99.67%				
Diagnostic	N/A	40	40	100.00%				
Diagnostic	N/A	600	602	99.67%				
Diagnostic	N/A	5:30	3	1:50				
Diagnostic	N/A	250:49	151	1:40				
Benchmark	95.00%	39	39	100.00%				
Benchmark	95.00%	577	577	100.00%				
Benchmark	95.00%	2,215	2,215	100.00%				
Benchmark	90.00%	17	17	100.00%				
Benchmark	90.00%	227	229	99.13%				
Benchmark	90.00%	440	440	100.00%				
Benchmark	90.00%	4	4	100.00%				
Benchmark	85.00%	49	49	100.00%				
Parity	N/A	19	48	39.58%	48.90%	5	98	5.10%
Parity by Design	N/A	1,612	1,615	99.81%				
Diagnostic	N/A	1,314,952	1,314,996	100.00%				
Diagnostic	N/A	21,340	21,340	100.00%				
Parity	N/A	3,382	3,385	99.91%	2.98%	64,408	65,283	98.66%
Diagnostic	N/A	21,340	21,340	100.00%				
Diagnostic	N/A	2	2	100.00%				
Diagnostic	N/A	3,604,684	3,454,854	1.04				
Diagnostic	N/A	5866.37	37,226	0.16				
Diagnostic	N/A	29,520	29,520	100.00%				
Diagnostic	N/A	29,520	29,520	100.00%				
Diagnostic	N/A	29,520	29,520	100.00%				
Diagnostic	N/A	41,760	41,760	100.00%				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	40,740	40,740	100.00%				
Diagnostic	N/A	21,960	21,960	100.00%				
Diagnostic	N/A	0	0					
Parity	N/A	2	5	40.00%	48.99%	5	13	38.46%
Parity	N/A	1	1	100.00%	0.00%			
Diagnostic	N/A	10	12	83.33%				
Diagnostic	N/A	9	16	56.25%				
Parity	N/A	29	42	69.05%	46.23%	8	16	50.00%
Parity	N/A	4	5	80.00%	40.00%	14	23	60.87%
Diagnostic	N/A	1	1	100.00%				
Diagnostic	N/A	1	1	100.00%				
Parity	N/A	2	2	100.00%	0.00%	14	22	63.64%
Parity	N/A	3	5	60.00%	48.99%	308	607	50.74%
Parity	N/A	22:45	5	4:33	2:52	74:41	12	6:13
Parity	N/A	3:04	1	3:04	0:00			
Parity	N/A	34:30	12	2:53	1:17	59:19	1	59:19
Parity	N/A	113:01	16	7:04	7:31	59:19	1	59:19
Parity	N/A	169:05	42	4:02	3:51	83:26	14	5:58
Parity	N/A	345:28	52	6:39	5:02	146392:39	3,179	46:03
Parity	N/A	34:34	5	6:55	9:45	85:56	21	4:06
Parity	N/A	1:38	1	1:38	0:00			
Parity	N/A	2:27	1	2:27	0:00			
Parity	N/A	4:41	2	2:21	0:32	81:17	20	4:04
Parity	N/A	79:01	8	9:53	8:07	31211:48	729	42:49
Parity	N/A	0	5	0.00%	0.00%	5	17	29.41%
Parity	N/A	0	1	0.00%	0.00%			
Parity	N/A	0	12	0.00%	0.00%	0	1	0.00%
Parity	N/A	0	16	0.00%	0.00%	0	1	0.00%
Parity	N/A	4	42	9.52%	29.35%	5	17	29.41%
Parity	N/A	8	52	15.38%	36.08%	413	3,480	11.87%
Parity	N/A	1	5	20.00%	40.00%	4	23	17.39%
Parity	N/A	0	1	0.00%	0.00%			
Parity	N/A	0	1	0.00%	0.00%			
Parity	N/A	0	2	0.00%	0.00%	4	23	17.39%
Parity	N/A	1	8	12.50%	33.07%	99	775	12.77%
Parity	N/A	10	1,522	0.66%	8.08%	36	2,529	1.42%
Parity	N/A	1	72,722	0.00%	0.37%	1	58,274	0.00%

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	0	62	0.00%		3,532	336,819	1.05%
Parity	N/A	0	209	0.00%		40	2,873	1.39%
Parity	N/A	13	2,414	0.54%	7.32%	1	998	0.10%
Parity	N/A	17	15,350	0.11%	3.33%	1	999	0.10%
Parity	N/A	44	4,965	0.89%	9.37%	38	2,564	1.48%
Parity	N/A	0	23	0.00%		40	2,869	1.39%
Parity	N/A	60	24,973	0.24%	4.90%	4,255	499,173	0.85%
Parity	N/A	9	34,560	0.03%	0.13%			
Parity	N/A	0	13,039	0.00%	0.03%			
Diagnostic	N/A	14	34,776	0.04%				
Diagnostic	N/A	0	13,039	0.00%				
Diagnostic	N/A	89	1	89.00				
Parity	N/A	128	4	32.00	0.00			
Parity	N/A	419	13	32.23	5.26	74,416	486	153.12
Parity	N/A	4	4	100.00%	0.00%			
Parity	N/A	0	13	0.00%	0.00%	178	486	36.63%
Benchmark	90.00%	1	1	100.00%				
Parity	N/A	3	3	100.00%	0.00%	2	2	100.00%
Benchmark	90.00%	2	2	100.00%				
Benchmark	90.00%	181	190	95.26%				
Parity	N/A	38	43	88.37%	32.06%	1	1	100.00%
Benchmark	90.00%	18	24	75.00%				
Benchmark	90.00%	4	8	50.00%				
Parity	N/A	2	2	100.00%	0.00%	3	3	100.00%
Benchmark	90.00%	1	1	100.00%				
Benchmark	90.00%	35	35	100.00%				
Parity	N/A	8	8	100.00%	0.00%	1	3	33.33%
Benchmark	6.00	3	1	3.00				
Parity	N/A	8	1	8.00	0.00	22	1	22.00
Benchmark	6.00	6	2	3.00				
Benchmark	6.00	342	122	2.80				
Benchmark	5.50	220	35	6.29				
Benchmark	6.00	134	25	5.36				
Benchmark	6.00	47	5	9.40				
Benchmark	6.00	3	1	3.00				
Benchmark	6.00	143	33	4.33				
Benchmark	5.50	40	8	5.00				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	7	7	100.00%	0.00%	6	7	85.71%
Parity	N/A	1	1	100.00%	0.00%	4	4	100.00%
Parity	N/A	3	3	100.00%	0.00%	5	5	100.00%
Parity	N/A	225	231	97.40%	15.91%	5	5	100.00%
Parity	N/A	43	51	84.31%	36.37%	4	4	100.00%
Parity	N/A	25	25	100.00%	0.00%	2,353	2,515	93.56%
Benchmark	95.00%	3,611	3,611	100.00%				
Diagnostic	N/A	6662.98	19,597	0.34				
Diagnostic	N/A	15762.67	13,027	1.21				
Diagnostic	N/A	22425.65	19,597	1.14				
Diagnostic	N/A	3261.00	4,348	0.75				
Diagnostic	N/A	3769.95	4,348	0.87				
Diagnostic	N/A	780.45	1,815	0.43				
Diagnostic	N/A	1345.68	1,246	1.08				
Diagnostic	N/A	2126.13	1,815	1.17				
Diagnostic	N/A	3350.85	3,765	0.89				
Diagnostic	N/A	7659.08	3,718	2.06				
Diagnostic	N/A	11009.93	3,765	2.92				
Diagnostic	N/A	8026.79	7,793	1.03				
Diagnostic	N/A	6894.81	5,893	1.17				
Diagnostic	N/A	14921.60	7,793	1.91				
Diagnostic	N/A	2329.02	1,026	2.27				
Diagnostic	N/A	628.02	1,163	0.54				
Diagnostic	N/A	2957.04	1,026	2.88				
Diagnostic	N/A	3481.40	6,695	0.52				
Diagnostic	N/A	7741.98	13,122	0.59				
Diagnostic	N/A	11223.38	6,695	1.68				
Diagnostic	N/A	224.07	1,067	0.21				
Diagnostic	N/A	778.59	1,899	0.41				
Diagnostic	N/A	1138.32	918	1.24				
Diagnostic	N/A	2140.98	1,899	1.13				
Diagnostic	N/A	2578.01	3,631	0.71				
Diagnostic	N/A	53737.32	2,812	19.11				
Diagnostic	N/A	56315.33	3,631	15.51				
Diagnostic	N/A	8597.50	4,525	1.90				
Diagnostic	N/A	7777.38	4,602	1.69				
Diagnostic	N/A	67038.84	6,897	9.72				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	26711.25	6,375	4.19				
Diagnostic	N/A	47873.10	3,586	13.35				
Diagnostic	N/A	3959.20	784	5.05				
Diagnostic	N/A	15150.72	4,856	3.12				
Diagnostic	N/A	3940.97	3,257	1.21				
Diagnostic	N/A	5619.04	1,624	3.46				
Diagnostic	N/A	2,571	3,080	83.47%				
Diagnostic	N/A	42	89	47.19%				
Diagnostic	N/A	410	506	81.03%				
Diagnostic	N/A	2,571	2,584	99.50%				
Diagnostic	N/A	42	42	100.00%				
Diagnostic	N/A	410	410	100.00%				
Diagnostic	N/A	2:07	2	1:03				
Diagnostic	N/A	378:34	201	1:53				
Benchmark	95.00%	34	34	100.00%				
Benchmark	95.00%	368	368	100.00%				
Benchmark	95.00%	2,373	2,373	100.00%				
Benchmark	90.00%	11	11	100.00%				
Benchmark	90.00%	195	200	97.50%				
Benchmark	90.00%	474	474	100.00%				
Benchmark	90.00%	2	2	100.00%				
Benchmark	85.00%	26	26	100.00%				
Parity	N/A	13	27	48.15%	49.97%	7	90	7.78%
Parity by Design	N/A	1,691	1,694	99.82%				
Diagnostic	N/A	1,339,171	1,341,910	99.80%				
Diagnostic	N/A	14,214	14,214	100.00%				
Parity	N/A	4,296	4,299	99.93%	2.64%	63,900	64,536	99.01%
Diagnostic	N/A	14,214	14,214	100.00%				
Diagnostic	N/A	3,278,833	3,123,237	1.05				
Diagnostic	N/A	5951.98	37,984	0.16				
Diagnostic	N/A	30,600	30,600	100.00%				
Diagnostic	N/A	30,600	30,600	100.00%				
Diagnostic	N/A	30,600	30,600	100.00%				
Diagnostic	N/A	43,200	43,200	100.00%				
Diagnostic	N/A	42,180	42,180	100.00%				
Diagnostic	N/A	22,860	22,860	100.00%				
Diagnostic	N/A	0	0					

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	7	10	70.00%	45.83%	8	11	72.73%
Diagnostic	N/A	3	5	60.00%				
Diagnostic	N/A	14	21	66.67%				
Parity	N/A	24	37	64.86%	47.74%	9	12	75.00%
Parity	N/A	1	5	20.00%	40.00%	9	15	60.00%
Diagnostic	N/A	1	1	100.00%				
Diagnostic	N/A	0	2	0.00%				
Parity	N/A	3	6	50.00%	50.00%	9	15	60.00%
Parity	N/A	5	11	45.45%	49.79%	310	610	50.82%
Parity	N/A	1	1	100.00%	0.00%	1,916	4,112	46.60%
Parity	N/A	19:04	1	19:04	0:00	111554:51	2,943	37:54
Parity	N/A	30:53	10	3:05	3:03	29:07	9	3:14
Parity	N/A	63:35	5	12:43	19:13	2:50	1	2:50
Parity	N/A	114:45	21	5:28	6:54	2:50	1	2:50
Parity	N/A	147:29	37	3:59	5:32	29:07	9	3:14
Parity	N/A	601:33	61	9:52	9:28	114773:54	3,201	35:51
Parity	N/A	33:12	5	6:38	3:52	73:10	12	6:06
Parity	N/A	3:32	1	3:32	0:00			
Parity	N/A	16:19	2	8:10	0:22			
Parity	N/A	28:49	6	4:48	2:57	73:10	12	6:06
Parity	N/A	20:36	5	4:07	2:01	34903:52	871	40:04
Parity	N/A	0	1	0.00%	0.00%	0	2	0.00%
Parity	N/A	2	10	20.00%	40.00%	1	13	7.69%
Parity	N/A	0	5	0.00%	0.00%	0	1	0.00%
Parity	N/A	1	21	4.76%	21.30%	0	1	0.00%
Parity	N/A	6	37	16.22%	36.86%	1	13	7.69%
Parity	N/A	3	61	4.92%	21.62%	383	3,538	10.83%
Parity	N/A	0	5	0.00%	0.00%	1	15	6.67%
Parity	N/A	0	1	0.00%	0.00%			
Parity	N/A	0	2	0.00%	0.00%			
Parity	N/A	0	6	0.00%	0.00%	1	15	6.67%
Parity	N/A	0	5	0.00%	0.00%	103	919	11.21%
Parity	N/A	15	1,568	0.96%	9.73%	26	2,550	1.02%
Parity	N/A	0	73,274	0.00%		3	58,298	0.01%
Parity	N/A	0	63	0.00%		3,706	340,742	1.09%
Parity	N/A	1	209	0.48%	6.90%	28	2,897	0.97%
Parity	N/A	6	2,471	0.24%	4.92%	1	1,006	0.10%

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	23	15,572	0.15%	3.84%	1	1,007	0.10%
Parity	N/A	43	5,024	0.86%	9.21%	27	2,583	1.05%
Parity	N/A	0	24	0.00%		28	2,893	0.97%
Parity	N/A	66	25,367	0.26%	5.09%	4,457	504,679	0.88%
Parity	N/A	7	34,608	0.02%	0.18%			
Parity	N/A	0	13,063	0.00%	0.02%			
Diagnostic	N/A	7	34,608	0.02%				
Diagnostic	N/A	0	13,063	0.00%				
Diagnostic	N/A	82	3	27.33				
Parity	N/A	968	10	96.80	73.84			
Parity	N/A	169	17	9.94	5.15	70,130	452	155.15
Parity	N/A	10	10	100.00%	0.00%			
Parity	N/A	4	17	23.53%	42.42%	171	452	37.83%
Parity	N/A	1	1	100.00%	0.00%	1,333	1,336	99.78%
Benchmark	90.00%	2	2	100.00%				
Parity	N/A	2	2	100.00%	0.00%	2	2	100.00%
Benchmark	90.00%	224	229	97.82%				
Parity	N/A	57	63	90.48%	29.35%	1	1	100.00%
Benchmark	90.00%	57	58	98.28%				
Benchmark	90.00%	1	1	100.00%				
Parity	N/A	1	1	100.00%	0.00%	5	5	100.00%
Benchmark	90.00%	3	3	100.00%				
Parity	N/A	3	3	100.00%	0.00%	3	4	75.00%
Benchmark	90.00%	4	4	100.00%				
Benchmark	6.00	10	2	5.00				
Parity	N/A	44	2	22.00	0.00			
Benchmark	6.00	400	140	2.86				
Benchmark	5.50	292	47	6.21				
Benchmark	6.00	269	66	4.08				
Benchmark	6.00	5	1	5.00				
Benchmark	6.00	6	2	3.00				
Benchmark	5.50	15	3	5.00				
Benchmark	6.00	18	4	4.50				
Parity	N/A	5	5	100.00%	0.00%	11	11	100.00%
Parity	N/A	1	1	100.00%	0.00%	3,368	3,636	92.63%
Parity	N/A	243	249	97.59%	15.33%	7	7	100.00%
Parity	N/A	65	66	98.48%	12.22%	5	5	100.00%

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	69	70	98.57%	11.87%	2,626	2,796	93.92%
Benchmark	95.00%	5,875	5,876	99.98%				
Diagnostic	N/A	6614.36	19,454	0.34				
Diagnostic	N/A	15586.80	12,989	1.20				
Diagnostic	N/A	22201.16	19,454	1.14				
Diagnostic	N/A	3232.46	4,198	0.77				
Diagnostic	N/A	3698.18	4,198	0.88				
Diagnostic	N/A	747.18	1,779	0.42				
Diagnostic	N/A	1251.60	1,192	1.05				
Diagnostic	N/A	1998.78	1,779	1.12				
Diagnostic	N/A	3310.75	3,895	0.85				
Diagnostic	N/A	8013.78	3,798	2.11				
Diagnostic	N/A	11324.53	3,895	2.91				
Diagnostic	N/A	8153.25	7,765	1.05				
Diagnostic	N/A	6722.20	5,795	1.16				
Diagnostic	N/A	14875.45	7,765	1.92				
Diagnostic	N/A	2308.68	1,089	2.12				
Diagnostic	N/A	669.20	1,195	0.56				
Diagnostic	N/A	2977.88	1,089	2.73				
Diagnostic	N/A	3713.60	6,752	0.55				
Diagnostic	N/A	7574.22	13,059	0.58				
Diagnostic	N/A	11287.82	6,752	1.67				
Diagnostic	N/A	263.76	1,099	0.24				
Diagnostic	N/A	812.21	1,981	0.41				
Diagnostic	N/A	1265.92	989	1.28				
Diagnostic	N/A	2341.89	1,981	1.18				
Diagnostic	N/A	2571.06	3,522	0.73				
Diagnostic	N/A	52558.95	2,759	19.05				
Diagnostic	N/A	55130.01	3,522	15.65				
Diagnostic	N/A	8418.64	4,478	1.88				
Diagnostic	N/A	7903.40	4,595	1.72				
Diagnostic	N/A	68191.55	6,923	9.85				
Diagnostic	N/A	26466.99	6,347	4.17				
Diagnostic	N/A	47039.63	3,487	13.49				
Diagnostic	N/A	3937.00	775	5.08				
Diagnostic	N/A	15141.08	4,822	3.14				
Diagnostic	N/A	3775.20	3,146	1.20				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	5605.20	1,620	3.46				
Diagnostic	N/A	2,654	3,251	81.64%				
Diagnostic	N/A	36	70	51.43%				
Diagnostic	N/A	524	660	79.39%				
Diagnostic	N/A	2,654	2,666	99.55%				
Diagnostic	N/A	36	37	97.30%				
Diagnostic	N/A	524	525	99.81%				
Diagnostic	N/A	21:15	2	10:38				
Diagnostic	N/A	254:46	204	1:15				
Benchmark	95.00%	22	22	100.00%				
Benchmark	95.00%	491	491	100.00%				
Benchmark	95.00%	2,423	2,423	100.00%				
Benchmark	90.00%	12	12	100.00%				
Benchmark	90.00%	223	227	98.24%				
Benchmark	90.00%	560	560	100.00%				
Benchmark	90.00%	2	2	100.00%				
Benchmark	85.00%	21	21	100.00%				
Parity	N/A	28	64	43.75%	49.61%	5	103	4.85%
Parity by Design	N/A	1,753	1,754	99.94%				
Diagnostic	N/A	1,327,448	1,346,228	98.61%				
Diagnostic	N/A	13,138	13,138	100.00%				
Parity	N/A	2,760	2,767	99.75%	5.02%	59,927	60,587	98.91%
Diagnostic	N/A	13,138	13,138	100.00%				
Diagnostic	N/A	1	1	100.00%				
Diagnostic	N/A	3,148,839	2,993,806	1.05				
Diagnostic	N/A	5746.52	37,606	0.15				
Diagnostic	N/A	29,880	29,880	100.00%				
Diagnostic	N/A	29,880	29,880	100.00%				
Diagnostic	N/A	29,880	29,880	100.00%				
Diagnostic	N/A	42,840	42,840	100.00%				
Diagnostic	N/A	41,565	41,565	100.00%				
Diagnostic	N/A	21,600	21,600	100.00%				
Diagnostic	N/A	0	0					
Parity	N/A	4	11	36.36%	48.10%	7	10	70.00%
Diagnostic	N/A	4	6	66.67%				
Diagnostic	N/A	8	19	42.11%				
Parity	N/A	24	42	57.14%	49.49%	8	11	72.73%

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	0	1	0.00%				
Parity	N/A	5	9	55.56%	49.69%	14	17	82.35%
Diagnostic	N/A	1	1	100.00%				
Diagnostic	N/A	0	1	0.00%				
Parity	N/A	2	3	66.67%	47.14%	14	17	82.35%
Parity	N/A	0	3	0.00%	0.00%	223	495	45.05%
Parity	N/A	1	3	33.33%	47.14%	1,502	3,694	40.66%
Parity	N/A	137:48	3	45:56	25:38	34424:37	701	49:06
Parity	N/A	49:01	11	4:27	1:40	22:18	5	4:28
Parity	N/A	24:27	6	4:04	3:12			
Parity	N/A	113:56	19	6:00	5:09			
Parity	N/A	198:42	42	4:44	4:24	25:52	6	4:19
Parity	N/A	7:00	1	7:00	0:00	27:09	7	3:53
Parity	N/A	500:17	53	9:26	11:03	120598:15	2,924	41:15
Parity	N/A	35:29	9	3:57	2:52	154:25	13	11:53
Parity	N/A	1:47	1	1:47	0:00			
Parity	N/A	8:38	1	8:38	0:00			
Parity	N/A	13:37	3	4:32	5:12	154:25	13	11:53
Parity	N/A	26:03	8	3:15	0:47	34774:37	729	47:42
Parity	N/A	0	3	0.00%	0.00%	2	4	50.00%
Parity	N/A	4	11	36.36%	48.10%	3	12	25.00%
Parity	N/A	1	6	16.67%	37.27%	0	1	0.00%
Parity	N/A	1	19	5.26%	22.33%	0	1	0.00%
Parity	N/A	6	42	14.29%	34.99%	3	12	25.00%
Parity	N/A	0	1	0.00%	0.00%	3	12	25.00%
Parity	N/A	3	53	5.66%	23.11%	361	3,237	11.15%
Parity	N/A	3	9	33.33%	47.14%	3	17	17.65%
Parity	N/A	0	1	0.00%	0.00%			
Parity	N/A	0	1	0.00%	0.00%			
Parity	N/A	0	3	0.00%	0.00%	3	17	17.65%
Parity	N/A	0	8	0.00%	0.00%	93	773	12.03%
Parity	N/A	20	1,585	1.26%	11.16%	27	2,572	1.05%
Parity	N/A	0	74,042	0.00%		1	59,878	0.00%
Parity	N/A	0	61	0.00%		3,391	343,859	0.99%
Parity	N/A	3	206	1.46%	11.98%	29	2,919	0.99%
Parity	N/A	7	2,516	0.28%	5.27%	1	1,019	0.10%
Parity	N/A	20	15,604	0.13%	3.58%	1	1,020	0.10%

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	45	5,054	0.89%	9.39%	28	2,600	1.08%
Parity	N/A	1	24	4.17%	19.98%	29	2,915	0.99%
Parity	N/A	61	25,649	0.24%	4.87%	4,010	508,504	0.79%
Parity	N/A	7	34,512	0.02%	0.18%			
Parity	N/A	0	13,063	0.00%	0.03%			
Diagnostic	N/A	11	34,680	0.03%				
Diagnostic	N/A	0	13,063	0.00%				
Diagnostic	N/A	45	1	45.00				
Parity	N/A	1,178	15	78.53	46.03			
Parity	N/A	125	4	31.25	11.50	162	2	81.00
Parity	N/A	15	15	100.00%	0.00%			
Parity	N/A	4	4	100.00%	0.00%	1	2	50.00%
Benchmark	90.00%	1	1	100.00%				
Parity	N/A	1	1	100.00%	0.00%	1,173	1,176	99.74%
Benchmark	90.00%	2	2	100.00%				
Parity	N/A	4	4	100.00%	0.00%	5	5	100.00%
Benchmark	90.00%	1	1	100.00%				
Benchmark	90.00%	187	212	88.21%				
Parity	N/A	27	36	75.00%	43.30%	1	1	100.00%
Benchmark	90.00%	62	69	89.86%				
Benchmark	90.00%	4	5	80.00%				
Parity	N/A	1	1	100.00%	0.00%	3	3	100.00%
Benchmark	90.00%	7	8	87.50%				
Parity	N/A	1	1	100.00%	0.00%	2	2	100.00%
Benchmark	90.00%	1	1	100.00%				
Benchmark	6.00	4	1	4.00				
Benchmark	6.00	10	2	5.00				
Parity	N/A	22	1	22.00	0.00			
Benchmark	6.00	2	1	2.00				
Benchmark	6.00	586	175	3.35				
Benchmark	5.50	175	34	5.15				
Benchmark	6.00	606	66	9.18				
Benchmark	6.00	22	5	4.40				
Benchmark	6.00	21	7	3.00				
Benchmark	5.50	5	1	5.00				
Benchmark	6.00	5	1	5.00				
Parity	N/A	6	6	100.00%	0.00%	10	10	100.00%

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	1	1	100.00%	0.00%	2,970	3,267	90.91%
Parity	N/A	1	1	100.00%	0.00%	4	4	100.00%
Parity	N/A	1	1	100.00%	0.00%	1	1	100.00%
Parity	N/A	233	238	97.90%	14.34%	1	1	100.00%
Parity	N/A	37	38	97.37%	16.01%	4	4	100.00%
Parity	N/A	66	70	94.29%	23.21%	2,364	2,537	93.18%
Benchmark	95.00%	4	4	100.00%				
Benchmark	95.00%	2,665	2,665	100.00%				
Diagnostic	N/A	6405.96	19,412	0.33				
Diagnostic	N/A	15570.00	12,975	1.20				
Diagnostic	N/A	21975.96	19,412	1.13				
Diagnostic	N/A	3288.48	4,216	0.78				
Diagnostic	N/A	3876.63	4,216	0.92				
Diagnostic	N/A	701.51	1,711	0.41				
Diagnostic	N/A	1320.90	1,295	1.02				
Diagnostic	N/A	2022.41	1,711	1.18				
Diagnostic	N/A	3120.92	3,806	0.82				
Diagnostic	N/A	8219.67	3,859	2.13				
Diagnostic	N/A	11340.59	3,806	2.98				
Diagnostic	N/A	8049.60	7,740	1.04				
Diagnostic	N/A	6893.64	5,892	1.17				
Diagnostic	N/A	14943.24	7,740	1.93				
Diagnostic	N/A	2305.80	1,098	2.10				
Diagnostic	N/A	630.18	1,167	0.54				
Diagnostic	N/A	2935.98	1,098	2.67				
Diagnostic	N/A	3619.62	6,703	0.54				
Diagnostic	N/A	7515.64	12,958	0.58				
Diagnostic	N/A	11135.26	6,703	1.66				
Diagnostic	N/A	240.46	1,093	0.22				
Diagnostic	N/A	794.00	1,985	0.40				
Diagnostic	N/A	1214.12	956	1.27				
Diagnostic	N/A	2248.58	1,985	1.13				
Diagnostic	N/A	2336.29	3,487	0.67				
Diagnostic	N/A	52296.51	2,751	19.01				
Diagnostic	N/A	54632.80	3,487	15.67				
Diagnostic	N/A	8584.20	4,518	1.90				
Diagnostic	N/A	7801.30	4,589	1.70				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	67213.80	6,915	9.72				
Diagnostic	N/A	26312.00	6,325	4.16				
Diagnostic	N/A	46948.20	3,380	13.89				
Diagnostic	N/A	3907.80	780	5.01				
Diagnostic	N/A	15284.88	4,899	3.12				
Diagnostic	N/A	3862.80	3,219	1.20				
Diagnostic	N/A	5632.88	1,628	3.46				
Diagnostic	N/A	2,305	2,788	82.68%				
Diagnostic	N/A	58	103	56.31%				
Diagnostic	N/A	475	564	84.22%				
Diagnostic	N/A	2,305	2,309	99.83%				
Diagnostic	N/A	58	59	98.31%				
Diagnostic	N/A	475	475	100.00%				
Diagnostic	N/A	23:54	3	7:58				
Diagnostic	N/A	234:40	161	1:27				
Benchmark	95.00%	31	31	100.00%				
Benchmark	95.00%	432	432	100.00%				
Benchmark	95.00%	2,136	2,136	100.00%				
Benchmark	90.00%	25	25	100.00%				
Benchmark	90.00%	180	181	99.45%				
Benchmark	90.00%	441	441	100.00%				
Benchmark	90.00%	3	3	100.00%				
Benchmark	85.00%	8	8	100.00%				
Parity	N/A	37	87	42.53%	49.44%	4	97	4.12%
Parity by Design	N/A	1,718	1,720	99.88%				
Diagnostic	N/A	1,348,684	1,351,852	99.77%				
Diagnostic	N/A	14,883	14,883	100.00%				
Parity	N/A	2,976	2,981	99.83%	4.09%	59,664	60,272	98.99%
Diagnostic	N/A	14,883	14,883	100.00%				
Diagnostic	N/A	1	1	100.00%				
Diagnostic	N/A	3,210,363	3,071,398	1.05				
Diagnostic	N/A	6000.61	39,909	0.15				
Diagnostic	N/A	29,520	29,520	100.00%				
Diagnostic	N/A	29,520	29,520	100.00%				
Diagnostic	N/A	29,480	29,520	99.86%				
Diagnostic	N/A	41,760	41,760	100.00%				
Diagnostic	N/A	40,740	40,740	100.00%				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	21,960	21,960	100.00%				
Diagnostic	N/A	0	0					
Parity	N/A	8	13	61.54%	48.65%	10	14	71.43%
Diagnostic	N/A	1	4	25.00%				
Diagnostic	N/A	13	16	81.25%				
Parity	N/A	23	35	65.71%	47.47%	11	15	73.33%
Parity	N/A	3	4	75.00%	43.30%	15	26	57.69%
Parity	N/A	1	1	100.00%	0.00%			
Diagnostic	N/A	2	2	100.00%				
Parity	N/A	8	11	72.73%	44.54%	16	28	57.14%
Parity	N/A	8	11	72.73%	44.54%	339	582	58.25%
Parity	N/A	28:34	1	28:34	0:00	88141:44	2,518	35:00
Parity	N/A	90:39	13	6:58	8:59	33:51	11	3:05
Parity	N/A	39:21	4	9:50	9:45			
Parity	N/A	42:37	16	2:40	1:46			
Parity	N/A	126:58	35	3:38	2:02	39:55	12	3:20
Parity	N/A	445:48	53	8:25	5:20	102248:24	3,092	33:04
Parity	N/A	13:02	4	3:15	2:04	102:49	20	5:08
Parity	N/A	0:55	1	0:55	0:00			
Parity	N/A	2:27	2	1:13	1:43			
Parity	N/A	42:35	11	3:52	2:47	111:17	22	5:03
Parity	N/A	57:26	5	11:29	7:47	32393:09	959	33:47
Parity	N/A	0	1	0.00%	0.00%	298	2,659	11.21%
Parity	N/A	2	13	15.38%	36.08%	2	16	12.50%
Parity	N/A	0	4	0.00%	0.00%			
Parity	N/A	1	16	6.25%	24.21%			
Parity	N/A	2	35	5.71%	23.21%	2	16	12.50%
Parity	N/A	3	53	5.66%	23.11%	360	3,371	10.68%
Parity	N/A	0	4	0.00%	0.00%	7	28	25.00%
Parity	N/A	0	1	0.00%	0.00%			
Parity	N/A	0	2	0.00%	0.00%			
Parity	N/A	0	11	0.00%	0.00%	7	28	25.00%
Parity	N/A	1	5	20.00%	40.00%	96	1,029	9.33%
Parity	N/A	17	1,621	1.05%	10.19%	40	2,636	1.52%
Parity	N/A	1	75,770	0.00%	0.36%	0	59,662	0.00%
Parity	N/A	1	63	1.59%	12.50%	3,698	347,786	1.06%
Parity	N/A	0	207	0.00%		44	2,990	1.47%

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviation	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	4	2,593	0.15%	3.92%	0	1,023	0.00%
Parity	N/A	18	15,699	0.11%	3.38%	0	1,024	0.00%
Parity	N/A	46	5,101	0.90%	9.45%	43	2,666	1.61%
Parity	N/A	0	24	0.00%		44	2,986	1.47%
Parity	N/A	58	26,000	0.22%	4.72%	4,400	513,686	0.86%
Parity	N/A	1	1	100.00%	0.00%	2,307	2,659	86.76%
Parity	N/A	7	34,608	0.02%	0.18%			
Parity	N/A	1	13,015	0.01%	0.08%			
Diagnostic	N/A	8	34,680	0.02%				
Diagnostic	N/A	1	13,015	0.01%				
Parity	N/A	5	1	5.00	0.00			
Diagnostic	N/A	25	1	25.00				
Parity	N/A	1,106	26	42.54	39.12			
Parity	N/A	52	4	13.00	8.00	122	2	61.00
Parity	N/A	0	1	0.00	0.00	59,119	374	158.07
Parity	N/A	0	1	0.00%	0.00%			
Parity	N/A	21	26	80.77%	39.41%			
Parity	N/A	4	4	100.00%	0.00%	2	2	100.00%
Parity	N/A	0	1	0.00%	0.00%	138	374	36.90%
Parity	N/A	1	1	100.00%	0.00%	1,325	1,329	99.70%
Benchmark	90.00%	1	1	100.00%				
Parity	N/A	1	1	100.00%	0.00%	6	6	100.00%
Benchmark	90.00%	199	214	92.99%				
Parity	N/A	46	47	97.87%	14.43%	1	2	50.00%
Benchmark	90.00%	80	92	86.96%				
Benchmark	90.00%	1	1	100.00%				
Parity	N/A	4	4	100.00%	0.00%	1	1	100.00%
Benchmark	90.00%	11	14	78.57%				
Parity	N/A	8	9	88.89%	31.43%			
Benchmark	90.00%	8	9	88.89%				
Benchmark	6.00	5	1	5.00				
Benchmark	6.00	582	195	2.98				
Benchmark	5.50	222	39	5.69				
Benchmark	6.00	474	100	4.74				
Benchmark	6.00	35	7	5.00				
Benchmark	6.00	13	4	3.25				
Benchmark	5.50	49	9	5.44				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Benchmark	6.00	42	9	4.67				
Parity	N/A	6	6	100.00%	0.00%	7	7	100.00%
Parity	N/A	1	1	100.00%	0.00%	3,357	3,632	92.43%
Parity	N/A	235	238	98.74%	11.16%	4	4	100.00%
Parity	N/A	58	61	95.08%	21.62%	2	2	100.00%
Parity	N/A	106	110	96.36%	18.72%	2,663	2,820	94.43%
Benchmark	95.00%	1	1	100.00%				
Benchmark	95.00%	5,870	5,871	99.98%				
Diagnostic	N/A	6593.28	19,392	0.34				
Diagnostic	N/A	15621.10	12,910	1.21				
Diagnostic	N/A	22214.38	19,392	1.15				
Diagnostic	N/A	3135.35	4,295	0.73				
Diagnostic	N/A	3601.79	4,295	0.84				
Diagnostic	N/A	748.86	1,783	0.42				
Diagnostic	N/A	1313.96	1,228	1.07				
Diagnostic	N/A	2062.82	1,783	1.16				
Diagnostic	N/A	3190.32	3,798	0.84				
Diagnostic	N/A	8066.60	3,805	2.12				
Diagnostic	N/A	11256.92	3,798	2.96				
Diagnostic	N/A	8027.76	7,719	1.04				
Diagnostic	N/A	6672.32	5,752	1.16				
Diagnostic	N/A	14700.08	7,719	1.90				
Diagnostic	N/A	2298.24	1,026	2.24				
Diagnostic	N/A	658.90	1,198	0.55				
Diagnostic	N/A	2957.14	1,026	2.88				
Diagnostic	N/A	3543.05	6,685	0.53				
Diagnostic	N/A	7339.92	13,107	0.56				
Diagnostic	N/A	10882.97	6,685	1.63				
Diagnostic	N/A	258.00	1,075	0.24				
Diagnostic	N/A	785.97	1,917	0.41				
Diagnostic	N/A	1256.96	982	1.28				
Diagnostic	N/A	2300.93	1,917	1.20				
Diagnostic	N/A	2349.40	3,455	0.68				
Diagnostic	N/A	49617.00	2,682	18.50				
Diagnostic	N/A	51966.40	3,455	15.04				
Diagnostic	N/A	8349.54	4,489	1.86				
Diagnostic	N/A	7779.07	4,603	1.69				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	67803.20	6,835	9.92				
Diagnostic	N/A	26258.49	6,297	4.17				
Diagnostic	N/A	47863.92	3,588	13.34				
Diagnostic	N/A	3858.20	764	5.05				
Diagnostic	N/A	15693.30	4,982	3.15				
Diagnostic	N/A	3789.60	3,158	1.20				
Diagnostic	N/A	5580.51	1,599	3.49				
Diagnostic	N/A	2,492	3,050	81.70%				
Diagnostic	N/A	25	64	39.06%				
Diagnostic	N/A	539	668	80.69%				
Diagnostic	N/A	2,492	2,500	99.68%				
Diagnostic	N/A	25	25	100.00%				
Diagnostic	N/A	539	541	99.63%				
Diagnostic	N/A	66:11	2	33:05				
Diagnostic	N/A	267:01	151	1:46				
Benchmark	95.00%	12	12	100.00%				
Benchmark	95.00%	501	501	100.00%				
Benchmark	95.00%	2,297	2,297	100.00%				
Benchmark	90.00%	7	7	100.00%				
Benchmark	90.00%	225	233	96.57%				
Benchmark	90.00%	515	516	99.81%				
Benchmark	90.00%	3	3	100.00%				
Benchmark	85.00%	60	60	100.00%				
Parity	N/A	46	86	53.49%	49.88%	4	66	6.06%
Parity by Design	N/A	1,617	1,618	99.94%				
Diagnostic	N/A	1,393,265	1,393,406	99.99%				
Diagnostic	N/A	13,618	13,618	100.00%				
Parity	N/A	4,280	4,282	99.95%	2.16%	57,871	58,460	98.99%
Diagnostic	N/A	13,618	13,618	100.00%				
Diagnostic	N/A	4,083,576	3,933,065	1.04				
Diagnostic	N/A	6227.13	42,786	0.15				
Diagnostic	N/A	30,060	30,060	100.00%				
Diagnostic	N/A	30,060	30,060	100.00%				
Diagnostic	N/A	30,060	30,060	100.00%				
Diagnostic	N/A	42,900	42,900	100.00%				
Diagnostic	N/A	41,820	41,820	100.00%				
Diagnostic	N/A	21,960	21,960	100.00%				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	0	0					
Parity	N/A	8	13	61.54%	48.65%	20	23	86.96%
Parity	N/A	0	1	0.00%	0.00%			
Diagnostic	N/A	3	6	50.00%				
Diagnostic	N/A	20	29	68.97%				
Parity	N/A	22	46	47.83%	49.95%	19	22	86.36%
Parity	N/A	5	6	83.33%	37.27%	8	12	66.67%
Parity	N/A	2	3	66.67%	47.14%	10	15	66.67%
Parity	N/A	7	14	50.00%	50.00%	348	553	62.93%
Parity	N/A	0	1	0.00%	0.00%	2,129	3,791	56.16%
Parity	N/A	4:27	1	4:27	0:00	74511:40	2,463	30:15
Parity	N/A	65:40	1	65:40	0:00	26514:14	692	38:19
Parity	N/A	44:12	13	3:24	2:11	47:25	17	2:47
Parity	N/A	20:30	1	20:30	0:00			
Parity	N/A	55:06	6	9:11	9:18			
Parity	N/A	124:08	29	4:17	2:34			
Parity	N/A	194:58	46	4:14	3:07	43:27	16	2:43
Parity	N/A	752:32	63	11:57	18:56	86876:48	3,026	28:43
Parity	N/A	18:41	6	3:07	1:32	46:28	10	4:39
Parity	N/A	6:31	3	2:10	2:02	52:46	11	4:48
Parity	N/A	12:32	3	4:11	2:55	27446:49	731	37:33
Parity	N/A	0	1	0.00%	0.00%	268	2,592	10.34%
Parity	N/A	0	1	0.00%	0.00%	1	5	20.00%
Parity	N/A	2	13	15.38%	36.08%	2	24	8.33%
Parity	N/A	0	1	0.00%	0.00%			
Parity	N/A	2	6	33.33%	47.14%			
Parity	N/A	0	29	0.00%	0.00%			
Parity	N/A	8	47	17.02%	37.58%	2	24	8.33%
Parity	N/A	4	63	6.35%	24.38%	338	3,284	10.29%
Parity	N/A	2	6	33.33%	47.14%	5	15	33.33%
Parity	N/A	0	3	0.00%	0.00%	5	15	33.33%
Parity	N/A	0	3	0.00%	0.00%	73	782	9.34%
Parity	N/A	19	1,637	1.16%	10.71%	35	2,683	1.30%
Parity	N/A	1	75,914	0.00%	0.36%	0	59,590	0.00%
Parity	N/A	1	62	1.61%	12.60%	3,401	351,415	0.97%
Parity	N/A	1	204	0.49%	6.98%	39	3,050	1.28%
Parity	N/A	6	2,676	0.22%	4.73%	0	1,030	0.00%

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	29	15,773	0.18%	4.28%	0	1,031	0.00%
Parity	N/A	49	5,124	0.96%	9.73%	37	2,711	1.36%
Parity	N/A	0	25	0.00%		39	3,046	1.28%
Parity	N/A	66	26,259	0.25%	5.01%	4,066	518,626	0.78%
Parity	N/A	1	1	100.00%	0.00%	2,205	2,592	85.07%
Parity	N/A	10	34,776	0.03%	0.30%			
Parity	N/A	1	13,567	0.01%	0.05%			
Diagnostic	N/A	10	34,776	0.03%				
Diagnostic	N/A	2	13,615	0.01%				
Diagnostic	N/A	197	2	98.50				
Parity	N/A	722	23	31.39	37.52			
Parity	N/A	76	4	19.00	0.00	62,601	475	131.79
Parity	N/A	19	23	82.61%	37.90%			
Parity	N/A	0	4	0.00%	0.00%	166	475	34.95%
Benchmark	90.00%	2	3	66.67%				
Parity	N/A	1	1	100.00%	0.00%	273	281	97.15%
Benchmark	90.00%	2	2	100.00%				
Parity	N/A	1	1	100.00%	0.00%	1,266	1,271	99.61%
Benchmark	90.00%	1	1	100.00%				
Parity	N/A	11	11	100.00%	0.00%	3	3	100.00%
Benchmark	90.00%	62	62	100.00%				
Benchmark	90.00%	183	212	86.32%				
Parity	N/A	52	62	83.87%	36.78%	1	4	25.00%
Benchmark	90.00%	44	53	83.02%				
Benchmark	90.00%	2	2	100.00%				
Parity	N/A	11	11	100.00%	0.00%	1	1	100.00%
Benchmark	90.00%	1	1	100.00%				
Benchmark	90.00%	15	15	100.00%				
Benchmark	90.00%	18	21	85.71%				
Benchmark	6.00	8	3	2.67				
Parity	N/A	7	1	7.00	0.00	850	223	3.81
Benchmark	6.00	7	2	3.50				
Benchmark	6.00	367	62	5.92				
Benchmark	6.00	582	184	3.16				
Benchmark	5.50	258	54	4.78				
Benchmark	6.00	234	53	4.42				
Benchmark	6.00	10	2	5.00				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Benchmark	6.00	3	1	3.00				
Benchmark	6.00	42	14	3.00				
Benchmark	6.00	103	21	4.90				
Parity	N/A	23	23	100.00%	0.00%	5	5	100.00%
Parity	N/A	2	2	100.00%	0.00%	3,153	3,411	92.44%
Parity	N/A	5	5	100.00%	0.00%	12	13	92.31%
Parity	N/A	63	63	100.00%	0.00%	1	1	100.00%
Parity	N/A	242	247	97.98%	14.08%	1	1	100.00%
Parity	N/A	66	68	97.06%	16.90%	12	13	92.31%
Parity	N/A	75	77	97.40%	15.91%	2,469	2,612	94.53%
Benchmark	95.00%	4,000	4,001	99.98%				
Diagnostic	N/A	6467.34	19,598	0.33				
Diagnostic	N/A	15878.30	13,015	1.22				
Diagnostic	N/A	22345.64	19,598	1.14				
Diagnostic	N/A	3260.25	4,347	0.75				
Diagnostic	N/A	3691.67	4,347	0.85				
Diagnostic	N/A	740.46	1,806	0.41				
Diagnostic	N/A	1257.90	1,198	1.05				
Diagnostic	N/A	1998.36	1,806	1.11				
Diagnostic	N/A	3136.50	3,825	0.82				
Diagnostic	N/A	7568.40	3,710	2.04				
Diagnostic	N/A	10704.90	3,825	2.80				
Diagnostic	N/A	8076.60	7,692	1.05				
Diagnostic	N/A	6657.35	5,789	1.15				
Diagnostic	N/A	14733.95	7,692	1.92				
Diagnostic	N/A	2308.68	1,089	2.12				
Diagnostic	N/A	629.10	1,165	0.54				
Diagnostic	N/A	2937.78	1,089	2.70				
Diagnostic	N/A	3631.50	6,725	0.54				
Diagnostic	N/A	7329.84	13,089	0.56				
Diagnostic	N/A	10961.34	6,725	1.63				
Diagnostic	N/A	223.02	1,062	0.21				
Diagnostic	N/A	792.54	1,887	0.42				
Diagnostic	N/A	1216.66	958	1.27				
Diagnostic	N/A	2232.22	1,887	1.18				
Diagnostic	N/A	2231.46	3,381	0.66				
Diagnostic	N/A	49381.20	2,610	18.92				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	51612.66	3,381	15.27				
Diagnostic	N/A	8567.10	4,509	1.90				
Diagnostic	N/A	7620.48	4,536	1.68				
Diagnostic	N/A	66802.70	6,782	9.85				
Diagnostic	N/A	26520.00	6,375	4.16				
Diagnostic	N/A	46393.52	3,512	13.21				
Diagnostic	N/A	3912.81	781	5.01				
Diagnostic	N/A	15612.25	4,925	3.17				
Diagnostic	N/A	3764.40	3,137	1.20				
Diagnostic	N/A	5565.12	1,581	3.52				
Diagnostic	N/A	2,476	3,037	81.53%				
Diagnostic	N/A	36	85	42.35%				
Diagnostic	N/A	449	567	79.19%				
Diagnostic	N/A	2,476	2,482	99.76%				
Diagnostic	N/A	36	36	100.00%				
Diagnostic	N/A	449	450	99.78%				
Diagnostic	N/A	55:57	3	18:39				
Diagnostic	N/A	223:09	179	1:15				
Benchmark	95.00%	29	29	100.00%				
Benchmark	95.00%	380	380	100.00%				
Benchmark	95.00%	2,271	2,272	99.96%				
Benchmark	90.00%	16	16	100.00%				
Benchmark	90.00%	232	242	95.87%				
Benchmark	90.00%	516	516	100.00%				
Benchmark	90.00%	5	5	100.00%				
Benchmark	85.00%	23	23	100.00%				
Parity	N/A	45	87	51.72%	49.97%	14	80	17.50%
Parity by Design	N/A	1,446	1,448	99.86%				
Diagnostic	N/A	1,398,566	1,398,600	100.00%				
Diagnostic	N/A	13,874	13,874	100.00%				
Parity	N/A	2,964	2,974	99.66%	5.79%	59,900	60,527	98.96%
Diagnostic	N/A	13,874	13,874	100.00%				
Diagnostic	N/A	0	4	0.00%				
Diagnostic	N/A	4	4	100.00%				
Diagnostic	N/A	3,748,347	3,614,490	1.04				
Diagnostic	N/A	5752.94	34,960	0.16				
Diagnostic	N/A	28,956	29,340	98.69%				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	29,340	29,340	100.00%				
Diagnostic	N/A	29,340	29,340	100.00%				
Diagnostic	N/A	40,857	41,700	97.98%				
Diagnostic	N/A	39,601	40,485	97.82%				
Diagnostic	N/A	21,600	21,600	100.00%				
Diagnostic	N/A	0	0					
Parity	N/A	7	11	63.64%	48.10%	16	19	84.21%
Diagnostic	N/A	1	9	11.11%				
Diagnostic	N/A	21	32	65.63%				
Parity	N/A	14	23	60.87%	48.80%	17	21	80.95%
Parity	N/A	3	6	50.00%	50.00%	18	24	75.00%
Parity	N/A	1	1	100.00%	0.00%			
Diagnostic	N/A	1	1	100.00%				
Parity	N/A	4	6	66.67%	47.14%	18	24	75.00%
Parity	N/A	6	7	85.71%	34.99%	363	663	54.75%
Parity	N/A	0	1	0.00%	0.00%	2,000	4,053	49.35%
Parity	N/A	74:19	1	74:19	0:00	108929:48	3,097	35:10
Parity	N/A	67:39	11	6:09	8:23	38:14	14	2:44
Parity	N/A	63:54	9	7:06	2:51	16:16	2	8:08
Parity	N/A	152:39	32	4:46	5:26	16:16	2	8:08
Parity	N/A	90:29	23	3:56	3:29	64:22	16	4:01
Parity	N/A	838:39	61	13:45	25:36	112480:53	3,284	34:15
Parity	N/A	23:34	6	3:56	1:40	131:55	17	7:46
Parity	N/A	0:20	1	0:20	0:00			
Parity	N/A	2:12	1	2:12	0:00			
Parity	N/A	17:26	6	2:54	2:04	131:55	17	7:46
Parity	N/A	64:08	7	9:10	8:39	25976:02	725	35:50
Parity	N/A	0	1	0.00%	0.00%	3	4	75.00%
Parity	N/A	1	11	9.09%	28.75%	9	22	40.91%
Parity	N/A	0	9	0.00%	0.00%	0	2	0.00%
Parity	N/A	1	32	3.13%	17.40%	0	2	0.00%
Parity	N/A	3	23	13.04%	33.68%	9	22	40.91%
Parity	N/A	6	61	9.84%	29.78%	378	3,627	10.42%
Parity	N/A	1	6	16.67%	37.27%	7	24	29.17%
Parity	N/A	0	1	0.00%	0.00%			
Parity	N/A	0	1	0.00%	0.00%			
Parity	N/A	1	6	16.67%	37.27%	7	24	29.17%

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	0	7	0.00%	0.00%	75	767	9.78%
Parity	N/A	17	1,682	1.01%	10.00%	43	2,703	1.59%
Parity	N/A	1	76,442	0.00%	0.36%	3	59,806	0.01%
Parity	N/A	0	62	0.00%		3,583	354,787	1.01%
Parity	N/A	1	205	0.49%	6.97%	46	3,068	1.50%
Parity	N/A	9	2,744	0.33%	5.72%	2	1,055	0.19%
Parity	N/A	33	15,834	0.21%	4.56%	2	1,056	0.19%
Parity	N/A	29	5,142	0.56%	7.49%	45	2,727	1.65%
Parity	N/A	0	26	0.00%		46	3,065	1.50%
Parity	N/A	68	26,604	0.26%	5.05%	4,394	523,656	0.84%
Parity	N/A	7	34,416	0.02%	0.13%			
Parity	N/A	1	13,519	0.01%	0.05%			
Diagnostic	N/A	7	34,416	0.02%				
Diagnostic	N/A	5	13,543	0.04%				
Diagnostic	N/A	173	1	173.00				
Parity	N/A	472	8	59.00	16.66			
Parity	N/A	10	3	3.33	2.89	36	2	18.00
Parity	N/A	145	6	24.17	11.84	58,897	425	138.58
Parity	N/A	8	8	100.00%	0.00%			
Parity	N/A	3	3	100.00%	0.00%	2	2	100.00%
Parity	N/A	5	6	83.33%	37.27%	184	425	43.29%
Parity	N/A	2	2	100.00%	0.00%	6	6	100.00%
Benchmark	90.00%	297	347	85.59%				
Parity	N/A	50	64	78.13%	41.34%	3	4	75.00%
Benchmark	90.00%	79	82	96.34%				
Benchmark	90.00%	7	8	87.50%				
Parity	N/A	0	1	0.00%	0.00%	2	3	66.67%
Benchmark	90.00%	29	29	100.00%				
Parity	N/A	15	18	83.33%	37.27%	3	4	75.00%
Benchmark	90.00%	6	6	100.00%				
Benchmark	6.00	1,152	279	4.13				
Benchmark	5.50	300	57	5.26				
Benchmark	6.00	248	73	3.40				
Benchmark	6.00	20	4	5.00				
Benchmark	6.00	60	20	3.00				
Benchmark	5.50	103	18	5.72				
Benchmark	6.00	28	6	4.67				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviation	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	4	4	100.00%	0.00%	10	10	100.00%
Parity	N/A	384	394	97.46%	15.73%	6	6	100.00%
Parity	N/A	86	89	96.63%	18.05%	8	8	100.00%
Parity	N/A	89	91	97.80%	14.66%	2,422	2,571	94.20%
Benchmark	95.00%	5	5	100.00%				
Benchmark	95.00%	3,682	3,691	99.76%				
Diagnostic	N/A	6216.32	19,426	0.32				
Diagnostic	N/A	15578.40	12,982	1.20				
Diagnostic	N/A	21794.72	19,426	1.12				
Diagnostic	N/A	3043.44	4,227	0.72				
Diagnostic	N/A	3510.60	4,227	0.83				
Diagnostic	N/A	706.84	1,724	0.41				
Diagnostic	N/A	1283.66	1,211	1.06				
Diagnostic	N/A	1990.50	1,724	1.15				
Diagnostic	N/A	3183.05	3,835	0.83				
Diagnostic	N/A	8051.76	3,798	2.12				
Diagnostic	N/A	11234.81	3,835	2.93				
Diagnostic	N/A	8041.28	7,732	1.04				
Diagnostic	N/A	6741.92	5,812	1.16				
Diagnostic	N/A	14783.20	7,732	1.91				
Diagnostic	N/A	2264.12	1,058	2.14				
Diagnostic	N/A	649.23	1,139	0.57				
Diagnostic	N/A	2913.35	1,058	2.75				
Diagnostic	N/A	3671.25	6,675	0.55				
Diagnostic	N/A	7478.97	13,121	0.57				
Diagnostic	N/A	11150.22	6,675	1.67				
Diagnostic	N/A	223.30	1,015	0.22				
Diagnostic	N/A	731.60	1,829	0.40				
Diagnostic	N/A	1137.08	917	1.24				
Diagnostic	N/A	2091.98	1,829	1.14				
Diagnostic	N/A	2229.76	3,328	0.67				
Diagnostic	N/A	49589.32	2,621	18.92				
Diagnostic	N/A	51819.08	3,328	15.57				
Diagnostic	N/A	8401.91	4,493	1.87				
Diagnostic	N/A	7648.30	4,499	1.70				
Diagnostic	N/A	66438.90	6,711	9.90				
Diagnostic	N/A	26959.80	6,419	4.20				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	46383.18	3,477	13.34				
Diagnostic	N/A	3848.10	762	5.05				
Diagnostic	N/A	15255.62	4,874	3.13				
Diagnostic	N/A	3568.32	3,186	1.12				
Diagnostic	N/A	5520.36	1,542	3.58				
Diagnostic	N/A	2,382	2,948	80.80%				
Diagnostic	N/A	21	50	42.00%				
Diagnostic	N/A	599	744	80.51%				
Diagnostic	N/A	2,382	2,395	99.46%				
Diagnostic	N/A	21	21	100.00%				
Diagnostic	N/A	599	603	99.34%				
Diagnostic	N/A	79:16	5	15:51				
Diagnostic	N/A	427:20	189	2:16				
Benchmark	95.00%	20	20	100.00%				
Benchmark	95.00%	544	544	100.00%				
Benchmark	95.00%	2,208	2,210	99.91%				
Benchmark	90.00%	9	9	100.00%				
Benchmark	90.00%	235	246	95.53%				
Benchmark	90.00%	514	514	100.00%				
Benchmark	90.00%	9	9	100.00%				
Benchmark	90.00%	5	5	100.00%				
Benchmark	85.00%	34	34	100.00%				
Parity	N/A	71	118	60.17%	48.95%	12	67	17.91%
Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%
Parity by Design	N/A	1,756	1,760	99.77%				
Diagnostic	N/A	1,453,610	1,453,610	100.00%				
Diagnostic	N/A	13,839	13,839	100.00%				
Parity	N/A	3,007	3,050	98.59%	11.79%	58,015	58,776	98.71%
Diagnostic	N/A	13,839	13,839	100.00%				
Diagnostic	N/A	1	1	100.00%				
Diagnostic	N/A	2,905,313	2,774,316	1.05				
Diagnostic	N/A	5683.57	38,734	0.15				
Diagnostic	N/A	30,600	30,600	100.00%				
Diagnostic	N/A	30,600	30,600	100.00%				
Diagnostic	N/A	30,600	30,600	100.00%				
Diagnostic	N/A	43,200	43,200	100.00%				
Diagnostic	N/A	42,180	42,180	100.00%				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	22,860	22,860	100.00%				
Diagnostic	N/A	0	0					
Parity	N/A	7	18	38.89%	48.75%	7	15	46.67%
Parity	N/A	1	1	100.00%	0.00%			
Diagnostic	N/A	3	6	50.00%				
Diagnostic	N/A	17	31	54.84%				
Parity	N/A	21	36	58.33%	49.30%	8	18	44.44%
Parity	N/A	16	22	72.73%	44.54%	14	17	82.35%
Parity	N/A	2	2	100.00%	0.00%			
Diagnostic	N/A	2	3	66.67%				
Parity	N/A	8	10	80.00%	40.00%	14	17	82.35%
Parity	N/A	3	7	42.86%	49.49%	430	791	54.36%
Parity	N/A	24:44	1	24:44	0:00	133759:16	3,384	39:32
Parity	N/A	2:50	1	2:50	0:00	42056:29	745	56:27
Parity	N/A	95:19	18	5:18	3:49	57:00	12	4:45
Parity	N/A	2:21	1	2:21	0:00			
Parity	N/A	27:48	6	4:38	2:12	35:33	1	35:33
Parity	N/A	143:47	31	4:38	4:46	35:33	1	35:33
Parity	N/A	185:23	36	5:09	4:48	69:33	15	4:38
Parity	N/A	1130:10	90	12:33	14:18	153440:26	4,168	36:49
Parity	N/A	69:40	22	3:10	2:39	31:28	10	3:09
Parity	N/A	5:00	2	2:30	1:15			
Parity	N/A	7:50	3	2:37	1:53			
Parity	N/A	21:27	10	2:09	1:20	31:28	10	3:09
Parity	N/A	277:40	33	8:25	6:44	49189:43	922	53:21
Parity	N/A	0	1	0.00%	0.00%	432	3,582	12.06%
Parity	N/A	0	1	0.00%	0.00%	73	775	9.42%
Parity	N/A	1	18	5.56%	22.91%	3	21	14.29%
Parity	N/A	0	1	0.00%	0.00%			
Parity	N/A	1	6	16.67%	37.27%	0	1	0.00%
Parity	N/A	3	31	9.68%	29.57%	0	1	0.00%
Parity	N/A	10	36	27.78%	44.79%	3	21	14.29%
Parity	N/A	7	90	7.78%	26.78%	551	4,585	12.02%
Parity	N/A	4	22	18.18%	38.57%	1	17	5.88%
Parity	N/A	0	2	0.00%	0.00%			
Parity	N/A	0	3	0.00%	0.00%			
Parity	N/A	2	10	20.00%	40.00%	1	17	5.88%

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Parity	N/A	12	33	36.36%	48.10%	88	971	9.06%
Parity	N/A	40	1,717	2.33%	15.08%	32	2,736	1.17%
Parity	N/A	3	76,898	0.00%	0.62%	0	60,118	0.00%
Parity	N/A	2	63	3.17%	17.53%	4,579	358,607	1.28%
Parity	N/A	0	207	0.00%		38	3,103	1.22%
Parity	N/A	6	2,816	0.21%	4.61%	1	1,071	0.09%
Parity	N/A	34	15,864	0.21%	4.62%	1	1,072	0.09%
Parity	N/A	46	5,195	0.89%	9.37%	35	2,761	1.27%
Parity	N/A	0	26	0.00%		38	3,101	1.23%
Parity	N/A	123	26,984	0.46%	6.74%	5,556	528,887	1.05%
Parity	N/A	0	1	0.00%	0.00%	2,944	3,582	82.19%
Parity	N/A	1	1	100.00%	0.00%	666	775	85.94%
Parity	N/A	2	34,656	0.01%	0.05%			
Parity	N/A	0	13,519	0.00%	0.00%			
Diagnostic	N/A	2	34,656	0.01%				
Diagnostic	N/A	4	13,543	0.03%				
Diagnostic	N/A	152	1	152.00				
Parity	N/A	699	29	24.10	17.00			
Parity	N/A	14	6	2.33	1.51	297	4	74.25
Parity	N/A	82	7	11.71	7.85	56,471	392	144.06
Parity	N/A	20	29	68.97%	46.26%			
Parity	N/A	4	6	66.67%	47.14%	3	4	75.00%
Parity	N/A	6	7	85.71%	34.99%	209	392	53.32%
Benchmark	90.00%	1	1	100.00%				
Parity	N/A	1	1	100.00%	0.00%	1,261	1,269	99.37%
Benchmark	90.00%	2	2	100.00%				
Parity	N/A	11	12	91.67%	27.64%	13	13	100.00%
Benchmark	90.00%	4	4	100.00%				
Benchmark	90.00%	261	289	90.31%				
Parity	N/A	39	45	86.67%	33.99%			
Benchmark	90.00%	77	83	92.77%				
Benchmark	90.00%	8	8	100.00%				
Parity	N/A	9	9	100.00%	0.00%	1	1	100.00%
Benchmark	90.00%	36	43	83.72%				
Parity	N/A	17	17	100.00%	0.00%	0	2	0.00%
Benchmark	90.00%	8	8	100.00%				
Benchmark	6.00	2	1	2.00				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Benchmark	6.00	9	2	4.50				
Benchmark	6.00	11	3	3.67				
Benchmark	6.00	627	199	3.15				
Benchmark	5.50	148	32	4.63				
Benchmark	6.00	306	76	4.03				
Benchmark	6.00	29	6	4.83				
Benchmark	6.00	102	34	3.00				
Benchmark	5.50	80	17	4.71				
Benchmark	6.00	34	8	4.25				
Parity	N/A	21	21	100.00%	0.00%	16	16	100.00%
Parity	N/A	1	1	100.00%	0.00%	3,134	3,426	91.48%
Parity	N/A	1	1	100.00%	0.00%	2	2	100.00%
Parity	N/A	6	6	100.00%	0.00%	5	5	100.00%
Parity	N/A	351	359	97.77%	14.76%	5	5	100.00%
Parity	N/A	62	62	100.00%	0.00%	2	2	100.00%
Parity	N/A	88	91	96.70%	17.86%	2,546	2,707	94.05%
Benchmark	95.00%	6	6	100.00%				
Benchmark	95.00%	2,841	2,841	100.00%				
Diagnostic	N/A	6571.18	19,327	0.34				
Diagnostic	N/A	15505.20	12,921	1.20				
Diagnostic	N/A	22076.38	19,327	1.14				
Diagnostic	N/A	3128.78	4,286	0.73				
Diagnostic	N/A	3510.28	4,286	0.82				
Diagnostic	N/A	728.98	1,778	0.41				
Diagnostic	N/A	1344.60	1,245	1.08				
Diagnostic	N/A	2073.58	1,778	1.17				
Diagnostic	N/A	3369.54	3,786	0.89				
Diagnostic	N/A	8183.70	3,897	2.10				
Diagnostic	N/A	11553.24	3,786	3.05				
Diagnostic	N/A	8010.45	7,629	1.05				
Diagnostic	N/A	6576.85	5,719	1.15				
Diagnostic	N/A	14587.30	7,629	1.91				
Diagnostic	N/A	2360.25	1,049	2.25				
Diagnostic	N/A	655.60	1,192	0.55				
Diagnostic	N/A	3015.85	1,049	2.88				
Diagnostic	N/A	3614.22	6,693	0.54				
Diagnostic	N/A	7303.52	13,042	0.56				

271_exhibit(14_state_pid)_excel_all_wa_mar17.xls

Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result
Diagnostic	N/A	10917.74	6,693	1.63				
Diagnostic	N/A	230.34	1,047	0.22				
Diagnostic	N/A	768.80	1,922	0.40				
Diagnostic	N/A	1047.96	852	1.23				
Diagnostic	N/A	2047.10	1,922	1.07				
Diagnostic	N/A	2360.28	3,471	0.68				
Diagnostic	N/A	48861.27	2,573	18.99				
Diagnostic	N/A	51221.55	3,471	14.76				
Diagnostic	N/A	8597.50	4,525	1.90				
Diagnostic	N/A	7770.96	4,518	1.72				
Diagnostic	N/A	67674.24	6,822	9.92				
Diagnostic	N/A	26163.00	6,156	4.25				
Diagnostic	N/A	46934.31	3,379	13.89				
Diagnostic	N/A	3774.44	743	5.08				
Diagnostic	N/A	15412.95	4,893	3.15				
Diagnostic	N/A	3931.20	3,276	1.20				
Diagnostic	N/A	5301.12	1,506	3.52				
Diagnostic	N/A	2,833	3,389	83.59%				
Diagnostic	N/A	50	112	44.64%				
Diagnostic	N/A	618	800	77.25%				
Diagnostic	N/A	2,833	2,844	99.61%				
Diagnostic	N/A	50	50	100.00%				
Diagnostic	N/A	618	622	99.36%				
Diagnostic	N/A	18:09	1	18:09				
Diagnostic	N/A	365:57	158	2:19				
Benchmark	95.00%	41	41	100.00%				
Benchmark	95.00%	522	522	100.00%				
Benchmark	95.00%	2,609	2,610	99.96%				
Benchmark	90.00%	35	35	100.00%				
Benchmark	90.00%	357	377	94.69%				
Benchmark	90.00%	519	519	100.00%				
Benchmark	90.00%	7	7	100.00%				
Benchmark	85.00%	18	18	100.00%				
Parity	N/A	74	112	66.07%	47.35%	10	85	11.76%

CTL-Q Standard Deviator	Modified Z Score	Parity Score
10.31%	-4.797118	-3.91644
48.10%	-1.436995	-1.873631
48.00%	-0.125282	-1.076166
47.14%	-2.018932	-2.227424
47.14%	-1.369306	-1.832479
48.92%	0.239373	-0.854471
47:54	-0.62594	-1.380545
24:19	-0.874383	-1.531587
4:03	-0.884445	-1.537704
4:00	-0.487258	-1.296232
41:18	-5.166629	-4.141087
3:55	-1.557928	-1.947153
3:55	-1.263762	-1.768313
45:33	-1.323626	-1.804707
12.43%	-0.498686	-1.30318

CTL-Q Standard Deviation	Modified Z Score	Parity Score
12.22%	1.571005	-0.044897
12.12%	-1.761859	-2.071134
12.80%	-2.587143	-2.572871
12.14%	-0.562408	-1.34192
11.04%	-12.544571	-8.626558
33.98%	-0.391764	-1.238175
21.65%	-0.320903	-1.195095
		-2.995675
		-2.875883
175.96	0.748763	-0.544784
49.87%	-3.160131	-2.921223
0.00%		
0.00%	2.989188	0.817297

CTL-Q Standard Deviator	Modified Z Score	Parity Score

CTL-Q Standard Deviator	Modified Z Score	Parity Score
49.85%	-0.677282	-1.411758
49.85%	0.092133	-0.943987
49.85%	-0.828278	-1.503557
49.96%	0.960964	-0.415775
146:11	1.112321	-0.323757
45:09	-0.482144	-1.293122
23:00	-0.575951	-1.350153
3:42	-0.824277	-1.501125
0:00		
0:00		
3:42	-0.783685	-1.476446
133:45	-2.584827	-2.571463
4:14	0.230118	-0.860098
4:14	0.302855	-0.815877
45:21	-1.734524	-2.054516
35.07%	0.62195	-0.621881
31.88%	-0.359886	-1.218795
28.41%	1.329074	-0.19198
47.92%	-0.792091	-1.481557
0.00%		
0.00%		
47.92%	-1.30106	-1.790988
34.43%	0.115329	-0.929885
39.41%	-1.145919	-1.69667
39.41%	-1.145919	-1.69667
32.49%	0.248538	-0.848899
12.48%	-0.708612	-1.430806
12.10%	2.247713	0.366512
12.00%	-1.730222	-2.0519
3.28%	2.83931	0.726178
3.28%	-0.153252	-1.093171

CTL-Q Standard Deviator	Modified Z Score	Parity Score
12.54%	-0.934313	-1.568022
12.01%	-0.569564	-1.34627
10.92%	-11.057182	-7.722289
42.58%	1.582545	-0.037881
35.88%	-0.422752	-1.257015
23.57%	-0.250029	-1.152007
		-2.866025
		-2.985008
135.76	-1.26886	-1.771412
174.60	-0.586626	-1.356643
0.00%		
49.79%	-1.921503	-2.168191
8.48%	-0.085332	-1.051878
0.00%	-0.030435	-1.018503
19.47	-0.086729	-1.052727
26.88%	-0.291536	-1.177241
0.00%	-2.620817	-2.593344
0.00%	-1.335178	-1.81173
24.95%	-2.132159	-2.296261

CTL-Q Standard Deviator	Modified Z Score	Parity Score
22.47%	-1.517484	-1.922565
12.51%	-5.983105	-4.63747
47.14%	0.535415	-0.674491
46.35%	1.520626	-0.075525

CTL-Q Standard Deviator	Modified Z Score	Parity Score
47.79%	0.401952	-0.75563
47.79%	0.879837	-0.465097
49.50%	1.758184	0.0689
2:50	0.473299	-0.712255
0:00		
0:00		
2:45	1.750686	0.064342
199:08	-1.433905	-1.871753
5:14	0.742144	-0.548808
5:14	0.302855	-0.815877
47:13	-0.54318	-1.33023
0.00%	0.747859	-0.545334
0.00%	-1.150349	-1.699363
0.00%		
0.00%	1.18275	-0.280939
33.99%	-1.54433	-1.938886
49.91%	-1.505545	-1.915307
49.91%	-1.696557	-2.031434
32.70%	-0.526042	-1.319811
11.43%	-1.917563	-2.165795
11.29%	-0.878408	-1.534034
11.05%	-1.583099	-1.962456
3.24%	1.732211	0.05311
3.24%	-0.275986	-1.167788
11.52%	-1.866037	-2.13447
11.06%	-0.523278	-1.31813
10.18%	-11.504931	-7.994501
		-2.988449
		-2.996472

CTL-Q Standard Deviator	Modified Z Score	Parity Score
135.76	-0.7698	-1.468005
193.72	-2.680719	-2.629761
0.00%		
49.40%	1.943134	0.181341
0.00%		
0.00%	-2.053749	-2.248591
0.00%		
0.00%		
0.00%	-2.125804	-2.292397
0.00%	-1.441328	-1.876265
27.02%	-2.069425	-2.258121

CTL-Q Standard Deviator	Modified Z Score	Parity Score
14.74%	-14.020278	-9.523724
11.33%	-5.20913	-4.166926
49.93%	-0.581737	-1.353671
49.94%	0.589479	-0.641622
47.14%	0.642636	-0.609305
0.00%		
47.14%	-1.46385	-1.889958
49.39%	-0.099554	-1.060524
50.00%	-0.997887	-1.606672
64:24	-0.270834	-1.164655
4:02	0.133245	-0.918993
0:00		
0:00		
4:02	0.579873	-0.647462

CTL-Q Standard Deviator	Modified Z Score	Parity Score
84:50	-2.444271	-2.486011
3:20	-0.032592	-1.019814
0:00		
3:20	-0.675382	-1.410603
63:27	-1.524559	-1.926866
0.00%		
41.91%	-0.881176	-1.535717
0.00%		
0.00%		
41.91%	-0.595146	-1.361823
33.15%	-0.345461	-1.210025
24.94%	1.124338	-0.316451
0.00%		
24.94%	0.899435	-0.453182
32.12%	-1.023737	-1.622388
11.72%	0.069937	-0.957481
0.42%	0.439535	-0.732782
11.16%	-0.875039	-1.531986
11.46%	-1.048065	-1.637178
3.21%	2.055442	0.24962
3.21%	-0.39801	-1.241973
11.96%	-0.991252	-1.602639
11.48%	-0.543495	-1.330422
9.97%	-10.732325	-7.52479
		-2.927491
		-2.974417
207.15	-1.0971	-1.66699
49.88%	-2.041821	-2.241339

CTL-Q Standard Deviation	Modified Z Score	Parity Score
43.30%	-3.192795	-2.941081
50.00%	-1	-1.607957
0.00%		
50.00%	-0.894427	-1.543773
0.00%		
0.00%		
50.00%	-1.919967	-2.167257
23.44%	0.122746	-0.925376

CTL-Q Standard Deviation	Modified Z Score	Parity Score
33.68%	-1.548915	-1.941674

CTL-Q Standard Deviator	Modified Z Score	Parity Score
11.24%	-6.123633	-4.722904
50.00%	0.590424	-0.641048
0.00%		
49.69%	-0.392678	-1.238731
49.30%	-0.159464	-1.096947
49.30%	-1.309307	-1.796002
49.98%	0.046599	-0.97167
74:36	-0.401659	-1.244192
6:29	0.040117	-0.975611
0:00		
6:23	-0.486883	-1.296004
6:23	-0.285278	-1.173437
6:19	-0.394391	-1.239772
69:12	-4.196181	-3.551097
4:13	-0.494711	-1.300763
4:13	-0.773562	-1.470292
168:58	-0.849942	-1.516728
33.38%	-0.541134	-1.328986

CTL-Q Standard Deviator	Modified Z Score	Parity Score
46.48%	-1.188268	-1.722416
0.00%		
0.00%		
0.00%	-1.22064	-1.742097
46.48%	-0.88017	-1.535105
33.31%	-0.309036	-1.18788
37.27%	0	-1
37.27%	-0.69282	-1.421205
32.09%	-1.023789	-1.62242
10.57%	-0.078916	-1.047977
0.42%	1.017141	-0.381622
12.52%	0.680407	-0.586342
10.43%	-1.47692	-1.897903
4.51%	2.649206	0.610603
4.51%	-0.557985	-1.339231
10.85%	-2.19301	-2.333255
10.44%	-0.493199	-1.299844
11.21%	-12.448446	-8.568118
41.47%	-0.752493	-1.457483
		-2.959221
		-2.989786
230.89	-1.206094	-1.733253
49.53%	-2.726565	-2.657634

CTL-Q Standard Deviator	Modified Z Score	Parity Score
0.00%		
45.18%	-0.405222	-1.246357
45.18%	-1.506764	-1.916048
25.54%	-1.881818	-2.144064

CTL-Q Standard Deviator	Modified Z Score	Parity Score
49.91%	-0.125038	-1.076017
50.00%	-0.098506	-1.059888
43.30%	0.177325	-0.892194
42.30%	0.63075	-0.616531
49.93%	1.411578	-0.141822
4:36	-0.518774	-1.315392
4:32	-1.387048	-1.843265
41:43	-6.117521	-4.719189
5:03	-0.525437	-1.319443
4:52	-0.632972	-1.384819
40:55	-2.091659	-2.271639
22.33%	-0.049527	-1.030111
22.33%	-0.581778	-1.353696
35.29%	-1.172249	-1.712677
44.22%	-1.21376	-1.737914
44.22%	-0.412861	-1.251002
34.66%	0.116725	-0.929036

CTL-Q Standard Deviator	Modified Z Score	Parity Score
13.29%	0.845157	-0.486181
12.08%	-0.941889	-1.572628
13.15%	-1.867202	-2.135178
13.63%	-2.909708	-2.768977
13.03%	-0.633231	-1.384977
10.84%	-12.894503	-8.839301
		-2.984419
		-2.996485
0.00		
0.00		
229.28	-1.501517	-1.912858
0.00%		
0.00%		
49.62%	-2.765347	-2.681212
43.30%	-0.744208	-1.452447

CTL-Q Standard Deviator	Modified Z Score	Parity Score
48.65%	-0.060093	-1.036534
50.00%	-1.296705	-1.788341
48.80%	-0.794396	-1.482959
48.10%	-1.023533	-1.622264
49.99%	-0.41241	-1.250727
5:24	-0.581835	-1.35373
0:00		
0:00		
4:58	-1.262701	-1.767667
153:20	-1.838218	-2.117557
3:06	0.896473	-0.454983
3:10	-0.731873	-1.444947
40:17	-2.300119	-2.398373
45.56%	-1.268798	-1.771374
0.00%		
0.00%		
45.56%	-1.518401	-1.923122
32.34%	0.597587	-0.636693
37.90%	-0.405979	-1.246818
37.90%	-0.622389	-1.378386
33.38%	-0.023114	-1.014053
11.85%	-1.994459	-2.212545
0.41%	-0.14803	-1.089996

CTL-Q Standard Deviator	Modified Z Score	Parity Score
10.19%	-0.810507	-1.492754
11.72%	-1.658561	-2.008333
3.16%	3.681361	1.238109
3.16%	0.103134	-0.937299
12.08%	-2.027686	-2.232746
11.73%	-0.567994	-1.345316
9.19%	-10.268987	-7.243101
		-2.923354
		-2.989067
215.97	-1.991754	-2.2109
48.18%	-2.705043	-2.644549
0.00%		
0.00%	-1.207414	-1.734056
0.00%		
47.14%	-2.088932	-2.26998
0.00		

CTL-Q Standard Deviator	Modified Z Score	Parity Score
26.78%	-6.869536	-5.176381
9.88%	-5.885216	-4.577957

CTL-Q Standard Deviator	Modified Z Score	Parity Score
44.54%	-0.338972	-1.20608
43.30%	0.274423	-0.833163
48.99%	1.029158	-0.374317
48.99%	-0.058236	-1.035405
49.99%	0.049574	-0.969861
49.88%	-1.070448	-1.650786
36:57	-0.509825	-1.309952
2:49	-0.113153	-1.068792
0:00		
0:00		
2:49	0.077784	-0.952711
36:23	-5.526638	-4.359957
5:18	0.181468	-0.889675
5:18	-0.487926	-1.296638
38:49	-2.064831	-2.255328
0.00%		
26.65%	0.258319	-0.842953
0.00%		
0.00%	-1.690622	-2.027825
26.65%	0.238761	-0.854844
31.07%	-1.472313	-1.895103
24.94%	-0.517549	-1.314648
24.94%	-0.553283	-1.336372
31.55%	-0.792283	-1.481674
10.05%	-0.195334	-1.118755
0.72%	-1.292603	-1.785847
10.37%	-0.832233	-1.505961
9.78%	-0.696488	-1.423435
3.15%	1.216849	-0.260208

CTL-Q Standard Deviator	Modified Z Score	Parity Score
3.15%	0.472551	-0.712709
10.17%	-0.769188	-1.467633
9.79%	-0.482312	-1.293225
9.36%	-10.347957	-7.291111
		-2.942954
		-2.991843
211.91	-2.773758	-2.686325
48.50%	-1.193726	-1.725734
4.73%	-0.047422	-1.028831
0.00%		
0.00%	-1.318011	-1.801294
0.00%		
43.30%	-0.755929	-1.459572
0.00%		
26.13%	-0.282047	-1.171472
0.00%	-1.016641	-1.618074
0.00%	-1.472651	-1.895308

CTL-Q Standard Deviation	Modified Z Score	Parity Score
23.90%	-1.608577	-1.977945

CTL-Q Standard Deviation	Modified Z Score	Parity Score
21.49%	-11.370783	-7.912945
10.38%	-4.14474	-3.519823
45.83%	1.103463	-0.329142
44.54%	0.582034	-0.646148

CTL-Q Standard Deviator	Modified Z Score	Parity Score
38.12%	1.000524	-0.391724
38.12%	-0.02199	-1.013369
49.75%	0.96384	-0.414027
49.12%	-0.35468	-1.21563
53:31	-0.102532	-1.062335
3:06	-0.002358	-1.001434
2:48	0.062707	-0.961877
2:48	0.609791	-0.629273
77:18	-2.968658	-2.804816
33:52	-0.540332	-1.328499
33:52	-0.338319	-1.205683
53:05	-2.355403	-2.431983
50.00%	-1.309307	-1.796002
43.30%	0.139635	-0.915108
0.00%	-1.067571	-1.649037
0.00%	-1.644854	-2
43.30%	-0.755929	-1.459572
43.30%	-0.5547	-1.337234
31.48%	-1.259884	-1.765955
38.12%	0.433851	-0.736237
38.12%	-0.739208	-1.449407
32.53%	-1.04063	-1.632658
10.19%	0.651583	-0.603865
0.41%	-0.743567	-1.452057
9.88%	-0.779385	-1.473833
9.92%	0.374805	-0.772135
3.13%	1.548899	-0.058336
3.13%	0.297925	-0.818875

CTL-Q Standard Deviator	Modified Z Score	Parity Score
10.32%	-0.74884	-1.455262
9.92%	0.775486	-0.528538
8.85%	-9.729879	-6.915347
		-2.941168
		-2.990685
24.04	-2.389453	-2.452684
50.00%	3.719016	1.261001
5.04%	-0.050551	-1.030733
0.00%		
0.00%	-0.695908	-1.423082
0.00%		
0.00%		
0.00%		

CTL-Q Standard Deviator	Modified Z Score	Parity Score
19.88%	-13.080516	-8.952389
9.99%	-4.485574	-3.727035

CTL-Q Standard Deviator	Modified Z Score	Parity Score
45.18%	0.137136	-0.916627
44.22%	0.181574	-0.889611
49.40%	-0.652269	-1.396551
49.49%	-0.884995	-1.538039
49.32%	-0.964749	-1.586526
30:20	-0.212252	-1.12904
2:00	1.490853	-0.093626
2:12	0.369171	-0.77556
29:35	-6.017199	-4.658197
4:51	-0.707839	-1.430336
4:38	-0.693939	-1.421885
43:20	-1.147317	-1.697519
31.55%	-0.355205	-1.215949
33.07%	-0.29724	-1.180709
33.07%	-0.679901	-1.41335
30.89%	-1.173857	-1.713654
43.30%	-1.080123	-1.656668
43.30%	-1.622491	-1.986405
29.08%	0.280525	-0.829453
12.22%	-1.214744	-1.738512
10.26%	0.024761	-0.984946
12.04%	-1.700433	-2.03379

CTL-Q Standard Deviator	Modified Z Score	Parity Score
12.60%	-2.362111	-2.436062
12.05%	-0.596722	-1.362781
9.22%	-10.814007	-7.57445
33.89%	-0.39054	-1.237432
		-2.940936
		-2.979974
24.04	-2.305402	-2.401585
203.78	-0.774667	-1.470964
0.00%		
48.25%	-0.763666	-1.464276
5.48%	-0.054924	-1.033391
0.00%		
50.00%	-1.326113	-1.806219
0.00%		

CTL-Q Standard Deviator	Modified Z Score	Parity Score
33.68%	1.334524	-0.188667
34.32%	2.872058	0.746087
47.14%	-0.707107	-1.42989
47.14%	0	-1
48.30%	0.717299	-0.563913
49.62%	0.154634	-0.905989
40:06	-0.643411	-1.391166
33:18	0.712751	-0.566678
1:40	0.830953	-0.494816
1:46	1.959964	0.191573
37:28	-3.514957	-3.136942
4:11	-0.710279	-1.431819
4:00	-1.008525	-1.61314
33:32	-1.719798	-2.045563
30.45%	-0.33952	-1.206414
40.00%	-0.456435	-1.277493
27.64%	0.149158	-0.909319
27.64%	0.612796	-0.627447
30.39%	-1.020264	-1.620276
47.14%	0	-1
47.14%	-1.118034	-1.679716
29.09%	-0.554712	-1.337241
11.35%	-0.404232	-1.245756
9.79%	0.118394	-0.928022
11.24%	-0.970434	-1.589982

CTL-Q Standard Deviator	Modified Z Score	Parity Score
11.60%	-1.482577	-1.901343
11.24%	-0.567101	-1.344773
8.82%	-9.54795	-6.804742
35.64%	-0.418859	-1.254648
		-2.915797
		-2.98461
177.10	-1.268404	-1.771135
47.68%	-1.459768	-1.887476
16.63%	-0.17088	-1.103888
6.26%	-0.06282	-1.038192
0.00%		
43.30%	-2.635448	-2.602238
0.00%		
5.12	1.589268	-0.033794

CTL-Q Standard Deviator	Modified Z Score	Parity Score
36.46%	0.840359	-0.489098
39.27%	1.128493	-0.313925
43.30%	0.714975	-0.565326
43.30%	-0.049	-1.02979
49.77%	-1.637243	-1.995373
50.00%	-0.016695	-1.01015
41:54	1.378659	-0.161835
2:27	1.589268	-0.033794
0:34	-2.336703	-2.420614
0:34	-8.156517	-5.95881
5:52	-0.046587	-1.028323
41:22	-3.836087	-3.332175
18:20	-0.440227	-1.267639
18:20	-0.557661	-1.339034
34:28	-2.036761	-2.238263
43.30%	-1.549193	-1.941843
49.17%	-1.752491	-2.065439
0.00%		
0.00%	-1.564726	-1.951286
49.17%	-1.900498	-2.155421
30.55%	-0.14849	-1.090276
45.45%	-0.602516	-1.366304
45.45%	-0.602516	-1.366304

CTL-Q Standard Deviator	Modified Z Score	Parity Score
29.70%	-0.867069	-1.527141
12.51%	-1.492941	-1.907644
0.71%	-0.959048	-1.583059
10.00%	-0.795246	-1.483475
12.15%	-1.153839	-1.701484
4.35%	0.878395	-0.465974
4.35%	0.13763	-0.916327
12.74%	-3.599159	-3.188133
12.16%	-0.626758	-1.381042
9.12%	-10.178319	-7.187978
		-2.939833
		-2.984875
24.04	-0.668279	-1.406285
174.45	-1.595333	-1.969893
0.00%		
49.55%	2.457263	0.49391
0.00%		
43.30%	-0.140028	-1.085131
47.14%	0	-1
43.30%	-0.348155	-1.211663

CTL-Q Standard Deviator	Modified Z Score	Parity Score
49.89%	0.097813	-0.940534
49.69%	-0.968246	-1.588652
38.12%	0.313713	-0.809276
38.12%	-0.327988	-1.199402
49.81%	0.234942	-0.857166
36:12	-0.408568	-1.248391
48:49	-1.097612	-1.6673
2:46	0.366489	-0.77719
0:00		
0:00		
2:30	0.487365	-0.703703
35:30	-6.412911	-4.898773
2:36	-0.00752	-1.004572
2:36	-0.860604	-1.52321
47:44	-5.313084	-4.230126
32.57%	-0.370276	-1.225112
29.21%	-0.322265	-1.195923
34.99%	-0.776709	-1.472205
0.00%	-1.067571	-1.649037
0.00%	-1.318011	-1.801294
34.99%	0.836999	-0.491141
32.52%	-1.224977	-1.744733
23.53%	0.638042	-0.612098
23.53%	0.51704	-0.685662

CTL-Q Standard Deviator	Modified Z Score	Parity Score
28.71%	4.012585	1.439478
10.75%	3.504555	1.130618
11.23%	0.869037	-0.471663
11.00%	-1.551096	-1.942999
3.05%	1.091658	-0.336319
3.05%	1.256379	-0.236176
11.19%	-1.450532	-1.881861
11.00%	-0.565577	-1.343847
10.20%	-9.346008	-6.681969
38.26%	0.921701	-0.439645
34.77%	-0.404293	-1.245793
		-2.982382
		-2.998828
84.62	-1.316591	-1.80043
172.53	-2.011645	-2.222994
43.30%	-0.298142	-1.181258
49.89%	2.408916	0.464517
7.91%	-0.079619	-1.048405
0.00%	0.050154	-0.969509
0.00%		
0.00%		

CTL-Q Standard Deviator	Modified Z Score	Parity Score
0.00%		
27.92%	-0.305196	-1.185546
0.00%		
0.00%		
0.00%	-1.249606	-1.759707
0.00%		
23.65%	-1.051649	-1.639357

