					F	IN/	
						Note	s
		Recurring	Recurring, per Mile	Non- Recurring	REC	REC per Mile	
0 Resale		Wholesale Discount Percentage		Wholesale Discount Percentage			
6.1 Whol	esale Discount Rates						
<u>6.1.1</u> 6.1.2	General Operator Services and Directory Assistance	<u>14.74%</u> 7.97%		50% 50%	A		
6.1.3	Public Access Line (PAL) Service	14.74%		50%	A		
6.1.4	Contract Service Arrangements	14.74%		50%	A		
6.2 Custo	mer Transfer Charge (CTC)						⊢
6.2.1	CTC for POTS Service						
	6.2.1.1 Residential / Business						┣—
	6.2.1.1.1 First Line 6.2.1.1.1.1 Installation, Manual			\$21.24			
	6.2.1.1.1.2 Intentionally Left Blank						
	6.2.1.1.1.3 Installation, Mechanized			\$5.82			
	6.2.1.1.2 Each Additional						L
	6.2.1.1.2.1 Installation, Manual			\$7.83			
	6.2.1.1.2.2 Intentionally Left Blank 6.2.1.1.2.3 Installation, Mechanized			\$5.28			
				ψ0.20			
6.2.2	CTC for Private Line Transport Services						⊢
	6.2.2.1 First Circuit 6.2.2.1.1 First Circuit (Manual)			\$44.19			
	6.2.2.1.2 First Circuit (Mechanized)			\$36.98			
	6.2.2.2 Additional Circuit, per Circuit, Same CSR						⊢
	6.2.2.2.1 Additional Circuit, same CSR (Manual)			\$26.15			
	6.2.2.2.2 Additional Circuit, per Circuit, same CSR (Mechanized)			\$26.15			
6.2.3	CTC for Advanced Communications Services (Frame Relay, ATM Cell Relay, or Transparent LAN Service), per Circuit						╞
	6.2.3.1 Each Circuit, Mechanized			\$27.64			
	6.2.3.2 Each Circuit, Manual			\$31.68			
0 Interconnect	ion						⊢
	nce Facilities						
7.1.1	Intentionally Left Blank						⊢
7.1.2	DS1, Electrical	\$0.00			+		
	7.1.2.1 Installation, Manual			\$0.00			
	7.1.2.2 Disconnection, Manual			\$0.00			
	7.1.2.3 Installation, Mechanized			\$0.00			
	7.1.2.4 Disconnection, Mechanized			\$0.00			
7.1.3	DS3, Electrical	\$0.00			+		⊢
	7.1.3.1 Installation, Manual			\$0.00	r -		
	7.1.3.2 Disconnection, Manual			\$0.00			
	7.1.3.3 Installation, Mechanized			\$0.00			
	7.1.3.4 Disconnection, Mechanized			\$0.00			
7.2 LIS E	CT						-
7.2 LISE 7.2.1	Per DS1	\$0.00		\$0.00	+		
7.2.2	Per DS3	\$0.00		\$0.00	+		
	Trunked Transport				+		
7.3.1	Intentionally Left Blank						⊢
7.3.2	DS1 (Recurring Fixed & per Mile)						
	7.3.2.1 Over 0 to 8 Miles	\$0.00	\$0.00		+	+	⊢
	7.3.2.2 Over 8 to 25 Miles	\$0.00	\$0.00		+	+	⊢
	7.3.2.3 Over 25 to 50 Miles 7.3.2.4 Over 50 Miles	\$0.00 \$0.00	\$0.00 \$0.00		+	+	-
		φυ.00	φ 0.0 0		+	+	⊢
7.3.3	DS3 (Recurring Fixed & per Mile)					_	
	7.3.3.1 Over 0 to 8 Miles	\$0.00	\$0.00		+	+	L
	7.3.3.2 Over 8 to 25 Miles	\$0.00	\$0.00		+	+	1

						Note	
		Recurring	Recurring, per Mile	Non- Recurring	REC	Mile Nile	T
	7.3.3.3 Over 25 to 50 Miles	\$0.00	\$0.00		+	+	
	7.3.3.4 Over 50 Miles	\$0.00	\$0.00		+	+	_
7.4	Multiplexing					├──	+
7.4	7.4.1 DS1 to DS0, per Arrangement	\$0.00			+		t
	7.4.1.1 Installation, Manual			\$0.00	-		İ
	7.4.1.2 Disconnection, Manual			\$0.00			Î
	7.4.1.3 Installation, Mechanized			\$0.00			Î
	7.4.1.4 Disconnection, Mechanized			\$0.00			I
							Į
	7.4.2 DS3 to DS1, per Arrangement	\$0.00			+	 	4
	7.4.2.1 Installation, Manual			\$0.00		 	1
	7.4.2.2 Disconnection, Manual			\$0.00		 	ļ
	7.4.2.3 Installation, Mechanized			\$0.00		 	ļ
	7.4.2.4 Disconnection, Mechanized			\$0.00		—	ļ
7.5	Trunk Nonrecurring Charges					├	ł
1.5	7.5.1 Intentionally Left Blank					i	ł
							Ĩ
	7.5.2 DS1 Interface 7.5.2.1 First Trunk					—	╀
	7.5.2.1 First Frunk 7.5.2.1.1 Installation			\$0.00		┝───	ł
	7.5.2.1.2 Disconnection			\$0.00			ł
				••••			t
	7.5.2.2 Each Additional Trunk						Ī
	7.5.2.2.1 Installation			\$0.00			
	7.5.2.2.2 Disconnection			\$0.00		 	
	7.5.3 DS3 Interface					──	+
	7.5.3 Dos interace 7.5.3.1 First Trunk						t
	7.5.3.1.1 Installation			\$0.00			Ī
	7.5.3.1.2 Disconnection			\$0.00			I
							Į
	7.5.3.2 Each Additional Trunk 7.5.3.2.1 Installation			\$0.00		┝──	╉
	7.5.3.2.2 Disconnection			\$0.00		<u> </u>	╉
				\$0.00			t
7.6	Exchange Service (EAS/Local) Traffic						Ì
	7.6.1 End Office Call Termination, per Minute of Use	\$0.00			+		
	7.0.0 Teader Outlehad Transactions Minute of Line	¢0.00				──	-
	7.6.2 Tandem Switched Transport, per Minute of Use	\$0.00			+	—	+
	7.6.3 Tandem Transmission, per Minute of Use (Recurring Fixed & per Mile)	<u> </u>				 	ł
	7.6.3.1 Over 0 to 8 Miles	\$0.00	\$0.00		+	+	t
	7.6.3.2 Over 8 to 25 Miles	\$0.00	\$0.00		+	+	ţ
	7.6.3.3 Over 25 to 50 Miles	\$0.00			+	+	Ĵ
	7.6.3.4 Over 50 Miles	\$0.00	\$0.00		+	+	Į
77					<u> </u>	<u> </u>	ļ
7.7	Local Traffic - FCC - ISP Rate Caps 7.7.1 MOU as of June 14, 2003, rates in effect until further FCC action	\$0.00			-	├	ł
		ψ0.00			+	┝──	ł
7.8	Miscellaneous Charges						t
	7.8.1 Expedite Charge (LIS Trunks)			Qwest's Washington Access Service Tariff			
	7.8.2 Cancellation Charge (LIS Trunks)			Qwest's Washington Access Service Tariff			
	7.8.3 Additional Testing (LIS Trunks)			Qwest's Washington Access Service Tariff			

Total Resurting Re									
7.3.1 Local Transt Assumed Mileage = 9 Miles) See Tardem Section and				Recurring			REC		
7.9.1 Loss Transt Local Transt Assumed Mileage = 9 Miles) Set a Texture Set and any Transmission, Rate Below, Rate Be	7.0	Trancit I	raffin						
7.9.12 Turdem Transmission (Recarring Dreed Ager Alle), Munde of Use 90.0003 80.0001 A A 7.9.12.2 Over 15 to 01 Miss 30.0002 80.0001 A A 7.9.12.2 Over 15 to 01 Miss 30.0002 80.0001 A A 7.9.12.3 Over 15 to 01 Miss 30.0002 80.0001 A A 7.9.12.3 Over 15 to 01 Miss 30.0002 80.0001 A A 7.8.2 IntraLATA Toll Tomoti (IntraLATA Toll Assumed Mleage - 9 Miles) Oversi's Multicate Trains Coversi's Multicate Trains A A 7.8.4 Catecory 11 Michaeled Beend Diseage pre-Becord Toff Toff Toff Toff A 7.9.4 Catecory 11 Michaeled Beend Diseage Pre-Becord S0.001903 Coversi's Multicate Trains A A 7.10 Intentionally Left Blank Weethington S0.001903 Coversi's Multicate Trains A A 7.11 Intentionally Left Blank Weethington S0.01903 Coversi's Multicate Trains A A 7.11 <t< td=""><td>7.9</td><td></td><td></td><td>Switching and Tandem Transmission</td><td>Switching and Tandem Transmission</td><td></td><td></td><td></td><td></td></t<>	7.9			Switching and Tandem Transmission	Switching and Tandem Transmission				
7.9.12 Tandem Transmission (Recently End & get Alley, Minute or Use			7.9.1.1 Tandem Switched Transport, per Minute of Use	\$0.000690			#		
7.9.1.22 Over 9 to 25 Miles 93.0002 93.00001 A A 7.9.1.24 Over 9 to 25 Miles 93.00001 83.00001 A A 7.9.2 IntraLATA Tol Transt (intraLATA Tol Assumed Milesge = 9 Miles) Over 15 Washington Washington A A 7.9.2 IntraLATA Tol Transt (intraLATA Tol Assumed Milesge = 9 Miles) Over 15 Washington Kacess Serve Access			7.9.1.2 Tandem Transmission (<i>Recurring Fixed & per Mile</i>), Minute of Use						
7.1.2.1 Over 25 to 56 Miles 50.0000 A A 7.0.2 IntraLATA Toll Transit (IntroLATA Toll Assumed Mileage = 9 Miles) Over 25 S0.0001 A A 7.0.2 IntraLATA Toll Transit (IntroLATA Toll Assumed Mileage = 9 Miles) Over 25 S0.0001 A A 7.0.3 Intentionally Left Blank Totll Totll Totll Totll Totll 7.0.4.1 Micharked Tamais Record S0.001903 C F I 7.1.0 Intentionally Left Blank S0.001903 C F I 7.1.1 Intentionally Left Blank Washington Access Records S0.001903 C F I 7.1.1 Intentionally Left Blank Washington Access Records S0.001903 C F I 7.1.1 Intentionally Left Blank Washington Access Records S0.001903 C F I 7.1.1 Intentionally Left Blank Washington Access Records S0.01903 C I I 7.1.1 Intentionally Left Blank S									
7.8.2 InterdATA ToT Tarsis (IntraLATA ToT Assumed Mileage = 9 Miles) Owers's Washington Access Serves Totil Owers's Washington Totil Owers's Washington Totil Owers's Washington Totil Image: Comparison For the Totil Image: Comparison For the Totil Image: Comparison For the Totil Image: Comparison For the For t									
Washington Access Service 1 artff Washington Access Service 1 artff Notess Service 1 artff Notess Service 1 artff 7.9.3 Intentionally Laft Blank Image: Service Service 7.9.4.1 Mechanized Record Daruge, per Record Image: Service Service 7.9.4.1 Image: Service Service 7.9.4.1 Image: Service Service 8.001903 Image: Service Service Service 8.001903 Image: Service Service Service 8.001903 Image: Service Ser			7.9.1.2.4 Over 50 Miles	\$0.00026	\$0.00001		Α	Α	
T.9.4 Category 11 Mechanized Record Charge, per Record No. No		7.9.2	IntraLATA Toll Transit (IntraLATA Toll Assumed Mileage = 9 Miles)	Washington Access Service	Washington Access Service				
T.9.4.1 Mechanized Transit Records \$0.001903 ++ T.9.4.2 Mechanized Access Records \$0.001903 ++ T.10 Intentionally Left Blank \$0.001903 ++ T.11 Intentionally Left Blank \$0.001903 ++ T.11 Intentionally Left Blank Weshington Access Service Access Service Access Service Tariff \$0.1 R.0 Collocation Tariff \$0.1 \$0.1 Collocation Ordered \$0.1 8.0 Collocation Fee, per Collocation Ordered \$0.1 \$0.1 \$0.1 \$0.1 8.1.1 Butterionaly Left Blank \$0.1<		7.9.3	Intentionally Left Blank						
T.9.4.1 Mechanized Trainti Records \$0.001903 ++ ++ T.0 Intentionally Left Blank 50.001903 ++ - T.10 Intentionally Left Blank 50.001903 ++ - T.11 Intentionally Left Blank Washington Access Service Access Ferrice Tartifi Washington Access Service Access Ferrice Tartifi - - 8.0 Collocation Tartifi - - - - 8.1 All Collocation Ordered - </td <td></td> <td>70:</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>		70:							
T.10 Intentionally Left Blank ++ ++ 7.10 Intentionally Left Blank Washington Access Service Tariff Washington Access Service Tariff <td></td> <td>7.9.4</td> <td></td> <td>\$0 001903</td> <td></td> <td></td> <td>++</td> <td></td> <td> </td>		7.9.4		\$0 001903			++		
7.11 IntraLATA Toil Washington Access Service Modess Service Tariff Modess Service Tariff 8.0 Collocation Image: Collocation Ordered Image: Collocation									
7.11 IntraLATA Toil Washington Access Service Modess Service Tariff Modess Service Tariff 8.0 Collocation Image: Collocation Ordered Image: Collocation	740) Intention	ally Lafé Dianh						<u> '</u>
Access Service Tariff Access Service Tariff Collocation Tariff C	7.10	J Intentior							
8.1 Id Collocation Image: Collocation Ordered Image: Collocation Ordered 8.1.1 Ducle Preparation Fee, per Collocation Ordered Image: Collocation Entrance Paolity Image: Collocation Entrance	7.11	1 IntraLAT	A Toll	Access Service	Access Service				
8.1 Il Collocation Image: Collocation Ordered Image: Collocation Ordered 8.1.1 Augment Quice Preparation Fee Status Image: Collocation Entrance Facility	8.0 Coll	location							
8.1.1 Quote Preparation Fee, per Collocation Ordered Immediation Second Sec			cation						
8.1.1.2 Augment Quote Preparation Fee \$820.21 8.1.2 Collocation Entrance Facility <			Quote Preparation Fee, per Collocation Ordered						
8.12 Collocation Entrance Facility 8 8.1.21 Standard Shared, per Fiber \$6.54 \$941.67 B 8.1.2.2 CLEC Point of Interface, per Fiber \$2.72 \$1.382.46 B 8.1.2.3 Cross-Connet, per Fiber \$2.72 \$1.382.46 B 8.1.2.4 Cross-Connet, per Fiber \$2.90 \$1.086.06 B 8.1.2.4 Cross-Connet, per Fiber \$1.41 \$1.486.46 B 8.1.2.5 Express Shared, per Cable \$7.47 \$7.599.47 B 8.1.3.1 Fiber, per Set-Up \$515.79 B \$3.13.7 Fiber, per Set-Up \$3.13.7 8.1.3.1 Fiber, per Set-Up \$3.14.1 \$3.80.8 B B 8.1.4.1 DC Power, per Ampere, per Month \$3.33.4 B B 8.1.4.1.1 DC Power Per Ampere, per Month \$3.14.12.3 B B 8.1.4.1.2 Power Plant \$3.14.12.3 B B 8.1.4.1.2.1 Less Than 60 Amps, per Ampere Ordered \$1.57.7 B						¢000.04			4
8.12.1 Standard Shared, per Fiber 96.54 9941.87 B 8.12.2 CLEC Point of Interface, per Fiber \$2.20 \$1.32.46 B 8.12.3 Cross-Connect, per Fiber \$1.41 \$1.498.64 B 8.12.4 Cross-Shared, per Cable \$59.94 \$1.21.61 B 8.1.2.5 Express Shared, per Cable \$59.94 \$1.21.61 B 8.1.3.1 Fiber, per Set-Up \$51.57.91 Image: Standard Shared, per Fiber Spliced \$51.57.91 8.1.3.1 Fiber, per Set-Up \$51.57.91 Image: Standard Shared, per Fiber Spliced \$51.57.91 8.1.3.1 Fiber, per Set-Up \$51.57.91 Image: Standard Shared, per Fiber Spliced \$51.57.91 8.1.4.1 Oc Power, per Ampere, per Month \$51.57.91 Image: Standard Shared, per Fiber Spliced \$51.57.91 8.1.4.1.1 Power Ibar \$51.57.91 Image: Standard Shared, per Fiber Spliced \$51.57.91 Image: Standard Shared, per Fiber Spliced \$51.57.91 Image: Standard Shared, per Shared, per Fiber Spliced \$51.57.91 Image: Standard Shared, per Shared, per Shared, per Ampere Ordered \$1.51.71 <td< td=""><td></td><td></td><td>6.1.1.2 Augment Quote Preparation Fee</td><td></td><td></td><td>φο20.2 I</td><td></td><td></td><td>1</td></td<>			6.1.1.2 Augment Quote Preparation Fee			φο20.2 I			1
8.1.2.2 CLEC Point of Interface, per Fiber \$2.72 \$1.382.46 B 8.1.2.3 Cross-Connect, per Fiber \$1.41 \$1.498.64 B 8.1.2.4 Cross-Connect per Fiber \$1.41 \$1.498.64 B 8.1.2.5 Express Shared, per Cable \$69.94 \$1.201.16 B 8.1.2.6 Express Point of Interface, per Cable \$7.47 \$7.689.47 B 8.1.3 Cable Splicing \$1.20 \$515.79 B 8.1.3.1 Fiber, per Set-Up \$38.08 B 8.1.4.1 Dever, per Ampere, per Month \$38.08 B 8.1.4.1.1 Power Plant \$9.34 B B 8.1.4.1.2 Power Usage \$3.14 B B 8.1.4.1.2.1 Less Than 60 Amps, per Ampere Ordered \$1.57 B B 8.1.4.1.2.2 Greater Than 60 Amps, per Ampere Used \$3.13 B B 8.1.4.1.2.2 Greater Than 60 Amps, per Ampere Used \$3.13 B B 8.1.5.1.1 AC Power Feed, per Amp, per Month <td></td> <td>8.1.2</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>		8.1.2							
8.1.2.3 Cross-Connect, per liber \$2.90 \$1.058.05 B 8.1.2.4 Cross-Connect Point of Interface, per Fiber \$1.41 \$1.498.64 B 8.1.2.5 Express Point of Interface, per Cable \$69.94 \$1.201.16 B 8.1.2.6 Express Point of Interface, per Cable \$7.47 \$7.589.47 B 8.1.3 Cable Splicing \$7.47 \$7.589.47 B 8.1.3.1 Fiber, per Set-Up \$515.79 B 8.1.3.2 Per Fiber Spliced \$38.08 E 8.1.4.1 DC Power, per Ampere, per Month E E 8.1.4.1 Power Plant \$9.34 B 8.1.4.1.2 Power Plant \$9.34 B 8.1.4.1.2 Float Than 60 Amps, per Ampere Ordered \$1.57 B 8.1.4.1.2.3 Equal to 60 Amps, per Ampere Used \$3.13 B 8.1.4.1.2.4 Less Than 60 Amps, per Ampere Used \$3.13 B 8.1.4.1.2.3 Equal to 60 Amps, per Ampere Used \$3.13 B 8.1.5.1.1 12.0 V									В
8.1.2.4 Cross-Connect Point of Interface, per Fiber \$1.41 \$1.48.64 B 8.1.2.5 Express Shared, per Cable \$69.94 \$1.201.16 B 8.1.2.6 Express Point of Interface, per Cable \$7.47 \$7.689.47 B 8.1.3 Cable Splicing 8.1.3.1 Fiber, per Sel-Up \$515.79 8.1.3.2 Per Fiber Spliced \$38.08 8.1.4.1 DC Power, per Ampere, per Month 8.1.4.1 DC Power, per Ampere, per Month 8.1.4.1.1 Power Vaage 8.1.4.1.2 Greater Than 60 Amps, per Ampere Used \$3.13 B 8.1.4.1.2.3 Greater Than 60 Amps, per Ampere Used \$3.13 8.1.5.1 AC Power Feed, per Amp, per Month	-								B
8.1.2.5 Express Point of Interface, per Cable \$69.94 \$1,20.116 B 8.1.2.6 Express Point of Interface, per Cable \$7.47 \$7,599.47 B 8.1.3 Cable Splicing									B
Bit Attract			8.1.2.5 Express Shared, per Cable						В
8.1.3.1 Fiber, per Set-Up \$\$15.79 \$\$15.79 8.1.3.2 Per Fiber Spliced \$\$38.08 \$\$38.08 \$\$38.08 \$\$38.08 \$\$38.08 \$\$38.08 \$\$38.08 \$\$38.08 \$\$38.08 \$\$38.08 \$\$38.08 \$\$38.08 \$\$38.08 \$\$38.08 \$\$38.08 \$\$38.08 \$\$38.08 \$\$38.08 \$\$\$38.08 \$\$\$38.08 \$			8.1.2.6 Express Point of Interface, per Cable	\$7.47		\$7,589.47	В		В
8.1.3.2 Per Fiber Spliced \$38.08		8.1.3	Cable Splicing						
8.1.4 -48 Volt DC Power, per Ampere, per Month Image: constraint of the second									В
8.1.4.1 DC Power, per Ampere, per Month \$9.34 B 8.1.4.1.1 Power Plant \$9.34 B 8.1.4.1.2 Power Usage \$9.34 B 8.1.4.1.2 Power Usage \$1.57 B 8.1.4.1.2.1 Less Than 60 Amps, per Ampere Ordered \$1.57 B 8.1.4.1.2.3 Greater Than 60 Amps, per Ampere Used \$3.13 B 8.1.4.1.2.3 Equal to 60 Amps, per Ampere Used \$3.13 B 8.1.5.1 AC Power Feed \$3.13 1 C 8.1.5.1 AC Power Feed \$1.5.1 C C C 8.1.5.1.1 120 V \$17.94 B B C C C 8.1.5.1.1 120 V \$3.79 B C <td< td=""><td></td><td></td><td>8.1.3.2 Per Fiber Spliced</td><td></td><td></td><td>\$38.08</td><td></td><td> </td><td>В</td></td<>			8.1.3.2 Per Fiber Spliced			\$38.08			В
8.1.4.1.1 Power Plant \$9.34 B B 8.1.4.1.2 Power Usage Image: Constraint of the second		8.1.4							
Bit At 1.2 Power Usage Image Number Ordered Standard Standard Image Number Ordered Image Numer Ordered Image Number Ordered				.					
8.1.4.1.2.1 Less Than 60 Amps, per Ampere Ordered \$1.57 B 8.1.4.1.2.2 Greater Than 60 Amps, per Ampere Used \$3.13 B B 8.1.4.1.2.3 Equal to 60 Amps, per Amp Used (uses rate from 8.1.4.1.2.2) \$3.13 I I 8.1.4.1.2.3 Equal to 60 Amps, per Amp Used (uses rate from 8.1.4.1.2.2) \$3.13 I I 8.1.5.1 AC Power Feed I I I I 8.1.5.1 AC Power Feed, per Amp, per Month I I I I 8.1.5.1.1 120 V \$17.94 B I I I 8.1.5.1.2 208 V, Single Phase \$31.09 B I </td <td>ļ</td> <td></td> <td>8.1.4.1.1 Power Plant</td> <td>\$9.34</td> <td> </td> <td></td> <td>В</td> <td> </td> <td> </td>	ļ		8.1.4.1.1 Power Plant	\$9.34			В		
8.1.4.1.2.1 Less Than 60 Amps, per Ampere Ordered \$1.57 B 8.1.4.1.2.2 Greater Than 60 Amps, per Ampere Used \$3.13 B B 8.1.4.1.2.3 Equal to 60 Amps, per Amp Used (uses rate from 8.1.4.1.2.2) \$3.13 I I 8.1.4.1.2.3 Equal to 60 Amps, per Amp Used (uses rate from 8.1.4.1.2.2) \$3.13 I I 8.1.5.1 AC Power Feed I I I I 8.1.5.1 AC Power Feed, per Amp, per Month I I I I 8.1.5.1.1 120 V \$17.94 B I I I 8.1.5.1.2 208 V, Single Phase \$31.09 B I </td <td></td> <td></td> <td>8.1.4.1.2 Power Usage</td> <td></td> <td></td> <td></td> <td>L</td> <td></td> <td></td>			8.1.4.1.2 Power Usage				L		
8.1.4.1.2.3 Equal to 60 Amps, per Amp Used (uses rate from 8.1.4.1.2.2) \$3.13 1 1 8.1.5 AC Power Feed <			8.1.4.1.2.1 Less Than 60 Amps, per Ampere Ordered						
8.1.5 AC Power Feed Image: constraint of the second s									
8.1.5.1 AC Power Feed, per Amp, per Month Image: Second Seco			0.1.7.1.2.0 Equal to 00 Allips, per Allip Osed (uses rate 11011 0.1.4.1.2.2)	ψυ.ΤΟ					
8.1.5.1.1 120 V \$17.94 B B 8.1.5.1.2 208 V, Single Phase \$31.09 B B 8.1.5.1.3 208 V, Three Phase \$53.79 B B 8.1.5.1.4 240 V, Single Phase \$35.88 B B B 8.1.5.1.5 240 V, Three Phase \$62.06 B B B 8.1.5.1.5 240 V, Three Phase \$62.06 B B C 8.1.5.1.6 480 V, Three Phase \$62.06 B B C 8.1.5.1.6 480 V, Three Phase \$124.13 C B C 8.1.5.2 AC Power Feed, per Foot, per Month C C C C C 8.1.5.2.1 20 Amp, Single Phase \$0.0118 \$8.01 B C		8.1.5							
8.1.5.1.2 208 V, Single Phase \$31.09 B 8.1.5.1.3 208 V, Three Phase \$53.79 B 8.1.5.1.4 240 V, Single Phase \$35.88 B 8.1.5.1.5 240 V, Three Phase \$62.06 B 8.1.5.1.6 480 V, Three Phase \$62.06 B 8.1.5.1.6 480 V, Three Phase \$124.13 B 8.1.5.2 AC Power Feed, per Foot, per Month Image: Composition of the Phase Image: Composition of the Phase 8.1.5.2.1 20 Amp, Single Phase \$0.0118 \$8.01 B 8.1.5.2.2 20 Amp, Three Phase \$0.0146 \$9.93 B 8.1.5.2.3 30 Amp, Single Phase \$0.0177 \$8.63 B 8.1.5.2.4 30 Amp, Three Phase \$0.0175 \$11.86 B				\$17 Q <i>4</i>			B		
8.1.5.1.3 208 V, Three Phase \$53.79 B 8.1.5.1.4 240 V, Single Phase \$35.88 B 8.1.5.1.5 240 V, Three Phase \$62.06 B 8.1.5.1.6 480 V, Three Phase \$124.13 B 8.1.5.2 AC Power Feed, per Foot, per Month Image: Composition of the phase Image: Composition of the phase 8.1.5.2.1 20 Amp, Single Phase \$0.0118 \$8.01 B 8.1.5.2.2 20 Amp, Three Phase \$0.0146 \$9.93 B 8.1.5.2.3 30 Amp, Single Phase \$0.0177 \$8.63 B 8.1.5.2.4 30 Amp, Three Phase \$0.0175 \$11.86 B								=	
8.1.5.1.5 240 V, Three Phase \$62.06 B 8.1.5.1.6 480 V, Three Phase \$124.13 B 8.1.5.2 AC Power Feed, per Foot, per Month Image: Composition of the phase Image: Composition of the phase 8.1.5.2 20 Amp, Single Phase \$0.0118 \$8.01 B 8.1.5.2.2 20 Amp, Three Phase \$0.0146 \$9.93 B 8.1.5.2.3 30 Amp, Single Phase \$0.0127 \$8.63 B 8.1.5.2.4 30 Amp, Three Phase \$0.0175 \$11.86 B				\$53.79					
8.1.5.1.6 480 V, Three Phase \$124.13 B 8.1.5.2 AC Power Feed, per Foot, per Month Image: Comparison of the phase S0.0118 Image: Comparison of the phase 8.1.5.2.1 20 Amp, Single Phase \$0.0146 \$9.93 B 8.1.5.2.3 30 Amp, Single Phase \$0.0177 \$8.63 B 8.1.5.2.4 30 Amp, Three Phase \$0.0175 \$11.86 B									
8.1.5.2.1 20 Amp, Single Phase \$0.0118 \$8.01 B 8.1.5.2.2 20 Amp, Three Phase \$0.0146 \$9.93 B 8.1.5.2.3 30 Amp, Single Phase \$0.0127 \$8.63 B 8.1.5.2.4 30 Amp, Three Phase \$0.0175 \$11.86 B									
8.1.5.2.1 20 Amp, Single Phase \$0.0118 \$8.01 B 8.1.5.2.2 20 Amp, Three Phase \$0.0146 \$9.93 B 8.1.5.2.3 30 Amp, Single Phase \$0.0127 \$8.63 B 8.1.5.2.4 30 Amp, Three Phase \$0.0175 \$11.86 B									
8.1.5.2.2 20 Amp, Three Phase \$0.0146 \$9.93 B 8.1.5.2.3 30 Amp, Single Phase \$0.0127 \$8.63 B 8.1.5.2.4 30 Amp, Three Phase \$0.0175 \$11.86 B				\$በ በ119		¢Ջ ∩1	R		В
8.1.5.2.3 30 Amp, Single Phase \$0.0127 \$8.63 B 8.1.5.2.4 30 Amp, Three Phase \$0.0175 \$11.86 B									B
			8.1.5.2.3 30 Amp, Single Phase	\$0.0127		\$8.63			В
8.1.5.2.5 40 Amp, Single Phase \$0.0150 \$10.15 B									B

									Noto	
					Recurring	Recurring, per Mile	Non- Recurring	REC	Notes REC per Mile	
		8.1.5.2.6	40 Amp, Three	e Phase	\$0.0206		\$13.97	В		В
		8.1.5.2.7 8.1.5.2.8	50 Amp, Singl 50 Amp, Three	e Phase	\$0.0177 \$0.0248		\$12.04 \$16.82	B		B
		8.1.5.2.9	60 Amp, Singl		\$0.0248		\$13.62	B		B
		8.1.5.2.10	60 Amp, Three		\$0.0285		\$19.36	В		В
		8.1.5.2.11	100 Amp, Sing		\$0.0248		\$16.86	В		B
		8.1.5.2.12	100 Amp, Thr	ee Phase	\$0.0388		\$26.33	В	┼──┤	В
8.1.6	Inspector L	abor, per Half	Hour							
	8.1.6.1	Regular Hou	urs Rate				\$32.00			В
	8.1.6.2	After Hours	Rate, minimum	3 Hours			\$41.20	⊪—		В
8.1.7	Channel R	egeneration						1		
	8.1.7.1	DS1			\$0.00		\$0.00	15		15
	8.1.7.2	DS3			\$0.00		\$0.00	15		15
8.1.8	Collocation	Terminations						⊪—		
0.1.0	8.1.8.1	Intentionally						1		
	8.1.8.2	Block Termir	nations							
		8.1.8.2.1	DS0 Terminat				6010 02	∥	┝─┦	5
			8.1.8.2.1.1 8.1.8.2.1.2	Cable Pull, per Cable Run Termination (unconnectorized), per 100 Pair	\$3.02	}	\$210.08 \$41.61	В	┝──┤	B
			8.1.8.2.1.3	Engineering	φ0.02		\$75.43			B
			8.1.8.2.1.4	Cable Fire Retardant, per Occurrence			\$41.61			В
			8.1.8.2.1.5 8.1.8.2.1.6	Cable Racking, per Cable Cable Racking Engineering	\$1.48		\$75.43	В		В
			8.1.8.2.1.7	Cable Racking Engineering Cable Racking Installation, per Linear Foot			\$33.90	1		B
			8.1.8.2.1.8	Cable (if supplied by Qwest), per Linear Foot, per 100 Pair	\$0.0026		\$2.01	В		В
								∥		
		8.1.8.2.2	DS1 Terminat	tions				┣──	$\left - \right $	
		0.1.0.2.2	8.1.8.2.2.1	Intentionally Left Blank						-
			8.1.8.2.2.2	Intentionally Left Blank						
			8.1.8.2.2.3	Cable Pull, per Cable Run	¢0.50	-	\$210.08		\mid	B
			8.1.8.2.2.4 8.1.8.2.2.5	Termination (unconnectorized), per Cable Pair Engineering	\$0.50		\$1.11 \$75.43	В	$\left \right $	B
			8.1.8.2.2.6	Cable Fire Retardant, per Occurrence			\$41.61			B
			8.1.8.2.2.7	Cable Racking, per Cable	\$1.48			В		
			8.1.8.2.2.8 8.1.8.2.2.9	Cable Racking Engineering Cable Racking Installation, per Linear Foot			\$75.43 \$33.90	⊪—		B
			8.1.8.2.2.10	Cable (if supplied by Qwest), per Linear Foot, per 28 Pair	\$0.0023		\$33.90 \$1.57			B
			DO0 Tooling	1				∥		-
		8.1.8.2.3	DS3 Terminat 8.1.8.2.3.1	Intentionally Left Blank				4	┼──┤	
								1		
			8.1.8.2.3.2	Intentionally Left Blank				<u> </u>		
			8.1.8.2.3.3	Intentionally Left Blank Cable Pull, per Cable Run			\$210.08			В
			8.1.8.2.3.3 8.1.8.2.3.4	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3	\$9.51		\$1.04	В		В
			8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.5	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering	\$9.51		\$1.04 \$75.43	B		
			8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.6 8.1.8.2.3.7	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable	\$9.51		\$1.04 \$75.43 \$41.61	B		B B B
			8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.6 8.1.8.2.3.7 8.1.8.2.3.8	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking, per Cable			\$1.04 \$75.43 \$41.61 \$75.43			B B B
			8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.6 8.1.8.2.3.7 8.1.8.2.3.7 8.1.8.2.3.8 8.1.8.2.3.9	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot	\$1.48		\$1.04 \$75.43 \$41.61 \$75.43 \$33.90	В		B B B B B
			8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.6 8.1.8.2.3.7 8.1.8.2.3.8	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking, per Cable			\$1.04 \$75.43 \$41.61 \$75.43	B		B B B B B B
			8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.6 8.1.8.2.3.7 8.1.8.2.3.7 8.1.8.2.3.8 8.1.8.2.3.9 8.1.8.2.3.10 8.1.8.2.3.11	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot, per DS3	\$1.48		\$1.04 \$75.43 \$41.61 \$75.43 \$33.90 \$13.61	B		B B B B B B
		8.1.8.2.4	8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.6 8.1.8.2.3.7 8.1.8.2.3.7 8.1.8.2.3.8 8.1.8.2.3.9 8.1.8.2.3.10 8.1.8.2.3.11 Fiber Termina	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot, per DS3 tions	\$1.48		\$1.04 \$75.43 \$41.61 \$75.43 \$33.90 \$13.61 \$1.24	B B B		B B B B B B
		8.1.8.2.4	8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.4 8.1.8.2.3.6 8.1.8.2.3.6 8.1.8.2.3.7 8.1.8.2.3.8 8.1.8.2.3.9 8.1.8.2.3.10 8.1.8.2.3.10 8.1.8.2.3.11 Fiber Termina 8.1.8.2.4.1	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot, per DS3 tions Fiber Pull, per Linear Foot	\$1.48 \$0.02 \$0.0018		\$1.04 \$75.43 \$41.61 \$33.90 \$13.61 \$1.24 \$0.73	B B		B B B B B B B B B B
		8.1.8.2.4	8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.7 8.1.8.2.3.7 8.1.8.2.3.7 8.1.8.2.3.10 8.1.8.2.3.10 8.1.8.2.3.11 Fiber Termina 8.1.8.2.4.1 8.1.8.2.4.1 8.1.8.2.4.2 8.1.8.2.4.3	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot, per DS3 tions	\$1.48		\$1.04 \$75.43 \$41.61 \$75.43 \$33.90 \$13.61 \$1.24	B B		B B B B B B B B B B B
		8.1.8.2.4	8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.6 8.1.8.2.3.7 8.1.8.2.3.8 8.1.8.2.3.9 8.1.8.2.3.10 8.1.8.2.3.10 8.1.8.2.3.11 Fiber Termina 8.1.8.2.4.1 8.1.8.2.4.2 8.1.8.2.4.3 8.1.8.2.4.4	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot, per DS3 titons Fiber Pull, per Linear Foot Termination, per 12 Fibers Engineering Cable Fire Retardant, per Occurrence	\$1.48 \$0.02 \$0.0018 \$29.93		\$1.04 \$75.43 \$41.61 \$75.43 \$33.90 \$13.61 \$1.24 \$0.73 \$783.48	B B B E		B B B B B B B B B B B B B B B B B B B
		8.1.8.2.4	8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.6 8.1.8.2.3.7 8.1.8.2.3.8 8.1.8.2.3.10 8.1.8.2.3.10 8.1.8.2.3.10 8.1.8.2.3.11 Fiber Termina 8.1.8.2.4.1 8.1.8.2.4.2 8.1.8.2.4.3 8.1.8.2.4.4 8.1.8.2.4.5	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot, per DS3 tions Fiber Pull, per Linear Foot Termination, per 12 Fibers Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable	\$1.48 \$0.02 \$0.0018		\$1.04 \$75.43 \$41.61 \$33.90 \$13.61 \$1.24 \$0.73 \$783.48 \$606.30 \$41.61	B B		B B B B B B B B B B B B
		8.1.8.2.4	8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.6 8.1.8.2.3.7 8.1.8.2.3.8 8.1.8.2.3.9 8.1.8.2.3.10 8.1.8.2.3.10 8.1.8.2.3.11 Fiber Termina 8.1.8.2.4.1 8.1.8.2.4.2 8.1.8.2.4.3 8.1.8.2.4.4	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot, per DS3 tions Fiber Pull, per Linear Foot Termination, per 12 Fibers Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Innerduct Placement, per Linear Foot	\$1.48 \$0.02 \$0.0018 \$29.93		\$1.04 \$75.43 \$41.61 \$75.43 \$33.90 \$13.61 \$1.24 \$0.73 \$783.48 \$606.30	B B B E		B B B B B B B B B B B B B B B B B B B
		8.1.8.2.4	8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.7 8.1.8.2.3.7 8.1.8.2.3.9 8.1.8.2.3.9 8.1.8.2.3.10 8.1.8.2.3.10 8.1.8.2.4.1 8.1.8.2.4.2 8.1.8.2.4.2 8.1.8.2.4.3 8.1.8.2.4.5 8.1.8.2.4.5 8.1.8.2.4.7 8.1.8.2.4.7 8.1.8.2.4.8	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot, per DS3 titons Fiber Pull, per Linear Foot Termination, per 12 Fibers Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Innerduct Placement, per Linear Foot Cable Racking Engineering Cable Racking Engineering Cable Racking Installation, per Linear Foot	\$1.48 \$0.02 \$0.0018 \$29.93 \$1.48		\$1.04 \$75.43 \$41.61 \$33.90 \$13.61 \$1.24 \$0.73 \$783.48 \$606.30 \$41.61 \$1.32 \$75.43 \$33.90	B B B E B		B B B B B B B B B B B B B B B B B B B
		8.1.8.2.4	8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.6 8.1.8.2.3.7 8.1.8.2.3.9 8.1.8.2.3.10 8.1.8.2.3.10 8.1.8.2.3.11 Fiber Termina 8.1.8.2.4.1 8.1.8.2.4.2 8.1.8.2.4.2 8.1.8.2.4.4 8.1.8.2.4.5 8.1.8.2.4.6 8.1.8.2.4.7	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot, per DS3 titons Fiber Pull, per Linear Foot Termination, per 12 Fibers Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Innerduct Placement, per Linear Foot Cable Racking Engineering	\$1.48 \$0.02 \$0.0018 \$29.93 \$1.48		\$1.04 \$75.43 \$41.61 \$33.90 \$13.61 \$1.24 \$0.73 \$783.48 \$606.30 \$41.61 \$1.32 \$75.43	B B B E B		B B B B B B B B B B B B B B B B B B B
			8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.6 8.1.8.2.3.7 8.1.8.2.3.8 8.1.8.2.3.9 8.1.8.2.3.9 8.1.8.2.3.10 8.1.8.2.3.10 8.1.8.2.3.10 8.1.8.2.4.1 8.1.8.2.4.2 8.1.8.2.4.2 8.1.8.2.4.4 8.1.8.2.4.5 8.1.8.2.4.6 8.1.8.2.4.7 8.1.8.2.4.8 8.1.8.2.4.8 8.1.8.2.4.9	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot, per DS3 titons Fiber Pull, per Linear Foot Termination, per 12 Fibers Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Innerduct Placement, per Linear Foot Cable Racking Engineering Cable Racking Engineering Cable Racking Installation, per Linear Foot	\$1.48 \$0.02 \$0.0018 \$29.93 \$1.48		\$1.04 \$75.43 \$41.61 \$33.90 \$13.61 \$1.24 \$0.73 \$783.48 \$606.30 \$41.61 \$1.32 \$75.43 \$33.90 \$1.74	B B B E B B B		B B B B B B B B B B B B B B B B B B B
	8.1.8.3	8.1.8.2.4 Direct Conne	8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.6 8.1.8.2.3.7 8.1.8.2.3.8 8.1.8.2.3.9 8.1.8.2.3.9 8.1.8.2.3.10 8.1.8.2.3.10 8.1.8.2.3.10 8.1.8.2.4.1 8.1.8.2.4.2 8.1.8.2.4.2 8.1.8.2.4.4 8.1.8.2.4.5 8.1.8.2.4.6 8.1.8.2.4.7 8.1.8.2.4.8 8.1.8.2.4.8 8.1.8.2.4.9	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot, per DS3 titons Fiber Pull, per Linear Foot Termination, per 12 Fibers Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Innerduct Placement, per Linear Foot Cable Racking Engineering Cable Racking Engineering Cable Racking Installation, per Linear Foot	\$1.48 \$0.02 \$0.0018 \$29.93 \$1.48		\$1.04 \$75.43 \$41.61 \$33.90 \$13.61 \$1.24 \$0.73 \$783.48 \$606.30 \$41.61 \$1.32 \$75.43 \$33.90	B B B E B B B		B B B B B B B B B B B B B B B B B B B
8.1.9	8.1.8.3 Security		8.1.8.2.3.3 8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.6 8.1.8.2.3.7 8.1.8.2.3.8 8.1.8.2.3.9 8.1.8.2.3.9 8.1.8.2.3.10 8.1.8.2.3.10 8.1.8.2.3.10 8.1.8.2.4.1 8.1.8.2.4.2 8.1.8.2.4.2 8.1.8.2.4.4 8.1.8.2.4.5 8.1.8.2.4.6 8.1.8.2.4.7 8.1.8.2.4.8 8.1.8.2.4.8 8.1.8.2.4.9	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot, per DS3 titons Fiber Pull, per Linear Foot Termination, per 12 Fibers Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Innerduct Placement, per Linear Foot Cable Racking Engineering Cable Racking Engineering Cable Racking Installation, per Linear Foot	\$1.48 \$0.02 \$0.0018 \$29.93 \$1.48		\$1.04 \$75.43 \$41.61 \$33.90 \$13.61 \$1.24 \$0.73 \$783.48 \$606.30 \$41.61 \$1.32 \$75.43 \$33.90 \$1.74	B B B E B B B		B B B B B B B B B B B B B B B B B B B
		Direct Conne Per Employe	8.1.8.2.3.3 8.1.8.2.3.4 8.1.8.2.3.4 8.1.8.2.3.5 8.1.8.2.3.6 8.1.8.2.3.7 8.1.8.2.3.8 8.1.8.2.3.9 8.1.8.2.3.9 8.1.8.2.3.10 8.1.8.2.3.10 8.1.8.2.4.1 8.1.8.2.4.2 8.1.8.2.4.2 8.1.8.2.4.3 8.1.8.2.4.4 8.1.8.2.4.5 8.1.8.2.4.6 8.1.8.2.4.7 8.1.8.2.4.8 8.1.8.2.4.9 8.1.8.2.4.9 8.1.8.2.4.9 8.1.8.2.4.9 8.1.8.2.4.9 8.1.8.2.4.9 8.1.8.2.4.9	Intentionally Left Blank Cable Pull, per Cable Run Termination (connectorized), per DS3 Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Cable Racking Engineering Cable Racking Installation, per Linear Foot DS3 Connector, per Connector Cable (if supplied by Qwest), per Linear Foot, per DS3 titons Fiber Pull, per Linear Foot Termination, per 12 Fibers Engineering Cable Fire Retardant, per Occurrence Cable Racking, per Cable Innerduct Placement, per Linear Foot Cable Racking Engineering Cable Racking Engineering Cable Racking Installation, per Linear Foot	\$1.48 \$0.02 \$0.0018 \$29.93 \$1.48		\$1.04 \$75.43 \$41.61 \$33.90 \$13.61 \$1.24 \$0.73 \$783.48 \$606.30 \$41.61 \$1.32 \$75.43 \$33.90 \$1.74	B B B E B B B		B B B B B B B B B B B B B B B B B B B

						Note	s
8.1.10	Central Office Clock Synchronization	Recurring	Recurring, per Mile	Non- Recurring	REC	REC per Mile	
8.1.10	8.1.10.1 Synchronization - Composite Clock, per Port	\$6.33			В		
8.1.11	Intentionally Left Blank						
8.1.12	Space Availability Charge			\$224.79			E
8.1.13	Collocation Space Reservation Fee			\$2,000.00			+++
8.1.14	Collocation Space Option Administration Fee			\$768.06			E
		.		\$708.00	_		
8.1.15	Collocation Space Option Fee	\$2.00			1		
8.1.16	Joint Inventory Visit Fee, per Visit			\$1,610.12			1
8.1.17	Intentionally Left Blank						
8.1.18	Intentionally Left Blank						
8.1.19	Intentionally Left Blank						
8.1.20	Splitter Collocation						
	8.1.20.1 Tie Cable Reclassification			ICB			3
	8.1.20.2 Splitter Shelf Charge	\$5.92		\$584.11	1		1
	8.1.20.3 Planning and Engineering			\$007.44			
	8.1.20.3.1 Splitter in the Common Area 8.1.20.3.2 Connection to Splitter on Frame			\$667.44 \$889.92			B
	8.1.20.4 Splitter TIE Cable Connections						<u> </u>
	8.1.20.4.1 Splitter in the Common Area - Data to 410 Block 8.1.20.4.2 Splitter in the Common Area - Data Direct to CLEC	\$5.22 \$5.22		\$3,160.41 \$3,339.44	B B		B B
	8.1.20.4.3 Splitter on the IDF - Data to 410 Block	\$1.30		\$783.62	В		В
	8.1.20.4.4 Splitter on the IDF - Data Direct to CLEC 8.1.20.4.5 Splitter on the MDF - Data to 410 Block	\$2.60 \$2.19		\$1,573.71 \$1,322.85	B 1		B 1
	8.1.20.4.6 Splitter on the MDF - Data Direct to CLEC	\$3.09		\$1,869.84	В		В
	8.1.20.5 Splitter Charge			ICB			3
8.2 Virtual C 8.2.1	ollocation Planning and Engineering						
0.2.1	8.2.1.1 Quote Preparation Fee			\$4,195.90			В
8.2.2	Maintenance Labor, per Half Hour						
	8.2.2.1 Regular Hours Rate 8.2.2.2 After Hours Rate			\$28.07 \$37.55			B
8.2.3	Training Labor, per Half Hour						
0.2.0	8.2.3.1 Regular Hours Rate			\$28.07			В
8.2.4	Equipment Bay, per Shelf	\$3.33			В		
8.2.5	Engineering Labor, per Half Hour						
	8.2.5.1 Regular Hours Rate 8.2.5.2 After Hours Rate			\$30.28 \$39.09	<u> </u>	\vdash	B
8.2.6	Installation Labor, per Half Hour						
0.2.0	8.2.6.1 Regular Hours Rate			\$32.00			В
	8.2.6.2 After Hours Rate			\$41.20			В
8.2.7	Rent 8.2.7.1 Floor Space Lease, per Square Foot	\$2.97			В		<u> </u>
8.2.8	Repair of Equipment, per Half Hour						<u> </u>
0.2.0	8.2.8.1 Regular Hours Rate			\$32.00			В
	8.2.8.2 After Hours Rate			\$41.20			В
8.2.9	Power Plant 8.2.9.1 -48 Volt DC Power Cable, per Feed				<u> </u>	\vdash	
	8.2.9.1.1 20 Amp Feed 8.2.9.1.2 30 Amp Feed	\$7.01 \$8.01		\$4,756.73 \$5,434.62	B B		B B
	8.2.9.1.3 40 Amp Feed	\$9.77		\$6,630.37	В		В
	8.2.9.1.4 60 Amp Feed	\$12.19		\$8,271.88	В		В
8.3 Cageless	s Physical Collocation			Page 5			

													Note	s
8.3.1	Planning ar	nd Engineering	n						Recurring	Recurring, per Mile	Non- Recurring	REC	REC per Mile	
	8.3.1.1	Quote Prepa									\$4,195.90			B, 13
8.3.2	Space Con	struction and	Site Preparation											
	8.3.2.1	Site Prepara							ICB		ICB			3
	8.3.2.2 8.3.2.3	Space Cons Intentionally	truction (2 Bays a	Ind One 40 A	Amp Powe	er Cable)			\$44.35		\$30,103.44	В		В
	8.3.2.4	Intentionally	Left Blank											
	8.3.2.5	Each Additio	onal Bay, per Bay						\$5.19		\$3,520.65	В		В
	8.3.2.6		Power Cable - Ch	nange to Sta	andard Des	sign, per Ini	tial Feed					_		_
		8.3.2.6.1 8.3.2.6.2	20 Amp Feed 30 Amp Feed						(\$2.76) (\$1.76)		(\$1,873.64) (\$1,195.75)	B		B
		8.3.2.6.3	40 Amp Feed						N/A		N/A			
		8.3.2.6.4 8.3.2.6.5	60 Amp Feed 100 Amp Feed						\$2.42 \$2.36		\$1,641.50 \$1,601.35	B		B
		8.3.2.6.6	200 Amp Feed						\$12.40		\$8,413.59	B		В
		8.3.2.6.7 8.3.2.6.8	300 Amp Feed 400 Amp Feed						\$24.60 \$39.03		\$16,693.81 \$26,486.56	B		B
		0.3.2.0.0	400 Amp reed						φ 3 9.03		ψ20,400.30	В		
	8.3.2.7	Intentionally	Left Blank											
	8.3.2.8	-48 Volt DC	Power Cable, per	· Additional F	Feed									
		8.3.2.8.1	20 Amp Feed						\$7.01		\$4,756.73	В		В
		8.3.2.8.2 8.3.2.8.3	30 Amp Feed 40 Amp Feed						\$8.01 \$9.77		\$5,434.62 \$6,630.37	B		B
		8.3.2.8.4	60 Amp Feed						\$12.19		\$8,271.88	В		В
		8.3.2.8.5 8.3.2.8.6	100 Amp Feed 200 Amp Feed						\$12.13 \$22.17		\$8,231.73 \$15,043.97	B		B
		8.3.2.8.7	300 Amp Feed						\$34.37		\$23,324.18	B		B
		8.3.2.8.8	400 Amp Feed						\$48.79		\$33,116.94	В		В
8.3.3	Floor Space	e Lease, per S	Square Foot						\$2.97			В		
0.4 Or mail P			•											
8.4 Caged P 8.4.1	hysical Collo Planning ar	nd Engineering	g											
<u> </u>	8.4.1.1	Quote Prepa	aration Fee								\$4,561.19			B, 13
8.4.2		Quote Prepa	aration Fee Site Preparation								\$4,561.19			B, 13
8.4.2		Quote Prepa	Site Preparation						ICB		\$4,561.19 ICB	3		B, 13
8.4.2	Space Con	Quote Prepa	Site Preparation ation Fee						ICB			3		
8.4.2	Space Cons 8.4.2.1	Quote Prepa struction and Site Prepara	Site Preparation ation Fee Left Blank						ICB			3		
8.4.2	Space Cons 8.4.2.1 8.4.2.2 8.4.2.3	Quote Prepa struction and 4 Site Prepara Intentionally Intentionally	Site Preparation ation Fee Left Blank Left Blank	d One 60 An	mp Feed)				ICB			3		
8.4.2	Space Con: 8.4.2.1 8.4.2.2	Quote Prepa struction and 3 Site Prepara Intentionally Intentionally Space Cons 8.4.2.4.1	Site Preparation tition Fee Left Blank Left Blank truction (Cage an Cage: Up to 10	0 Sq. Ft.	mp Feed)				\$64.51		ICB 	В		3 3
8.4.2	Space Cons 8.4.2.1 8.4.2.2 8.4.2.3	Quote Prepa struction and site Prepara Intentionally Intentionally Space Cons 8.4.2.4.1 8.4.2.4.2	Site Preparation ation Fee Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 101 to 20	0 Sq. Ft. 00 Sq. Ft.	mp Feed)				\$64.51 \$67.21		ICB \$43,779.97 \$45,617.54	BB		3 3
8.4.2	Space Cons 8.4.2.1 8.4.2.2 8.4.2.3	Quote Prepa struction and 3 Site Prepara Intentionally Intentionally Space Cons 8.4.2.4.1	Site Preparation tition Fee Left Blank Left Blank truction (Cage an Cage: Up to 10	0 Sq. Ft. 00 Sq. Ft. 00 Sq. Ft.	mp Feed)				\$64.51		ICB 	В		3 3
8.4.2	Space Con: 8.4.2.1 8.4.2.2 8.4.2.3 8.4.2.3 8.4.2.4	Quote Prepa struction and 1 Site Prepara Intentionally Intentionally Space Cons 8.4.2.4.1 8.4.2.4.2 8.4.2.4.3 8.4.2.4.4	Site Preparation tition Fee Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 101 to 20 Cage: 201 to 30 Cage: 301 to 40	0 Sq. Ft. 00 Sq. Ft. 00 Sq. Ft. 00 Sq. Ft.		sian per Ini	tial Dower Eco		\$64.51 \$67.21 \$71.05		ICB \$43,779.97 \$45,617.54 \$48,224.99	BBB		3 3 B B B B
8.4.2	Space Cons 8.4.2.1 8.4.2.2 8.4.2.3	Quote Prepa struction and 3 Site Prepara Intentionally Intentionally Space Cons 8.4.2.4.1 8.4.2.4.2 8.4.2.4.3 8.4.2.4.4 -48 Volt DC 8.4.2.5.1	Site Preparation ation Fee Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 101 to 20 Cage: 201 to 30 Cage: 201 to 30 Cage: 301 to 40 Power Cable - Cf 20 Amp Feed	0 Sq. Ft. 00 Sq. Ft. 00 Sq. Ft. 00 Sq. Ft.		sign, per Ini	tial Power Fee	ed	\$64.51 \$67.21 \$71.05 \$75.53 (\$2.49)		ICB \$43,779.97 \$45,617.54 \$48,224.99 \$51,258.93 (\$1,689.80)	BBB		3 3 B B B B B B B B B B B
8.4.2	Space Con: 8.4.2.1 8.4.2.2 8.4.2.3 8.4.2.3 8.4.2.4	Quote Prepa struction and 1 Site Prepara Intentionally Intentionally Space Cons 8.4.2.4.1 8.4.2.4.2 8.4.2.4.3 8.4.2.4.4 -48 Volt DC 8.4.2.5.1 8.4.2.5.2	Site Preparation ation Fee Left Blank Left Blank struction (Cage an Cage: Up to 10 Cage: 101 to 20 Cage: 201 to 30 Cage: 201 to 30 Cage: 301 to 44 Power Cable - Cf 20 Amp Feed 30 Amp Feed	0 Sq. Ft. 00 Sq. Ft. 00 Sq. Ft. 00 Sq. Ft.		sign, per Ini	tial Power Fee	ed	\$64.51 \$67.21 \$71.05 \$75.53 (\$2.49) (\$1.67)		ICB \$43,779.97 \$45,617.54 \$48,224.99 \$51,258.93 (\$1,689.80) (\$1,133.16)	B B B B B B B B B B B B B B B B B B B		3 B B B B B B B B B B B B B B B
8.4.2	Space Con: 8.4.2.1 8.4.2.2 8.4.2.3 8.4.2.3 8.4.2.4	Quote Prepa struction and 1 Site Prepara Intentionally Intentionally Space Cons 8.4.2.4.1 8.4.2.4.2 8.4.2.4.3 8.4.2.4.3 8.4.2.4.4 -48 Volt DC 8.4.2.5.1 8.4.2.5.2 8.4.2.5.2	Site Preparation tition Fee Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 201 to 30 Cage: 201 to 30 Cage: 201 to 33 Cage: 301 to 44 Power Cable - Cl 20 Amp Feed 30 Amp Feed 40 Amp Feed	0 Sq. Ft. 00 Sq. Ft. 00 Sq. Ft. 00 Sq. Ft.		sign, per Ini	tial Power Fee	ed	\$64.51 \$67.21 \$71.05 \$75.53 (\$2.49)		ICB \$43,779.97 \$45,617.54 \$48,224.99 \$51,258.93 (\$1,689.80)	B B B B B B B B B		3 3 B B B B B B B B B B B
8.4.2	Space Con: 8.4.2.1 8.4.2.2 8.4.2.3 8.4.2.3 8.4.2.4	Quote Prepa struction and distribution of the preparation of the prepa	Site Preparation ation Fee Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 101 to 20 Cage: 201 to 30 Cage: 201 to 30 Cage: 301 to 40 Power Cable - Cl 20 Amp Feed 30 Amp Feed 40 Amp Feed 100 Amp Feed	0 Sq. Ft. 00 Sq. Ft. 00 Sq. Ft. 00 Sq. Ft.		sign, per Ini	tial Power Fee	ed	\$64.51 \$67.21 \$71.05 \$75.53 (\$2.49) (\$1.67) \$0.05 N/A \$2.08		ICB \$43,779.97 \$45,617.54 \$48,224.99 \$51,258.93 (\$1,689.80) (\$1,133.16) \$30.58 N/A \$1,410.52	В В В В В В В В В		3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
8.4.2	Space Con: 8.4.2.1 8.4.2.2 8.4.2.3 8.4.2.3 8.4.2.4	Quote Prepa struction and 3 Site Prepara Intentionally Space Cons 8.4.2.4.1 8.4.2.4.2 8.4.2.4.3 8.4.2.4.3 8.4.2.4.4 -48 Volt DC 8.4.2.5.1 8.4.2.5.2 8.4.2.5.4 8.4.2.5.5 8.4.2.5.6	Site Preparation ation Fee Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 101 to 20 Cage: 201 to 30 Cage: 201 to 30 Cage: 201 to 30 Cage: 301 to 40 Power Cable - Cf 20 Amp Feed 30 Amp Feed 40 Amp Feed 100 Amp Feed 200 Amp Feed	0 Sq. Ft. 00 Sq. Ft. 00 Sq. Ft. 00 Sq. Ft.		sign, per Ini	tial Power Fee	ed	\$64.51 \$67.21 \$71.05 \$75.53 (\$2.49) (\$1.67) \$0.05 N/A \$2.08 \$12.12		ICB \$43,779.97 \$45,617.54 \$48,224.99 \$51,258.93 (\$1,689.80) (\$1,133.16) \$30.58 N/A \$1,410.52 \$8,222.76	В В В В В В В В В В В В В В В В В В В		3 3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
8.4.2	Space Con: 8.4.2.1 8.4.2.2 8.4.2.3 8.4.2.3 8.4.2.4	Quote Prepa struction and distribution of the preparation of the prepa	Site Preparation ation Fee Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 101 to 20 Cage: 201 to 30 Cage: 201 to 30 Cage: 301 to 40 Power Cable - Cl 20 Amp Feed 30 Amp Feed 40 Amp Feed 100 Amp Feed	0 Sq. Ft. 00 Sq. Ft. 00 Sq. Ft. 00 Sq. Ft.		sign, per Ini	tial Power Fee	ed	\$64.51 \$67.21 \$71.05 \$75.53 (\$2.49) (\$1.67) \$0.05 N/A \$2.08		ICB \$43,779.97 \$45,617.54 \$48,224.99 \$51,258.93 (\$1,689.80) (\$1,133.16) \$30.58 N/A \$1,410.52	В В В В В В В В В		3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
8.4.2	Space Con- 8.4.2.1 8.4.2.2 8.4.2.3 8.4.2.3 8.4.2.4 8.4.2.5	Quote Prepa struction and : Site Prepara Intentionally Intentionally Space Cons 8.4.2.4.1 8.4.2.4.2 8.4.2.4.3 8.4.2.4.4 -48 Volt DC 8.4.2.5.1 8.4.2.5.2 8.4.2.5.3 8.4.2.5.4 8.4.2.5.5 8.4.2.5.5 8.4.2.5.7 8.4.2.5.7 8.4.2.5.7	Site Preparation tition Fee Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 201 to 30 Cage: 201 to 30 Cage: 201 to 30 Cage: 301 to 40 Power Cable - Cl 20 Amp Feed 30 Amp Feed 100 Amp Feed 300 Amp Feed 300 Amp Feed 300 Amp Feed 300 Amp Feed	0 Sq. Ft. 00 Sq. Ft. 00 Sq. Ft. 00 Sq. Ft.		sign, per Ini	tial Power Fee	ed	\$64.51 \$67.21 \$71.05 \$75.53 (\$2.49) (\$1.67) \$0.05 N/A \$2.08 \$12.12 \$24.32		ICB \$43,779.97 \$45,617.54 \$48,224.99 \$51,258.93 (\$1,689.80) (\$1,133.16) \$30.58 N/A \$1,410.52 \$8,222.76 \$16,502.98	B B B B B B B B B B B B B		3 3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
	Space Con: 8.4.2.1 8.4.2.2 8.4.2.3 8.4.2.4 8.4.2.4 8.4.2.5 8.4.2.5	Quote Prepa struction and 3 Site Prepara Intentionally Space Cons 8.4.2.4.1 8.4.2.4.2 8.4.2.4.3 8.4.2.4.3 8.4.2.4.4 -48 Volt DC 8.4.2.5.1 8.4.2.5.2 8.4.2.5.4 8.4.2.5.3 8.4.2.5.4 8.4.2.5.6 8.4.2.5.7 8.4.2.5.7 8.4.2.5.8 Intentionally	Site Preparation ation Fee Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 101 to 20 Cage: 201 to 30 Cage: 201 to 30 Cage: 301 to 40 Power Cable - Cf 20 Amp Feed 30 Amp Feed 40 Amp Feed 100 Amp Feed 300 Amp Feed 300 Amp Feed 400 Amp Feed Left Blank	0 Sq. Ft. 00 Sq. Ft. 10 Sq.	andard Des	sign, per Ini	tial Power Fee	ed	\$64.51 \$67.21 \$71.05 \$75.53 (\$2.49) (\$1.67) \$0.05 N/A \$2.08 \$12.12 \$24.32		ICB \$43,779.97 \$45,617.54 \$48,224.99 \$51,258.93 (\$1,689.80) (\$1,133.16) \$30.58 N/A \$1,410.52 \$8,222.76 \$16,502.98	B B B B B B B B B B B B B		3 3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
	Space Con- 8.4.2.1 8.4.2.2 8.4.2.3 8.4.2.3 8.4.2.4 8.4.2.5	Quote Prepa struction and 3 Site Prepara Intentionally Space Cons 8.4.2.4.1 8.4.2.4.2 8.4.2.4.3 8.4.2.4.3 8.4.2.4.4 -48 Volt DC 8.4.2.5.1 8.4.2.5.4 8.4.2.5.4 8.4.2.5.4 8.4.2.5.5 8.4.2.5.6 8.4.2.5.7 8.4.2.5.7 8.4.2.5.8 Intentionally -48 Volt DC	Site Preparation ation Fee Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 101 to 20 Cage: 201 to 30 Cage: 201 to 30 Cage: 301 to 40 Power Cable - Cf 20 Amp Feed 30 Amp Feed 40 Amp Feed 300 Amp Feed 300 Amp Feed 300 Amp Feed 400 Amp Feed 400 Amp Feed Left Blank Power Cable, pei	0 Sq. Ft. 00 Sq. Ft. 10 Sq.	andard Des	sign, per Ini	tial Power Fee	ed	\$64.51 \$67.21 \$71.05 \$75.53 (\$2.49) (\$1.67) \$0.05 N/A \$2.08 \$12.12 \$24.32 \$38.74		ICB \$43,779.97 \$45,617.54 \$48,224.99 \$51,258.93 (\$1,689.80) (\$1,133.16) \$30.58 N/A \$1,410.52 \$8,222.76 \$16,502.98 \$26,295.73	B B B B B B B B B B B B B B B B B B B		3 3 8 8 8 8 8 8 8 8 8 8 8 8 8
	Space Con: 8.4.2.1 8.4.2.2 8.4.2.3 8.4.2.4 8.4.2.4 8.4.2.5 8.4.2.5	Quote Prepa struction and : Site Prepara Intentionally Intentionally Space Cons 8.4.2.4.1 8.4.2.4.2 8.4.2.4.3 8.4.2.4.3 8.4.2.5.1 8.4.2.5.1 8.4.2.5.3 8.4.2.5.4 8.4.2.5.5 8.4.2.5.5 8.4.2.5.7 8.4.2.7.7 8.4.2.7.7	Site Preparation ation Fee Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 101 to 20 Cage: 201 to 30 Cage: 201 to 30 Cage: 301 to 40 Power Cable - Cl 20 Amp Feed 30 Amp Feed 40 Amp Feed 100 Amp Feed 200 Amp Feed 300 Amp Feed 400 Amp Feed 400 Amp Feed 200 Amp Feed 30 Amp Feed 30 Amp Feed	0 Sq. Ft. 00 Sq. Ft. 10 Sq.	andard Des	sign, per Ini	tial Power Fee	ed	\$64.51 \$67.21 \$71.05 \$75.53 (\$2.49) (\$1.67) \$0.05 N/A \$2.08 \$12.12 \$24.32 \$38.74 \$38.74 \$7.56 \$8.38		ICB \$43,779.97 \$45,617.54 \$48,224.99 \$51,258.93 (\$1,689.80) (\$1,133.16) \$30.58 N/A \$1,410.52 \$8,222.76 \$16,502.98 \$26,295.73 \$26,295.73 \$26,295.73	B B B B B B B B B B B B B B B B B B B		3 3 8 8 8 8 8 8 8 8 8 8 8 8 8
	Space Con: 8.4.2.1 8.4.2.2 8.4.2.3 8.4.2.4 8.4.2.4 8.4.2.5 8.4.2.5	Quote Prepa struction and 3 Site Prepara Intentionally Intentionally Space Cons 8.4.2.4.1 8.4.2.4.2 8.4.2.4.3 8.4.2.4.4 -48 Volt DC 8.4.2.5.1 8.4.2.5.3 8.4.2.5.4 8.4.2.5.3 8.4.2.5.4 8.4.2.5.5 8.4.2.5.7 8.4.2.5.7 8.4.2.5.7 8.4.2.5.7 8.4.2.5.7 8.4.2.5.7 8.4.2.7.1 8.4.2.7.2 8.4.2.7.3	Site Preparation ation Fee Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 101 to 21 Cage: 201 to 30 Cage: 201 to 30 Cage: 201 to 30 Cage: 301 to 40 Power Cable - Cl 20 Amp Feed 30 Amp Feed 300 Amp Feed 300 Amp Feed 300 Amp Feed 300 Amp Feed 400 Amp Feed 200 Amp Feed 300 Amp Feed 300 Amp Feed 30 Amp Feed 30 Amp Feed 40 Amp Feed	0 Sq. Ft. 00 Sq. Ft. 10 Sq.	andard Des	sign, per Ini	tial Power Fee	ed	\$64.51 \$67.21 \$71.05 \$75.53 (\$2.49) (\$1.67) \$0.05 N/A \$2.08 \$12.12 \$24.32 \$38.74 \$38.74 \$7.56 \$8.38 \$10.10		ICB \$43,779.97 \$45,617.54 \$48,224.99 \$51,258.93 (\$1,689.80) (\$1,133.16) \$30.58 N/A \$1,410.52 \$8,222.76 \$16,502.98 \$26,295.73 \$26,295.73 \$26,295.73 \$26,295.73 \$26,295.73	B B B B B B B B B B B B B B B B B B B		3 3 B B B B B B B B B B B B B
	Space Con: 8.4.2.1 8.4.2.2 8.4.2.3 8.4.2.4 8.4.2.4 8.4.2.5 8.4.2.5	Quote Prepa struction and : Site Prepara Intentionally Intentionally Space Cons 8.4.2.4.1 8.4.2.4.2 8.4.2.4.3 8.4.2.4.3 8.4.2.5.1 8.4.2.5.1 8.4.2.5.3 8.4.2.5.4 8.4.2.5.5 8.4.2.5.5 8.4.2.5.7 8.4.2.7.7 8.4.2.7.7	Site Preparation ation Fee Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 101 to 20 Cage: 201 to 30 Cage: 201 to 30 Cage: 301 to 40 Power Cable - Cl 20 Amp Feed 30 Amp Feed 40 Amp Feed 100 Amp Feed 200 Amp Feed 300 Amp Feed 400 Amp Feed 400 Amp Feed 200 Amp Feed 30 Amp Feed 30 Amp Feed	0 Sq. Ft. 00 Sq. Ft. 10 Sq.	andard Des	sign, per Ini	tial Power Fee	ed	\$64.51 \$67.21 \$71.05 \$75.53 (\$2.49) (\$1.67) \$0.05 N/A \$2.08 \$12.12 \$24.32 \$38.74 \$38.74 \$7.56 \$8.38		ICB \$43,779.97 \$45,617.54 \$48,224.99 \$51,258.93 (\$1,689.80) (\$1,133.16) \$30.58 N/A \$1,410.52 \$8,222.76 \$16,502.98 \$26,295.73 \$16,502.98\$178 \$16,502.98 \$16,502.98 \$16,502.98\$178 \$16,502.98 \$16,502.98 \$16,502.98\$178 \$16,502.98 \$16,502.98\$\$16,502.98\$\$178\$\$16,502.98\$\$178\$\$16,502.98\$\$16,502.98\$\$16,502.98\$\$178\$\$16,502.98\$\$16,502.98\$\$178\$\$16,502.98\$\$16,5	B B B B B B B B B B B B B B B B B B B		3 3 8 8 8 8 8 8 8 8 8 8 8 8 8
	Space Con: 8.4.2.1 8.4.2.2 8.4.2.3 8.4.2.4 8.4.2.4 8.4.2.5 8.4.2.5	Quote Prepa struction and : Site Prepara Intentionally Intentionally Space Cons 8.4.2.4.1 8.4.2.4.2 8.4.2.4.3 8.4.2.4.3 8.4.2.5.1 8.4.2.5.1 8.4.2.5.2 8.4.2.5.3 8.4.2.5.4 8.4.2.5.5 8.4.2.5.7 8.4.2.5.7 8.4.2.5.7 8.4.2.5.7 8.4.2.5.7 8.4.2.5.7 8.4.2.5.7 8.4.2.5.7 8.4.2.5.7 8.4.2.7.1 8.4.2.7.1 8.4.2.7.5 8.4.2.7.5 8.4.2.7.5 8.4.2.7.6	Site Preparation tition Fee Left Blank Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 101 to 20 Cage: 201 to 30 Cage: 201 to 30 Cage: 201 to 30 Cage: 301 to 44 Power Cable - Cl 20 Amp Feed 30 Amp Feed 400 Amp Feed 400 Amp Feed 400 Amp Feed 400 Amp Feed 200 Amp Feed 300 Amp Feed 300 Amp Feed 300 Amp Feed 300 Amp Feed 400 Amp Feed 100 Amp Feed 100 Amp Feed 200 Amp Feed 200 Amp Feed	0 Sq. Ft. 00 Sq. Ft. 10 Sq.	andard Des	sign, per Ini	tial Power Fee	ed	\$64.51 \$67.21 \$71.05 \$75.53 (\$2.49) (\$1.67) \$0.05 N/A \$2.08 \$12.12 \$24.32 \$38.74 \$38.74 \$7.56 \$8.38 \$10.10 \$10.05 \$12.13 \$22.17		ICB \$43,779.97 \$45,617.54 \$48,224.99 \$51,258.93 (\$1,689.80) (\$1,133.16) \$30.58 N/A \$1,410.55 \$8,222.76 \$16,502.98 \$26,295.73 \$26,295.73 \$5,131.40 \$5,688.04 \$6,821.20 \$8,231.73 \$15,043.97	B B B B		3 B B B B B B B B B B B B B
	Space Con: 8.4.2.1 8.4.2.2 8.4.2.3 8.4.2.4 8.4.2.4 8.4.2.5 8.4.2.5	Quote Prepa struction and : Site Prepara Intentionally Intentionally Space Cons 8.4.2.4.1 8.4.2.4.2 8.4.2.4.3 8.4.2.4.3 8.4.2.5.1 8.4.2.5.1 8.4.2.5.1 8.4.2.5.3 8.4.2.5.4 8.4.2.5.5 8.4.2.5.6 8.4.2.5.6 8.4.2.5.7 8.4.2.5.8 Intentionally -48 Volt DC 8.4.2.7.1 8.4.2.7.1 8.4.2.7.3 8.4.2.7.6 8.4.2.7.6 8.4.2.7.6	Site Preparation ation Fee Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 101 to 20 Cage: 201 to 30 Cage: 201 to	0 Sq. Ft. 00 Sq. Ft. 10 Sq.	andard Des	sign, per Ini	tial Power Fee	ed	\$64.51 \$67.21 \$71.05 \$75.53 (\$2.49) (\$1.67) \$0.05 N/A \$2.08 \$12.12 \$24.32 \$38.74 \$38.74 \$7.56 \$8.38 \$10.10 \$10.05 \$12.13 \$22.17 \$34.37		ICB \$43,779.97 \$45,617.54 \$48,224.99 \$51,258.93 (\$1,689.80) (\$1,133.16) \$30.58 N/A \$1,410.52 \$8,222.76 \$16,502.98 \$26,295.73 \$27,295.73 \$27,295.73 \$27,295.73 \$27,295.73 \$27,295.74 \$27,295.74 \$27,295.75 \$27,295	B B B B		3 3 8 8 8 8 8 8 8 8 8 8 8 8 8
	Space Con: 8.4.2.1 8.4.2.2 8.4.2.3 8.4.2.3 8.4.2.4 8.4.2.5 8.4.2.5 8.4.2.5 8.4.2.5	Quote Prepa struction and 3 Site Prepara Intentionally Space Cons 8.4.2.4.1 8.4.2.4.2 8.4.2.4.3 8.4.2.4.3 8.4.2.4.3 8.4.2.4.4 -48 Volt DC 8.4.2.5.1 8.4.2.5.2 8.4.2.5.4 8.4.2.5.4 8.4.2.5.5 8.4.2.5.6 8.4.2.5.7 8.4.2.5.6 8.4.2.5.7 8.4.2.5.8 Intentionally -48 Volt DC 8.4.2.7.1 8.4.2.7.3 8.4.2.7.4 8.4.2.7.5 8.4.2.7.7 8.4.2.7.7 8.4.2.7.7	Site Preparation tition Fee Left Blank Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 101 to 20 Cage: 201 to 30 Cage: 201 to 30 Cage: 201 to 30 Cage: 301 to 44 Power Cable - Cl 20 Amp Feed 30 Amp Feed 400 Amp Feed 400 Amp Feed 400 Amp Feed 400 Amp Feed 200 Amp Feed 300 Amp Feed 300 Amp Feed 300 Amp Feed 300 Amp Feed 400 Amp Feed 100 Amp Feed 100 Amp Feed 200 Amp Feed 200 Amp Feed	0 Sq. Ft. 00 Sq. Ft. 10 Sq.	andard Des	sign, per Ini	tial Power Fee	ed	\$64.51 \$67.21 \$71.05 \$75.53 (\$2.49) (\$1.67) \$0.05 N/A \$2.08 \$12.12 \$24.32 \$38.74 \$38.74 \$7.56 \$8.38 \$10.10 \$10.05 \$12.13 \$22.17		ICB \$43,779.97 \$45,617.54 \$48,224.99 \$51,258.93 (\$1,689.80) (\$1,133.16) \$30.58 N/A \$1,410.55 \$8,222.76 \$16,502.98 \$26,295.73 \$26,295.73 \$5,131.40 \$5,688.04 \$6,821.20 \$8,231.73 \$15,043.97	B B B B		3 3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
8.4.2	Space Con: 8.4.2.1 8.4.2.2 8.4.2.3 8.4.2.3 8.4.2.4 8.4.2.5 8.4.2.5 8.4.2.5 8.4.2.5	Quote Prepa struction and : Site Prepara Intentionally Intentionally Space Cons 8.4.2.4.1 8.4.2.4.2 8.4.2.4.3 8.4.2.4.3 8.4.2.5.1 8.4.2.5.1 8.4.2.5.1 8.4.2.5.3 8.4.2.5.4 8.4.2.5.5 8.4.2.5.6 8.4.2.5.6 8.4.2.5.7 8.4.2.5.8 Intentionally -48 Volt DC 8.4.2.7.1 8.4.2.7.1 8.4.2.7.3 8.4.2.7.6 8.4.2.7.6 8.4.2.7.6	Site Preparation ation Fee Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 101 to 20 Cage: 201 to 30 Cage: 201 to	0 Sq. Ft. 00 Sq. Ft. 10 Sq.	andard Des	sign, per Ini	tial Power Fee	ed	\$64.51 \$67.21 \$71.05 \$75.53 (\$2.49) (\$1.67) \$0.05 N/A \$2.08 \$12.12 \$24.32 \$38.74 \$38.74 \$7.56 \$8.38 \$10.10 \$10.05 \$12.13 \$22.17 \$34.37		ICB \$43,779.97 \$45,617.54 \$48,224.99 \$51,258.93 (\$1,689.80) (\$1,133.16) \$30.58 N/A \$1,410.52 \$8,222.76 \$16,502.98 \$26,295.73 \$27,295.73 \$27,295.73 \$27,295.73 \$27,295.73 \$27,295.74 \$27,295.74 \$27,295.75 \$27,295	B B B B		3 3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
	Space Con: 8.4.2.1 8.4.2.2 8.4.2.3 8.4.2.4 8.4.2.4 8.4.2.5 8.4.2.5 8.4.2.5 8.4.2.7	Quote Prepa struction and 3 Site Prepara Intentionally Space Cons 8.4.2.4.1 8.4.2.4.2 8.4.2.4.3 8.4.2.4.3 8.4.2.4.3 8.4.2.4.4 -48 Volt DC 8.4.2.5.1 8.4.2.5.2 8.4.2.5.4 8.4.2.5.4 8.4.2.5.5 8.4.2.5.6 8.4.2.5.7 8.4.2.5.6 8.4.2.5.7 8.4.2.5.8 Intentionally -48 Volt DC 8.4.2.7.1 8.4.2.7.3 8.4.2.7.4 8.4.2.7.5 8.4.2.7.7 8.4.2.7.7 8.4.2.7.7	Site Preparation ation Fee Left Blank Left Blank truction (Cage an Cage: Up to 10 Cage: 101 to 20 Cage: 201 to 30 Cage: 201 to 30 Cage: 301 to 40 Power Cable - Cl 20 Amp Feed 30 Amp Feed 40 Amp Feed 100 Amp Feed 200 Amp Feed 300 Amp Feed 400 Amp Feed 30 Amp Feed 300 Amp Feed 400 Amp Feed 300 Amp Feed 300 Amp Feed 300 Amp Feed 400 Amp Feed 300 Amp Feed 300 Amp Feed	0 Sq. Ft. 00 Sq. Ft. 10 Sq.	andard Des	sign, per Ini	tial Power Fee	ed	\$64.51 \$67.21 \$71.05 \$75.53 (\$2.49) (\$1.67) \$0.05 N/A \$2.08 \$12.12 \$24.32 \$38.74 \$38.74 \$7.56 \$8.38 \$10.10 \$10.05 \$12.13 \$22.17 \$34.37		ICB \$43,779.97 \$45,617.54 \$48,224.99 \$51,258.93 (\$1,689.80) (\$1,133.16) \$30.58 N/A \$1,410.52 \$8,222.76 \$16,502.98 \$26,295.73 \$27,295.73 \$27,295.73 \$27,295.73 \$27,295.73 \$27,295.74 \$27,295.74 \$27,295.75 \$27,295	B B B B		3 3 8 8 8 8 8 8 8 8 8 8 8 8 8

						Note	e
		Recurring	Recurring, per Mile	Non- Recurring	REC	Mile	
8.4.5	Intentionally Left Blank				 		-
8.4.6	Intentionally Left Blank						•
8.4.7	Intentionally Left Blank				┢───		-
0.4.0		_					
8.4.8	Grounding 8.4.8.1 2 / 0 AWG, per Foot	\$0.0201		\$13.63	В		•
	8.4.8.2 1 / 0 AWG, per Foot	\$0.0334		\$22.68			
	8.4.8.3 4 / 0 AWG, per Foot 8.4.8.4 350 kcmil, per Foot	\$0.0380 \$0.0527		\$25.78 \$35.76	B		-
	8.4.8.5 500 kcmil, per Foot	\$0.0527		\$39.85	B		•
	8.4.8.6 750 kcmil, per Foot	\$0.0900		\$61.05	В		
8.5 Adjace	ent Collocation	ICB		N/A	3		
	- Asllandar						
8.6 Remot 8.6.1	e Collocation Physical & Virtual Remote Collocation						
	8.6.1.1 Space						
	8.6.1.1.1 Qwest owned Cabinet per Standard Mounting Unit 8.6.1.1.2 CLEC owned Cabinet per Standard Mounting Unit	\$0.52 N/A		\$867.19 N/A	E	<u> </u>	
	8.6.1.2 FDI Terminations, per 25 Pair Increment	\$0.30		\$558.38	Е		
	8.6.1.3 -48 Volt DC Power, per Ampere, per Month				┢───	<u> </u>	_
	8.6.1.3.1 Power Usage (uses rate from 8.1.4.1.2.1)	_			1		
	8.6.1.3.1.1 Less Than 60 Amps, per Amp Ordered	\$1.57			В		
	8.6.1.3.1.2 Greater Than 60 Amps, per Amp Ordered or Used	\$3.13			В		-
	8.6.1.3.1.3 Equal to 60 Amps, per Amp Ordered (uses rate from 8.1.4.1.2.2)	\$3.13			1		-
	8.6.1.4 Quote Preparation Fee			ICB			
8.6.2	Adjacent Remote Collocation			ICB			-
8.6.3	Additional Virtual Remote Collocation Elements				 		-
0.0.0	8.6.3.1 Flat Charge, per Job			\$52.34			
	8.6.3.2 Engineering Labor, per Half Hour			\$35.83			
	8.6.3.3 Maintenance Labor, per Half Hour 8.6.3.4 Installation Labor, per Half Hour			\$29.55 \$29.55	⊮—–	├──	-
	8.6.3.5 Training, per Half Hour			\$29.55			
8.7 CLEC-	to-CLEC				 	<u> </u>	-
8.7.1	Design Engineering & Installation - No Cables						
	8.7.1.1 Fiber Flat Charge 8.7.1.2 Flat Charge			\$1,266.58 \$643.93	í—	<u> </u>	-
				φ043.93			•
8.7.2	Cable Racking, per Foot	A0 (10) =			_	F	
	8.7.2.1 DS0 8.7.2.2 DS1	\$0.11043 \$0.12018			E		•
	8.7.2.3 DS3	\$0.09759			Е		
	8.7.2.4 Fiber	\$0.89135			Е		-
8.7.3	Virtual Connections (if Applicable - Connections Only; No Cables)						
	8.7.3.1 DS0, per 100 Connections			\$184.73		F	
	8.7.3.2 DS1, per 28 Connections 8.7.3.3 DS3, per 1 Connection			\$86.51 \$5.90	┢───		
	8.7.3.4 Fiber, per Fiber Spliced (uses rate from 8.1.3.2)			\$38.08			
8.7.4	Cable Hole (if Applicable)			\$455.44			
8.7.5	CLEC to CLEC Cross-Connection						•
	8.7.5.1 Installation, Manual			\$129.47			
	8.7.5.2 Disconnection, Manual 8.7.5.3 Installation, Mechanized			\$61.19 \$117.96	/──	<u> </u>	•
	8.7.5.4 Disconnection, Mechanized			\$49.68			
0.0 Inter-					<u> </u>	<u> </u>	
8.8 Interco 8.8.1	Description Distribution Frame (ICDF) Collocation Quote Preparation Fee (uses rate from 8.1.1.2)			\$820.21	1	-	•
8.8.2	DS0 Circuit, per 200 Legs	\$19.84		\$2,222.44	1	Γ	

						Net	_
			Recurring, per	Non-	REC	Mile	
	8.8.3 DS1 Circuit, per Two Legs	Recurring	Mile	Recurring		9	1
	8.8.4 DS3 Circuit, per Two Legs	\$1.03 \$9.92		\$73.83 \$599.57		1	
	8.8.5 Fiber Circuit, per Two Legs	\$2.48		\$240.36			
8.9	Collocation Cancellation			QPF Prorated	╟──		-
				Job Costs	 		-
8.10	Microwave Entrance Facility						
	8.10.1 Preliminary Rooftop Engineering / Survey, per Site		-	* 055 77	∥		-
	8.10.1.1 Site Visit Request Fee 8.10.1.2 Analysis Performed by Qwest			\$255.77 ICB	∥——	+	-
				102			
	8.10.2 Space Rental						
	8.10.2.1 Rooftop Rent, per Square Foot	\$2.97		105	В		_
	8.10.2.2 Existing Antenna Support Structure or Device, per Antenna			ICB	∥—		-
	8.10.3 Cable Racking						-
	8.10.3.1 New (Dedicated) Cable Racking Structure, per Foot			\$33.90			
	8.10.3.2 New (Dedicated) Cable Racking Maintenance, per Foot	\$0.12525 \$0.02842			B		-
	8.10.3.3 Existing (Shared) Cable Racking, per Foot 8.10.3.4 Cable Racking Engineering, per Project	φυ.υ2842		\$75.43		+	-
				<i></i>			-
	8.10.4 Cable					F	
	8.10.4.1 Coaxial Placement, per Linear Foot 8.10.4.2 Cable Placement Engineering, per Project			\$1.92 \$606.30	⊪—		-
	8. 10.4.2 Cable Flacement Engineering, per Floject			\$000.30			-
	8.10.5 Technical Escort, per Half Hour (Business Hours)			\$28.07			
	8.10.6 Building Penetration					-	
	8.10.6.1 4 - Port Cable Entry Hatch, per Port	\$0.26		\$1,216.38			
	8.10.6.2 Other Building Penetration, per Penetration	ICB		ICB	В, З	-	-
	8.10.7 Special Work			ICB		-	-
	·						
8.11	Intentionally Left Blank					-	
8.12	Facility Connected (FC) Collocation						
	8.12.1 FC Collocation Quote Preparation Fee, per Request 8.12.2 FC Collocation Engineering Fee, per Job		-	ICB ICB			-
	8.12.3 FC Collocation Copper Entrance Facility Charge, per 100 Pair	ICB		ICB			
	8.12.4 FC Collocation Fiber Entrance Facility Charge, per Cable, minimum 12 Strands (uses rates from 8.1.			\$941.87	В		
	8.12.5 FC Collocation Termination Block with Protectors Charge, per 100 Pairs	ICB		ICB		<u> </u>	_
	8.12.6 FC Collocation Termination Panel Charge, per 12 Strands 8.12.7 FC Collocation DS1 Voltage Isolation, per Pair	ICB ICB		ICB ICB			-
				105			
8.13	DC Power Reduction and Restoration 8.13.1 Power Reduction				╟──	-	-
	8.13.1. Quote Preparation Fee (QPF), per Office			\$441.00			
	8.13.1.2 Power Reduction, with or without Reservation, per Feed Set					\square	-
	8.13.1.2.1 Less Than 60 Amps			\$346.00	-	—	
	8.13.1.2.2 Equal To 60 Amps 8.13.1.2.3 Greater Than 60 Amps			\$346.00 \$587.00		+	-
	8.13.1.3 Power Off, per Feed Set, per Secondary Feed			\$587.00			-
	8.13.1.4 Power Maintenance Charge (Reservation Charge), per Fuse Set	\$37.00)		1	F	
	8.13.1.5 Location Change from Power Board to BDFB		<u> </u>	ICB	╟──	\vdash	-
	8.13.2 Power Restoration		1		1	\square	
	8.13.2.1 Quote Preparation Fee (QPF), per Office			\$441.00			
	8.13.2.2 Power Restoration, applies to Primary & Secondary Feed				╟——	—	_
	8.13.2.2.1 Power Restoration with Reservation 8.13.2.2.1.1 Less Than 60 Amps		<u> </u>	\$346.00	⊩—	+	
	8.13.2.2.1.2 Equal To 60 Amps			\$346.00			
	8.13.2.2.1.3 Greater Than 60 Amps			\$587.00			
	8.13.2.2.2 Power Restoration without Reservation			ICB	┣—	+	
	8.13.2.3 Location Change from Power Board to BDFB			ICB	╟──	+	-
8.14	Intentionally Left Blank				F		
8.15	Collocation Available Inventory				┣—	+	•
	8.15.1 Standard Sites						
	8.15.1.1 Removal of Terminations 8.15.1.1.1 DS0, per 100 Terminations			ICE	∥—	\vdash	-
	8.15.1.1.1 DS0, per 100 Terminations 8.15.1.1.2 DS1, per Termination		<u> </u>	ICE		+	•
	8.15.1.1.3 DS3, per Termination		1	ICE		+	

								Nata	
								Note	
				Recurring	Recurring, per Mile	Non- Recurring	REC	REC per Mile	
			8.15.1.1.4 OCN, per 12 Fibers			ICB			3
			8.15.1.2 Quote Preparation Fee (QPF) 8.15.1.2.1 Cageless (uses rate from 8.3.1.1)			\$4.195.90			B, 13
			8.15.1.2.2 Caged (uses rate from 8.4.1.1)			\$4,561.19			B, 13 B, 13
		8.15.2	Special Sites						
			8.15.2.1 Special Site Assessment Fee 8.15.2.2 Network Systems Assessment Fee			\$529.00 \$831.50			1 1
			8.15.2.2 Network Systems Assessment Fee 8.15.2.3 Site Survey Fee			\$831.50 \$150.00			1
		8.15.3	Re-usable Elements			ICB			3
	8.16	Collocat 8.16.1	on Decommissioning (uses rates from 9.20) Additional Labor Other - Basic			\$27.42			E
		8.16.2 8.16.3	Additional Labor Other - Overtime Additional Labor Other - Premium			\$36.62 \$45.84			E
		8.16.4	Additional Dispatch						
 			8.16.4.1 Manual 8.16.4.2 Mechanized			\$46.59 \$43.39	<u> </u>		E
	0 47	laint T							
	8.17	8.17.1	ting (uses rates from 8.2.2.1) Set-Up Fee, price contains a One Hour Set-Up Fee			\$56.14			В
		8.17.2	Test Time Fee, per Half Hour			\$28.07	<u> </u>		В
9.0			ork Elements (UNEs)						
	9.1	9.1.1	ection Tie Pairs (ITP) - Per Connection DS0	\$0.98			В		
		9.1.2 9.1.3	DS1 DS3	\$1.29 \$15.26			B B		
				\$15.20			В		
	9.2	Unbundl 9.2.1	ed Loops Analog Loops			See 9.2.4			
			9.2.1.1 2-Wire Voice Grade Loop	¢11.00			_		
-			9.2.1.1.1 Zone 1 9.2.1.1.2 Zone 2	\$11.26 \$13.63			F		
			9.2.1.1.3 Zone 3 9.2.1.1.4 Zone 4	\$16.92 \$28.23			F		
			9.2.1.1.5 Zone 5	\$67.77			F		
			9.2.1.2 2-Wire Voice Grade Loop when Ordered with Port						
			9.2.1.2.1 Zone 1	\$11.07			F		
			9.2.1.2.3 Zone 3	\$13.44 \$16.73			F		
			9.2.1.2.4 Zone 4 9.2.1.2.5 Zone 5	\$28.04 \$67.58			F		
				\$01.00					
\vdash			9.2.1.3 4-Wire Voice Grade Loop 9.2.1.3.1 Zone 1	\$21.38			F		<u> </u>
			9.2.1.3.2 Zone 2 9.2.1.3.3 Zone 3	\$26.29 \$32.69			F		
			9.2.1.3.4 Zone 4	\$54.66			F		
\vdash			9.2.1.3.5 Zone 5	\$131.66			F		
		9.2.2	Nonloaded Loops			See 9.2.4			
			9.2.2.1 2-Wire Nonloaded Loop 9.2.2.1.1 Zone 1	\$11.26			F		
\vdash			9.2.2.1.2 Zone 2 9.2.2.1.3 Zone 3	\$13.63 \$16.92			F		
			9.2.2.1.4 Zone 4	\$28.23			F		
F			9.2.2.1.5 Zone 5	\$67.77			F		L
			9.2.2.2 2-Wire Nonloaded Loop when Ordered with Port 9.2.2.2.1 Zone 1	\$11.07			F		
			9.2.2.2.2 Zone 2	\$13.44			F		
<u> </u>			9.2.2.3 Zone 3 9.2.2.2.4 Zone 4	\$16.73 \$28.04			F		
			9.2.2.2.5 Zone 5	\$67.58			F		
E			9.2.2.3 4-Wire Nonloaded Loop						
			9.2.2.3.1 Zone 1 9.2.2.3.2 Zone 2	\$21.38 \$26.29			F		
			9.2.2.3.3 Zone 3	\$32.69			F		
┣─			9.2.2.3.4 Zone 4 9.2.2.3.5 Zone 5	\$54.66 \$131.66			F		<u> </u>
						Page 9	(00		

							Noto	
			Recurring	Recurring, per Mile	Non- Recurring	REC	Note Mile	
	9.2.2.4	Cable Unloading			\$304.12			A, 1
	9.2.2.5	Bridge Tap Removal			\$147.37			A, 1-
					* · · · · · ·			, .
9.2.3	Digital Cap 9.2.3.1	bable Loops Basic Rate ISDN / xDSL-I Capable / ADSL Compatible Loop			See 9.2.4			
	3.2.3.1	9.2.3.1.1 Zone 1	\$11.26		366 3.2.4	F		
		9.2.3.1.2 Zone 2	\$13.63			F		
		9.2.3.1.3 Zone 3 9.2.3.1.4 Zone 4	\$16.92 \$28.23			F		
		9.2.3.1.5 Zone 5	\$67.77			F		
	9.2.3.2	Intentionally Left Blank				-		
	9.2.3.3	DS1 Capable Loop			See 9.2.5			
		9.2.3.3.1 Zone 1	\$68.86			#		
		9.2.3.3.2 Zone 2 9.2.3.3.3 Zone 3	\$69.41 \$69.08			#		
		9.2.3.3.4 Zone 4	\$68.96			#		-
		9.2.3.3.5 Zone 5	\$74.33			#		
	9.2.3.4	DS3 Capable Loop			See 9.2.6			
	0.2.0.4	9.2.3.4.1 Zone 1	\$745.93		000 3.2.0	#		L
		9.2.3.4.2 Zone 2	\$758.45			#		
		9.2.3.4.3 Zone 3 9.2.3.4.4 Zone 4	\$750.87 \$748.20			#		
		9.2.3.4.5 Zone 5	\$870.32			#		
	9.2.3.5	Intentionally Left Blank						
	9.2.3.6	2-Wire Extension Technology	\$20.73			Α		
0.0.4	1 1		00.0.4					
9.2.4		llation and Disconnection Charges for 2 & 4-Wire Analog / Nonloaded, ISDN BRI Capable, pable, and ADSL Compatible Loop where conditioning is not required	See 9.2.1, 9.2.2, 9.2.3.1, & 9.2.3.2					
	9.2.4.1	Basic Installation						
		9.2.4.1.1 First 9.2.4.1.1.1 Installation or Change, Manual			\$45.70			С
		9.2.4.1.1.2 Disconnection, Manual			\$26.51			C
		9.2.4.1.1.3 Installation or Change, Mechanized			\$37.53			C C
		9.2.4.1.1.4 Disconnection, Mechanized			\$14.41			U U
		9.2.4.1.2 Each Additional						
		9.2.4.1.2.1 Installation or Change, Manual			\$34.78			C C
		9.2.4.1.2.2 Disconnection, Manual 9.2.4.1.2.3 Installation or Change, Mechanized			\$16.33 \$34.78			C
		9.2.4.1.2.4 Disconnection, Mechanized			\$13.99			#
	9.2.4.2	Basic Installation with Performance Testing						
	3.2.4.2	9.2.4.2.1 First						
		9.2.4.2.1.1 Installation or Change, Manual			\$118.09			C
		9.2.4.2.1.2 Disconnection, Manual 9.2.4.2.1.3 Installation or Change, Mechanized	-		\$26.51 \$109.82			C C
		9.2.4.2.1.4 Disconnection, Mechanized			\$16.33			c
		0.0.4.2.2 Each Additional				\vdash		
		9.2.4.2.2 Each Additional 9.2.4.2.2.1 Installation or Change, Manual			\$66.37	<u> </u>		С
		9.2.4.2.2.2 Disconnection, Manual			\$16.33			С
		9.2.4.2.2.3 Installation or Change, Mechanized			\$66.37	\vdash		C
		9.2.4.2.2.4 Disconnection, Mechanized			\$16.33			С
	9.2.4.3	Coordinated Installation with Cooperative Testing / Project Coordinated Installation						
		9.2.4.3.1 First 9.2.4.3.1.1 Installation or Change, Manual	_		\$171.07			С
		9.2.4.3.1.2 Disconnection, Manual			\$26.51	E		C C
		9.2.4.3.1.3 Installation or Change, Mechanized			\$162.81			С
		9.2.4.3.1.4 Disconnection, Mechanized	_		\$9.06	<u> </u>		#
		9.2.4.3.2 Each Additional						
		9.2.4.3.2.1 Installation or Change, Manual			\$119.35			C
		9.2.4.3.2.2 Disconnection, Manual 9.2.4.3.2.3 Installation or Change, Mechanized	-		\$16.33 \$85.03			C #
		9.2.4.3.2.4 Disconnection, Mechanized			\$9.06			#

Operating Description Provide Statistics									
Part of the second se								Note	5
0.2441 Instalation South J 0.24411 Instalation 80001 J 0.24412 Cash Addowa 80001 J 0.24412 Cash Addowa 9000 J 0.2442 Cash Addowa 9000 9000 J 0.2442 Cash Addowa 9000 J J 0.24451 Cash Addowa 9000 J J 0.2451 Disconcedin Monal 9000 J 0.2451 Disconcedin Monal 9000 J J 0.24513 Instalation of Charge Mechanged 90100 S1120 E E 0.24513 Instalation of Charge Mechanged S1420 E E S1420 E E 0.24513 Instalation of Charge Mechanged S1420 E E S1420 E				Recurring			REC		
1 1			out Cooperative Testing / Project Coordinated Installation						
0 0		9.2.4.4.1.1							
92.44.21 Instalation 93.3.2 8 9 92.45 Base Installation with Concentration 90.0 9 92.4.5 Base Installation with Concentration Paraling 9 8 8 92.4.5.1 Print 9 8 8 9 8 8 9 8 9 8 9 8 9 8 9 8 9 9 8 9 <td< td=""><td></td><td>9.2.4.4.1.2</td><td>Disconnection</td><td></td><td></td><td>\$0.00</td><td></td><td></td><td>#</td></td<>		9.2.4.4.1.2	Disconnection			\$0.00			#
92.44.21 Instalation 93.3.2 8 9 92.45 Base Installation with Concentration 90.0 9 92.4.5 Base Installation with Concentration Paraling 9 8 8 92.4.5.1 Print 9 8 8 9 8 8 9 8 9 8 9 8 9 8 9 8 9 9 8 9 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>									
92.4.5 Discretion 92.6 Basic Installation with Cooperative Testing 92.6	9.2.4.4.2					A			
0.24.5 Basic Installation with Cooperative Testing No. Status <									
Space Space <th< td=""><td></td><td></td><td></td><td></td><td></td><td>\$0.00</td><td></td><td></td><td>"</td></th<>						\$0.00			"
			erative Testing						
1 22.45.1.3 instalation of Change, Mechanized \$88.40 E 22.45.2 Exch Additional 1 \$92.45.2 Exch Additional \$92.45.2 Exch Additional \$92.45.2 \$92.45.2 Disconnection, Manual \$92.45.2 \$92.50.2 \$92.50.2 \$92.50.2 Disconnection, Manual \$92.45.2 \$92.50.2 \$92.5	9.2.4.5.1		Installation or Change, Manual			\$111.29			E
0.2.4.5.1.4 Disconnection, McGranzed 0 87.6.89 0 0.2.4.5.2 Each Additional 0 95.4.6.9 0 0.2.4.5.2 Disconnection, Manual 0 854.6.9 0 0.2.4.5.2.3 Installation on Change, Mchanizad 0 854.8.9 0 0.2.4.5.2.4 Disconnection, Manual 0 854.8.9 0 0.2.5.1 Disconnection, Manual 0 0 0 0.2.5.1 Disconnection, Manual 0 0 0 0.2.5.1 Disconnection, Manual 0 0 0 0 0.2.5.1.1 Installation on Change, Menual 0 0 0 0 0.2.5.1.1 Installation on Change, Menual 0 0 0 0 0.2.5.1.1 Installation on Change, Menual 0 0 0 0 0.2.5.1.2 Disconnection, Menual 0 0 0 0 0 0 0 0 0 0 0 0 0 0 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
92.4.5.7 Each Additional Set 20									
92.4.5.1 Insulation or Change, Marual \$\$4.83 \$\$ 92.4.5.2.3 Installation or Change, Mechanized \$\$4.83 \$\$ 92.5.1 Discinnetion, Mechanized \$\$16.89 \$\$ 92.5 Disticupo Installation or Change, Marual \$\$ \$\$ 92.5.1 Bisic Installation or Change, Marual \$\$ \$\$ 92.5.1.1 Installation or Change, Mechanized \$\$ \$\$ 92.5.1.2 Disconnecton, Marual \$\$ \$\$ 92.5.1.2 Installation or Change, Mechanized \$\$ \$\$ 92.5.1.2 Disconnecton, Marual \$\$ \$\$ 92.5.1.2 Disconnecton, Marual \$\$ \$\$ 92.5.1.2 Disconnecton, Marual \$\$ \$\$ 92.5.2.1 Installation or Change, Mechanized \$\$ \$\$ 92.5.2.1 Installatio						• • • •			
1 92.45.22 Disconnection, Manual 93.68.0 F 92.45 Distribution Change 93.68.0 F F 92.5 DST Loop Installation Change See 92.23 F F 92.5 DST Loop Installation Change See 92.23 F F 92.5 DST Loop Installation Change See 92.23 F F 92.5 Disconnection, Manual Store 92.33 F F 92.5 Disconnection, Manual Store 92.33 C F 92.5 Disconnection, Manual Store 92.33 C C 92.5 Disconnection, Manual Store 92.32.12 C C 92.5 Disconnection, Manual Store 92.52.11 Store	9.2.4.5.2			_		\$54.28	<u> </u>		F
B24.5.24 Disconnection, Mechanized Seu 92.3.3 Seu 92.3.3 92.5 DS1 Loop Installation Orlarges Seu 92.3.3 Seu 92.3.3 Seu 92.3.3 92.5.1.1 Basic Installation or Change, Menaul Seu 92.3.3 Seu 92.3.3 Seu 92.3.3 92.5.1.1 Distallation or Change, Mechanized Seu 92.3.3 Seu 92.3.3 Seu 92.3.3 92.5.1.1.2 Disconnecton, Manual Seu 92.3.3 Seu 92.3.3 Seu 92.3.3 92.5.1.1.4 Disconnecton, Menual Seu 92.3.3 Seu 92.3.3 Seu 92.3.3 92.5.1.2 Each Additional Installation or Change, Menual Seu 92.3.3 Seu 92.3.3 Seu 92.3.3 92.5.1.2 Disconnection, Menual Seu 92.3.3 Seu 92.3.3 Seu 92.3.3 92.5.1.2.1.1 Disconnection, Menual Seu 92.3.3 Seu 92.3.3 Seu 92.3.3 92.5.2.1.2 Disconnection, Menual Seu 92.3.3 Seu 92.3.3 Seu 92.3.3 92.5.2.1.2 Disconnection, Menual Seu 92.4.4 Seu 92.4.4 Seu 92.4.4 92.5.2.1.1 Installation or Change, Menual Seu 92.4.4 Seu 92.4.4 <td< td=""><td></td><td></td><td>Disconnection, Manual</td><td></td><td></td><td></td><td></td><td></td><td></td></td<>			Disconnection, Manual						
9.25 DS1 Loop Institution Charges See 9.2.3. 9.25.1 Basic Institution 9104.20 9.25.1 First 92.5.1.11 9.25.1.13 Institution or Charge, Mechanized 9104.20 9.25.1.13 Institution or Charge, Mechanized 9104.20 9.25.1.2 Each Additional 9104.20 9.25.1.2 Each Additional 9104.20 9.25.1.2 Each Additional 9104.20 9.25.1.2 Basic Institution or Charge, Manual 914.20 9.25.1.2 Deconnection, Mechanized 914.20 9.25.1.2 Institution or Charge, Manual 912.60 9.25.2.1 Deconnection, Mechanized 912.60 9.25.2.1 Deconnection, Mechanized 912.60 9.25.2.1 Deconnection, Mechanized 912.60 9.25.2.1 First 92.52.1 9.25.2.1 First 92.52.1 9.25.2.2.1 First 92.52.1 9.25.2.2.1 First 92.52.1 9.25.2.2.1 Institutation or Charage, Manual 92.52.1									
9.2.5.1 Basic installation \$10.4.2 9.2.5.1.1 Installation or Change, Manual \$10.4.2 0.2.5.1.2 Deconnection, Manual \$32.5.1 0.2.5.1.1.2 Econnection, Manual \$32.5.1 0.2.5.1.1.4 Deconnection, Manual \$32.5.1 0.2.5.1.1.4 Deconnection, Manual \$32.5.2 0.2.5.1.1.4 Deconnection, Manual \$39.6.6.6 0.2.5.1.2 Econ Additional \$32.5.2 0.2.5.1.2 Deconnection, Manual \$34.6.6 0.2.5.1.2.1 Installation or Change, Manual \$34.6.6 0.2.5.2.2 Basic Installation or Change, Manual \$34.6.6 0.2.5.2.1.3 Installation or Change, Manual \$34.6.6 0.2.5.2.1 First \$32.5.1 0.2.5.2.1.1 Installation or Change, Manual \$32.5.6 0.2.5.2.1.1 Installation or Change, Manual \$32.5.6 0.2.5.2.1.3 Installation or Change, Manual \$32.5.6 0.2.5.2.1.3 Installation or Change, Manual \$32.5.1 0.2.5.2.1.3 Installation or Change, Manual \$32.5.1 <td></td> <td>9.2.4.5.2.4</td> <td>Disconnection, Mechanized</td> <td></td> <td></td> <td>\$16.89</td> <td></td> <td></td> <td>E</td>		9.2.4.5.2.4	Disconnection, Mechanized			\$16.89			E
92.5.1.1 First \$10.2.5.1.1.1 Installation or Change, Manual \$10.4.2.2.1.2 92.5.1.1.3 Installation or Change, Manual \$10.4.2.2.1.6.2 C 92.5.1.2 Exp. Additional \$10.4.2.2.1.6.2 C 92.5.1.2 Exp. Additional \$10.4.2.2.2.1.6.2 S2.5.1.6.2 92.5.1.2 Exp. Additional \$10.4.6.2.2.2.1.2.2.1.2.2.1.2.2.1.2.1.2.1.2.1				See 9.2.3.3					
Image: space of the s									
Image: space of the s	0.2.0.1.1		Installation or Change, Manual			\$104.82			С
Image: state in the s									
9.2.5.12 Each Additional No. 9.2.5.12.1 Installation or Change, Manual \$98.7 C 9.2.5.12.1 Installation or Change, Manual \$91.464 C 9.2.5.12.2 Disconnection, Manual \$91.466 C 9.2.5.12.3 Installation or Change, Mechanized \$91.466 C 9.2.5.2 Basic Installation or Change, Manual \$30.55 C 9.2.5.2.1 First \$32.51 C C 9.2.5.2.1.2 Disconnection, Manual \$30.55 C C 9.2.5.2.1.3 Installation or Change, Mechanized \$32.51 C C 9.2.5.2.1.4 Disconnection, Manual \$30.55 C C 9.2.5.2.1.4 Disconnection, Manual \$32.51 C C 9.2.5.2.1.4 Disconnection, Manual \$27.43 C C 9.2.5.2.2 Each Additional \$27.43 C C 9.2.5.2.1.1 Installation or Change, Manual \$37.45 C C 9.2.5.2.1 Installation or Cha									
Image: space of the statistic of the space of t			,			\$21100			
Image: Section of the sectio	9.2.5.1.2					¢09.27			6
9.2.5.1.2.4 Disconnection, Mechanized \$12.83 C 9.2.5.2 Basic Installation with Performance Testing <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
9.2.5.2 Basic Installation with Performance Testing Image: Constraint of the installation of Change, Manual Status 9.2.5.2.1.1 First Status									
9.2.5.2.1 First		9.2.5.1.2.4	Disconnection, Mechanized			\$12.83			С
Bit State State State C 9.25.2.1.2 Disconnection, Manual State C 9.25.2.1.3 Installation or Change, Mechanized State C 9.25.2.1.4 Disconnection, Mechanized State C 9.25.2.2 Each Additional State C 9.25.2.2.1 Installation or Change, Manual State C 9.25.2.2.1 Installation or Change, Manual State C 9.25.2.2.3 Installation or Change, Mechanized State C 9.25.2.4 Disconnection, Mechanized State C 9.25.3.1 Installation or Change, Mechanized State C 9.25.3.1 Installation or Change, Mechanized State C 9.25.3.1 Installation or Change, Mechanized State C 9.25.3.1.1 Installation or Change, Mechanized State C 9.25.3.2.1 Disconnection, Manual State C 9.25.3.2.2 Disconnection, Manual State C 9.25.3.3.1 Inst			mance Testing						
9.2.5.2.1.2 Disconnection, Manual \$32.51 \$\$25.51 \$\$25.52.1 9.2.5.2.1.4 Disconnection, Mechanized \$\$27.99 \$\$27.99 \$\$27.99 9.2.5.2.2 Each Additional \$\$27.90 \$\$27.90 \$\$27.90 9.2.5.2.2 Disconnection, Mechanized \$\$27.90 \$\$27.90 \$\$27.90 9.2.5.2.2 Disconnection, Manual \$\$27.90 \$\$27.90 \$\$27.90 9.2.5.2.2 Disconnection, Manual \$\$27.90 \$\$27.90 \$\$27.90 9.2.5.2.2.4 Disconnection, Manual \$\$27.90 \$\$27.90 \$\$27.90 9.2.5.2.4 Disconnection, Mechanized \$\$28.81 \$\$27.90 \$\$27.90 9.2.5.3.1 Installation or Change, Mechanized \$\$28.81 \$\$27.90 \$\$27.90 9.2.5.3.1 Installation or Change, Menual \$\$32.51 \$\$27.90 \$\$27.90 \$\$27.90 \$\$27.90 \$\$27.90 \$\$27.90 \$\$27.90 \$\$27.90 \$\$27.90 \$\$27.90 \$\$27.90 \$\$27.90 \$\$27.90 \$\$27.90 \$\$27.90 \$\$27.90 \$\$27.90 \$\$27.90 \$\$27.90	9.2.5.2.1		Installation or Change Manual			\$300.55			C
9.2.5.2.14 Disconnection, Mechanized \$27.99 C 9.2.5.2.2 Each Additional \$27.94 C 9.2.5.2.2. Disconnection, Manual \$27.94 C 9.2.5.2.2. Disconnection, Manual \$14.64 C 9.2.5.2.2. Disconnection, Manual \$14.64 C 9.2.5.2.2. Disconnection, Mechanized \$27.93 C 9.2.5.2.4 Disconnection, Mechanized \$27.93 C 9.2.5.3.1 Installation or Change, Manual \$34.64 C 9.2.5.3.1 Disconnection, Mechanized \$34.047 C 9.2.5.3.1.2 Disconnection, Manual \$332.51 C 9.2.5.3.1.3 Installation or Change, Manual \$332.34 C 9.2.5.3.1.4 Disconnection, Manual \$332.34 C 9.2.5.3.2.1 Installation or Change, Manual \$332.34 C 9.2.5.3.2.1 Installation or Change, Manual \$303.75 C 9.2.5.3.2.1 Installation or Change, Manual \$308.14 C 9.2.5.4.1 <									
9.2.5.2.2 Each Additional Image: Manual State									
9.2.5.2.2.1 Installation or Change, Manual \$270.43 C 9.2.5.2.2.2 Disconnection, Manual \$14.64 C 9.2.5.2.3 Installation or Change, Mechanized \$266.81 C 9.2.5.2 Disconnection, Mechanized \$218.83 C 9.2.5.3 Coordinated Installation with Cooperative Testing / Project Coordinated Installation 9.2.5.3.1 Installation or Change, Manual \$340.47 C 9.2.5.3.1.1 Installation or Change, Mechanized \$332.34 C 9.2.5.3.1.3 Installation or Change, Mechanized \$332.34 C 9.2.5.3.1.4 Disconnection, Manual \$332.34 C 9.2.5.3.2 Each Additional \$332.34 C 9.2.5.3.2 Each Additional \$339.75 C 9.2.5.3.2.4 Disconnection, Manual \$309.75 C 9.2.5.3.2.4 Disconnection, Manual \$314.64 C 9.2.5.3.2.4 Disconnection, Manual \$314.64 C 9.2.5.4.1 Installation or Change, Menual \$314.64 C<		9.2.5.2.1.4	Disconnection, Mechanized			\$27.99			C
9.2.5.2.2.2 Disconnection, Manual \$14.64 C 9.2.5.2.4 Installation or Change, Mechanized \$266.81 C 9.2.5.2.4 Disconnection, Mechanized \$12.83 C 9.2.5.3 Coordinated Installation with Cooperative Testing / Project Coordinated Installation \$12.83 C 9.2.5.3.1 First \$340.47 C 9.2.5.3.1.7 Disconnection, Manual \$322.51 C C 9.2.5.3.1.3 Installation or Change, Mechanized \$332.34 C C 9.2.5.3.1.4 Disconnection, Manual \$322.51 C C 9.2.5.3.2 Each Additional \$322.51 C C 9.2.5.3.2 Disconnection, Manual \$322.51 C C 9.2.5.3.2 Disconnection, Manual \$327.99 C C 9.2.5.3.2 Disconnection, Manual \$306.75 C 9.2.5.3.2.1 Installation or Change, Mechanized \$306.74 C 9.2.5.4.1 Disconnection, Mechanized \$306.74 C	9.2.5.2.2								
9.2.5.2.2.3 Installation or Change, Mechanized \$266.81 C.C. 9.2.5.2.2.4 Disconnection, Mechanized \$12.83 C.C. 9.2.5.3 Coordinated Installation with Cooperative Testing / Project Coordinated Installation \$12.83 C.C. 9.2.5.3.1 First 9.2.5.3.1.1 Installation or Change, Manual \$340.47 C.C. 9.2.5.3.1.2 Disconnection, Manual \$32.51 C.C. \$32.51 C.C. 9.2.5.3.1.3 Installation or Change, Mechanized \$332.51 C.C. \$32.53 C.C. 9.2.5.3.1.4 Disconnection, Mechanized \$332.57 C.C. \$309.75 C.C. 9.2.5.3.2.1 Installation or Change, Manual \$309.75 C.C. 9.2.5.3.2.3 Installation or Change, Manual \$309.75 C.C. 9.2.5.3.2.4 Disconnection, Mechanized \$309.75 C.C. 9.2.5.3.2.4 Disconnection, Mechanized \$309.75 C.C. 9.2.5.3.2.4 Disconnection, Mechanized \$314.64 C.C. 9.2.5.3.2.4 Disconnection, Mechanized \$32.51 C.C. S.C. S.S.C.1									
9.2.5.3 Coordinated Installation with Cooperative Testing / Project Coordinated Installation 9.2.5.3.1 First 9.2.5.3.1.1 Installation or Change, Manual \$340.47 C 9.2.5.3.1.2 Disconnection, Manual \$32.51 C C 9.2.5.3.1.3 Installation or Change, Mechanized \$332.34 C 9.2.5.3.1.4 Disconnection, Mechanized \$27.99 C 9.2.5.3.2 Each Additional \$309.75 C 9.2.5.3.2.1 Installation or Change, Manual \$309.75 C 9.2.5.3.2.2 Disconnection, Manual \$309.75 C 9.2.5.3.2.3 Installation or Change, Mechanized \$308.14 C 9.2.5.3.2.4 Disconnection, Mechanized \$308.14 C 9.2.5.4 Coordinated Installation without Cooperative Testing / Project Coordinated Installation \$16.64 C 9.2.5.4.1 Installation or Change, Manual \$109.87 C 9.2.5.4.1 First 9.2.5.4.1.1 Installation or Change, Manu									
9.2.5.3.1 First									
9.2.5.3.1 First	9.2.5.3 Coordinate	ed Installation with	Cooperative Testing / Project Coordinated Installation	-			┣──		
9.2.5.3.1.2 Disconnection, Manual \$32.51 C 9.2.5.3.1.3 Installation or Change, Mechanized \$332.51 C 9.2.5.3.1.4 Disconnection, Mechanized \$27.99 C 9.2.5.3.2 Each Additional \$309.75 C 9.2.5.3.2 Disconnection, Manual \$309.75 C 9.2.5.3.2 Disconnection, Manual \$309.75 C 9.2.5.3.2.3 Installation or Change, Manual \$309.75 C 9.2.5.3.2.4 Disconnection, Manual \$14.64 C 9.2.5.3.2.4 Disconnection, Mechanized \$306.14 C 9.2.5.4.1 First \$12.83 C 9.2.5.4.1 First \$109.87 C 9.2.5.4.1 First \$109.87 C 9.2.5.4.1.2 Disconnection, Manual \$32.51 C 9.2.5.4.1.4 Disconnection, Manual \$32.51 C 9.2.5.4.1.5 Installation or Change, Mechanized \$109.87 C 9.2.5.4.1.4 Disconnection, Mechanized \$27.99		First						1	
92.5.3.1.3 Installation or Change, Mechanized \$332.34 C 92.5.3.1.4 Disconnection, Mechanized \$27.99 C 92.5.3.2 Each Additional \$309.75 C 92.5.3.2.1 Installation or Change, Manual \$309.75 C 92.5.3.2.2 Disconnection, Manual \$309.75 C 92.5.3.2.3 Installation or Change, Mechanized \$309.75 C 92.5.3.2.3 Disconnection, Manual \$309.75 C 92.5.3.2.4 Disconnection, Mechanized \$306.14 C 92.5.3.2.4 Disconnection, Mechanized \$108.61 C 92.5.4.1 First \$12.83 C 92.5.4.1 First \$109.87 C 92.5.4.1.2 Disconnection, Manual \$109.87 C 92.5.4.1.3 Installation or Change, Mechanized \$109.87 C 92.5.4.1.4 Disconnection, Manual \$109.87 C 92.5.4.1.4 Disconnection, Manual \$101.74 C 92.5.4.2.1 Installation or Change, Mechanized \$27.99 C 92.5.4.2.2 Each Additi				-			┣—		
Image: space of the systemImage: space of the systemImage: space of the systemImage: space of the system9.2.5.3.2Each AdditionalImage: space of the systemS309.75Image: space of the system9.2.5.3.2.1Installation or Change, ManualS14.64C9.2.5.3.2.3Installation or Change, MechanizedS306.14C9.2.5.3.2.4Disconnection, MechanizedS12.83C9.2.5.4Coordinated Installation without Cooperative Testing / Project Coordinated InstallationImage: space of the systemImage: space of the system9.2.5.4.1FirstImage: space of the systemS109.87C9.2.5.4.1.1Installation or Change, ManualS109.87C9.2.5.4.1.2Disconnection, ManualS302.51C9.2.5.4.1.3Installation or Change, MechanizedS101.74C9.2.5.4.14Disconnection, MechanizedS27.99C9.2.5.4.2Each AdditionalS103.33C9.2.5.4.2Disconnection, ManualS103.33C9.2.5.4.2Disconnection, ManualS103.33C9.2.5.4.2.3Installation or Change, ManualS103.33C9.2.5.4.2.3Disconnection, ManualS103.33C9.2.5.4.2.4Disconnection, ManualS103.33C9.2.5.4.2.3Disconnection, ManualS103.33C9.2.5.4.2.3Disconnection, ManualS104.64C9.2.5.4.2.3Disconnection, ManualS104.64C9.2.5.4.2.3Disconnection, Manual		9.2.5.3.1.3	Installation or Change, Mechanized			\$332.34			С
9.2.5.3.2.1Installation or Change, Manual\$309.75C9.2.5.3.2.2Disconnection, Manual\$14.64C9.2.5.3.2.3Installation or Change, Mechanized\$306.14C9.2.5.3.2.4Disconnection, Mechanized\$12.83C9.2.5.4Coordinated Installation without Cooperative Testing / Project Coordinated Installation\$12.83C9.2.5.4.1First\$109.87C9.2.5.4.1.1Installation or Change, Manual\$109.87C9.2.5.4.1.2Disconnection, Manual\$325.51C9.2.5.4.1.3Installation or Change, Mechanized\$32.51C9.2.5.4.1.4Disconnection, Mechanized\$27.99C9.2.5.4.1.5Disconnection, Mechanized\$27.99C9.2.5.4.1.4Disconnection, Mechanized\$27.99C9.2.5.4.2Each Additional\$103.33C9.2.5.4.2Disconnection, Manual\$103.33C9.2.5.4.2Disconnection, Manual\$103.33C9.2.5.4.2Disconnection, Mechanized\$103.33C9.2.5.4.2Disconnection, Manual\$103.33C9.2.5.4.2Disconnection, Manual\$103.33C9.2.5.4.2Disconnection, Manual\$14.64C9.2.5.4.2Disconnection, Manual\$103.33C9.2.5.4.2.3Installation or Change, Mechanized\$9.72C		9.2.5.3.1.4	Disconnection, Mechanized			\$27.99	\vdash		С
9.2.5.3.2.1Installation or Change, Manual\$309.75C9.2.5.3.2.2Disconnection, Manual\$14.64C9.2.5.3.2.3Installation or Change, Mechanized\$306.14C9.2.5.3.2.4Disconnection, Mechanized\$12.83C9.2.5.4Coordinated Installation without Cooperative Testing / Project Coordinated Installation\$12.83C9.2.5.4.1First\$109.87C9.2.5.4.1.1Installation or Change, Manual\$109.87C9.2.5.4.1.2Disconnection, Manual\$325.51C9.2.5.4.1.3Installation or Change, Mechanized\$32.51C9.2.5.4.1.4Disconnection, Mechanized\$27.99C9.2.5.4.1.5Disconnection, Mechanized\$27.99C9.2.5.4.1.4Disconnection, Mechanized\$27.99C9.2.5.4.2Each Additional\$103.33C9.2.5.4.2Disconnection, Manual\$103.33C9.2.5.4.2Disconnection, Manual\$103.33C9.2.5.4.2Disconnection, Mechanized\$103.33C9.2.5.4.2Disconnection, Manual\$103.33C9.2.5.4.2Disconnection, Manual\$103.33C9.2.5.4.2Disconnection, Manual\$14.64C9.2.5.4.2Disconnection, Manual\$103.33C9.2.5.4.2.3Installation or Change, Mechanized\$9.72C	9.2.5.3.2	Each Additior	al						
9.2.5.3.2.3Installation or Change, Mechanized\$306.14C9.2.5.3.2.4Disconnection, Mechanized\$12.83C9.2.5.4Coordinated Installation without Cooperative Testing / Project Coordinated InstallationCC9.2.5.4.1FirstCC9.2.5.4.1.1Installation or Change, ManualS109.87C9.2.5.4.1.2Disconnection, Mechanized\$109.87C9.2.5.4.1.3Installation or Change, Manual\$101.74C9.2.5.4.1.4Disconnection, Mechanized\$101.74C9.2.5.4.2Each Additional\$102.799C9.2.5.4.2Each AdditionalS103.33C9.2.5.4.2Disconnection, ManualS103.33C9.2.5.4.2Disconnection, ManualS103.33C9.2.5.4.2Disconnection, ManualS103.33C9.2.5.4.2.3Installation or Change, Manual\$103.33C9.2.5.4.2.3Installation or Change, Mechanized\$103.33C9.2.5.4.2.3Installation or Change, Mechanized\$104.64C9.2.5.4.2.3Installation or Change, Mechanized\$103.33C9.2.5.4.2.4Disconnection, Manual\$104.64C9.2.5.4.2.3Installation or Change, Mechanized\$104.64C9.2.5.4.2.3Installation or Change, Mechanized\$104.64C9.2.5.4.2.3Disconnection, Manual\$104.64C9.2.5.4.2.3Installation or Change, Mechanized\$104.64C9.2.5.4.2.4		9.2.5.3.2.1	Installation or Change, Manual					1	
9.2.5.3.2.4 Disconnection, Mechanized \$12.83 C 9.2.5.4 Coordinated Installation without Cooperative Testing / Project Coordinated Installation Image: Coordinated Installation Image: Coordinated Installation 9.2.5.4.1 First Image: Coordinated Installation or Change, Manual Image: Coordinated Installation Image: Coordinated Installation 9.2.5.4.1 First Image: Coordinated Installation Image: Coordinated Installation Image: Coordinated Installation 9.2.5.4.1 Installation or Change, Manual Image: Coordinated Installation Image: Coordinated Installation Image: Coordinated Installation 9.2.5.4.1.2 Disconnection, Manual Image: Coordinated Installation Image: Coordinated Installation Image: Coordinated Installation 9.2.5.4.1.4 Disconnection, Mechanized Image: Coordinated Image: Coordi				-					
9.2.5.4.1 First C 9.2.5.4.1 Installation or Change, Manual \$109.87 C 9.2.5.4.1.2 Disconnection, Manual \$32.51 C 9.2.5.4.1.3 Installation or Change, Mechanized \$101.74 C 9.2.5.4.1.4 Disconnection, Mechanized \$101.74 C 9.2.5.4.1.4 Disconnection, Mechanized \$101.74 C 9.2.5.4.2 Each Additional \$10 \$10 C 9.2.5.4.2 Installation or Change, Manual \$103.33 C 9.2.5.4.2 Disconnection, Manual \$103.33 C 9.2.5.4.2.2 Disconnection, Manual \$14.64 C 9.2.5.4.2.3 Installation or Change, Mechanized \$19.3.33 C									
9.2.5.4.1 First C 9.2.5.4.1 Installation or Change, Manual \$109.87 C 9.2.5.4.1.2 Disconnection, Manual \$32.51 C 9.2.5.4.1.3 Installation or Change, Mechanized \$101.74 C 9.2.5.4.1.4 Disconnection, Mechanized \$101.74 C 9.2.5.4.1.4 Disconnection, Mechanized \$101.74 C 9.2.5.4.2 Each Additional \$10 \$10 C 9.2.5.4.2 Installation or Change, Manual \$103.33 C 9.2.5.4.2 Disconnection, Manual \$103.33 C 9.2.5.4.2.2 Disconnection, Manual \$14.64 C 9.2.5.4.2.3 Installation or Change, Mechanized \$19.3.33 C		d Installation	out Cooperative Testing / Droject Occurring to the test						
9.2.5.4.1.1 Installation or Change, Manual \$109.87 C 9.2.5.4.1.2 Disconnection, Manual \$32.51 C 9.2.5.4.1.3 Installation or Change, Mechanized \$101.74 C 9.2.5.4.1.4 Disconnection, Mechanized \$101.74 C 9.2.5.4.1.4 Disconnection, Mechanized \$27.99 C 9.2.5.4.2 Each Additional 9.2.5.4.2 Installation or Change, Manual 9.2.5.4.2 Each Additional 9.2.5.4.2 Installation or Change, Manual \$103.33 C 9.2.5.4.2.1 Installation or Change, Manual \$14.64 C 9.2.5.4.2.3 Installation or Change, Mechanized \$14.64 C			our Cooperative resting / Project Coordinated Installation	1					
9.2.5.4.1.3 Installation or Change, Mechanized \$101.74 C 9.2.5.4.1.4 Disconnection, Mechanized \$27.99 C 9.2.5.4.2 Each Additional 9.2.5.4.2 Each Additional 9.2.5.4.2 Disconnection, Manual \$103.33 C 9.2.5.4.2.1 Installation or Change, Manual \$14.64 C 9.2.5.4.2.2 Disconnection, Manual \$14.64 C 9.2.5.4.2.3 Installation or Change, Mechanized \$99.72 C		9.2.5.4.1.1							
9.2.5.4.1.4 Disconnection, Mechanized \$27.99 C 9.2.5.4.2 Each Additional				-			┣──		
9.2.5.4.2 Each Additional Image: Constant and the second and the seco							L	L	
9.2.5.4.2.1 Installation or Change, Manual \$103.33 C 9.2.5.4.2.2 Disconnection, Manual \$14.64 C 9.2.5.4.2.3 Installation or Change, Mechanized \$99.72 C									
9.2.5.4.2.2 Disconnection, Manual \$14.64 C 9.2.5.4.2.3 Installation or Change, Mechanized \$99.72 C	9.2.5.4.2			-		\$103.33			С
		9.2.5.4.2.2	Disconnection, Manual			\$14.64			С
		9.2.5.4.2.3 9.2.5.4.2.4	Installation or Change, Mechanized Disconnection, Mechanized			\$99.72 \$12.83			C C

											Note	
							Recurring	Recurring, per Mile	Non- Recurring	REC	REC per Mile	NRC
	9.2.5.5	Basic Install	ation with Coope	erative Testing								
		9.2.5.5.1	First						A 040 T 0			1
			9.2.5.5.1.1 9.2.5.5.1.2	Installation or Chang Disconnection, Man					\$213.72 \$24.01			E
			9.2.5.5.1.3	Installation or Chang					\$204.07			E
			9.2.5.5.1.4	Disconnection, Mech	nanized				\$22.49			E
		9.2.5.5.2	Each Additiona									-
		9.2.5.5.2	9.2.5.5.2.1	Installation or Chang	e. Manual				\$187.23			Е
			9.2.5.5.2.2	Disconnection, Manu	ual				\$11.99			Е
			9.2.5.5.2.3	Installation or Chang					\$186.34			E
			9.2.5.5.2.4	Disconnection, Mech	nanized				\$11.99			Е
9.2.6	DS3 Loop	Installation Ch	arges				See 9.2.3.4					
	9.2.6.1	Basic Install										
		9.2.6.1.1	First 9.2.6.1.1.1	Installation or Chang	Manual				\$104.82			С
			9.2.6.1.1.2	Disconnection, Manu		<u> </u>			\$32.51	L	L	c
			9.2.6.1.1.3	Installation or Chang	ge, Mechanized				\$96.68			С
			9.2.6.1.1.4	Disconnection, Mech	nanized				\$27.99	<u> </u>		С
		9.2.6.1.2	Each Additiona	al						-		
			9.2.6.1.2.1	Installation or Chang					\$98.27			С
			9.2.6.1.2.2	Disconnection, Manu					\$14.64			С
			9.2.6.1.2.3 9.2.6.1.2.4	Installation or Chang Disconnection, Mech					\$94.66 \$12.83			C C
			5.2.0.1.2.4	Disconnection, week	lanized				φ12.00			0
	9.2.6.2		ation with Perfor	mance Testing								
		9.2.6.2.1	First 9.2.6.2.1.1	Installation or Change	no Monuol				\$200 FF			С
			9.2.6.2.1.1	Installation or Chang Disconnection, Man					\$300.55 \$32.51			C
			9.2.6.2.1.3	Installation or Chang	ge, Mechanized				\$292.42			С
			9.2.6.2.1.4	Disconnection, Mech	nanized				\$27.99			С
		9.2.6.2.2	Each Additiona	al								
		0.2.0.2.2	9.2.6.2.2.1	Installation or Chang	ge, Manual				\$270.43			С
			9.2.6.2.2.2	Disconnection, Manu					\$14.64			С
			9.2.6.2.2.3 9.2.6.2.2.4	Installation or Chang Disconnection, Mech					\$266.81 \$12.83			C C
			9.2.0.2.2.4	Disconnection, mech	Idilizeu				φ12.63	-		C
	9.2.6.3			Cooperative Testing /	Project Coordinated Instal	Illation						
		9.2.6.3.1	First	Installation on Change	Manual			-	¢040.47	-		~
			9.2.6.3.1.1 9.2.6.3.1.2	Installation or Chang Disconnection, Man					\$340.47 \$32.51			C C
			9.2.6.3.1.3						\$332.34			C
		-	9.2.6.3.1.4	Disconnection, Mech	nanized				\$27.99			С
		9.2.6.3.2	Each Additiona	al						<u> </u>		
		J.2.U.J.Z	9.2.6.3.2.1	Installation or Chang	ge, Manual				\$309.75			С
			9.2.6.3.2.2	Disconnection, Manu	ual				\$14.64			С
			9.2.6.3.2.3	Installation or Chang Disconnection, Mech					\$306.14 \$12.83	<u> </u>	$\left \right $	C C
			9.2.6.3.2.4	DISCOTTIECTION, MECT	iani280				⊅ 1∠.03			U
	9.2.6.4		Installation with	out Cooperative Testir	ng / Project Coordinated In	stallation						
		9.2.6.4.1	First	Inotalistics of Obs					¢400.07	<u> </u>		~
			9.2.6.4.1.1 9.2.6.4.1.2	Installation or Chang Disconnection, Man					\$109.87 \$32.51	<u> </u>		C C
			9.2.6.4.1.3	Installation or Chang	ge, Mechanized				\$101.74			С
			9.2.6.4.1.4	Disconnection, Mech	nanized				\$27.99			С
		9.2.6.4.2	Each Additiona	al					<u> </u>			
		0.2.0.7.2	9.2.6.4.2.1	Installation or Chang	ge, Manual	<u> </u>			\$103.33	L		С
			9.2.6.4.2.2	Disconnection, Manu	ual				\$14.64			С
			9.2.6.4.2.3 9.2.6.4.2.4	Installation or Chang Disconnection, Mech					\$99.72 \$12.83	<u> </u>		C C
			3.2.0.4.2.4	Disconnection, Weer					φ12.03	<u> </u>		U
	9.2.6.5		ation with Coope	erative Testing								
		9.2.6.5.1	First						A			-
			9.2.6.5.1.1 9.2.6.5.1.2	Installation or Chang Disconnection, Man					\$213.72 \$24.01	<u> </u>		E
			9.2.6.5.1.2	Installation or Chang					\$24.01			E
			9.2.6.5.1.4	Disconnection, Mech					\$22.49			E
		0.0050	Foot Addition					<u> </u>		<u> </u>	\square	
		9.2.6.5.2	Each Additiona 9.2.6.5.2.1	al Installation or Chang	ne Manual				\$187.23	<u> </u>		E
R			0.2.0.0.2.1		je, manaal	I			Page 12	- of 22		-

				Recurring	Recurring, per Mile	Non- Recurring	REC	Note Mile	
			9.2.6.5.2.2 Disconnection, Manual	Recurring	Wile	\$11.99			T
			9.2.6.5.2.3 Installation or Change, Mechanized 9.2.6.5.2.4 Disconnection, Mechanized			\$186.34 \$11.99		—	+
			5.2.0.5.2.4 Disconnection, mechanized			\$11.99		<u> </u>	t
	9.2.7	Intentional	y Left Blank					<u> </u>	ļ
	9.2.8	Private Lin	e / Special Access to Unbundled Loop Conversion			\$26.94		<u> </u>	t
9.3	Subleen							<u> </u>	Į
9.3	Subloop 9.3.1		tribution Loop						-
		9.3.1.1	First			\$65.00		<u> </u>	4
			9.3.1.1.1 Installation or Change, Manual 9.3.1.1.2 Disconnection, Manual			\$65.99 \$16.81		<u> </u>	+
			9.3.1.1.3 Installation or Change, Mechanized			\$58.94			ļ
			9.3.1.1.4 Disconnection, Mechanized			\$5.42		┼──	+
		9.3.1.2	Each Additional						T
			9.3.1.2.1 Installation or Change, Manual 9.3.1.2.2 Disconnection, Manual			\$21.83 \$16.81		+	-
			9.3.1.2.3 Installation or Change, Mechanized			\$14.78			1
			9.3.1.2.4 Disconnection, Mechanized			\$5.42		\vdash	ļ
		9.3.1.3	2-Wire Distribution Loop, First & Each Additional						t
			9.3.1.3.1 Zone 1 9.3.1.3.2 Zone 2	\$6.67			F	<u> </u>	Į
			9.3.1.3.2 Zone 2 9.3.1.3.3 Zone 3	\$8.27			F	<u> </u>	+
			9.3.1.3.4 Zone 4	\$19.02			F		1
			9.3.1.3.5 Zone 5	\$48.37			F	<u> </u>	+
	9.3.2	Intentional	ly Left Blank						1
	9.3.3	Intra-Buildi	ng Cable (2-Wire Copper Only)	\$0.91			С	<u> </u>	+
		9.3.3.1	No Dispatch, First						1
			9.3.3.1.1 Installation 9.3.3.1.2 Disconnection			\$7.01 \$7.01		—	+
						\$7.01			1
		9.3.3.2	No Dispatch, Each Additional 9.3.3.2.1 Installation			\$7.01		—	+
			9.3.3.2.2 Disconnection			\$7.01			t
	9.3.4	Intentional	ly Left Blank					<u> </u>	ļ
	9.3.4	Intentional	y Leit Dialik					<u> </u>	t
	9.3.5		nt Environment (MTE) Terminal Subloop Access			\$070 AF		<u> </u>	ļ
		9.3.5.1 9.3.5.2	Subloop MTE - POI Site Inventory, per Request MTE - POI Rearrangement of Facilities			\$276.15 ICB		┼──	1
		9.3.5.3	MTE - POI Construction of New SPOI	ICB			3		1
	9.3.6	Intentional	ly Left Blank					<u> </u>	+
									ļ
	9.3.7	Field Conn 9.3.7.1	ection Point (FCP) Feasibility Fee / Quote Preparation Fee			\$430.00		├	╉
		9.3.7.2	FCP Set-up, per Request			\$3,336.93			ļ
		9.3.7.3 9.3.7.4	FCP Splicing, per 25 Pairs FCP Reclassification Charge			\$14.07 \$544.09	1	┣─	+
_						<i>\$</i> 011.00		匚	1
9.4	Shared \$ 9.4.1		ly Left Blank					┣─	+
									1
	9.4.2	Line Splitti 9.4.2.1	ng Basic Installation Charge for Line Splitting					┣—	╉
		0.1.2.1	9.4.2.1.1 Installation, Manual			\$45.70			1
			9.4.2.1.2 Disconnection, Manual 9.4.2.1.3 Installation, Mechanized			\$26.51 \$37.53		\vdash	4
			9.4.2.1.3 Installation, Mechanized 9.4.2.1.4 Disconnection, Mechanized			\$37.53			t
	012	Loop Splitt						+	┦
	9.4.3	Loop Splitt 9.4.3.1	Basic Installation Charge for Loop Splitting					├──	┦
			9.4.3.1.1 Installation, Manual			\$45.70			1
			9.4.3.1.2 Disconnection, Manual 9.4.3.1.3 Installation, Mechanized			\$26.51 \$37.53		┼──	+
			9.4.3.1.4 Disconnection, Mechanized			\$14.41			1
9.5	Network	Interface De	vice (NID)	\$0.41			A	–	┦
0.0	9.5.1	Manual		φ0.41		\$66.71			t
	9.5.2	Mechanize				\$59.67			T

Additional Decisional Interesting Transport (DDT) Protocols Protocols <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>Note</th> <th></th>							Note	
9.6.1 DBS UDT Pleasing Trees for May. 9.13 0.00 0.0 0.0 0.0 9.6.1.3 Over 10 May. 316.0 90.07 0.0 0.0 0.0 9.6.1.3 Over 20 May. 316.00 90.07 0.0			Recurring		-	REC		
9.6.1.1 Over 10 k9 Mag. 9150 90.01 A A 9.6.1.2 Over 10 Mag. 9150 90.01 A A 9.6.1.4 Over 20 Mag. 9159 91.14 A A 9.6.1.6 Disconaction, Manual 91.91 A A C 9.6.1.6 Disconaction, Manual 91.91 A A C C 9.6.1.6 Disconaction, Manual P 92.02 C <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>								
3 61.3 Over 25 to SUMer 5 40.0 A A 6.3.1.4 Over 25 to SUMer 5 40.0 5 40.0 5 40.0 A A 6.3.1.0 Discorrection, Monand 1 5 50.06 A A C 9.4.1.7 Instance 1 5 50.06 A A C		9.6.1.1 Over 0 to 8 Miles					Α	
0.61.4 Over SD Mess St 590 St 101 A A 0.61.5 Instanton Menda St 101 St 101<								
8.8.15 issuation, Manual Image: State S								
38.1.7 Installation. Mechanized Start 20 Star 20 Star 20 Start 20<			φ10.00	ψ0.14	\$217.71	~	~	С
96.10 Desconcedon, Michaelagad Image: Status of Michaelagad S								
bs.2 DS1 UDIT (Neuring Fixed & per Mile, 3.9.2) A A 3.0.2.2 Over 50 Mile, 3.9.2.2 S20.6 A A 3.0.2.2 Over 50 Mile, 3.9.2.2 S20.6 A A 3.0.2.2 Vertableon, Mendance 3.9.2.2 S20.6 C C 6.0.2.2 Vertableon, Mendance 3.9.2.2 Vertableon, Mendance 3.9.2.2 S20.6.0 S20.4.7.2 S10.00 A A 8.0.3.2 Over 10 vertableon, Mendance 8.0.3.2 S20.6.1 <								
9.8.21 Over 0 to 5 Miles 53.12 30.51 A A 9.8.22 Over 20 to 50 Miles 53.13 32.35 A A 9.8.24 Over 20 to 50 Miles 53.13 32.35 A A 9.8.24 Over 20 to 50 Miles 53.13 32.35 A A 9.8.25 Disconcection, Manual 53.13 32.35 B.32 Sciencection, Manual C 9.8.24 Disconcection, Manual Sciencection, Manual <		9.6.1.8 Disconnection, Mechanized			\$74.23			C
9.9.2.2 Over at to 25 Mes 533.12 30.6.6 A A 9.6.2.3 Over 60 Mes 533.13 52.0 A A 9.6.2.4 Over 60 Mes 533.13 52.00 A A 9.6.2.7 Descination 2 580.00 A A 9.6.2.6 Disconsection, Michanized 380.00 A A 9.6.3 Over 10 Mes 522.47 510.60 A A 9.6.3.1 Over 60 Mes 522.01 531.00 A A 9.6.3.1 Over 60 Mes 522.01 534.00 A A 9.6.3.3 Over 50 Mes 523.01 534.70 A A 9.6.3.4 Over 50 Mes 523.01 534.70 A A 9.6.3.5 Over 50 Mes 523.01 534.70 A A 9.6.3.5 Over 50 Mes 523.01 534.70 A A 9.6.4 Interformaly Left Binx D C A A	9.6	2 DS1 UDIT (Recurring Fixed & per Mile)						
9.8.2.1 Over 25 is 00 Meis 53.13 32.30 A A 9.6.2.4 Over 25 is 00 Meis 53.13 32.30 A A 9.6.2.5 Intellation, Mechanial S1.01 27.0 53.01 C 9.6.2.5 Intellation, Mechanial S1.01 37.0 S1.01 C C 9.6.2.8 Discommution, Mechanized S2.01 S30.24 C C C 9.6.3 Obst.UDT (Recurring Fixed Sper Meis) S2.24.17 S10.00 A A 9.6.3.1 Over 25 b 59 Meis S22.10 S30.34 A A 9.6.3.2 Over 25 b 59 Meis S23.10 S30.34 A A 9.6.3.4 Discommution, Menal S30.34 A A A 9.6.3.5 Discommution, Menal S30.34 A A A 9.6.3.6 Discommution, Menal S30.34 A A A 9.6.3 Discommution, Menal S30.34 A A A 9.6.4 Interlinonally Left Bank C S40.4 A A								
9.8.2.4 Over 50 Miles 53.15 52.70 A A 9.8.2.5 Disconnection, Manual 53.15 52.70 C 9.8.2.5 Disconnection, Menual 53.15 C C 9.8.2.6 Disconnection, Menual 53.15 C C 9.8.3 Disconnection, Menual 52.10 A A 9.8.3 Disconnection, Menual 523.10 C C 9.8.3 Disconnection, Menual 523.10 Status A A 9.8.3.5 Instantion, Manual 523.10 Status A A 9.8.3.5 Disconnection, Menual 523.10 Status A A 9.8.3.5 Disconnection, Menual 523.10 Status A A 9.8.4 Disconnection, Menual 523.10 Status A A 9.8.5 Instantion, Menual Status Status C C 9.8.6 Instantion, Menual Status Status C C <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
9.6.2.5 instabilition, Marvail 9.8.37 0								
9.8.2.6 Disconnection, Manual 99.1.37 0 C 9.6.2.7 Installation, Mechanized 92.4.1.4 C 9.6.3 Disconnection, Mechanized 93.1.37 A A 9.6.3 Disconnection, Mechanized 92.4.1.4 A A 9.6.3.1 Over 0.10 SMIDs 52.2.4.1.7 \$10.000 A A 9.6.3.1 Over 0.10 SMIDs 52.2.4.1.7 \$10.000 A A 9.6.3.3 Over 2.0.5 Miles 52.3.0.1.8 \$30.3.0 A A 9.6.3.5 Disconnection, Manual 92.3.1.3 \$34.7.0 A A 9.6.3.6 Disconnection, Manual 92.3.1.1 \$34.7.0 C C 9.6.4 Instructure \$34.7.0 C C S C C S S C C C S C C C C C C C C C C C C C C C C C			400.10	φ2.70	\$260.80			С
9.6.2.8 Disconnetion, Mechanized 9.74.74 C 9.6.3 DOS UDIT (Recurring Faced & per Male, <		9.6.2.6 Disconnection, Manual			\$91.37			С
9.6.3 DSS UDIT (Plecuring Final & par Mile) Solution Solution Solution Solution A A 9.6.3.1 Over 0.6 Miles Solution Solution Solution Solution Solution A A 9.6.3.1 Over 0.6 Miles Solution Solution Solution A A 9.6.3.1 Over 0.6 Miles Solution Solution Solution A A 9.6.3.5 Instabilishon, Manual Solution Solution Solution A A 9.6.4 Instabilishon, Machanized Solution Solution Solution Solution A A 9.6.4 Instabilishon, Machanized Solution Solution Solution Solution A A 9.6.5 Intentionally Luft Blank C A A C A A 9.6.7 Dolono Mile Channelization (No Multipleong) Solution Solution C A A 9.6.10 Intentionally Luft Blank C A			I					
36.3.1 Over 10 to Miles \$224.72 \$310.60 A A 36.3.2 Over 10 to 50 Miles \$221.00 \$321.00 \$30.34 A A 36.3.3 Over 10 to 50 Miles \$231.00 \$30.34 A A 36.3.3 Over 20 to 50 Miles \$231.00 \$30.34 A A 36.3.1 Decomposition, Machanized \$231.00 \$30.40 A C 36.3.7 Decomposition, Machanized S20.80 \$24.14 C C 96.3.7 Installation, Mechanized S24.41 C		9.6.2.8 Disconnection, Mechanized	l		\$74.74	 		C
36.3.1 Over 10 to Miles \$224.72 \$310.60 A A 36.3.2 Over 10 to 50 Miles \$221.00 \$321.00 \$30.34 A A 36.3.3 Over 10 to 50 Miles \$231.00 \$30.34 A A 36.3.3 Over 20 to 50 Miles \$231.00 \$30.34 A A 36.3.1 Decomposition, Machanized \$231.00 \$30.40 A C 36.3.7 Decomposition, Machanized S20.80 \$24.14 C C 96.3.7 Installation, Mechanized S24.41 C	06	3 DS3 UDIT (Recurring Fixed & per Mile)	╢────					
9.6.3.2 Over 3 bit 25 Miles \$226.41 \$11.65 A A 9.6.3.3 Over 25 ho 50 Miles \$233.13 \$34.70 A A 9.6.3.4 Over 25 ho 50 Miles \$233.13 \$34.70 A A 9.6.3.5 Installation, Manual \$233.13 \$34.70 A A 9.6.3.5 Decomedion, Manual \$233.13 \$34.70 A A 9.6.3.6 Installation, Manual \$233.13 \$34.70 A A 9.6.3.5 Installation, Manual \$233.13 \$24.14 C C 9.6.4 Intentionally Loft Blank	3.0.		\$224.72	\$10.60	-	А	Α	
9.8.3.4 Over 50 Miles \$33.13 \$34.70 A A A 9.8.3.5 Installation, Marual \$31.37 C \$35.36 C \$35.36 C \$35.37 C C \$35.37 C C \$35.47 C C C \$35.47 C		9.6.3.2 Over 8 to 25 Miles	\$225.41	\$11.55		Α	Α	
9.8.3.5 Installation, Manual S260.80 C 9.8.3.7 Installation, Manual 91.7.7 C 9.8.3.7 Installation, Mechanized 93.7.7 C C 9.8.3.8 Disconnection, Mechanized 93.7.7 C C 9.8.4 Installation, Mechanized 93.7.7 C C 9.6.4 Intentionally Left Blank 93.7.7 C C 9.6.5 Intentionally Left Blank 93.7.7 C C 9.6.6 Intentionally Left Blank 93.7.7 C C 1 9.6.7 Channel Pedformance 93.7.7 C C 1 9.6.7 Channel Pedformance 511.23 C C 1 9.6.8 Intentionally Left Blank 1 1 1 1 1 9.6.9 Intentionally Left Blank 1 1 1 1 1 9.6.10 Intentionally Left Blank 1 1 1 1 9.6.11.1 Moral </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td> </td>								
9.6.3.6 Disconnection, Manual \$91.37 C 9.6.3.7 Interficiently Left Blank \$74.74 C 9.6.4 Interficiently Left Blank 1 1 9.6.5 Interficiently Left Blank 1 1 9.6.6 Interficiently Left Blank 1 1 1 9.6.6 Interficiently Left Blank 1 1 1 9.6.6 Interficiently Left Blank 1 1 1 1 9.6.7 Channel Performance 2 1			\$233.13	\$34.70	\$260.90	A	A	C
9.6.2.7 Installation, Mechanized \$3244.14 C 9.6.3.8 Disconnection, Mechanized \$74.74 C 9.6.4 Interilonally Left Blank S74.74 C 9.6.5 Interilonally Left Blank S6.7 S6.7 9.6.6 Interilonally Left Blank S6.7 S6.7 9.6.6 Interilonally Left Blank S6.7 S6.7 9.6.7 Diso Side Channelization (No Multiplexing) \$11.23 S6.7 9.6.8 Interilonally Left Blank S11.23 S6.7 9.6.9 Interilonally Left Blank S11.23 S6.7 9.6.10 Interilonally Left Blank S6.7 S6.7 9.6.11.1 Monual S14.34 S14.34 9.6.11.1 Monual S14.39 S14.39 9.6.11.2 Monual S14.34 S14.39 9.6.11.2 Monual S14.39 S14.39 9.6.11.2 Monual S14.39 E 9.6.11.2 Monual S14.39 E 9.6.11.2								
9.6.4 Intentionally Left Blank 1 1 1 9.6.5 Intentionally Left Blank 1 1 1 1 9.6.6 Intentionally Left Blank 1 1 1 1 9.6.6 Intentionally Left Blank 1 1 1 1 9.6.7 DS0 Low Side Channelization (No Multiplexing) \$11.23 C 1 9.6.8 Intentionally Left Blank 1 1 1 1 9.6.9 Intentionally Left Blank 1 1 1 1 1 9.6.10 Intentionally Left Blank 1								
9.6.5 Intentionally Left Blank 1 1 9.6.6 Intentionally Left Blank 1 1 9.6.7 Channel Performance 1 1 9.6.8 Intentionally Left Blank 1 1 9.6.7.1 DS0 Low Side Channelization (No Multiplexing) \$11.23 C 1 9.6.8 Intentionally Left Blank 1 1 1 9.6.8 Intentionally Left Blank 1 1 1 9.6.10 Intentionally Left Blank 1 1 1 9.6.11 DIT Rearrangement 1 1 1 9.6.11.1 Manual \$164.39 1 1 9.6.11.2 Machanized \$164.39 1 1 9.6.11.1 Manual \$164.39 1 1 9.6.11.2 Machanized \$164.39 1 1 9.6.11.2 Manual \$164.39 1 1 9.6.11.2 Machanized \$164.76 1 1 9.6.11.2		9.6.3.8 Disconnection, Mechanized			\$74.74			С
9.6.5 Intentionally Left Blank 1 1 9.6.6 Intentionally Left Blank 1 1 9.6.7 Channel Performance 1 1 9.6.8 Intentionally Left Blank 1 1 9.6.7.1 DS0 Low Side Channelization (No Multiplexing) \$11.23 C 1 9.6.8 Intentionally Left Blank 1 1 1 9.6.8 Intentionally Left Blank 1 1 1 9.6.10 Intentionally Left Blank 1 1 1 9.6.11 DIT Rearrangement 1 1 1 9.6.11.1 Manual \$164.39 1 1 9.6.11.2 Machanized \$164.39 1 1 9.6.11.1 Manual \$164.39 1 1 9.6.11.2 Machanized \$164.39 1 1 9.6.11.2 Manual \$164.39 1 1 9.6.11.2 Machanized \$164.76 1 1 9.6.11.2		A second second second second						
9.6.6 Intentionally Left Blank Image: Section of the s		·						
9.6.7 Channel Performance Image Image <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
9.6.7.1 DS0 Low Side Channelization (No Multiplexing) \$11.23 C C 9.6.8 Intentionally Left Blank Imtentionally Left Blank<	9.6	6 Intentionally Left Blank						
9.6.8 Intentionally Left Blank 1 1 1 1 9.6.9 Intentionally Left Blank 1 1 1 1 9.6.10 Intentionally Left Blank 1 1 1 1 9.6.11 UDIT Rearrangement 1 1 1 1 9.6.11.1 DSO, Dual Office 1 1 1 1 9.6.11.2 Mechanized 1 1 1 1 1 9.6.11.2 Mechanized 1	9.6							
9.6.9 Intentionally Left Blank 0 0 0 9.6.10 Intentionally Left Blank 0 0 0 9.6.10 Intentionally Left Blank 0 0 0 9.6.11 DSD, Dual Office 0 0 0 0 9.6.11.1 DSD, Dual Office 0 0 0 0 9.6.11.2 DSD, Single Office 0 0 0 0 9.6.11.2 DSD, Single Office 0		9.6.7.1 DS0 Low Side Channelization (No Multiplexing)	\$11.23			С		
9.6.9 Intentionally Left Blank 0 0 0 9.6.10 Intentionally Left Blank 0 0 0 9.6.10 Intentionally Left Blank 0 0 0 9.6.11 DSD, Dual Office 0 0 0 0 9.6.11.1 DSD, Dual Office 0 0 0 0 9.6.11.2 DSD, Single Office 0 0 0 0 9.6.11.2 DSD, Single Office 0	9.6	8 Intentionally Left Blank						
9.6.10 Intentionally Left Blank Image: Constraint of the second	3.0.							
9.6.11 UDIT Rearrangement Image: Constraint of the second	9.6	9 Intentionally Left Blank						
9.6.11.1 DS0, Dual Office Image: Start of the start	9.6	10 Intentionally Left Blank						
9.6.11.1 DS0, Dual Office Image: State of the state	9.6	11 UDIT Rearrangement						
9.6.11.1.2 Mechanized \$142.86 E 9.6.11.2 DS0, Single Office		9.6.11.1 DS0, Dual Office						
9.6.11.2 DS0, Single Office Image: Single Office <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
9.6.11.2.1 Manual \$124.78 E 9.6.11.2.2 Mechanized \$113.27 E 9.6.11.3.1 High Capacity, Dual Office \$113.27 E 9.6.11.3.1 Manual \$186.86 E 9.6.11.3.1 Mechanized \$175.5 E 9.6.11.3.2 Mechanized \$175.5 E 9.6.11.3.1 Manual \$186.86 E 9.6.11.3.1 Mechanized \$175.5 E 9.6.11.4.1 Mechanized \$177.5 E 9.6.11.4.1 Manual \$167.75 E 9.6.11.4.2 Mechanized \$167.75 E 9.6.12 Private Line / Special Access to UDIT Conversion \$84.49 1 9.6.12 Private Line / Special Access to UDIT Conversion \$84.49 1 9.7.1 Initial Records Inquiry (IRI) \$159.32 C 9.7.1.1 Simple \$230.315 C 9.7.2 Field Verification and Quote Preparation (FVQP) \$14.43.73 C 9.7.3 Engineering Verification \$239.83 E 9.7.4		9.6.11.1.2 Mechanized		-	\$142.88			E
9.6.11.2.1 Manual \$124.78 E 9.6.11.2.2 Mechanized \$113.27 E 9.6.11.3.1 High Capacity, Dual Office \$113.27 E 9.6.11.3.1 Manual \$186.86 E 9.6.11.3.1 Mechanized \$175.5 E 9.6.11.3.2 Mechanized \$175.5 E 9.6.11.3.1 Manual \$186.86 E 9.6.11.3.1 Mechanized \$175.5 E 9.6.11.4.1 Mechanized \$177.5 E 9.6.11.4.1 Manual \$167.75 E 9.6.11.4.2 Mechanized \$167.75 E 9.6.12 Private Line / Special Access to UDIT Conversion \$84.49 1 9.6.12 Private Line / Special Access to UDIT Conversion \$84.49 1 9.7.1 Initial Records Inquiry (IRI) \$159.32 C 9.7.1.1 Simple \$230.315 C 9.7.2 Field Verification and Quote Preparation (FVQP) \$14.43.73 C 9.7.3 Engineering Verification \$239.83 E 9.7.4		9.6.11.2 DS0, Single Office						
9.6.11.3 High Capacity, Dual Office Image: Constraint of the system Image: Consystem Image: C								
9.6.11.3.1 Manual \$186.86 E 9.6.11.3.2 Mechanized \$175.35 E 9.6.11.4 High Capacity, Single Office 1 1 9.6.11.4.1 Manual \$167.75 E 9.6.11.4.2 Mechanized \$167.75 E 9.6.12 Private Line / Special Access to UDIT Conversion \$84.49 1 9.7 Unbundled Dark Fiber (UDF) \$169.20 \$1 9.7.1 Initial Records Inquiry (IRI) \$159.32 C 9.7.1.1 Simple \$203.15 C 9.7.2 Field Verification and Quote Preparation (FVQP) \$1483.73 C 9.7.3 Engineering Verification \$239.83 E 9.7.4 UDF - Single Strand I I		9.6.11.2.2 Mechanized			\$113.27			E
9.6.11.3.1 Manual \$186.86 E 9.6.11.3.2 Mechanized \$175.35 E 9.6.11.4 High Capacity, Single Office 1 1 9.6.11.4.1 Manual \$167.75 E 9.6.11.4.2 Mechanized \$167.75 E 9.6.12 Private Line / Special Access to UDIT Conversion \$84.49 1 9.7 Unbundled Dark Fiber (UDF) \$169.20 \$1 9.7.1 Initial Records Inquiry (IRI) \$159.32 C 9.7.1.1 Simple \$203.15 C 9.7.2 Field Verification and Quote Preparation (FVQP) \$1483.73 C 9.7.3 Engineering Verification \$239.83 E 9.7.4 UDF - Single Strand I I		9.6.11.3 High Capacity, Dual Office	1					
9.6.11.4 High Capacity, Single Office Image: Complex index inde					\$186.86			Е
9.6.11.4.1 Manual \$167.75 E 9.6.11.4.2 Mechanized \$156.24 E 9.6.12 Private Line / Special Access to UDIT Conversion \$84.49 1 9.6.12 Private Line / Special Access to UDIT Conversion \$84.49 1 9.7 Unbundled Dark Fiber (UDF) 9.7.1 Initial Records Inquiry (IRI) 9.7.1 Simple 9.7.1.2 Complex \$159.32 C 9.7.2 Field Verification and Quote Preparation (FVQP) 9.7.3 Engineering Verification \$239.83 C 9.7.4 UDF - Single Strand		9.6.11.3.2 Mechanized			\$175.35			Е
9.6.11.4.1 Manual \$167.75 E 9.6.11.4.2 Mechanized \$156.24 E 9.6.12 Private Line / Special Access to UDIT Conversion \$84.49 1 9.6.12 Private Line / Special Access to UDIT Conversion \$84.49 1 9.7 Unbundled Dark Fiber (UDF) 9.7.1 Initial Records Inquiry (IRI) 9.7.1 Simple 9.7.1.2 Complex \$159.32 C 9.7.2 Field Verification and Quote Preparation (FVQP) 9.7.3 Engineering Verification \$239.83 C 9.7.4 UDF - Single Strand		06444 High Conseity Single Office	┨────					
9.6.11.4.2 Mechanized \$\$156.24 E 9.6.12 Private Line / Special Access to UDIT Conversion \$\$84.49 1 9.6.12 Private Line / Special Access to UDIT Conversion \$\$84.49 1 9.7 Unbundled Dark Fiber (UDF) 1 1 9.7.1 Initial Records Inquiry (IRI) 1 1 9.7.1.1 Simple \$\$159.32 C 9.7.1.2 Complex \$\$203.15 C 9.7.2 Field Verification and Quote Preparation (FVQP) \$\$239.83 C 9.7.3 Engineering Verification \$\$239.83 E 9.7.4 UDF - Single Strand I I			╂────	+	\$167 75	┣──		F
9.6.12 Private Line / Special Access to UDIT Conversion 1 1 9.6.12 Private Line / Special Access to UDIT Conversion 1 1 9.7 Unbundled Dark Fiber (UDF) 1 1 9.7.1 Initial Records Inquiry (IRI) 1 1 9.7.1.1 Simple 1 1 9.7.1.2 Complex \$\$159.32 C 9.7.2 Field Verification and Quote Preparation (FVQP) \$\$1,483.73 C 9.7.3 Engineering Verification \$\$239.83 E 9.7.4 UDF - Single Strand 1 1			1	1				
9.7 Unbundled Dark Fiber (UDF) Image: Constraint of the constra								
9.7.1 Initial Records Inquiry (IRI) Image: Stand	9.6	12 Private Line / Special Access to UDIT Conversion	┨─────		\$84.49			1
9.7.1 Initial Records Inquiry (IRI) Image: Stand	9.7 Unl	undled Dark Fiber (UDF)	1					
9.7.1.2 Complex \$203.15 C 9.7.2 Field Verification and Quote Preparation (FVQP) \$1,483.73 C 9.7.3 Engineering Verification \$239.83 C 9.7.4 UDF - Single Strand Image: Complex of the strand complex of the stran		1 Initial Records Inquiry (IRI)						
9.7.2 Field Verification and Quote Preparation (FVQP) 1 1 C 9.7.3 Engineering Verification 1 1 1 9.7.4 UDF - Single Strand 1 1 1								
9.7.3 Engineering Verification \$239.83 E 9.7.4 UDF - Single Strand Image: Constraint of the straint of		9.7.1.2 Complex	l		\$203.15		\vdash	C
9.7.3 Engineering Verification \$239.83 E 9.7.4 UDF - Single Strand Image: Constraint of the straint of	9.7	2 Field Verification and Quote Preparation (FVQP)	╂────	1	\$1,483.73			С
9.7.4 UDF - Single Strand								
	9.7	3 Engineering Verification	┨─────		\$239.83			E
	9.7	4 UDF - Single Strand	1	+				
	5.7.		1				L	

					Note
	Recurring	Recurring, per Mile	Non- Recurring	REC	Notes REC per Mile
9.7.4.1.1 Order Charge, per First Strand / Route / Order			\$055.04		
9.7.4.1.1.1 Installation, Manual 9.7.4.1.1.2 Disconnection, Manual			\$355.94 \$215.40		
9.7.4.1.1.2 Disconnection, Manual 9.7.4.1.1.3 Installation, Mechanized			\$215.40		
9.7.4.1.1.4 Disconnection, Mechanized			\$198.77		
9.7.4.1.2 Order Charge, Each Additional Strand / Route / Order			<i><i><i>ϕ</i>100111</i></i>		
9.7.4.1.2.1 Installation, Manual			\$200.96		
9.7.4.1.2.2 Disconnection, Manual			\$80.74		
9.7.4.1.2.3 Installation, Mechanized			\$200.96		
9.7.4.1.2.4 Disconnection, Mechanized	* 40.00		\$80.74	-	
9.7.4.1.3 Fiber Transport, per Strand / Route / Mile 9.7.4.1.4 Termination, per Strand	\$40.88 \$3.08			E	┝──┤
9.7.4.1.5 Fiber Cross-Connect, per Strand	\$3.08			E	
9.7.4.1.5.1 Installation	φ1.71		\$11.63		
9.7.4.1.5.2 Disconnect			\$5.05		
9.7.5 UDF - per Pair					
9.7.5.1 UDF - Interoffice Facilities (UDF-IOF), per Pair					
9.7.5.1.1 Order Charge, per First Pair / Route / Order				<u> </u>	\square
9.7.5.1.1.1 Installation, Manual			\$355.94		\vdash
9.7.5.1.1.2 Disconnection, Manual 9.7.5.1.1.3 Installation, Mechanized			\$215.40 \$220.21		┟──┤
9.7.5.1.1.3 Installation, Mechanized 9.7.5.1.1.4 Disconnection, Mechanized			\$339.31 \$198.77		┝─┤
9.7.5.1.2 Order Charge, Each Additional Pair / Route / Order			φ130.77		┝──┤
9.7.5.1.2.1 Installation, Manual			\$200.96		
9.7.5.1.2.2 Disconnection, Manual			\$80.74		
9.7.5.1.2.3 Installation, Mechanized			\$200.96		
9.7.5.1.2.4 Disconnection, Mechanized			\$80.74		
9.7.5.1.3 Fiber Transport, per Pair / Mile	\$53.14			С	$ \longrightarrow $
9.7.5.1.4 Termination, per Pair / Office	\$6.16			C	┝──┤
9.7.5.1.5 Fiber Cross-Connect, per Pair 9.7.5.1.5.1 Installation	\$3.42		\$11.63	С	
9.7.5.1.5.2 Disconnection			\$5.05		
0.1.0.1.0.2 Disconnection			φ0.00		
9.7.6 Dark Fiber Splice			\$472.20		
9.7.7 UDF MTE Subloop	ICB		ICB	3	
					\vdash
9.8 Intentionally Left Blank					
9.9 Unbundled Customer Controlled Rearrangement Element (UCCRE)					
9.9.1 DS1 Port	ICB		ICB	3	
9.9.2 DS3 Port	ICB		ICB		
9.9.3 Dial Up Access	ICB			3	
9.9.4 Attendant Access	ICB		100	3	$ \longrightarrow $
9.9.5 Virtual Ports			ICB	3	┝──┤
					├
0.10 Intentionally Left Plank					
9.10 Intentionally Left Blank					
9.10 Intentionally Left Blank 9.11 Intentionally Left Blank					
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank					
9.11 Intentionally Left Blank					
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank					
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank					
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank 9.14 Intentionally Left Blank					
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank					
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank 9.14 Intentionally Left Blank					
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank 9.14 Intentionally Left Blank 9.15 Intentionally Left Blank 9.16 Intentionally Left Blank					
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank 9.14 Intentionally Left Blank 9.15 Intentionally Left Blank					
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank 9.14 Intentionally Left Blank 9.15 Intentionally Left Blank 9.16 Intentionally Left Blank 9.17 Intentionally Left Blank					
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank 9.14 Intentionally Left Blank 9.15 Intentionally Left Blank 9.16 Intentionally Left Blank					
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank 9.14 Intentionally Left Blank 9.15 Intentionally Left Blank 9.16 Intentionally Left Blank 9.17 Intentionally Left Blank 9.18 Intentionally Left Blank					
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank 9.14 Intentionally Left Blank 9.15 Intentionally Left Blank 9.16 Intentionally Left Blank 9.17 Intentionally Left Blank					
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank 9.14 Intentionally Left Blank 9.15 Intentionally Left Blank 9.16 Intentionally Left Blank 9.17 Intentionally Left Blank 9.18 Intentionally Left Blank 9.19 Construction Charges			\$358.88		
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank 9.14 Intentionally Left Blank 9.15 Intentionally Left Blank 9.16 Intentionally Left Blank 9.17 Intentionally Left Blank 9.18 Intentionally Left Blank 9.19 Construction Charges 9.19.1 CLEC Requested UNE Construction (CRUNEC) - applies to Unbundled Dark Fiber, Unbundled			\$358.88 \$891.78		
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank 9.14 Intentionally Left Blank 9.15 Intentionally Left Blank 9.16 Intentionally Left Blank 9.17 Intentionally Left Blank 9.18 Intentionally Left Blank 9.19 Construction Charges 9.19.1 CLEC Requested UNE Construction (CRUNEC) - applies to Unbundled Dark Fiber, Unbundler 9.19.1.1 Records Quote Preparation Fee 9.19.1.2 Construction Quote Preparation Fee			\$891.78		
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank 9.14 Intentionally Left Blank 9.15 Intentionally Left Blank 9.16 Intentionally Left Blank 9.17 Intentionally Left Blank 9.18 Intentionally Left Blank 9.19 Construction Charges 9.19.1 CLEC Requested UNE Construction (CRUNEC) - applies to Unbundled Dark Fiber, Unbundler 9.19.1.1 Records Quote Preparation Fee 9.19.1.2 Construction Quote Preparation Fee Construction of Network Capacity, Facilities or Space for Access to or use of UNEs					
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank 9.14 Intentionally Left Blank 9.15 Intentionally Left Blank 9.16 Intentionally Left Blank 9.17 Intentionally Left Blank 9.18 Intentionally Left Blank 9.19 Construction Charges 9.19.1 CLEC Requested UNE Construction (CRUNEC) - applies to Unbundled Dark Fiber, Unbundler 9.19.1.1 Records Quote Preparation Fee 9.19.1.2 Construction Quote Preparation Fee			\$891.78		
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank 9.14 Intentionally Left Blank 9.15 Intentionally Left Blank 9.16 Intentionally Left Blank 9.17 Intentionally Left Blank 9.18 Intentionally Left Blank 9.19 Construction Charges 9.19.1 CLEC Requested UNE Construction (CRUNEC) - applies to Unbundled Dark Fiber, Unbundled 9.19.1 Records Quote Preparation Fee 9.19.1.2 Construction Quote Preparation Fee 0.19.1.2 Construction Quote Preparation Fee 0.19.1.2 Construction Quote Preparation Fee 0.19.1.2 Construction Quote Preparation Fee 0.19.2 Construction of Network Capacity, Facilities or Space for Access to or use of UNEs			\$891.78		
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank 9.14 Intentionally Left Blank 9.15 Intentionally Left Blank 9.16 Intentionally Left Blank 9.17 Intentionally Left Blank 9.18 Intentionally Left Blank 9.19 Construction Charges 9.19.1 CLEC Requested UNE Construction (CRUNEC) - applies to Unbundled Dark Fiber, Unbundled 9.19.1 Records Quote Preparation Fee 9.19.1.2 Construction of Network Capacity, Facilities or Space for Access to or use of UNEs 9.19.2 Miscellaneous Charges			\$891.78		
9.11 Intentionally Left Blank 9.12 Intentionally Left Blank 9.13 Intentionally Left Blank 9.14 Intentionally Left Blank 9.15 Intentionally Left Blank 9.16 Intentionally Left Blank 9.17 Intentionally Left Blank 9.18 Intentionally Left Blank 9.19 Construction Charges 9.19.1 CLEC Requested UNE Construction (CRUNEC) - applies to Unbundled Dark Fiber, Unbundled 9.19.1.1 Records Quote Preparation Fee 9.19.1.2 Construction Quote Preparation Fee 9.19.2 Construction of Network Capacity, Facilities or Space for Access to or use of UNES			\$891.78		

						Noto	
		Recurring	Recurring, per Mile	Non- Recurring	REC	Note: REC per Mile	
	9.20.1.2 Additional Engineering - Overtime			\$38.91			E
9.20.2	Additional Labor Installation, per Half Hour or fraction thereof						<u> </u>
	9.20.2.1 Additional Labor Installation - Overtime 9.20.2.2 Additional Labor Installation - Premium			\$8.94 \$17.89			E
0.20.2	Additional Labor Other (Optional Testing) and Half Haur or fraction thereof						
9.20.3	Additional Labor Other (Optional Testing), per Half Hour or fraction thereof 9.20.3.1 Additional Labor Other (Optional Testing) - Basic			\$27.42			E
	9.20.3.2 Additional Labor Other (Optional Testing) - Overtime 9.20.3.3 Additional Labor Other (Optional Testing) - Premium			\$36.62 \$45.84			E
				\$40.04			
9.20.4	Testing and Maintenance, per Half Hour or fraction thereof 9.20.4.1 Testing and Maintenance - Basic			\$29.13		<u> </u>	E
	9.20.4.2 Testing and Maintenance - Overtime			\$38.91			Е
	9.20.4.3 Testing and Maintenance - Premium			\$48.69			E
9.20.5	Maintenance of Service, per Half Hour or fraction thereof			0 07.10			
	9.20.5.1 Maintenance of Service - Basic 9.20.5.2 Maintenance of Service - Overtime			\$27.42 \$36.62			E
	9.20.5.3 Maintenance of Service - Premium			\$45.84			E
9.20.6	Additional Cooperative Acceptance Testing, per Half Hour or fraction thereof						
	9.20.6.1 Additional Cooperative Acceptance Testing - Basic 9.20.6.2 Additional Cooperative Acceptance Testing - Overtime			\$29.13 \$38.91			E
	9.20.6.3 Additional Cooperative Acceptance Testing - Overtime 9.20.6.3 Additional Cooperative Acceptance Testing - Premium			\$48.69			E
9.20.7	Nonscheduled Cooperative Testing, per Half Hour or fraction thereof					<u> </u>	──
5.20.7	9.20.7.1 Nonscheduled Cooperative Testing - Basic			\$29.13			E
	9.20.7.2 Nonscheduled Cooperative Testing - Overtime 9.20.7.3 Nonscheduled Cooperative Testing - Premium			\$38.91 \$48.69			E
				φ10.00			
9.20.8	Nonscheduled Manual Testing, per Half Hour or fraction thereof 9.20.8.1 Nonscheduled Manual Testing - Basic			\$29.13		<u> </u>	E
	9.20.8.2 Nonscheduled Manual Testing - Overtime			\$38.91			Е
	9.20.8.3 Nonscheduled Manual Testing - Premium			\$48.69			E
9.20.9	Cooperative Scheduled Testing, per Month			¢0.00			
	9.20.9.1 Cooperative Scheduled Testing - Loss 9.20.9.2 Cooperative Scheduled Testing - C-Message Noise			\$0.08 \$0.08			E
	9.20.9.3 Cooperative Scheduled Testing - Balance 9.20.9.4 Cooperative Scheduled Testing - Gain Slope			\$0.33 \$0.08			E
	9.20.9.5 Cooperative Scheduled Testing - C-Notched Noise			\$0.08			E
9.20.10	Manual Scheduled Testing, per Month						<u> </u>
0.20.10	9.20.10.1 Manual Scheduled Testing - Loss			\$0.16			Е
	9.20.10.2 Manual Scheduled Testing - C-Message Noise 9.20.10.3 Manual Scheduled Testing - Balance			\$0.16 \$0.66			E
	9.20.10.4 Manual Scheduled Testing - Gain Slope			\$0.16			Е
	9.20.10.5 Manual Scheduled Testing - C-Notched Noise			\$0.16			E
9.20.11	Additional Dispatch 9.20.11.1 Manual			\$46.59			E
	9.20.11.1 Manual 9.20.11.2 Mechanized			\$40.59			E
9.20.12	Date Change						
9.20.12	9.20.12.1 Manual			\$9.59			E
	9.20.12.2 Mechanized			\$6.40			E
9.20.13	Design Change						
	9.20.13.1 Design Change (Transport) 9.20.13.1.1 Manual			\$53.65		<u> </u>	E
	9.20.13.1.2 Mechanized			\$50.45			E
	9.20.13.2 Design Change (Loop) 9.20.13.3 CFA Change - 2/4 Wire Loop cutovers			\$30.00 \$5.00			1 1
9.20.14	Expedite Charge, per Order			\$100.00		\square	1
9.20.15	Cancellation Charge			ICB	\vdash		E, 3
9.20.16	Trouble Isolation, per Half Hour						
	9.20.16.1 During Business Hours 9.20.16.2 After Business Hours			\$28.07 \$37.55	┣──	\vdash	B
				ψ01.00			
9.20.17	Installation of Equipment, per Half Hour				┣──	\vdash	
	9.20.17.1 During Business Hours			\$32.00 Page 16			В

						Notes	1
9.20.17.2 After Business Hours		Recurring	Recurring, per Mile	Non- Recurring \$41.20	REC	REC per Mile	NRC B
0.00.40 Densis of Environment and Laki Jawa							
9.20.18 Repair of Equipment, per Half Hour 9.20.18.1 During Business Hours				\$32.00			В
9.20.18.2 After Business Hours				\$41.20			B
9.21 Channel Regeneration							<u> </u>
9.21.1 DS1		\$0.00		\$0.00	15		15
9.21.2 DS3		\$0.00		\$0.00	15		15
9.22 Intentionally Left Blank							
9.23 UNE Combinations 9.23.1 Intentionally Left Blank							
9.23.1 Intentionally Left Diank							
9.23.2 Intentionally Left Blank							
9.23.3 Intentionally Left Blank					\vdash		<u> </u>
*							
9.23.4 Intentionally Left Blank					\vdash		<u> </u>
9.23.5 Intentionally Left Blank							
9.23.6 Loop Mux Combo (LMC)							<u> </u>
9.23.6.1 Interconnection Tie Pairs (ITP), per Connection							
9.23.6.1.1 DS1		\$1.29			В		
9.23.6.1.2 DS3		\$15.26			В		
9.23.6.2 Loop Mux DS0 2-Wire Analog							
9.23.6.2.1 LMC 2-Wire Loop Installation							
9.23.6.2.1.1 First							
92362111	Installation Manual			\$126 75			E
<u>9.23.6.2.1.1.2</u> 9.23.6.2.1.1.3	Disconnection, Manual Installation, Mechanized			\$32.79 \$107.93			E
9.23.6.2.1.1.4	Disconnection, Mechanized			\$23.56			E
9.23.6.2.1.2 Each Additional							
9.23.6.2.1.2.1	Installation, Manual			\$89.66			E
9.23.6.2.1.2.2	Disconnection, Manual			\$14.61			E
<u>9.23.6.2.1.2.3</u> 9.23.6.2.1.2.4	Installation, Mechanized Disconnection, Mechanized			\$86.70 \$13.06			E
				\$10100			
9.23.6.2.2 2-Wire Analog Loop (uses rates i 9.23.6.2.2.1 Zone 1	rom 9.2.1.1)	\$11.26			F		
9.23.6.2.2.1 Zone 2		\$13.63			F		
9.23.6.2.2.3 Zone 3		\$16.92			F		
9.23.6.2.2.4 Zone 4 9.23.6.2.2.5 Zone 5		\$28.23 \$67.77			F		
9.23.6.3 Loop Mux DS0 4-Wire Analog 9.23.6.3.1 LMC 4-Wire Loop Installation							
9.23.6.3.1.1 First							
<u>9.23.6.3.1.1.1</u> 9.23.6.3.1.1.2	Installation, Manual Disconnection, Manual			\$126.75 \$32.79	\square		E
9.23.6.3.1.1.2 9.23.6.3.1.1.3	Installation, Mechanized			\$32.79 \$107.93			E
9.23.6.3.1.1.4	Disconnection, Mechanized			\$23.56			E
9.23.6.3.1.2 Each Additional					\vdash		<u> </u>
9.23.6.3.1.2.1	Installation, Manual			\$89.66			E
9.23.6.3.1.2.2	Disconnection, Manual			\$14.61 \$96.70			E
<u>9.23.6.3.1.2.3</u> 9.23.6.3.1.2.4	Installation, Mechanized Disconnection, Mechanized			\$86.70 \$13.06			E
9.23.6.3.2 4-Wire Analog Loop (uses rates i 9.23.6.3.2.1 Zone 1	rom 9.2.1.3)	\$21.38			F		<u> </u>
9.23.6.3.2.2 Zone 2		\$26.29			F		
9.23.6.3.2.3 Zone 3 9.23.6.3.2.4 Zone 4		\$32.69 \$54.66			F		<u> </u>
9.23.6.3.2.4 ZONE 4 9.23.6.3.2.5 Zone 5		\$131.66			F		<u> </u>
5.25.0.5.2.5 Zone 5		φ101100					

				1		Recurring	Recurring, per Mile	Non- Recurring	REC	Note Mile	
		9.23.6.4.1	LMC DS1 Loop					y			F
			9.23.6.4.1.1	First 9.23.6.4.1.1.1	Installation, Manual			\$172.99			-
				9.23.6.4.1.1.2	Disconnection, Manual			\$31.84			
				9.23.6.4.1.1.3	Installation, Mechanized			\$154.17			
				9.23.6.4.1.1.4	Disconnection, Mechanized			\$22.61			L
			0.00.0.4.4.0								_
			9.23.6.4.1.2	Each Additional 9.23.6.4.1.2.1	Installation, Manual			\$135.90			╈
				9.23.6.4.1.2.2	Disconnection, Manual			\$13.66			t
				9.23.6.4.1.2.3	Installation, Mechanized			\$132.94			T
				9.23.6.4.1.2.4	Disconnection, Mechanized			\$12.11			
		0.00.0.4.0	DC1 Canable		- 0 0 0 0)						╇
		9.23.6.4.2	9.23.6.4.2.1	Loop (uses rates fror Zone 1	19.2.3.3)	\$68.86			#		╈
			9.23.6.4.2.2	Zone 2		\$69.41			#		t
			9.23.6.4.2.3	Zone 3		\$69.08			#		T
			9.23.6.4.2.4	Zone 4		\$68.96			#		Ţ
			9.23.6.4.2.5	Zone 5		\$74.33			#	 	╀
	9.23.6.5	Private Line	/ Special Access	s to LMC Conversion				\$26.94	<u> </u>		+
							<u> </u>			L	t
	9.23.6.6		ombo (LMC)								Ţ
		9.23.6.6.1	Loop MUX DS			\$175.23		A 400.07	Α		_
			9.23.6.6.1.1 9.23.6.6.1.2	Installation, Manua Disconnection Man				\$103.97 \$31.84			╀
			9.23.6.6.1.3	Installation, Mecha				\$85.15			t
			9.23.6.6.1.4	Disconnection, Med				\$22.61			T
		9.23.6.6.2	Loop MUX DS			\$170.08			Α		Τ
			9.23.6.6.2.1	Installation, Manua				\$103.97			_
			9.23.6.6.2.2 9.23.6.6.2.3	Disconnection Man Installation, Mecha				\$31.84 \$85.15			┿
			9.23.6.6.2.4	Disconnection, Me				\$22.61			╈
			0.2010101211	Bioconnoodion, mo				\$22.01			t
	9.23.6.7			uses rate from 9.6.7.	1)						
		9.23.6.7.1	Intentionally Le		-	* 0.44			0		_
		9.23.6.7.2	DS1 / DS0 L00	w Side Channelizatio	n	\$6.41			С		╋
	9.23.6.8	LMC Rearra	ingement								t
		9.23.6.8.1	DS0					\$82.88			T
		9.23.6.8.2	High Capacity					\$110.02			_
9.23.7	Enhanced	Extended Loo	n (EEL) Link								+
9.23.7	9.23.7.1	EEL Loop, D									+
		9.23.7.1.1	EEL 2-Wire Lo	op Installation							Ť
			9.23.7.1.1.1								I
				9.23.7.1.1.1.1	Installation, Manual			\$226.09		<u> </u>	ł
				9.23.7.1.1.1.2 9.23.7.1.1.1.3	Disconnection, Manual Installation, Mechanized			\$73.38 \$213.16			+
				9.23.7.1.1.1.4	Disconnection, Mechanized			\$60.45		1	t
											t
			9.23.7.1.1.2	Each Additional	Lestelle de la					<u> </u>	ļ
				9.23.7.1.1.2.1 9.23.7.1.1.2.2	Installation, Manual Disconnection, Manual			\$156.43		<u> </u>	ł
				9.23.7.1.1.2.2	Installation, Manual			\$46.29 \$156.43	┣──	1	+
				9.23.7.1.1.2.4	Disconnection, Mechanized			\$46.29	L	L	t
											1
		9.23.7.1.2		Loop (uses rates fro	m 9.2.1.1)				-	<u> </u>	ļ
			9.23.7.1.2.1 9.23.7.1.2.2	Zone 1 Zone 2		\$11.26 \$13.63			F		+
			9.23.7.1.2.2	Zone 2 Zone 3		\$13.63			F		t
			9.23.7.1.2.4	Zone 4		\$28.23			F	L	t
			9.23.7.1.2.5	Zone 5		\$67.77			F		Ţ
	0.00.7.0	EELLang '	180 4 14/100							<u> </u>	ł
	9.23.7.2	EEL Loop, E 9.23.7.2.1	EEL 4-Wire Lo	on Installation						<u> </u>	+
		0.20.1.2.1	9.23.7.2.1.1	First						1	t
			·	9.23.7.2.1.1.1	Installation, Manual			\$226.09		1	1
				9.23.7.2.1.1.2	Disconnection, Manual			\$73.38			Ţ
				9.23.7.2.1.1.3	Installation, Mechanized			\$213.16			╀
				9.23.7.2.1.1.4	Disconnection, Mechanized			\$60.45			╀
											t
			9.23.7.2.1.2	Each Additional							
			9.23.7.2.1.2	Each Additional 9.23.7.2.1.2.1	Installation, Manual			\$156.43			Ţ
			9.23.7.2.1.2		Installation, Manual Disconnection, Manual Installation, Mechanized			\$156.43 \$46.29 \$156.43			1

										Note	es
						Recurring	Recurring, per Mile	Non- Recurring	REC	REC per Mile	
				9.23.7.2.1.2.4	Disconnection, Mechanized			\$46.29		<u> </u>	
		9.23.7.2.2	4-Wire Analog	Loop (uses rates fro	om 9.2.1.3)						+
			9.23.7.2.2.1	Zone 1		\$21.38			F		L
			9.23.7.2.2.2 9.23.7.2.2.3	Zone 2 Zone 3		\$26.29 \$32.69			F	┝──	+
			9.23.7.2.2.4	Zone 4		\$54.66			F		+
	·		9.23.7.2.2.5	Zone 5		\$131.66			F		
	0.00.7.0		204							└──	_
·	9.23.7.3	EEL Loop, D 9.23.7.3.1	EEL DS1 Loo	p Installation						<u> </u>	+
			9.23.7.3.1.1	First							T
				9.23.7.3.1.1.1	Installation, Manual			\$279.35		—	+
				9.23.7.3.1.1.2 9.23.7.3.1.1.3	Disconnection, Manual Installation, Mechanized			\$71.93 \$266.42		├──	╈
				9.23.7.3.1.1.4	Disconnection, Mechanized			\$58.99			+
			9.23.7.3.1.2	Each Additional 9.23.7.3.1.2.1	Installation, Manual			\$204.74	<u> </u>	—	+
				9.23.7.3.1.2.1	Disconnection, Manual			\$204.74	<u> </u>	<u> </u>	+
		<u> </u>		9.23.7.3.1.2.3	Installation, Mechanized			\$204.74			t
				9.23.7.3.1.2.4	Disconnection, Mechanized			\$30.68			Ţ
		9.23.7.3.2	DS1 Capabla	Loop (uses rates from	m 0 2 2 2)					├──	_
		3.23.7.3.2	9.23.6.3.2.1	Zone 1	iii 9.2.3.3)	\$68.86			#	<u> </u>	+
	·		9.23.6.3.2.2	Zone 2		\$69.41			#		T
			9.23.6.3.2.3	Zone 3		\$69.08			#	 	_
			9.23.6.3.2.4 9.23.6.3.2.5	Zone 4 Zone 5		\$68.96 \$74.33			# #	├──	_
			9.20.0.3.2.0	2016 5		\$74.00			Ŧ	<u> </u>	╈
	9.23.7.4	EEL Loop, D									T
		9.23.7.4.1	EEL DS3 Loop							—	+
			9.23.7.4.1.1	First 9.23.7.4.1.1.1	Installation, Manual			\$298.16		<u> </u>	+
				9.23.7.4.1.1.2	Disconnection, Manual			\$74.96			T
				9.23.7.4.1.1.3	Installation, Mechanized			\$285.22			T
				9.23.7.4.1.1.4	Disconnection, Mechanized			\$62.03		┝──	+
			9.23.7.4.1.2	Each Additional						<u> </u>	+
				9.23.7.4.1.2.1	Installation, Manual			\$223.54			T
				9.23.7.4.1.2.2	Disconnection, Manual			\$33.71			
				9.23.7.4.1.2.3	Installation, Mechanized			\$223.54 \$33.71		┝──	+
				9.23.7.4.1.2.4	Disconnection, Mechanized			\$33.71		<u> </u>	+
		9.23.7.4.2	DS3 Capable	Loop (uses rates from	m 9.2.3.4)						T
			9.23.7.4.2.1			\$745.93			#		1
			9.23.7.4.2.2 9.23.7.4.2.3	Zone 2 Zone 3		\$758.45 \$750.87			#	├──	_
			9.23.7.4.2.3	Zone 4		\$748.20			#	<u> </u>	+
			9.23.7.4.2.5	Zone 5		\$870.32			#		T
											1
	9.23.7.5	Intentionally	Left Blank							┝──	┿
	9.23.7.6	Private Line	/ Special Acces	s to EEL Conversion				\$26.94			+
											T
	9.23.7.7	EEL Rearrar 9.23.7.7.1	ngement DS0					\$82.88		┝──	+
		9.23.7.7.1	High Capacity	i				۵۵۲.00 \$110.02		<u> </u>	+
	·										T
	9.23.7.8	EEL Transpo								 	_
		9.23.7.8.1	9.23.7.8.1.1	Over 0 to 8 Miles	uses rates from 9.6.1)	\$16.59	\$0.10		А	Α	+
			9.23.7.8.1.2	Over 8 to 25 Miles		\$16.59	\$0.07		A	A	t
			9.23.7.8.1.3		S	\$16.58	\$0.07		А	Α	T
			9.23.7.8.1.4	Over 50 Miles		\$16.59	\$0.14		Α	A	╀
		9.23.7.8.2	DS1 (Recurrin	ng Fixed & per Mile) (uses rates from 9.6.2)				<u> </u>	┝──	+
	·		9.23.7.8.2.1	Over 0 to 8 Miles	· · ·	\$33.12	\$0.51		А	Α	Ť
			9.23.7.8.2.2	Over 8 to 25 Miles		\$33.12	\$0.65		Α	Α	Ţ
			9.23.7.8.2.3	Over 25 to 50 Miles	S	\$33.13	\$2.30 \$2.70		A	A	+
			9.23.7.8.2.4	Over 50 Miles		\$33.13	\$∠.70		A		+
									<u> </u>	<u> </u>	+
		9.23.7.8.3			uses rates from 9.6.3)						+
		9.23.7.8.3	DS3 (Recurrin 9.23.7.8.3.1 9.23.7.8.3.2	ng Fixed & per Mile) (Over 0 to 8 Miles Over 8 to 25 Miles		\$224.72 \$225.41	\$10.60 \$11.55		A	A A	+

						Notes	s
		Recurring	Recurring, per Mile	Non- Recurring	REC	REC per Mile	NRC
	9.23.7.8.3.4 Over 50 Miles	\$233.13	\$34.70		A	A	
	9.23.7.9 Intentionally Left Blank						
	9.23.7.10 EEL Multiplexing						
	9.23.7.10.1 DS1 to DS0	\$175.23			А		
	9.23.7.10.1.1 Installation, Manual 9.23.7.10.1.2 Disconnection, Manual			\$202.05 \$74.96			C C
	9.23.7.10.1.2 Disconnection, Manual 9.23.7.10.1.3 Installation, Mechanized			\$189.11			C
	9.23.7.10.1.4 Disconnection, Mechanized			\$62.03			С
	9.23.7.10.2 DS3 to DS1	\$170.08			A		
	9.23.7.10.2 500 0 501 9.23.7.10.2.1 Installation, Manual	\$170.00		\$202.05	~		С
	9.23.7.10.2.2 Disconnection, Manual			\$74.96			С
	9.23.7.10.2.3 Installation, Mechanized 9.23.7.10.2.4 Disconnection, Mechanized			\$189.11 \$62.03			C C
	9.2.3.7.10.2.4 Disconnection, inechanized			\$02.05			C
	9.23.7.11 EEL DS0 Channel Performance (uses rates from 9.6.7)	0 /// 00					
	9.23.7.11.1 DS0 Low Side Channelization 9.23.7.11.2 DS1 / DS0 Low Side Channelization	\$11.23 \$6.41			C C		
	9.23.7.12 Concentration Capability	ICB		ICB	3		3
10.0 Ancillar	/ Services	-					
10.1 L	ocal Number Portability						
1	0.1.1 LNP Queries	See FCC Tariff #1 Section 13 & 20		See FCC Tariff #1 Section 13 & 20	4		4
1	0.1.2 LNP Managed Cuts						
	10.1.2.1 Standard Managed Cuts, per Person, per Half Hour			\$27.38			1
	10.1.2.2 Overtime Managed Cuts, per Person, per Half Hour 10.1.2.3 Premium Managed Cuts, per Person, per Half Hour			\$35.43 \$43.49			1
				• •••••			
	11 / E911 0.2.1 911 / E911	No Charge		No Charge			
	0.2.1 011/E011	No onarge		No onarge			
10.3 V	/hite Pages Directory Listings, Facility Based Providers						
	0.3.1 Primary Listing	No Charge		No Charge			
,	0.3.2 Premium / Privacy Listings			Quant			
	0.3.2 Premium / Privacy Listings	General Exchange Tarifi Rate, Less Wholesale Discount	F	General Exchange Tariff Rate, Less Wholesale Discount			
10.4 C	irectory Assistance, Facility Based Providers						
	0.4.1 Local Directory Assistance, per Call 0.4.2 National Directory Assistance, per Call	\$0.35			A 2		
1	0.4.2 National Directory Assistance, per Call	\$0.36			2		
	0.4.3 Call Branding, Set- Up and Recording			\$10,500.00			2
	0.4.4 Loading Brand, per Switch	* •••••		\$175.00			2
1	0.4.5 Call Completion Link, per Call	\$0.09			2		
	irectory Assistance List Information						
	0.5.1 Initial Database Load, per Listing 0.5.2 Reload of Database, per Listing	\$0.0073 \$0.0073			E		
	0.5.3 Daily Updates, per Listing	\$0.0073			E		
	0.5.4 One-time Set-Up Fee, per Hour			\$67.43			2
1	0.5.5 Media Charges for File Delivery 10.5.5.1 Electronic Transmission (provided by the Company), per Listing	\$0.002			Е		
		\$0.00Z					
400 7	oll and Assistance Operator Services, Facility Based Providers 0.6.1 Option A - per Message						
		¢0.45	1		А		
	10.6.1.1 Operator Handled Calling Card	\$0.45		I			
	10.6.1.2 Machine Handled Calling Card	\$0.16			Α		

					Notes	
	Recurring	Recurring, per Mile	Non- Recurring		REC per Mile	
10.6.1.6 Busy Line Verify, per Call 10.6.1.7 Busy Line Interrupt	\$0.73 \$0.87			A		
10.6.1.8 Operator Assistance, per Call	\$0.35			A		
10.6.2 Option B - per Operator Work Second and Computer Handled Calls						
10.6.2.1 Operator Handled, per Operator Work Second	\$0.01			А		
10.6.2.2 Machine Handled, per Call	\$0.12			A		
10.6.2.3 Automated Coin Telephone Service 10.6.2.4 Call Branding, Set-Up & Recording	\$0.04		\$10,500.00	A		2
10.6.2.5 Loading Brand, per Switch			\$175.00			2
10.7 Access to Poles, Ducts, Conduits and Rights of Way (ROW)						
10.7.1 Pole Inquiry Fee, per Mile			\$322.64			С
10.7.2 Innerduct Inquiry Fee, per Mile			\$387.83			С
10.7.3 ROW Inquiry Fee, per Inquiry 10.7.4 ROW Document Preparation Fee			\$334.65 \$99.24			E
10.7.5 Field Verification Fee, per Pole			\$35.83			C
10.7.6 Field Verification Fee, per Manhole 10.7.7 Planner Verification, per Manhole			\$143.33 \$11.07			C E
10.7.7 Planner verification, per Manhole			\$74.43			E
10.7.9 Manhole Make-Ready Inspector, per Manhole			\$198.48			Е
10.7.10 Transfer of Responsibility 10.7.11 Pole Attachment Fee, per Foot, per Year			\$60.08			1
10.7.11.1 Urban	\$2.71			4		
10.7.11.2 Non-Urban	\$4.08			4		
10.7.12 Innerduct Occupancy Fee, per Foot, per Year 10.7.12.1 Microduct Occupancy Fee, per Mircoduct, per Foot, per Year	\$0.3700 \$0.2906			4		
10.7.13 Access Agreement Consideration			\$10.00			1
10.7.14 Make Ready			ICB			3
12.0 Operational Support Systems						
12.1 Development and Enhancements 12.1.1 Per Local Service Request			\$3.27			В
			\$3.27			
12.2 Ongoing Maintenance			A 0 7 0			
12.2.1 Per Local Service Request			\$3.76			В
12.3 Daily Usage Record File, per Record	\$0.000464			1		
17.0 Bona Fide Request Process						
17.1 Processing Fee			\$1,667.18			Е
NOTES: Unless otherwise indicated, all rates are pursuant to Washington Utilities and Transportation Commission Dockets: A: Generic Cost Docket, UT-960369 B: Docket UT-003013, Part A C: Docket UT-003013, Part B D: Docket UT-003013, Part C E: Docket UT-003013, Part D						
F: Docket UT-023003						
 # Denotes voluntary rate reduction. These rates are not subject to true up and will be applied on a going forward + Eschelon and Qwest have agreed to Bill and Keep pursuant to 7.3.1.2 of the Agreement. 	d basis. Deaveraged lo	oop and subloop (distribution and			<u> </u>
++ Negotiated rate until Commission approves a rate.						
+++ Negotiated rate for the term of the ICA.						
+++++ The nonrecurring charges for the EEL transport element are included in the EEL Loop and/or Multiplexed EEL for the EEL Transport. When an EEL transport circuit is commingled with a Private Line Channel Termination of Loop NRC.	nonrecurring charges. circuit, the nonrecurring	Therefore there i charge for the co	s no additional no ommingled EEL v	onrecu vill be t	rring c the EE	:harge EL
[1] Rates not approved in cost docket.						
[2] Market based rates not addressed in the Cost Docket. [3] Individual Case Basis						
[3] Individual Case Basis [4] Rate per FCC guidelines.						
[5] Intentionally Left Blank						
[6] Intentionally Left Blank						
[7] Intentionally Left Blank [8] Intentionally Left Blank						
[8] Intentionally Left Blank [9] Intentionally Left Blank						
[8] Intentionally Left Blank						

									Notes	S
					Recurring	Recurring, per Mile	Non- Recurring	REC	REC per Mile	NRC
	[13] The preliminary engineering and plann are also included in the virtual, caged credited to the final space construction	and cageless qu	ote preparation fees.	caged and cageless space construction ch . Upon completion of the collocation cons						
I	circulted to the initial space construction	i charge for the	conocation job.							
	[14] Qwest can't currently bill the existing r	0	1	d the lowest Bridge Tap Removal rate for	either Cable Un	loading or Bridge	Tap Removal.			