



STATE OF WASHINGTON

WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION

1300 S. Evergreen Park Dr. S.W., P.O. Box 47250 • Olympia, Washington 98504-7250  
(360) 664-1160 • TTY (360) 586-8203

Ref. No. Docket PG-080065

March 27, 2009

Jimmy Jordan  
Corporate HSE Manager  
Eka Chemicals Inc.  
1775 West Oak Commons Court  
Marietta, GA 30062

Dear Mr. Jordan:

**Re: 2008 Technical Assistance Visit, Moses Lake, Washington Facility**

Thank you for your letter dated December 2, 2008, addressing the findings of our technical assistance visit conducted at the Akzo Nobel-Eka Chemical (Akzo Nobel), Moses Lake Washington facility on October 20, 2008. With your response, we accept the proposals to bring these items into compliance. Docket number PG-080065 will be closed as of March 27, 2009.

We thank Akzo Nobel's personnel for their cooperation and assistance during this inspection. If you have any questions or comments regarding this inspection, please contact Joe Subsits at (360) 664-1322.

Sincerely,

Anne F. Soiza  
Pipeline Safety Director

cc: Calvin Greene, Eka Chemical, Inc.  
Lind Bingham, Eka Chemical, Inc.

