



David James  
Wildfire Resiliency Mgr.



# Avista Wildfire Resiliency Washington Transportation & Utilities Committee

April 27, 2022


# Agenda




Fire Season  
Outlook



Plan Performance  
and 2022 Goals



Risk Model  
Refresh




Communications  
Plan

# Fire Season Outlook



# Drought Monitor April 21, 2022

### Intensity

- None
- D0 (Abnormally Dry)
- D1 (Moderate Drought)
- D2 (Severe Drought)
- D3 (Extreme Drought)
- D4 (Exceptional Drought)
- No Data



# Washington Snow-Water Equivalent (4-21-22)





April 2022

6F° Colder than Normal





# California Snow-Water Equivalent (4-21-22)



**Less than  
50% Normal  
Snowpack**

# Summer Weather Outlook



“Intense heat domes used to be rare but have increased dramatically in recent years, a trend that is likely linked to human-caused climate change.”

# Risk Model Updates

# Wildfire Risk Models



Short Term –  
Operational (7 Day)



7-day National Weather Forecast, and  
Avista infrastructure health & performance



Geographical –  
Wildland Urban  
Interface



**Fire Risk between Forest Lands  
& Human Development**





Liability – Financial  
Exposure



Financial Risk measured broadly  
across all stakeholder groups

# Wildland Urban Interface (WUI) Refresh



Tiers 2 (orange) & 3 (red) included  
In Grid Hardening Program  
3,240 miles

# Wildland Urban Interface (WUI) Refresh

## Trends and Insights

Less Risk in Rural Areas


Increased Risk in Suburban Area

Slight Reduction in Overall Risk




# **Plan Performance & 2022 Goals**

# Plan Elements



# Risk Based Vegetation (results March 2022)




100% of Distribution & Transmission Lines Inspected in 2022

Reduce  
Tree  
Fall-Ins

40% System	4,416 Trees	Q2/Q3	5% System	239 Trees	Q2/Q3
------------	-------------	-------	-----------	-----------	-------



# Infrastructure Upgrades (results March 2022)



20%  
Target


98%  
Target

30%  
Target

600 Equipment Failures  
per year (5-yr average)

Reduce  
Equipment  
Failures

# Automated Dry Land Mode (results March 2022)



91%  
Target

62%  
Target

Q2-Q3


38%  
System





Red Flag  
Warnings

## Align Protection with Fire Risk

# Automated Dry Land Mode



# Operations & Emergency Response (results March 2022)



# Communications Plan

# Communications Plan



**SMS Text  
Email, Phone**

**Social  
Media**

**Elevated  
Fire Threat**

**Town Hall  
Meetings**

**Preparation  
Guides**

**Outreach to  
Vulnerable  
Customers**



**Thank You**