

CenturyLink
1600 7th Avenue, Room 1506
Seattle, Washington 98191
Phone: (206) 345-1574
Facsimile (206) 343-4040

Lisa A. Anderl
Associate General Counsel
Regulatory Law Department

October 10, 2012

*Via E-mail and
Overnight Delivery*

Mr. Dave Danner
Washington Utilities & Transportation Commission
1300 S. Evergreen Park Drive SW
P.O. Box 47250
Olympia, WA 98504-7250

Re: Consolidated
Docket No. UT-053036 – PacWest Complaint
Docket No. UT-053039 – Level 3 Communications Complaint
Correction to the Direct Testimony of William R. Easton

Dear Mr. Danner:

Pursuant to WAC 480-07-460(i), please find enclosed the original and four copies of the Confidential corrected Testimony of William R. Easton and corrected Confidential Exhibits WRE-12C and WRE-13C.

The correction to the Testimony is on Page 36. The redacted version of the testimony is unchanged.

Exhibit WRE-12C is revised to correct calculations related to interLCA circuits. Exhibit WRE-13C is revised to correct duplicate circuits included in the original analysis. Both exhibits are being provided in Confidential and Redacted format with the changes highlighted.

Pac-West and Level 3 will receive the testimony with the other party's confidential information redacted.

The electronic copy is being provided by e-mail.

Sincerely,



Lisa A. Anderl

LAA/mep
Enclosures
cc: All Parties of Record