



Qwest Corporation (Qwest or CTL-Q) Performance Results

Washington May 2016 - May 2017

Statistical parameters used to calculate whether PAP standards have been met or missed, and any applicable PAP payments, are sometimes required to be different than those used to calculate performance in this report. See the Reading Reports link on CenturyLink's Wholesale Website for details.

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
May 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,714	1,718	99.77%							
May 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,160,944	1,165,345	99.62%							
May 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	2,383	2,383	100.00%							
May 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	3,014	3,014	100.00%	0.00%	50,010	50,546	98.94%	10.24%	-5.521394	-4.356769
May 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	2,383	2,383	100.00%							
May 2017	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A	1	1	100.00%							
May 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	4,428,448	4,099,559	1.08							
May 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5,286,088	30,166	0.18							
May 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,600	30,600	100.00%							
May 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,600	30,600	100.00%							
May 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,600	30,600	100.00%							
May 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	43,200	43,200	100.00%							
May 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A	42,180	42,180	100.00%							
May 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	27,960	27,960	100.00%							
May 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
May 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
May 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	7	57.14%	49.49%	5	11	45.45%	49.79%	-0.485504	-1.295166
May 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
May 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	2	2	100.00%							
May 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	3	10	30.00%							
May 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	19	32	59.38%	49.11%	9	15	60.00%	48.99%	-0.284255	-1.172815
May 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	14	19	73.68%	44.03%	1.281552	-0.220872
May 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk	Parity	N/A	0	2	0.00%	0.00%						
May 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	5	7	71.43%	45.18%	13	18	72.22%	44.79%	-0.421941	-1.256522
May 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A	5	11	45.45%	49.79%	410	692	59.25%	49.14%	0.62257	-0.621504
May 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	1	1	100.00%	0.00%	2,358	4,409	53.48%	49.88%	-0.932528	-1.566937
May 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	Residence	Parity	N/A	142,255	1	142.25	0.00	26262.54	683	38.27	40.49	2.365618	0.438194
May 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	21.04	1	21.04	0.00	31342.07	820	38.13	42.18	-0.405328	-1.246422
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	34.43	7	4.58	3.05	75.47	11	6.53	5.36	-0.712428	-1.433126
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	1.09	1	1.09	0.00						
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	5.42	2	2.51	0.28	4:12	1	4:12	0.00		
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	57.27	10	5.45	3.03	N/A	4:12	1	4:12	0.00	
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	135.37	32	4.14	2.12	83.38	14	5.58	5.16	-1.027192	-1.624489
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	352.09	58	6.04	7.06	121214:15	3,498	34.39	83.01	-2.600497	-2.58099
May 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	10.44	2	5.22	1.22	73.34	16	4.36	5.02	0.565108	-0.656438
May 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	203.32	2	101.46	137.11						
May 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	28.38	7	4.05	4.19	73.34	16	4.36	5.02	-0.222394	-1.135206
May 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	70.28	10	7.03	5.42	32532.03	869	37.26	41.59	-2.275743	-2.383554
May 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	9	726	1.24%	11.06%	30	1,853	1.62%	12.62%	-0.68646	-1.417338
May 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	3	70,960	0.00%	0.65%	0	56,209	0.00%			
May 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	1	5.3	1.89%	13.61%	3,933	311,518	1.26%	11.17%	0.024854	-0.98489
May 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	1	223	0.45%	6.68%	35	2,596	1.35%	11.53%	-1.118067	-1.679737
May 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	2	1,952	0.10%	3.20%	1	996	0.10%	3.17%	0.016683	-0.989857
May 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	10	13,896	0.07%	2.68%	1	996	0.10%	3.17%	-0.273749	-1.166427
May 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	39	4,459	0.87%	9.31%	33	2,261	1.46%	11.99%	-1.889073	-2.148475
May 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	20	0.00%	0.00%	35	2,588	1.35%	11.55%	-0.521617	-1.317121
May 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	68	22,538	0.30%	5.48%	4,778	464,296	1.03%	10.09%	-10.566765	-7.424137
May 2017	Maintenance and Repair	MR-9B	Repair Appointments Met-Disp out MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	604	703	85.92%	34.78%	0.107175	-0.348772
May 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem O/c w/ TGSR excl	LIS Trunk	Parity	N/A	3	34,296	0.01%	0.16%						
May 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End O/c w/ TGSR excl	LIS Trunk	Parity	N/A	1	13,087	0.00%	0.05%						
May 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem O/c w/o TGSR excl	LIS Trunk	Diagnostic	N/A	3	34,296	0.01%							
May 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End O/c w/o TGSR excl	LIS Trunk	Diagnostic	N/A	1	13,087	0.00%							
May 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	6	6	1.00	0.00						
May 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	2,086	12	173.83	63.45	38,495	291	132.29	190.42	0.792619	-0.518122
May 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	6	6	100.00%	0.00%						
May 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	0	12	0.00%	0.00%	140	291	48.11%	49.96%	-3.268823	-2.987303
May 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	2	2	100.00%							
May 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	4	4	100.00%	0.00%	1	1	100.00%	0.00%		
May 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	64	74	86.49%							
May 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	26	27	96.30%	18.89%	2	2	100.00%	0.00%	-1.48354	-1.901928
May 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	24	25	96.00%							
May 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	2	50.00%							
May 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	10	10	100.00%	0.00%	1	1	100.00%	0.00%		
May 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	9	9	100.00%							
May 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	1	1	100.00%							
May 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	266	78	3.41							
May 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	87	19	4.58							
May 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	189	41	4.61							
May 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	12	4	3.00							
May 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	20	5	4.00							
May 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	7,331	7,338	99.90%							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6919.85	19,771	0.35							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15725.16	12,996	1.21							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22645.01	19,771	1.15							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3135.76	4,126	0.76							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3596.20	4,126	0.87							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	755.94	1,758	0.43							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1254.75	1,195	1.05							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2010.69	1,758	1.14							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3239.04	3,856	0.84							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7994.79	3,789	2.11							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11233.83	3,856	2.91							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8333.16	7,788	1.07							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14819.16	7,788	1.90							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2196.03	1,031	2.13							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	667.52	1,192	0.56							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2863.55	1,031	2.78							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3654.56	6,526	0.56							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7429.38	13,034	0.57							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11083.94	6,526	1.70							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	272.75	1,091	0.25							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	794.58	1,938	0.41							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1245.87	981	1.27							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2313.20	1,938	1.19							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2548.08	3,539	0.72							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	52664.64	2,766	19.04							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	55212.72	3,539	15.60							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8393.45	4,537	1.85							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7748.67	4,479	1.73							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	68673.36	6,979	9.84							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26253.76	6,311	4.16							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	46869.96	3,477	13.48							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3949.84	776	5.09							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15375.15	4,881	3.15							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3816.34	3,154	1.21							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times/Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5612.12	1,622	3.46							
May 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,078	2,591	80.20%							
May 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	35	59	59.32%							
May 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	369	471	78.34%							
May 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,078	2,085	99.66%							
May 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	35	36	97.22%							
May 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	369	369	100.00%							
May 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	4.51	1	4.51							
May 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	276.54	266	1.02							
May 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	35	35	100.00%							
May 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	398	398	100.00%							
May 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,871	1,871	100.00%							
May 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	8	8	100.00%							
May 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	153	154	99.35%							
May 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	453	453	100.00%							
May 2017	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	1	1	100.00%							
May 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	13	13	100.00%							
May 2017	Pre-Ordering	PO-9B	Unbundled Loops	Parity	N/A	N/A	3	15	20.00%	40.00%	5	69	7.25%	25.93%	-1.726785	-2.049811
April 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,481	1,485	99.73%							
April 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,646,953	1,647,293	99.98%							
April 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	2,559	2,559	100.00%							
April 2017	Billing	BI-4A	UNEs and Resale Aggregate	Parity	N/A	N/A	3,027	3,029	99.93%	2.57%	52,901	53,379	99.10%	9.42%	-4.713916	-3.865857
April 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	2,559	2,559	100.00%							
April 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,035,607	2,803,161	1.08							
April 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5182.71	26,034	0.20							
April 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	27,360	27,360	100.00%							
April 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	28,800	28,800	100.00%							
April 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	27,036	27,360	98.82%							
April 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	41,400	41,400	100.00%							
April 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A	40,125	40,125	100.00%							
April 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	25,500	25,500	100.00%							
April 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	-1,440	-1,440	100.00%							
April 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	1	1	100.00%							
April 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	9	77.78%	41.57%		5	13	38.46%	48.65%	-1.863661	-2.133025
April 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	3	4	75.00%							
April 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	21	34	61.76%							
April 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	16	24	66.67%	47.14%	5	15	33.33%	47.14%	-2.148345	-2.306101
April 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	0.00%	0.00%		9	10	90.00%	30.00%	1.690622	0.027825
April 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	2	2	100.00%	0.00%		
April 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	2	4	50.00%	50.00%	9	10	90.00%	30.00%	0.931397	-0.433751
April 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	20	21	95.24%	21.30%	448	716	62.57%	48.39%	-3.049054	-2.853693
April 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	2	2	100.00%	0.00%	2,338	4,309	54.26%	49.82%	-1.789238	
April 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	26.23	2	13.11	10.36	34254.09	729	46.59	139.07	-1.20891	
April 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	22.51	9	2.32	1.06	59.54	11	5.27	1.53	-3.448004	-3.096724
April 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	12.48	4	3.12	2.19						
April 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	175.20	34	5.09	4.20						
April 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	133.05	24	5.33	8.43	69.26	13	5.20	1.45	-0.281926	-1.171399
April 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	387.19	60	6.27	7.19	114458.15	3,510	32.37	53.13	-3.774848	-3.294945
April 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	10.26	2	5.13	1.32	24.56	7	3.34	3.49	0.658838	-0.599455
April 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	2.38	1	2.38	0.00	4.30	2	2.15	1.22	-0.709523	-1.431359
April 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	12.50	4	3.13	1.51	24.56	7	3.34	3.49	-0.147714	-1.089804
April 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	18.13	6	3.02	1.33	34869.13	759	45.56	136.32	-0.766721	-1.466133
April 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	2	2	100.00%	0.00%	0	1	0.00%	0.00%	0.430727	-0.738136
April 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	9	11.11%	31.43%	4	15	26.67%	44.22%	-0.83428	-1.507206
April 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	4	0.00%	0.00%						
April 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1	34	2.94%	16.90%						
April 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	1	24	4.17%	19.98%	4	15	26.67%	44.22%	-1.545847	-1.939808
April 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	8	60	13.33%	33.99%	464	3,845	12.07%	32.58%	0.147764	-0.910166

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
April 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	3	10	30.00%	45.83%	-0.845154	-1.513817
April 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	2	0.00%	0.00%		
April 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	4	0.00%	0.00%	3	10	30.00%	45.83%	-1.106567	-1.672745
April 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	6	0.00%	0.00%	102	826	12.35%	32.90%	-0.916083	-1.556939
April 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	11	1,315	0.84%	9.11%	23	2,311	1.00%	9.93%	-0.462955	-1.281457
April 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	70,432	0.00%	0.00%	4	56,425	0.01%	0.84%	-1.191819	-1.24574
April 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	55	0.00%	0.00%	3,821	314,401	1.22%	10.96%	-0.822517	-1.500055
April 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	2	222	0.90%	9.45%	25	2,636	0.95%	9.69%	-0.070135	-1.042639
April 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	4	2,003	0.20%	4.46%	0	912	0.00%			
April 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	34	14,115	0.24%	4.90%	0	912	0.00%			
April 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	28	4,514	0.62%	7.85%	25	2,361	1.06%	10.24%	-1.687065	-2.025662
April 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	20	0.00%	0.00%	25	2,628	0.95%	9.71%	-0.436618	-1.265445
April 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	66	22,749	0.29%	5.38%	4,671	468,461	1.00%	9.94%	-10.480798	-7.371873
April 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	4	33,576	0.01%	0.14%						
April 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	1	12,967	0.01%	0.05%						
April 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	11	33,960	0.03%							-2.976624
April 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Diagnostic	N/A	4	13,087	0.03%							
April 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	1,892	22	86.00%	86.93	36,629	302	121.29	184.78	-0.864812	-1.525769
April 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	0	22	0.00%	0.00%	155	302	51.32%	49.98%	-6.449963	-3.826977
April 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	4	4	100.00%	0.00%		
April 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	83	96	86.46%							
April 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	N/A	12	12	100.00%	0.00%	1	1	100.00%	0.00%		
April 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	13	16	81.25%							
April 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	3	3	100.00%							
April 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%						
April 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	10	10	100.00%							
April 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	1	3	33.33%	47.14%	1	1	100.00%	0.00%	0	-1
April 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	2	2	100.00%							
April 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	397	105	3.78							
April 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	55	12	4.58							
April 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	132	26	5.08							
April 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	13	3	4.33							
April 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	12	6	2.00							
April 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	17	3	5.67							
April 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	13	3	4.33							
April 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	5	5	100.00%	0.00%	4	4	100.00%	0.00%		
April 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	137	145	94.48%	22.83%	6	6	100.00%	0.00%	-0.574733	-1.349413
April 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	15	16	93.75%	24.21%	1	2	50.00%	50.00%	-1.166667	-1.709283
April 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	30	33	90.91%	28.75%	1,695	1,814	93.44%	24.76%	0.322033	-0.804218
April 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	4,952	4,964	99.76%							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6935.60	19,816	0.35							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15437.18	12,758	1.21							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22372.78	19,816	1.13							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3261.96	4,182	0.78							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3800.82	4,182	0.91							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	762.82	1,774	0.43							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1213.38	1,134	1.07							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	1976.20	1,774	1.11							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3337.66	3,881	0.86							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7926.68	3,739	2.12							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11264.34	3,881	2.90							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8015.72	7,562	1.06							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6372.60	5,590	1.14							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14388.32	7,562	1.90							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2171.19	1,029	2.11							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	644.76	1,194	0.54							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2815.95	1,029	2.74							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3576.72	6,387	0.56							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7980.80	13,760	0.58							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11557.52	6,387	1.81							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	245.04	1,021	0.24							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	803.19	1,959	0.41							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1160.46	921	1.26							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2208.69	1,959	1.13							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2507.01	3,531	0.71							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	52012.08	2,726	19.08							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	54519.09	3,531	15.44							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8412.78	4,523	1.86							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7846.64	4,562	1.72							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	68643.84	6,976	9.84							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26307.84	6,324	4.16							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	46802.56	3,472	13.48							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3944.75	775	5.09							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15057.00	4,780	3.15							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3787.20	3,156	1.20							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times/Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5676.92	1,636	3.47							
April 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,199	2,774	79.27%							
April 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	33	97	34.02%							
April 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	435	53								

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score	
April 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	24.06	3	8.02								
April 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	169.06	222	0.46								
April 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	573	573	100.00%								
April 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	435	435	100.00%								
April 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,985	1,985	100.00%								
April 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	137	137	100.00%								
April 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	145	148	97.97%								
April 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	446	446	100.00%								
April 2017	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	1	1	100.00%								
April 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	11	11	100.00%								
April 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	10	31	32.26%	46.75%	3	80	3.75%		19.00%	-7.092773	-5.3121
April 2017	Pre-Ordering	PO-9C	LIS Trunks	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%		0.00%		
March 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,773	1,774	99.94%								
March 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,649,104	1,649,104	100.00%								
March 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	2,421	2,421	100.00%								
March 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,760	2,763	99.89%	3.29%	50,152	50,697	98.92%	10.31%	-4.797118	-3.91644	
March 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	2,421	2,421	100.00%								
March 2017	Collocation	CP-2B	Non-Forecasted and Late Forecasted Collocations	All	Diagnostic	N/A	1	1	100.00%								
March 2017	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A	1	1	100.00%								
March 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	4,321,230	4,010,738	1.08								
March 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5922.79	32,793	0.18								
March 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,600	30,600	100.00%								
March 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,600	30,600	100.00%								
March 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,600	30,600	100.00%								
March 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	43,200	43,200	100.00%								
March 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A	42,180	42,180	100.00%								
March 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	27,960	27,960	100.00%								
March 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0									
March 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0									
March 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	9	10	90.00%	30.00%	14	22	63.64%	48.10%	-1.436995	-1.873631	
March 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	3	6	50.00%								
March 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	13	24	54.17%								
March 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	23	37	62.16%		16	25	64.00%	48.00%	-0.125282	-1.076166	
March 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	6	8	75.00%	43.30%	5	15	33.33%	47.14%	-2.018932	-2.227424	
March 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	1	1	100.00%								
March 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	5	15	33.33%	47.14%	-1.369306	-1.832479	
March 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	14	25	56.00%	49.64%	488	809	60.32%	48.92%	0.239373	-0.854471	
March 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	Residence	Parity	N/A	12.24	1	12.24	0.00	36422.09	859	42.24	47.54	-5.166629	-4.141087	
March 2017	Maintenance and Repair	MR-6C	Mean Time to Restore no dispatch	Residence	Parity	N/A	1.51	2	0.55	0.32	3940.28	246	16.01	24.19	-0.874383	-1.531587	
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	32.31	10	3.15	3.06	75.09	16	4.42	4.03	-0.844455	-1.537704	
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	28.54	6	4.49	3.04							
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	127.40	24	5.19	3.56							
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	153.46	37	4.09	3.14	84.52	18	4.43	4.00	-0.487258	-1.296232	
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	764.05	66	11.35	17.10	160922.45	4,230	38.03	41.18	-5.166629	-4.141087	
March 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	29.59	8	3.45	2.58	84.25	13	6.30	3.55	-1.557928	-1.947153	
March 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	2.21	1	2.21	0.00							
March 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1.21	1	1.21	0.00	84.25	13	6.30	3.55	-1.263762	-1.768313	
March 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	15.55	3	5.18	2.15	41977.26	1,045	40.10	45.33	-1.323626	-1.804707	
March 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	Residence	Parity	N/A	1	1	100.00%	0.00%	102	901	11.32%	31.68%	1.204539	-0.267692	
March 2017	Maintenance and Repair	MR-7C	Repair Repeat Report Rate-no dispatch	Residence	Parity	N/A	1	2	50.00%	50.00%	36	284	12.68%	33.27%	0.698604	-0.575279	
March 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	10	10.00%	30.00%	3	25	12.00%	32.50%	-0.164488	-1.100002	
March 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	6	0.00%	0.00%							
March 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1	24	4.17%	19.98%							
March 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	6	37	16.22%	36.86%	3	25	12.00%	32.50%	0.076441	-0.953527	
March 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	4	66	6.06%	23.86%	612	4,713	12.99%	33.61%	-0.662009	-2.01043	
March 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	8	50.00%	50.00%	4	15	26.67%	44.22%	0.668414	-0.595822	
March 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	1	0.00%	0.00%							
March 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	4	15	26.67%	44.22%	0.488776	-0.702845	
March 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	3	0.00%	0.00%	121	1,126	10.75%	30.97%	-0.600195	-1.364893	
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	18	1,327	1.36%	11.57%	37	2,358	1.57%	12.43%	-0.498686	-1.30318	
March 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	0	69,904	0.00%		0	56,137	0.00%				
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	3	58	5.17%	22.15%	4,813	317,622	1.52%	12.22%	1.571005	-0.044897	
March 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	222	0.00%	0.00%	40	2,682	1.49%	12.12%	-1.761859	-2.071134	
March 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	6	2,062	0.29%	5.39%	0	917	0.00%				
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	25	14,237	0.18%	4.19%	0	917	0.00%				
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	38	4,567	0.83%	9.08%	40	2,399	1.67%	12.80%	-2.587143	-2.572871	
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	21	0.00%		40	2,675	1.50%	12.14%	-0.562408	-1.34192	
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	69	23,031	0.30%	5.47%	5,839	473,114	1.23%	11.04%	-12.544571	-8.626558	
March 2017	Maintenance and Repair	MR-9B	Repair Appointments Met-Disp out MSA	Residence	Parity	N/A	1	1	100.00%	0.00%	781	901	86.68%	33.98%	-0.391764	-1.238175	
March 2017	Maintenance and Repair	MR-9C	Repair Appointments Met-No Dispatch	Residence	Parity	N/A	2	2	100.00%	0.00%	270	284	95.07%	21.65%	-0.320903	-1.195095	
March 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem O/c w/ TGRS excl	LIS Trunk	Parity	N/A	0	33,792	0.00%	0.01%							
March 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End O/c w/ TGRS excl	LIS Trunk	Parity	N/A	5	13,087	0.04%	0.38%							
March 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem O/c w/o TGRS excl	LIS Trunk	Diagnostic	N/A	17	33,888	0.05%								
March 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End O/c w/o TGRS excl	LIS Trunk	Diagnostic	N/A	5	13,087	0.04%								
March 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	10	2	5.00								

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	4	4	100.00%	0.00%		
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%	2	2	100.00%							
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	123	142	86.62%							
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	33	51	64.71%	47.79%						
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	59	73	80.82%							
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	1	100.00%							
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	3	3	100.00%	0.00%						
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	1	1	100.00%							
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	0	9	0.00%	0.00%	4	4	100.00%	0.00%	2.989188	0.817297
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	2	2	100.00%							
March 2017	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00	3	1	3.00							
March 2017	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	6.00	3	1	3.00							
March 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	71	8	8.88							
March 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	308	92	3.35							
March 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	381	43	8.86							
March 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	338	48	7.04							
March 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	3	1	3.00	0.00						
March 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	63	9	7.00							
March 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	9	2	4.50							
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	5	5	100.00%	0.00%	4	4	100.00%	0.00%		
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	2	2	100.00%	0.00%	5	5	100.00%	0.00%		
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	2	2	100.00%	0.00%	2	2	100.00%	0.00%		
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	143	151	94.70%	22.40%	2	2	100.00%	0.00%	-1.269299	-1.771679
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	60	60	100.00%	0.00%	4	4	100.00%	0.00%		
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	73	76	96.05%	19.47%	1,888	2,014	93.74%	24.22%	-0.815887	-1.496024
March 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	3,221	3,241	99.38%							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6937.00	19,820	0.35							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15473.48	12,788	1.21							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22410.48	19,820	1.13							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3193.52	4,202	0.76							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3721.18	4,202	0.89							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	737.02	1,714	0.43							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1235.96	1,166	1.06							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	1972.98	1,714	1.15							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3284.34	3,819	0.86							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	8121.30	3,795	2.14							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11405.64	3,819	2.99							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8027.76	7,719	1.04							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6542.40	5,640	1.16							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14570.16	7,719	1.89							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2299.50	1,095	2.10							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	635.60	1,135	0.56							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2935.10	1,095	2.68							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3602.34	6,671	0.54							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7477.26	13,118	0.57							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11079.60	6,671	1.66							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	268.00	1,072	0.25							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	853.55	1,985	0.43							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1244.16	972	1.28							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2365.71	1,985	1.19							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2346.00	3,450	0.68							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	52038.72	2,736	19.02							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	54384.72	3,450	15.76							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8373.10	4,526	1.85							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7748.67	4,479	1.73							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67292.68	6,916	9.73							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26232.15	6,321	4.15							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	47050.96	3,368	13.97							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3882.75	775	5.01							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	14996.64	4,776	3.14							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3795.60	3,163	1.20							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5626.95	1,631	3.45							
March 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,824	3,588	78.71%							
March 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	43	112	38.39%							
March 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	443	546	81.14%							
March 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,824	2,837	99.54%							
March 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	43	44	97.73%							
March 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	443	445	99.55%							
March 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	57.35	3	19.12							
March 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	407.07	319	1.17							
March 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	560	560	100.00%							
March 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	416	416	100.00%							
March 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,513	2,513	100.00%							
March 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	162	162	100.00%							
March 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	168	177	94.92%							
March 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	574	575	99.83%							
March 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks	LIS Trunk	Benchmark	85.00%	12	15	80.00%							
March 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	21	89	23.60%	42.46%	1	87	1.15%	10.66%	-13.967183	-9.491445
February 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,492	1,493	99.93%							
February 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,657,898	1,658,447	99.97%							
February 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	4,755	4,755	100.00%							
February 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,944	2,945	99.97%	1.84%						

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
February 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	4,755	4,755	100.00%							
February 2017	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days		Diagnostic	N/A	2	2	100.00%							
February 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,967,622	2,759,277	1.08							
February 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	4833.46	27,365	0.18							
February 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	27,360	27,360	100.00%							
February 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	27,360	27,360	100.00%							
February 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	27,360	27,360	100.00%							
February 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	38,880	38,880	100.00%							
February 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	37,860	37,860	100.00%							
February 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	24,720	24,720	100.00%							
February 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
February 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
February 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	5	10	50.00%	50.00%	5	12	41.67%	49.30%	-0.394771	-1.240004
February 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	6	10	60.00%							
February 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	4	13	30.77%							
February 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	30	53	56.60%	49.56%	6	13	46.15%	49.85%	-0.677282	-1.411758
February 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	7	42.86%	49.49%	14	26	53.85%	49.85%	0.092133	-0.943987
February 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
February 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	5	7	71.43%	45.18%	14	26	53.85%	49.85%	-0.828278	-1.503557
February 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A	4	13	30.77%	46.15%	384	798	48.12%	49.96%	0.960964	-0.415775
February 2017	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	Residence	Parity	N/A	142.17	2	71.08	34.25	182510.49	3,497	52.11	146.11	1.112321	-0.323757
February 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	Residence	Parity	N/A	24.44	1	24.44	0.00	34886.49	750	46.31	45.09	-0.482144	-1.293122
February 2017	Maintenance and Repair	MR-6C	Mean Time to Restore no dispatch	Residence	Parity	N/A	1.15	1	1.15	0.00	3370.50	232	14.32	23.00	-0.575951	-1.350153
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	49.01	10	4.54	3.50	62.38	10	6.16	3.42	-0.824277	-1.501125
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	78.00	10	7.48	15.45	0.14	1	0.14	0.00		
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	69.24	13	5.20	2.56	0.14	1	0.14	0.00		
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	261.36	53	4.56	4.13	64.53	11	5.54	3.42	-0.783685	-1.476446
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	1012.28	89	11.23	13.27	205864.42	4,253	48.24	133.45	-2.584827	-2.571463
February 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	43.57	7	6.17	6.59	119.10	20	5.58	4.14	0.230118	-0.860098
February 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	10.11	1	10.11	0.00						
February 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	44.43	7	6.23	10.59	119.10	20	5.58	4.14	0.302855	-0.815877
February 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	23.20	4	5.50	2.59	45881.08	1,014	45.15	45.21	-1.734524	-2.054516
February 2017	Maintenance and Repair	MR-7A	Repair Repeat Rpt Rate-Disp w/i MSA	Residence	Parity	N/A	1	2	50.00%	50.00%	533	3,711	14.36%	35.07%	0.62195	-0.621881
February 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	90	784	11.48%	31.88%	-0.359886	-1.218795
February 2017	Maintenance and Repair	MR-7C	Repair Repeat Report Rate-no dispatch	Residence	Parity	N/A	1	1	100.00%	0.00%	24	271	8.86%	28.41%	1.329074	-0.19198
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	10	20.00%	40.00%	5	14	35.71%	47.92%	-0.792091	-1.481557
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	10	0.00%	0.00%	0	1	0.00%	0.00%		
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	13	0.00%	0.00%	0	1	0.00%	0.00%		
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	9	53	16.98%	37.55%	5	14	35.71%	47.92%	-1.30106	-1.790988
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	13	89	14.61%	35.32%	643	4,679	13.74%	34.43%	0.115329	-0.929885
February 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	7	0.00%	0.00%	5	26	19.23%	39.41%	-1.145919	-1.69667
February 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
February 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	7	0.00%	0.00%	5	26	19.23%	39.41%	-1.145919	-1.69667
February 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	1	4	25.00%	43.30%	130	1,084	11.99%	32.49%	0.248538	-0.848899
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	17	1,329	1.28%	11.24%	38	2,403	1.58%	12.48%	-0.708612	-1.430806
February 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	69,712	0.00%	0.38%	0	56,185	0.00%			
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	4	60	6.67%	24.94%	4,766	320,805	1.49%	12.10%	2.247713	0.366512
February 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	218	0.00%	0.00%	40	2,738	1.46%	12.00%	-1.730222	-2.0519
February 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	10	2,113	0.47%	6.86%	1	931	0.11%	3.28%	2.83931	0.726178
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	13	14,375	0.09%	3.01%	1	931	0.11%	3.28%	-0.153252	-0.193171
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	60	4,600	1.30%	11.35%	39	2,441	1.60%	12.54%	-0.934313	-1.568022
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	22	0.00%	0.00%	40	2,731	1.46%	12.01%	-0.569564	-1.34627
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	93	23,371	0.40%	6.30%	5,763	477,563	1.21%	10.92%	-11.057182	-7.22289
February 2017	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/i MSA	Residence	Parity	N/A	0	2	0.00%	0.00%	2,828	3,711	76.21%	42.58%	1.582545	-0.037881
February 2017	Maintenance and Repair	MR-9B	Repair Appointments Met-Disp out MSA	Residence	Parity	N/A	1	1	100.00%	0.00%	665	784	84.82%	35.88%	-0.422752	-1.257015
February 2017	Maintenance and Repair	MR-9C	Repair Appointments Met-No Dispatch	Residence	Parity	N/A	1	1	100.00%	0.00%	255	271	94.10%	23.57%	-0.250029	-1.152007
February 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGRS excl	LIS Trunk	Parity	N/A	15	32,664	0.04%	0.34%						
February 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGRS excl	LIS Trunk	Parity	N/A	1	12,967	0.00%	0.04%						
February 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGRS excl	LIS Trunk	Diagnostic	N/A	43	33,840	0.13%							
February 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGRS excl	LIS Trunk	Diagnostic	N/A	3	13,063	0.02%							
February 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	48	1	48.00							
February 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	594	13	45.69	35.56	296	2	148.00	135.76	-1.26886	-1.771412
February 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	120	9	13.33	7.28						
February 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	1,706	21	81.24	55.19	31,722	304	104.35	174.60	-0.586626	-1.356643
February 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	4	13	30.77%	46.15%						
February 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	9	9	100.00%	0.00%	2	2	100.00%	0.00%		
February 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	5	21	23.81%	42.59%	138	304	45.39%	49.79%	-1.921503	-2.168191
February 2017	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A	1	1	100.00%	0.00%	823	829	99.28%	8.48%	-0.085332	-1.051878
February 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	1	100.00%							
February 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	148	159	93.08%							
February 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	25	30	83.33%	37.27%	4	4	100.00%	0.00%	-0.030435	-1.018503
February 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	32	36	88.89%							
February 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
February 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	7	8	87.50%							
February 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	14	14	100.00%							
February 2017	Ordering and Provisioning	OP-4C	No dispatches	Residence	Parity	N/A	1	1	1.00	0.00	802	298	2.69	19.47	-0.086729	-1.052727
February 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00							
February 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	582	177	3.29							
February 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	179	34	5.26							
February 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	270	51	5.29							
February 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	27	8	3.38							
February 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	71	15	4.73							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A	1	1	100.00%	0.00%	2,011	2,182	92.16%	26.88%	-0.291536	-1.177241
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	226	227	99.56%	6.62%	1	1	100.00%	0.00%	-2.620817	-2.593344
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	39	40	97.50%	15.61%	4	4	100.00%	0.00%	-1.335178	-1.81173
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	66	66	100.00%	0.00%	1,637	1,754	93.33%	24.95%	-2.132159	-2.296261
February 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	7,512	7,517	99.93%							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6314.55	19,135	0.33							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15756.30	12,810	1.23							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22070.85	19,135	1.15							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3210.00	4,280	0.75							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3713.36	4,280	0.87							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	738.74	1,718	0.43							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1262.52	1,169	1.08							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2001.26	1,718	1.16							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3414.93	3,837	0.89							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	8081.22	3,794	2.13							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11496.15	3,837	3.00							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8540.74	7,982	1.07							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	15026.74	7,982	1.88							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2319.76	1,084	2.14							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	678.30	1,190	0.57							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2998.06	1,084	2.77							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3399.30	6,295	0.54							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7588.00	13,550	0.56							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	10987.30	6,295	1.75							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	259.92	1,083	0.24							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	828.66	1,973	0.42							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1264.90	973	1.30							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2353.48	1,973	1.19							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2519.28	3,499	0.72							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	53639.15	2,801	19.15							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	56158.43	3,499	16.05							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8389.75	4,535	1.85							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7748.67	4,479	1.73							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	68191.76	6,916	9.86							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26127.54	6,311	4.14							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	46713.96	3,468	13.47							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3991.25	775	5.15							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	14994.00	4,760	3.15							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3992.58	3,246	1.23							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5612.12	1,622	3.46							
February 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,489	3,095	80.42%							
February 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	28	70	40.00%							
February 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	430	527	81.59%							
February 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,489	2,492	99.88%							
February 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	28	28	100.00%							
February 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	430	432	99.54%							
February 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	24.17	1	24.17							
February 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	221.22	153	1.27							
February 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	195	195	100.00%							
February 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	359	359	100.00%							
February 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,202	2,202	100.00%							
February 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	125	125	100.00%							
February 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	196	199	98.49%							
February 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	488	488	100.00%							
February 2017	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	3	3	100.00%							
February 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	3	3	100.00%							
February 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	5	42	11.90%	32.38%	4	75	5.33%	22.47%	-1.517484	-1.922565
January 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,726	1,729	99.83%							
January 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,648,903	1,648,903	100.00%							
January 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	22,187	22,187	100.00%							
January 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,440	2,441	99.96%	2.02%	52,029	52,870	98.41%	12.51%	-5.983105	-4.63747
January 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	22,112	22,112	100.00%							
January 2017	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A	1	1	100.00%							
January 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,689,617	2,512,227	1.07							
January 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5077.86	32,161	0.16							
January 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,060	30,060	100.00%							
January 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,060	30,060	100.00%							
January 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,060	30,060	100.00%							
January 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	42,900	42,900	100.00%							
January 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	41,820	41,820	100.00%							
January 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	22,320	22,320	100.00%							
January 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	21,960	21,960	100.00%							
January 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	5	40.00%	48.99%	10	15	66.67%	47.14%	0.535415	-0.674491
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	3	7	42.86%							
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	5	8	62.50%							
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	14	34	41.18%	49.22%	11	16	68.75%	46.35%	1.520626	-0.075525
January 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	33.33%	47.14%		11	17	64.71%	47.79%	0.401952	-0.75563
January 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	3	3	100.00%							
January 201																

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
January 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	2	9	22.22%	41.57%	396	694	57.06%	49.50%	1.758184	0.0689
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	23.35	5	4.43	2.46	55.29	14	3.58	2.50	0.473299	-0.712255
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	28.01	7	4.00	2.12	7.47	1	7.47	0.00		
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	29.06	8	3.38	3.12	7.47	1	7.47	0.00		
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	208.30	34	6.08	4.34	57.56	15	3.52	2.45	1.750686	0.064342
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	587.33	61	9.38	9.15	168276.56	3,619	46.30	199.08	-1.433905	-1.871753
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	25.35	3	8.32	7.58	69.20	15	4.37	5.14	0.742144	-0.548908
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	8.23	3	2.48	1.04						
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	19.47	4	4.57	2.44	69.20	15	4.37	5.14	0.302855	-0.815777
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	38.22	2	19.11	5.46	34763.23	931	37.20	47.13	-0.54318	-1.33023
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	5	20.00%	40.00%	0	17	0.00%	0.00%	0.747859	-0.543334
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	7	14.29%	34.99%	0	1	0.00%	0.00%	0.00%	1.150349	-1.699363
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	8	0.00%	0.00%	0	1	0.00%	0.00%		
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	5	34	14.71%	35.42%	0	17	0.00%	0.00%	1.18275	-0.280939
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	4	61	6.56%	24.75%	539	4,044	13.33%	33.99%	-1.54433	-1.938886
January 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	3	0.00%	0.00%	8	17	47.06%	49.91%	-1.505545	-1.915307
January 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1	3	33.33%	47.14%						
January 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	4	0.00%	0.00%	8	17	47.06%	49.91%	-1.696557	-2.031434
January 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	2	0.00%	0.00%	122	1,002	12.18%	32.70%	-0.526042	-1.319811
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	8	1,372	0.58%	7.61%	32	2,417	1.32%	11.43%	-1.917563	-2.165795
January 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	0	70,552	0.00%	0.00%	0	55,921	0.00%	0.00%		
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	59	0.00%	0.00%	4,182	323,898	1.29%	11.29%	-0.878408	-1.534034
January 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	216	0.00%	0.00%	34	2,751	1.24%	11.05%	-1.583099	-1.962456
January 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	7	2,161	0.32%	5.68%	1	950	0.11%	3.24%	1.732211	0.05311
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	11	14,624	0.08%	2.74%	1	951	0.11%	3.24%	-0.275986	-1.167788
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	38	4,697	0.81%	8.96%	33	2,455	1.34%	11.52%	-1.86037	-2.13447
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	22	0.00%	0.00%	34	2,744	1.24%	11.06%	-0.523278	-1.31813
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	63	23,630	0.27%	5.16%	5,046	482,053	1.05%	10.68%	-11.504931	-7.994501
January 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	1	34,032	0.00%	0.02%						-2.988449
January 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	0	13,063	0.00%	0.01%						-2.996472
January 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	4	34,128	0.01%	0.00%						
January 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	0	13,063	0.00%	0.00%						
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	39	2	19.50							
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	426	11	38.73	26.76						
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	0	1	0.00	0.00	256	2	128.00	135.76	-0.7698	-1.468005
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	1,335	40	33.38	49.37	43,405	362	119.90	193.72	-2.680719	-2.629761
January 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	5	11	45.45%	49.79%						
January 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	2	2	100.00%	0.00%		
January 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	23	40	57.50%	49.43%	153	362	42.27%	49.40%	1.943134	0.181341
January 2017	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%	3	3	100.00%							
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	2	2	100.00%	0.00%		
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	152	161	94.41%							
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	48	49	97.96%	14.14%	1	1	100.00%	0.00%	-2.053749	-2.248591
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	89	93	95.70%							
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	2	2	100.00%							
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	4	4	100.00%	0.00%						
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	14	14	100.00%							
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	2	2	100.00%	0.00%						
January 2017	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00	9	3	3.00							
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	7	1	7.00	0.00						
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	300	101	2.97							
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	193	34	5.68							
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	455	90	5.06							
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	0	1	0.00							
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	10	1	10.00	0.00						
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	24	8	3.00							
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	7	2	3.50							
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	7	7	100.00%	0.00%	2	2	100.00%	0.00%		
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	3	3	100.00%	0.00%	2	2	100.00%	0.00%		
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	175	178	98.31%	12.87%	1	1	100.00%	0.00%	-2.125804	-2.292397
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	49	51	96.08%	19.41%	2	2	100.00%	0.00%	-1.441328	-1.876265
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	94	96	97.92%	14.28%	1,812	1,968	92.07%	27.02%	-2.069425	-2.258121
January 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	3,535	3,559	99.33%							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6846.35	19,561	0.35							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15751.78	13,018	1.21							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22598.13	19,561	1.16							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3146.25	4,195	0.75							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3727.65	4,195	0.89							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	720.30	1,715	0.42							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1241.15	1,205	1.03							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	1961.45	1,715	1.14							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3223.08	3,837	0.84							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	8107.65	3,771	2.15							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11330.73	3,837	2.95							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR													

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11564.58	6,827	1.69							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	264.75	1,059	0.25							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	817.54	1,994	0.41							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1237.11	959	1.29							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2319.40	1,994	1.16							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2293.41	3,423	0.67							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	51346.01	2,701	19.01							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	53639.42	3,423	15.67							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8412.78	4,523	1.86							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7614.30	4,479	1.70							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67178.52	6,876	9.77							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26253.76	6,311	4.16							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	47120.81	3,373	13.97							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3863.25	765	5.05							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15057.00	4,780	3.15							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3895.20	3,246	1.20							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac. Assgn XML)	XML Request/Response	Diagnostic	N/A	5612.12	1,622	3.46							
January 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,555	3,173	80.52%							
January 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	39	76	51.32%							
January 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	466	555	83.96%							
January 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,555	2,561	99.77%							
January 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	39	39	100.00%							
January 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	466	470	99.15%							
January 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	1.38	1	1.38							
January 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	165.50	169	0.59							
January 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	183	183	100.00%							
January 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	458	458	100.00%							
January 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,289	2,290	99.96%							
January 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	108	108	100.00%							
January 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	175	179	97.77%							
January 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	502	502	100.00%							
January 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	18	18	100.00%							
January 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	22	60	36.67%	48.19%	2	90	2.22%	14.74%	-14.020278	-9.523724
December 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,671	1,673	99.88%							
December 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,244,310	1,244,440	99.99%							
December 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	21,945	21,945	100.00%							
December 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,286	2,287	99.96%	2.09%	60,711	61,511	98.70%	11.33%	-5.20913	-4.166926
December 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	21,945	21,945	100.00%							
December 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,466,468	3,229,169	1.07							
December 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	4394.53	29,217	0.15							
December 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,420	30,420	100.00%							
December 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,420	30,420	100.00%							
December 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,420	30,420	100.00%							
December 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	43,140	43,140	100.00%							
December 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	41,925	41,925	100.00%							
December 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	System Availability - ASR	Diagnostic	N/A	22,500	22,500	100.00%							
December 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	7	11	63.64%	48.10%	10	19	52.63%	49.93%	-0.581737	-1.353671
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	2	8	25.00%							
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	6	9	66.67%							
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	18	49	36.73%	48.21%	10	21	47.62%	49.94%	0.589479	-0.641622
December 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	9	44.44%	49.69%	10	15	66.67%	47.14%	0.642636	-0.609305
December 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
December 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	6	6	100.00%	0.00%	10	15	66.67%	47.14%	-1.46385	-1.889958
December 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	3	5	60.00%	48.99%	356	616	57.79%	49.39%	-0.099554	-1.606524
December 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	1	1	100.00%	0.00%	2,250	4,491	50.10%	50.00%	-0.997887	-1.606722
December 2016	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	20.53	1	20.53	0.00	28981.34	756	38.20	64.24	-0.270834	-1.164655
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	58.21	11	5.18	4.34	79.00	16	4.56	4.02	0.133245	-0.918993
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	5.46	1	5.46	0.00						
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	56.16	8	7.02	3.24	12.46	1	12.46	0.00		
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	29.29	9	3.17	1.51	12.46	1	12.46	0.00		
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	299.26	49	6.07	5.45	96.38	18	5.22	4.02	0.579873	-0.647462
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	847.31	63	13.27	14.11	146070.21	3,670	39.48	84.50	-2.44271	-2.486011
December 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	37.02	9	4.07	2.20	51.35	13	3.58	3.20	-0.032592	-1.019814
December 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	6.15	1	6.15	0.00	5.50	1	5.50	0.00		
December 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	17.08	6	2.51	0.41	51.35	13	3.58	3.20	-0.675382	-1.410603
December 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	26.24	8	3.18	0.44	29686.35	788	37.40	63.27	-1.524559	-1.926866
December 2016	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	11	9.09%	28.75%	5	22	22.73%	41.91%	-0.881176	-1.535717
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	8	0.00%	0.00%	0	1	0.00%	0.00%		
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	9	0.00%	0.00%	0	1	0.00%	0.00%		
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	8	49	16.33%	36.96%	5	22	22.73%	41.91%	-0.595146	-1.361823
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	7	63	11.11%	31.43%	508	4,043	12.56%	33.15%	-0.345461	-1.210255
December 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	9	33.33%	47.14%	1	15	6.67%	24.94%	0.124338	-0.316451
December 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
December 2016	Maintenance and															

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
December 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	1	211	0.47%	6.87%	37	2,778	1.33%	11.46%	-1.048065	-1.637178
December 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	8	2,239	0.36%	5.97%	1	968	0.10%	3.21%	2.055442	0.24962
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	9	14,797	0.06%	2.47%	1	969	0.10%	3.21%	-0.39801	-1.241973
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	55	4,750	1.16%	10.70%	36	2,480	1.45%	11.96%	-0.991252	-1.602639
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	22	0.00%		37	2,771	1.34%	11.48%	-0.543495	-1.304222
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	71	23,967	0.30%	5.43%	4,882	486,100	1.00%	9.97%	-10.732325	-7.52479
December 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	8	33,960	0.02%	0.25%						-9.927491
December 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	1	13,087	0.01%	0.09%						-2.974417
December 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	12	34,032	0.03%							
December 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	1	13,087	0.01%							
December 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	157	3	52.33							
December 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	246	6	41.00	0.00						
December 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	974	12	81.17	34.64	61,008	413	147.72	207.15	-1.0971	-1.66699
December 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	6	0.00%	0.00%						
December 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	2	12	16.67%	37.27%	192	413	46.49%	49.88%	-2.041821	-2.241339
December 2016	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%	0	1	0.00%							
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	4	4	100.00%							
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%						
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%	1	1	100.00%							
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	121	123	98.37%							
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	39	40	97.50%	15.61%	1	4	25.00%	43.30%	-3.192795	-2.941081
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	35	40	87.50%							
December 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	4	5	80.00%							
December 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	1	2	50.00%	50.00%	-1	-1.607957
December 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	4	4	100.00%	0.00%						
December 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	1	1	100.00%							
December 2016	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00	5	1	5.00							
December 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00							
December 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	340	99	3.43							
December 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	113	23	4.91							
December 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	174	41	4.24							
December 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00							
December 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	16	4	4.00							
December 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	5	1	5.00							
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	4	4	100.00%	0.00%	3	3	100.00%	0.00%		
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	1	1	100.00%	0.00%	2	4	50.00%	50.00%	-0.894427	-1.543773
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1	1	100.00%	0.00%	4	4	100.00%	0.00%		
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	135	135	100.00%	0.00%	4	4	100.00%	0.00%		
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	47	47	100.00%	0.00%	2	4	50.00%	50.00%	-1.919967	-2.167257
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	39	42	92.86%	25.75%	1,904	2,022	94.16%	23.44%	0.122746	-0.925376
December 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	3,574	3,580	99.83%							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6544.66	19,249	0.34							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15825.84	12,972	1.22							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22370.50	19,249	1.16							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3308.54	4,471	0.74							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3797.28	4,471	0.85							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	701.22	1,798	0.39							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1356.48	1,256	1.08							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2057.70	1,798	1.14							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3295.45	3,877	0.85							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	8364.16	3,734	2.24							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11659.61	3,877	3.01							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8078.70	7,694	1.05							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14564.70	7,694	1.89							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2371.81	1,093	2.17							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	697.16	1,202	0.58							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	3068.97	1,093	2.81							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3315.00	6,500	0.51							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7924.84	12,782	0.62							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11239.84	6,500	1.73							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	246.33	1,071	0.23							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	773.96	1,759	0.44							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1097.46	871	1.26							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2117.75	1,759	1.20							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2467.25	3,475	0.71							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	48167.14	2,558	18.83							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	50634.39	3,475	14.57							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8412.78	4,523	1.86							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7300.77	4,479	1.63							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	66721.92	6,726	9.92							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26569.31	6,311	4.21							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	46040.56	3,368	13.67							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3991.25	775	5.15							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15372.00	4,880	3.15							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3680.60	3,346	1.10							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5266.12	1,522	3.46							
December 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,248	2,827	79.52%							
December 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	32	72	44.44%							
December 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A</										

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
December 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	428	428	100.00%							
December 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	324,288	164	1.59							
December 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	32	32	100.00%							
December 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	429	429	100.00%							
December 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,066	2,066	100.00%							
December 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	13	13	100.00%							
December 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	182	184	98.91%							
December 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	469	469	100.00%							
December 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	20	20	100.00%							
December 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	6	24	25.00%	43.30%	12	92	13.04%	33.68%	-1.548915	-1.941674
November 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,584	1,584	100.00%							
November 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,204,113	1,276,510	94.33%							
November 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	22,437	22,437	100.00%							
November 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	3,365	3,367	99.94%	2.44%	57,013	57,752	98.72%	11.24%	-6.123633	-4.722904
November 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	22,437	22,437	100.00%							
November 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,224,472	2,968,433	1.09							
November 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	8678.44	30,355	0.29							
November 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,520	29,520	100.00%							
November 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,520	29,520	100.00%							
November 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,520	29,520	100.00%							
November 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	41,760	41,760	100.00%							
November 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	40,740	40,740	100.00%							
November 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	21,960	21,960	100.00%							
November 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	10	30.00%	45.83%	8	16	50.00%	50.00%	0.590424	-0.641048
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	1	1	100.00%	0.00%		
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	7	15	46.67%							
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	8	16	50.00%							
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	16	26	61.54%	48.65%	10	18	55.56%	49.69%	-0.392678	-1.238731
November 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	6	6	50.00%	50.00%	7	12	58.33%	49.30%	-0.159464	-1.096947
November 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	1	2	50.00%	50.00%						
November 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	1	2	50.00%							
November 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	3	3	100.00%	0.00%	7	12	58.33%	49.30%	-1.309307	-1.796002
November 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	1	3	33.33%	47.14%	413	805	51.30%	49.98%	-0.046599	-0.97167
November 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/ MSA	Residence	Parity	N/A	55.03	2	27.31	1.58	188009.45	3,859	48.43	74.36	-0.401659	-1.244192
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	64.33	10	6.27	2.38	90.16	14	6.27	6.29	0.040117	-0.975611
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	0.58	1	0.58	0.00	2.43	1	2.43	0.00		
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	68.23	15	4.34	2.56	13.48	2	6.54	6.23	-0.486883	-1.296004
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	88.32	16	5.32	5.55	13.48	2	6.54	6.23	-0.285278	-1.173437
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	141.00	26	5.25	4.23	93.27	15	6.14	6.19	-0.394391	-1.239772
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	907.49	78	11.38	10.43	212183.55	4,738	44.47	69.12	-4.196181	-3.551097
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	24.21	6	4.03	2.02	51.21	10	5.08	4.13	-0.494711	-1.300763
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	4.27	2	2.13	2.32						
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	7.08	2	3.34	1.04						
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	8.58	3	2.59	0.39	51.21	10	5.08	4.13	-0.773562	-1.470292
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	44.16	8	5.32	4.59	56737.46	1,004	56.31	168.58	-0.849942	-1.516728
November 2016	Maintenance and Repair	MR-7A	Repair Repeat Rpt Rate-Disp w/ MSA	Residence	Parity	N/A	0	2	0.00%	0.00%	525	4,109	12.78%	33.38%	-0.541134	-1.328986
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	10	10.00%	30.00%	6	19	31.58%	46.48%	-1.188268	-1.72416
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	15	0.00%	0.00%	0	2	0.00%	0.00%		
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	16	6.25%	24.21%	0	2	0.00%	0.00%	-1.22064	-1.742097
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	5	26	19.23%	39.41%	6	19	31.58%	46.48%	-0.88017	-1.535105
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	9	78	11.54%	31.95%	657	5,168	12.71%	33.31%	-0.309036	-1.18788
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	6	16.67%	37.27%	2	12	16.67%	37.27%	0	-1
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	2	0.00%	0.00%						
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	2	0.00%	0.00%						
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	3	0.00%	0.00%	2	12	16.67%	37.27%	-0.69282	-1.421205
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	8	0.00%	0.00%	125	1,072	11.66%	32.09%	-1.023789	-1.62242
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	16	1,452	1.10%	10.44%	28	2,479	1.13%	10.57%	-0.078916	-1.047977
November 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	3	71,316	0.00%	0.65%	1	56,900	0.00%	0.42%	1.017411	-0.381622
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	2	60	3.33%	17.95%	2,558	329,875	1.59%	12.52%	0.680407	-0.586342
November 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	211	0.00%	0.00%	31	2,821	1.10%	10.43%	-1.47692	-1.897903
November 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	15	2,269	0.66%	8.10%	2	980	0.20%	4.51%	2.649206	0.616003
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	18	14,887	0.12%	3.48%	2	981	0.20%	4.51%	-0.557985	-1.339231
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	29	4,788	0.61%	7.76%	30	2,518	1.19%	10.85%	-2.19301	-2.332255
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	22	0.00%	0.00%	31	2,813	1.10%	10.44%	-0.493199	-1.299844
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	86	24,249	0.35%	5.94%	6,240	490,338	1.27%	11.21%	-12.448446	-8.568118
November 2016	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/ MSA	Residence	Parity	N/A	2	2	100.00%	0.00%	3,202	4,109	77.93%	41.47%	-0.752493	-1.457483
November 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	5	34,200	0.01%	0.10%						
November 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	0	13,111	0.00%	0.04%						
November 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	5	34,224	0.01%							
November 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	0	13,111	0.00%							
November 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	130	1	130.00%							
November 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	140	8	17.50	6.48						

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
November 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	1	100.00%							
November 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
November 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	0	3	0.00%	0.00%						
November 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	28	28	100.00%							
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00							
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00	12	6	2.00							
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	476	127	3.75							
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	202	31	6.52							
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	59	15	3.93							
November 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00							
November 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	22	2	11.00							
November 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	70	14	5.00							
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	1	1	100.00%		3	3	100.00%	0.00%		
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	4	6	66.67%	47.14%	5	7	71.43%	45.18%	-0.405222	-1.246357
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	168	172	97.67%	15.07%	5	7	71.43%	45.18%	-1.506764	-1.916048
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	42	43	97.67%	15.07%						
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	48	48	100.00%	0.00%	1,975	2,124	92.98%	25.54%	-1.881818	-2.144064
November 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP	Benchmark	95.00%	26	26	100.00%							
November 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	10,072	10,074	99.98%							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6417.18	19,446	0.33							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15693.60	13,078	1.20							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22110.78	19,446	1.14							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3072.24	4,267	0.72							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3564.94	4,267	0.84							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	704.38	1,718	0.41							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1314.60	1,252	1.05							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2018.98	1,718	1.18							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3083.67	3,807	0.81							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7957.00	3,650	2.18							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11040.67	3,807	2.90							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8012.59	7,351	1.09							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6542.40	5,640	1.16							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14554.99	7,351	1.99							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2284.37	1,093	2.08							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	603.72	1,161	0.52							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2888.09	1,093	2.64							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3804.08	6,793	0.56							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7014.70	12,754	0.55							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	10818.78	6,793	1.59							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	268.75	1,075	0.25							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	731.05	1,860	0.39							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1263.39	980	1.29							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2263.19	1,860	1.22							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2306.04	3,494	0.66							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	53203.83	2,787	19.09							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	55509.87	3,494	15.89							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8933.70	4,523	1.90							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7830.09	4,579	1.71							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67806.72	6,976	9.72							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26168.94	6,321	4.14							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	47050.96	3,368	13.97							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	4011.35	785	5.11							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15917.40	4,780	3.33							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3775.20	3,146	1.20							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5612.12	1,622	3.46							
November 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,224	2,786	79.83%							
November 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	53	92	57.61%							
November 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	382	505	75.64%							
November 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,224	2,235	99.51%							
November 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	53	53	100.00%							
November 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	382	382	100.00%							
November 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	238:11	182	1:19							
November 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	53	53	100.00%							
November 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	352	352	100.00%							
November 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,998	1,998	100.00%							
November 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	15	15	100.00%							
November 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	208	210	99.05%							
November 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	507	508	99.80%							
November 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks	LIS Trunk	Benchmark	85.00%	25	25	100.00%							
November 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	23	46	50.00%	50.00%	4	76	5.26%	22.33%	-10.724782	-7.520204
October 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,589	1,590	99.94%							
October 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,303,574	1,303,574	100.00%							
October 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	21,980	21,980	100.00%							
October 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	3,152	3,157	99.84%	3.98%	61,352	62,168	98.69%	11.38%	-5.558625	-4.379404
October 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	21,980	21,980	100.00%							
October 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,218,985	3,054,395	1.05							
October 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5070.86	31,421	0.16							
October 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,880	29,880	100.00%							
October 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,880	29,880	100.00%							
October 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,880	29,880	100.00%							
October 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	42,840	42,840	100.00%							
October 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	41,565	41,565	100.00%							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
October 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	21,600	21,600	100.00%							
October 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
October 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	11	20	55.00%	49.75%	9	17	52.94%	49.91%	-0.125038	-1.076017
October 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	2	7	28.57%							
October 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	18	22	81.82%							
October 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	18	35	51.43%	49.98%	9	18	50.00%	50.00%	-0.098506	-1.059888
October 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	8	12	66.67%	47.14%	21	28	75.00%	43.30%	0.177325	-0.892194
October 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
October 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	0	1	0.00%							
October 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	6	10	60.00%	48.99%	23	30	76.67%	42.30%	0.63075	-0.616531
October 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	5	18	27.78%	44.79%	366	774	47.29%	49.93%	1.411578	-0.141822
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	116.37	20	5.50	7.58	80.25	12	6.42	4.36	-0.518774	-1.315392
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	39.46	7	5.41	2.38						
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	79.11	22	3.36	4.21						
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	158.14	35	4.31	2.55	91.06	14	6.30		-1.387048	-1.843265
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	574.04	64	8.58	7.14	177153.16	4,309	41.07	41.43	-6.117521	-4.719189
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	45.04	12	3.45	3.07	112.38	24	4.42	5.03	-0.525437	-1.319443
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	0.25	1	0.25	0.00						
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	5.51	1	5.51	0.00						
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	33.53	10	3.23	1.53	117.56	26	4.32	4.52	-0.632972	-1.384819
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	32.39	4	8.10	4.11	56129.54	1,100	51.02	40.55	-2.091659	-2.271639
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	20	10.00%	30.00%	1	19	5.26%	22.33%	-0.049527	-1.030111
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	3	7	42.86%	49.49%						
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	2	23	8.70%	28.18%						
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	2	35	5.71%	23.21%						
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	6	64	9.38%	29.15%	691	4,739	14.58%	35.29%	-1.172249	-1.712677
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	12	8.33%	27.64%	8	30	26.67%	44.22%	-1.21376	-1.737914
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	1	0.00%	0.00%						
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	2	10	20.00%	40.00%	8	30	26.67%	44.22%	-0.412861	-1.251002
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	1	4	25.00%	43.30%	162	1,160	13.97%	34.66%	-0.929036	-0.929036
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	32	1,476	2.17%	14.56%	45	2,501	1.80%	13.29%	0.865157	-0.486181
October 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	72,444	0.00%	0.37%	0	56,114	0.00%			
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	59	0.00%		4,935	333,078	1.48%	12.08%	-0.941889	-1.572628
October 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	209	0.00%		50	2,842	1.76%	13.15%	-1.867202	-2.135178
October 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	7	2,316	0.30%	5.49%	0	990	0.00%			
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	23	15,118	0.15%	3.90%	0	991	0.00%			
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	45	4,880	0.92%	9.56%	48	2,536	1.89%	13.63%	-2.909708	-2.768977
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	23	0.00%		49	2,837	1.73%	13.03%	-0.633231	-1.384977
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	68	24,594	0.28%	5.25%	5,884	494,466	1.19%	10.84%	-12.894503	-8.839301
October 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	2	34,704	0.01%	0.05%						
October 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	0	13,111	0.00%	0.01%						
October 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	6	34,872	0.02%							
October 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	0	13,111	0.00%							
October 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	128	2	64.00							
October 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	45	15	3.00	2.27	20	1	20.00	0.00		
October 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	11	5	2.20	0.84	163	1	163.00	0.00		
October 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	560	10	56.00	0.00	74,566	449	166.07	229.28	-1.501517	-1.912858
October 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	6	15	40.00%	48.99%	1	1	100.00%	0.00%		
October 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	2	5	40.00%	48.99%	1	1	100.00%	0.00%		
October 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	0	10	0.00%	0.00%	197	449	43.88%	49.62%	-2.765347	-2.681212
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	3	4	75.00%	0.00%						
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	5	5	100.00%							
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	203	210	96.67%							
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	24	26	92.31%	26.65%	3	4	75.00%	43.30%	-0.744208	-1.452447
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	67	68	98.53%							
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	7	7	100.00%							
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%						
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	2	3	66.67%							
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	2	5	40.00%	48.99%						
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	7	7	100.00%							
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00							
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	44	2	22.00	0.00						
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	428	158	2.71							
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	109	22	4.95							
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	312	62	5.03							
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	2	1	2.00							
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	22	1	22.00	0.00						
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	7	2	3.50							
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	40	5	8.00							
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	35	7	5.00							
October 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	10	10	100.00%	0.00%						
October 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	232	240	96.67%	17.95%	1	1	100.00%	0.00%	-1.835781	-2.116076
October 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	31	31	100.00%	0.00%	4	4	100.00%	0.00%		
October 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	78	78	100.00%	0.00%	2,195	2,331	94.17%	23.44%	-2.162481	-2.314695
October																

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	701.92	1,712	0.41							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1387.80	1,285	1.08							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2089.72	1,712	1.22							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3022.92	3,732	0.81							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	8212.32	3,802	2.16							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11235.24	3,732	3.01							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8516.17	7,813	1.09							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	15002.17	7,813	1.92							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2258.88	1,086	2.08							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	618.51	1,167	0.53							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2877.39	1,086	2.65							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3769.36	6,731	0.56							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	6994.08	12,952	0.54							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	10763.44	6,731	1.60							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	250.47	1,089	0.23							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	730.36	1,922	0.38							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1285.70	989	1.30							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2266.53	1,922	1.18							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2251.84	3,632	0.62							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	53180.40	2,730	19.48							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	55432.24	3,632	15.26							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8412.78	4,523	1.86							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7801.30	4,589	1.70							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	66903.48	6,876	9.73							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26127.54	6,311	4.14							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	48447.96	3,468	13.97							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	4037.60	784	5.15							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	16703.10	4,986	3.35							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3895.20	3,246	1.20							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5612.12	1,622	3.46							
October 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,395	2,881	83.13%							
October 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	40	105	38.10%							
October 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	600	726	82.64%							
October 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,395	2,403	99.67%							
October 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	40	40	100.00%							
October 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	600	602	99.67%							
October 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	5.30	3	1.50							
October 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	250.49	151	1.40							
October 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	39	39	100.00%							
October 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	577	577	100.00%							
October 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,215	2,215	100.00%							
October 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	17	17	100.00%							
October 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	227	229	99.13%							
October 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	440	440	100.00%							
October 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	4	4	100.00%							
October 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks	LIS Trunk	Benchmark	85.00%	49	49	100.00%							
October 2016	Pre-Ordering	PO-9B	Unbundled Loops	Parity	N/A	N/A	19	48	39.58%	48.90%	5	98	5.10%	22.00%	-8.89486	-6.407706
September 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,612	1,615	99.81%							
September 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,314,952	1,314,996	100.00%							
September 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	21,340	21,340	100.00%							
September 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	3,382	3,385	99.91%	2.98%	64,408	65,283	98.66%	11.50%	-6.174842	-4.754037
September 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	21,340	21,340	100.00%							
September 2016	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A	2	2	100.00%							
September 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,604,684	3,454,854	1.04							
September 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5866.37	37,226	0.16							
September 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,520	29,520	100.00%							
September 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,520	29,520	100.00%							
September 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,520	29,520	100.00%							
September 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	41,760	41,760	100.00%							
September 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	40,740	40,740	100.00%							
September 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	21,960	21,960	100.00%							
September 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
September 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	5	40.00%	48.99%	5	13	38.46%	48.65%	-0.060093	-1.036534
September 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
September 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	10	12	83.33%							
September 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	9	16	56.25%							
September 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	29	42	69.05%	46.23%	8	16	50.00%	50.00%	-1.296705	-1.788341
September 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	5	80.00%	40.00%	14	23	60.87%	48.80%	-0.794396	-1.482959
September 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	1	1	100.00%							
September 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	1	1	100.00%							
September 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	2	2	100.00%	0.00%	14	22	63.64%	48.10%	-1.023533	-1.622264
September 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	3	5	60.00%	48.99%	308	607	50.74%	49.99%	-1.250727	-1.250727
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	22.45	5	4.33	2.52	74.41	12	6.13	5.24	-0.581835	-1.35373
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	3.04	1	3.04	0.00						
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	34.30	12	2.83	1.17	59.19	1	59.19	0.00		
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	113.01	16	7.04	7.31	59.19	1	59.19	0.00		
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	169.05	42	4.02	3.51	83.26	14	5.58	4.58	-1.262701	-1.767667
September 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	345.28	52	6.39	5.02	146392.39	3,179	46.03	153.20	-1.838218	-2.117557
September 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	34.34	5	6.55	9.45	85.56	21	4.06	3.06	0.896473	-0.454983
September 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1.38	1	1.38	0.00						
September 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	2.27	1	2.27	0.00						

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2140.98	1,899	1.13							
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2578.01	3,631	0.71							
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	53737.32	2,812	19.11							
September 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	56315.33	3,631	15.51							
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8997.50	4,525	1.90							
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7777.38	4,602	1.69							
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67038.84	6,897	9.72							
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26711.25	6,375	4.19							
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	47873.10	3,586	13.35							
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3959.20	784	5.05							
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15150.72	4,856	3.12							
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3940.97	3,257	1.21							
September 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5619.04	1,624	3.46							
September 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,571	3,080	83.47%							
September 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	42	89	47.19%							
September 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	410	506	81.03%							
September 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,571	2,584	99.50%							
September 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	42	42	100.00%							
September 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	410	410	100.00%							
September 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	2,07	2	1.03							
September 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	378.34	201	1.53							
September 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	34	34	100.00%							
September 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	368	368	100.00%							
September 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,373	2,373	100.00%							
September 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	11	11	100.00%							
September 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	195	200	97.50%							
September 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	474	474	100.00%							
September 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	2	2	100.00%							
September 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	26	26	100.00%							
September 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	13	27	48.15%	49.97%	7	90	7.78%	26.78%	-8.869536	-5.176381
August 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,691	1,694	99.82%							
August 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,339,171	1,341,910	99.80%							
August 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	14,214	14,214	100.00%							
August 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	4,296	4,299	99.93%	2.64%	63,900	64,536	99.01%	9.88%	-5.885216	-4.577957
August 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	14,214	14,214	100.00%							
August 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,278,833	3,123,237	1.05							
August 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5951.98	37,984	0.16							
August 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,600	30,600	100.00%							
August 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,600	30,600	100.00%							
August 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,600	30,600	100.00%							
August 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	43,200	43,200	100.00%							
August 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A	42,180	42,180	100.00%							
August 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	22,860	22,860	100.00%							
August 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	All	Diagnostic	N/A	0	0								
August 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	7	10	70.00%	45.83%	8	11	72.73%	44.54%	-0.338972	-1.20608
August 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	3	5	60.00%							
August 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	14	21	66.67%							
August 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	24	37	64.86%	47.74%	9	12	75.00%	43.30%	0.274423	-0.833163
August 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	5	20.00%	40.00%	9	15	60.00%	48.99%	1.029158	-0.374317
August 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	1	1	100.00%							
August 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	0	2	0.00%							
August 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	3	6	50.00%	50.00%	9	15	60.00%	48.99%	-0.058236	-1.035405
August 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A	5	11	45.45%	49.79%	310	610	50.82%	49.99%	0.049574	-0.969861
August 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	1	1	100.00%	0.00%	1,916	4,112	46.60%	49.88%	-1.070448	-1.650786
August 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	SUB-LOOP UNBUNDLING	Parity	N/A	19.04	1	19.04	0.00	111554.51	2,943	37.54	36.57	-0.509825	-1.309522
August 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	30.53	10	3.05	3.03	29.07	9	3.14	2.49	-0.113751	-1.068792
August 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	63.35	5	12.43	19.13	2.50	1	2.50	0.00		
August 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	114.45	21	5.28	6.54	2.50	1	2.50	0.00		
August 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	147.29	37	3.59	5.32	29.07	9	3.14	2.49	0.077784	-0.952711
August 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	601.33	61	9.52	9.28	114773.54	3,201	35.51	36.23	-5.526638	-4.359957
August 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	33.12	5	6.38	3.52	73.10	12	6.06	5.18	0.181468	-0.889675
August 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	3.32	1	3.32	0.00						
August 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	16.19	2	8.10	0.22						
August 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	28.49	6	4.48	2.57	73.10	12	6.06	5.18	-0.487926	-1.296638
August 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	20.36	5	4.07	2.01	34903.52	871	40.04	38.49	-2.064831	-2.255328
August 2016	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/i MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	1	0.00%	0.00%	0	2	0.00%	0.00%		
August 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	10	20.00%	40.00%	1	13	7.69%	26.65%	0.258319	-0.842953
August 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	5	0.00%	0.00%	0	1	0.00%	0.00%		
August 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	21	4.76%	21.30%	0	1	0.00%	0.00%	-1.690622	-2.027825
August 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	6	37	16.22%	36.86%	1	13	7.69%	26.65%	0.238761	-0.854844
August 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	3	61	4.92%	21.62%	383	3,538	10.83%	31.07%	-1.472313	-1.895103
August 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	5	0.00%	0.00%	1	15	6.67%	24.94%	-0.517549	-1.314648
August 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	1	0.00%	0.00%						
August 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	2	0.00%	0.00%						
August 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	6	0.00%	0.00%						
August 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	5	0.00%	0.00%	103	919	11.21%	31.55%	-0.792283	-1.481674
August 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	15	1,568	0.96%	9.73%	26					

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
August 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	43	5,024	0.86%	9.21%	27	2,583	1.05%	10.17%	-0.769188	-1.467633
August 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	24	0.00%		28	2,893	0.97%	9.79%	-0.482312	-1.293225
August 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	66	25,367	0.26%	5.09%	4,457	504,679	0.88%	9.36%	-10.347957	-7.291111
August 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	7	34,608	0.02%	0.18%						
August 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	0	13,063	0.00%	0.02%						-2.91843
August 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	7	34,608	0.02%							
August 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Diagnostic	N/A	0	13,063	0.00%							
August 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	82	3	27.33							
August 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	968	10	96.80	73.84						
August 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	169	17	9.94	5.15	70,130	452	155.15	211.91	-2.773758	-2.686325
August 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	10	10	100.00%	0.00%						
August 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	4	17	23.53%	42.42%	171	452	37.83%	48.50%	-1.193726	-1.725734
August 2016	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A	1	1	100.00%	0.00%	1,333	1,336	99.78%	4.73%	-0.047422	-1.028831
August 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	2	2	100.00%							
August 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	2	2	100.00%	0.00%		
August 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	224	229	97.82%							
August 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	57	63	90.48%	29.35%	1	1	100.00%	0.00%	-1.318011	-1.801294
August 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	57	58	98.28%							
August 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	1	100.00%							
August 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	5	5	100.00%	0.00%		
August 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	3	3	100.00%							
August 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	3	3	100.00%	0.00%	3	4	75.00%	43.30%	-0.755929	-1.459572
August 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	4	4	100.00%							
August 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	10	2	5.00							
August 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	44	2	22.00	0.00						
August 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	400	140	2.86							
August 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	292	47	6.21							
August 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	269	66	4.08							
August 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00							
August 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	2	3	3.00							
August 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	15	3	5.00							
August 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	18	4	4.50							
August 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	5	5	100.00%	0.00%	11	11	100.00%	0.00%		
August 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A	1	1	100.00%	0.00%	3,368	3,636	92.63%	26.13%	-0.282047	-1.171472
August 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	243	249	97.59%	15.33%	7	7	100.00%	0.00%	-1.016641	-1.618074
August 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	65	66	98.48%	12.22%	5	5	100.00%	0.00%	-1.472651	-1.895308
August 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	69	70	98.57%	11.87%	2,626	2,796	93.92%	23.90%	-1.608577	-1.977945
August 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	5,875	5,876	99.98%							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6614.36	19,454	0.34							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15586.80	12,989	1.20							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22201.16	19,454	1.14							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3232.46	4,198	0.77							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3698.18	4,198	0.88							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	747.18	1,779	0.42							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1251.60	1,192	1.05							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	1998.78	1,779	1.12							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3310.75	3,895	0.85							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	8013.78	3,798	2.11							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11324.53	3,895	2.91							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8153.25	7,765	1.05							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6722.20	5,795	1.16							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14875.45	7,765	1.92							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2308.68	1,089	2.12							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	669.20	1,195	0.56							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2977.88	1,089	2.73							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3713.60	6,752	0.55							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7574.22	13,059	0.58							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11287.82	6,752	1.67							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	263.76	1,099	0.24							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	812.21	1,981	0.41							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1265.92	989	1.28							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2341.89	1,981	1.18							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2571.06	3,522	0.73							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	52558.95	2,759	19.05							
August 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	55130.01	3,522	15.65							
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8418.64	4,478	1.88							
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7903.40	4,595	1.72							
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	68191.55	6,923	9.85							
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26466.99	6,347	4.17							
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	47039.63	3,487	13.49							
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3937.00	775	5.08							
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15141.08	4,822	3.14							
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3775.20	3,146	1.20							
August 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5605.20	1,620	3.46							
August 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,654	3,251	81.64%							
August 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	36	70	51.43%							
August 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	524	660	79.39%							
August 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,654	2,666	99.55%							
August 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	36	37	97.30%							
August 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	524	525	99.81%							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
August 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	22	22	100.00%							
August 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	491	491	100.00%							
August 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,423	2,423	100.00%							
August 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	12	12	100.00%							
August 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	223	227	98.24%							
August 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	560	560	100.00%							
August 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	2	2	100.00%							
August 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks	LIS Trunk	Benchmark	85.00%	21	21	100.00%							
August 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	28	64	43.75%	49.61%	5	103	4.85%	21.49%	-11.370783	-7.912945
July 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,753	1,754	99.94%							
July 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,327,448	1,346,228	98.61%							
July 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	13,138	13,138	100.00%							
July 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,760	2,767	99.75%	5.02%	59,927	60,587	98.91%	10.38%	-4.14474	-3.519823
July 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	13,138	13,138	100.00%							
July 2016	Collocation	CP-2B	Non-Forecasted and Late Forecasted Collocations	All	Diagnostic	N/A	1	1	100.00%							
July 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,148,839	2,993,806	1.05							
July 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5746.52	37,606	0.15							
July 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,880	29,880	100.00%							
July 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,880	29,880	100.00%							
July 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,880	29,880	100.00%							
July 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	42,840	42,840	100.00%							
July 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	41,565	41,565	100.00%							
July 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	21,600	21,600	100.00%							
July 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
July 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	11	36.36%	48.10%	7	10	70.00%	45.83%	1.103463	-0.329142
July 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	4	6	66.67%							
July 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	8	19	42.11%							
July 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	24	42	57.14%	49.49%	8	11	72.73%	44.54%	0.582034	-0.646148
July 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - XDSL	Diagnostic	N/A	0	1	0.00%							
July 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	5	9	55.56%	49.69%	14	17	82.35%	38.12%	1.000524	-0.391724
July 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	1	1	100.00%							
July 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	0	1	0.00%							
July 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	2	3	66.67%	47.14%	14	17	82.35%	38.12%	-0.02199	-1.013369
July 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	0	3	0.00%	0.00%	223	495	45.05%	49.75%	0.96384	-0.414027
July 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	1	3	33.33%	47.14%	1,502	3,694	40.66%	49.12%	-0.35468	-1.21563
July 2016	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	137.48	3	45.56	25.38	34424.37	701	49.06	53.31	-0.102532	-1.062335
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	49.01	11	4.27	1.40	22.18	5	4.28	3.06	-0.002358	-1.001434
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	24.27	6	4.04	3.12						
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	113.56	19	6.00	5.09						
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	198.42	42	4.44	4.24	25.52	6	4.19	2.48	0.062707	-0.961877
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - XDSL	Parity	N/A	7.00	1	7.00	0.00	27.09	7	3.53	2.48	0.609791	-0.629273
July 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	500.17	53	9.26	11.03	120598.15	2,924	41.15	77.18	-2.968658	-2.804816
July 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	35.29	9	3.57	2.52	154.25	13	11.53	33.52	-0.540332	-1.328499
July 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1.47	1	1.47	0.00						
July 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	8.38	1	8.38	0.00						
July 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	13.37	3	4.32	5.12	154.25	13	11.53	33.52	-0.338319	-1.205683
July 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	26.03	8	3.15	0.47	34774.37	729	47.42	53.05	-2.431983	-2.431983
July 2016	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	3	0.00%	0.00%	2	4	50.00%	50.00%	-1.309307	-1.796002
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	11	36.36%	48.10%	3	12	25.00%	43.30%	0.139635	-0.915108
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	6	16.67%	37.27%	0	1	0.00%	0.00%	-1.067571	-1.649037
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1	9	5.26%	23.33%	0	1	0.00%	0.00%	-1.644854	-2
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	6	42	14.29%	34.99%	3	12	25.00%	43.30%	-0.755929	-1.459572
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - XDSL	Parity	N/A	0	1	0.00%	0.00%	3	12	25.00%	43.30%	-0.5547	-1.337234
July 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	3	53	5.66%	23.11%	361	3,237	11.15%	31.48%	-1.259884	-1.769555
July 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	9	33.33%	47.14%	3	17	17.65%	38.12%	0.433851	-0.736237
July 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	1	0.00%	0.00%						
July 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	1	0.00%	0.00%						
July 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	3	0.00%	0.00%	3	17	17.65%	38.12%	-0.739208	-1.449407
July 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	8	0.00%	0.00%	93	773	12.03%	32.53%	-1.04063	-1.632658
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	20	1,585	1.26%	11.16%	27	2,572	1.05%	10.19%	0.651583	-0.603865
July 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	0	74,042	0.00%	0.00%	1	59,878	0.00%	0.41%	-0.743567	-1.452057
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	61	0.00%	0.00%	3,391	343,859	0.99%	9.88%	-0.779385	-1.473833
July 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	3	206	1.46%	11.98%	29	2,919	0.99%	9.92%	0.374805	-0.772135
July 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	7	2,516	0.28%	5.27%	1	1,019	0.10%	1.548899	-0.058336	
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	20	15,604	0.13%	3.58%	1	1,020	0.10%	1.31%	0.297925	-0.818875
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	45	5,054	0.89%	9.39%	28	2,600	1.08%	10.32%	-0.74884	-1.455262
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	1	24	4.17%	19.98%	29	2,915	0.99%	9.92%	0.775486	-0.528538
July 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	61	25,649	0.24%	4.87%	4,010	508,504	0.79%	8.85%	-9.929879	-6.915347
July 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	7	34,512	0.02%	0.18%						
July 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	0	13,063	0.00%	0.03%						
July 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	11	34,680	0.03%							
July 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	0	13,063	0.00%							
July 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	45	1	45.00%							
July 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1,178	15	78.53	46.03						

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
July 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	187	212	88.21%							
July 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	27	36	75.00%	43.30%	1	1	100.00%	0.00%	-0.695908	-1.423082
July 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	62	69	89.86%							
July 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	4	5	80.00%							
July 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	3	3	100.00%	0.00%		
July 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	7	8	87.50%							
July 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	2	2	100.00%	0.00%		
July 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	1	1	100.00%							
July 2016	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00	4	1	4.00							
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	10	2	5.00							
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	22	1	22.00	0.00						
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00	2	1	2.00							
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	586	175	3.35							
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	175	34	5.15							
July 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	606	66	9.18							
July 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	22	5	4.40							
July 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	21	7	3.00							
July 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	5	1	5.00							
July 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	5	1	5.00							
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	6	6	100.00%	0.00%	10	10	100.00%	0.00%		
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A	1	1	100.00%	0.00%	2,970	3,267	90.91%	28.75%	-0.316179	-1.192223
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	1	1	100.00%	0.00%	4	4	100.00%	0.00%		
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1	1	100.00%	0.00%	1	1	100.00%	0.00%		
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	233	238	97.90%	14.34%	1	1	100.00%	0.00%	-2.035098	-2.237252
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	37	38	97.37%	16.01%	4	4	100.00%	0.00%	-1.309172	-1.795922
July 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Benchmark	6.00	66	70	94.29%	23.21%	2,364	2,537	93.18%	25.21%	-0.361737	-1.219922
July 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP	Benchmark	95.00%	4	4	100.00%							
July 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	2,665	2,665	100.00%							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6405.96	19,412	0.33							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15570.00	12,975	1.20							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	21975.96	19,412	1.13							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3288.48	4,216	0.78							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3876.63	4,216	0.92							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	701.51	1,711	0.41							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1320.90	1,295	1.02							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2022.41	1,711	1.18							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3120.92	3,806	0.82							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	8219.67	3,859	2.13							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11340.59	3,806	2.98							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8049.60	7,740	1.04							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6893.64	5,892	1.17							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14943.24	7,740	1.93							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2305.80	1,098	2.10							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	630.18	1,167	0.54							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2935.98	1,098	2.67							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3619.62	6,703	0.54							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7515.64	12,958	0.58							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11135.26	6,703	1.66							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	240.46	1,093	0.22							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	794.00	1,985	0.40							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1214.12	956	1.27							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2248.58	1,985	1.13							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2336.29	3,487	0.67							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	52296.51	2,751	19.01							
July 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	54632.80	3,487	15.67							
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8584.20	4,518	1.90							
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7801.30	4,589	1.70							
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67213.80	6,915	9.72							
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26312.00	6,325	4.16							
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	46948.20	3,380	13.89							
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3907.80	780	5.01							
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15284.88	4,899	3.12							
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3862.80	3,219	1.20							
July 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5632.88	1,628	3.46							
July 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,305	2,788	82.68%							
July 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	58	103	56.31%							
July 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	475	564	84.22%							
July 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,305	2,309	99.83%							
July 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	58	59	98.31%							
July 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	475	475	100.00%							
July 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	23.54	3	7.58							
July 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	234.40	161	1.27							
July 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	31	31	100.00%							
July 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	432	432	100.00%							
July 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,136	2,136	100.00%							
July 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	25	25	100.00%							
July 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	180	181	99.45%							
July 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	441	441	100.00%							
July 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	3	3	100.00%							
July 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	8	8	100.00%							
July 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	37	87	42.53%	49.44%	4	97	4.12%	19.88%	-13.080516	-8.952389
June 2016	Billing	BI-2	Invoices Delivered within													

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
June 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,348,684	1,351,852	99.77%							
June 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	14,883	14,883	100.00%							
June 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,976	2,981	99.83%	4.09%	59,664	60,272	98.99%	9.99%	-4.485574	-3.727035
June 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	14,883	14,883	100.00%							
June 2016	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A	1	1	100.00%							
June 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,210,363	3,071,398	1.05							
June 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	6000.61	39,909	0.15							
June 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,520	29,520	100.00%							
June 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,520	29,520	100.00%							
June 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,480	29,520	99.86%							
June 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	41,760	41,760	100.00%							
June 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A	40,740	40,740	100.00%							
June 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	21,960	21,960	100.00%							
June 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
June 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	8	13	61.54%	48.65%	10	14	71.43%	45.18%	0.137136	-0.916627
June 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	1	4	25.00%							
June 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	13	16	81.25%							
June 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	23	35	65.71%	47.47%	11	15	73.33%	44.22%	0.181574	-0.889611
June 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	4	75.00%	43.30%	15	26	57.69%	49.40%	-0.652269	-1.396551
June 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
June 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	2	2	100.00%							
June 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	8	11	72.73%	44.54%	16	28	57.14%	49.49%	-0.884995	-1.530339
June 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A	8	11	72.73%	44.54%	339	582	58.25%	49.32%	-0.964749	-1.586526
June 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	Residence	Parity	N/A	28.34	1	28.34	0.00	88141.44	2,518	35.00	30.20	-0.212252	-1.12904
June 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	90.39	13	6.58	8.59	33.51	11	3.05	2.00	1.490853	-0.093626
June 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	39.21	4	9.50	9.45						
June 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	42.37	16	2.40	1.46						
June 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	128.58	35	3.38	2.02	39.55	12	3.20	2.12	0.369171	-0.77556
June 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	445.48	53	8.25	5.20	102248.24	3,092	33.04	29.35	-6.017199	-4.658197
June 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	13.02	4	3.15	2.04	102.49	20	5.08	4.51	-0.707839	-1.430336
June 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	0.55	1	0.55	0.00						
June 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	2.27	2	1.13	1.43						
June 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	42.35	11	3.52	2.47	111.17	22	5.03	4.38	-0.693399	-1.421885
June 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	57.26	5	11.29	7.47	32393.09	959	33.47	43.20	-1.147317	-1.697519
June 2016	Maintenance and Repair	MR-7A	Repair Repeat Rpt Rate-Disp w/i MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	298	2,659	11.21%	31.55%	-0.355205	-1.215949
June 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	13	15.38%	36.08%	2	16	12.50%	33.07%	-0.29724	-1.180709
June 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	4	0.00%	0.00%						
June 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1	16	6.25%	24.21%						
June 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	2	35	5.71%	23.21%						
June 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	3	53	5.66%	23.11%	360	3,371	10.68%	30.89%	-0.679901	-1.41335
June 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	4	0.00%	0.00%	7	28	25.00%	43.30%	-1.080123	-1.656668
June 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
June 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	2	0.00%	0.00%						
June 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	11	0.00%	0.00%	7	28	25.00%	43.30%	-1.622491	-1.986405
June 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	1	5	20.00%	40.00%	96	1,029	9.33%	29.08%	-0.280525	-0.829453
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	17	1,621	1.05%	10.19%	40	2,636	1.52%	12.22%	-1.173857	-1.738512
June 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	75,770	0.00%	0.36%	0	59,662	0.00%			
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	1	63	1.59%	12.50%	3,698	347,786	1.06%	10.26%	0.024761	-0.984946
June 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	207	0.00%	0.00%	44	2,990	1.47%	12.04%	-1.700433	-2.03379
June 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	4	2,593	0.15%	3.92%	0	1,023	0.00%			
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	18	15,699	0.11%	3.38%	0	1,024	0.00%			
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	46	5,101	0.90%	9.45%	43	2,666	1.61%	12.60%	-2.362111	-2.436062
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	24	0.00%	0.00%	44	2,986	1.47%	12.05%	-0.596722	-1.362781
June 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	58	26,000	0.22%	4.72%	4,400	513,686	0.86%	9.22%	-10.814007	-7.57445
June 2016	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/i MSA	Residence	Parity	N/A	1	1	100.00%	0.00%	2,307	2,659	86.76%	33.89%	-0.39054	-1.237432
June 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	7	34,608	0.02%	0.18%						
June 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	1	13,015	0.01%	0.08%						
June 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	8	34,680	0.02%							
June 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	1	13,015	0.01%							
June 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	LIS Trunk	Parity	N/A	5	1	5.00	0.00						
June 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	25	1	25.00							
June 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1,106	26	42.54	39.12						
June 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	52	4	13.00	8.00	122	2	61.00	24.04	-2.305402	-2.401585
June 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	0	1	0.00	0.00	59,119	374	158.07	203.78	-0.774667	-1.470964
June 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
June 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	21	26	80.77%	39.41%						
June 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	4	4	100.00%	0.00%	2	2	100.00%	0.00%		
June 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	0	1	0.00%	0.00%	138	374	36.90%	48.25%	-0.763666	-1.464276
June 2016	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A	1	1	100.00%	0.00%	1,325	1,329	99.70%	5.48%	-0.054924	-1.033391
June 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	1	100.00%							
June 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	6	6	100.00%	0.00%		
June 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	199	214	92.99%							
June 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	46	47	97.87%	14.43%	1	2	50.00%	50.00%	-1.326113	-1.806219
June 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	80	92	86.96%							
June 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas													

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
June 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	474	100	4.74							
June 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	35	7	5.00							
June 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	13	4	3.25							
June 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	49	9	5.44							
June 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	42	9	4.67							
June 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	6	6	100.00%	0.00%	7	7	100.00%	0.00%		
June 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A	1	1	100.00%	0.00%	3,357	3,632	92.43%	26.45%	-0.286174	-1.173982
June 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	235	238	98.74%	11.161%	4	4	100.00%	0.00%	-1.654911	-2.006115
June 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	58	61	95.08%	21.62%	2	2	100.00%	0.00%	-1.318298	-1.801468
June 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	106	110	96.36%	18.72%	2,663	2,820	94.43%	22.93%	-0.866534	-1.526816
June 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP	Benchmark	95.00%	1	1	100.00%							
June 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	5,870	5,871	99.98%							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6593.28	19,392	0.34							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15621.10	12,910	1.21							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22214.38	19,392	1.15							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3135.35	4,295	0.73							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3601.79	4,295	0.84							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	748.86	1,783	0.42							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1313.96	1,228	1.07							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2062.82	1,783	1.16							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3190.32	3,798	0.84							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	8066.60	3,805	2.12							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11256.92	3,798	2.96							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8027.76	7,719	1.04							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6672.32	5,752	1.16							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14700.08	7,719	1.90							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2298.24	1,026	2.24							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	658.90	1,198	0.55							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2957.14	1,026	2.88							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3543.05	6,685	0.53							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7339.92	13,107	0.56							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	10882.97	6,685	1.63							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	258.00	1,075	0.24							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	785.97	1,917	0.41							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1256.96	982	1.28							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2300.93	1,917	1.20							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2349.40	3,455	0.68							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	49617.00	2,682	18.50							
June 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	51966.40	3,455	15.04							
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8349.54	4,489	1.86							
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7779.07	4,603	1.69							
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67803.20	6,835	9.92							
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26258.49	6,297	4.17							
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	47863.92	3,588	13.34							
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3858.20	764	5.05							
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15693.30	4,982	3.15							
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3789.60	3,158	1.20							
June 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5580.51	1,599	3.49							
June 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,492	3,050	81.70%							
June 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	25	64	39.06%							
June 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	539	668	80.69%							
June 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,492	2,500	99.68%							
June 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	25	25	100.00%							
June 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	539	541	99.63%							
June 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	66.11	2	33.05							
June 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	267.01	151	1.46							
June 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	12	12	100.00%							
June 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	501	501	100.00%							
June 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,297	2,297	100.00%							
June 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	7	7	100.00%							
June 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	225	233	96.57%							
June 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	515	516	99.81%							
June 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	3	3	100.00%							
June 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	60	60	100.00%							
June 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	46	86	53.49%	49.88%	4	66	6.06%	23.86%	-12.146472	-8.384531
May 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,617	1,618	99.94%							
May 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,393,265	1,393,406	99.99%							
May 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	13,618	13,618	100.00%							
May 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	4,280	4,282	99.95%	2.16%	57,871	58,460	98.99%	9.99%	-6.076954	-4.694526
May 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Parity	N/A	13,618	13,618	100.00%							
May 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	4,083,576	3,933,065	1.04							
May 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	6227.13	42,786	0.15							
May 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,060	30,060	100.00%							
May 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,060	30,060	100.00%							
May 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,060	30,060	100.00%							
May 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	42,900	42,900	100.00%							
May 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	41,820	41,820	100.00%							
May 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	21,960	21,960	100.00%							
May 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
May 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	8	13	61.54%	48.65%	20	23	86.96%	33.68%	1.334524	-0.188667
May 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
May 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	3	6	50.00%							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
May 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	20	29	68.97%							
May 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	22	46	47.83%	49.95%	19	22	86.36%	34.32%	2.872058	0.746087
May 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	5	6	83.33%	37.27%	8	12	66.67%	47.14%	-0.707107	-1.42989
May 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	2	3	66.67%	47.14%	10	15	66.67%	47.14%	0	-1
May 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	7	14	50.00%	50.00%	348	553	62.93%	48.30%	0.717299	-0.563913
May 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	0	1	0.00%	0.00%	2,129	3,791	56.16%	49.62%	-0.905989	
May 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/ MSA	Residence	Parity	N/A	4.27	1	4.27	0.00	74511.40	2,463	30.15	40.06	-0.643411	-1.391166
May 2016	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	65.40	1	65.40	0.00	26514.14	692	38.19	33.18	0.712751	-0.566678
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	44.12	13	3.24	2.11	47.25	17	2.47	1.40	0.830953	-0.494816
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	20.30	1	20.30	0.00						
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	55.06	6	9.11	9.18						
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	124.08	29	4.17	2.34						
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	194.58	46	4.14	3.07	43.27	16	2.43	1.46	1.959964	0.191573
May 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	752.32	63	11.57	18.56	86876.48	3,026	28.43	37.28	-3.514957	-3.136942
May 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	18.41	6	3.07	1.32	46.28	10	4.39	4.11	-0.710279	-1.431819
May 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	6.31	3	2.10	2.02	52.46	11	4.48	4.00	-1.008525	-1.61314
May 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	12.32	3	4.11	2.55	27446.49	731	37.33	33.32	-1.719798	-2.045563
May 2016	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/ MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	288	2,592	10.34%	30.45%	-0.33952	-1.206414
May 2016	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	1	0.00%	0.00%	1	5	20.00%	40.00%	-0.456435	-1.277493
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	13	15.38%	36.08%	2	24	8.33%	27.64%	0.149158	-0.909319
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	2	6	33.33%	47.14%						
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	29	0.00%	0.00%						
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	8	47	17.02%	37.58%	2	24	8.33%	27.64%	0.612796	-0.627447
May 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	4	63	6.35%	24.38%	338	3,284	10.29%	30.39%	-1.020264	-1.620276
May 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	6	33.33%	47.14%	5	15	33.33%	47.14%	0	-1
May 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	3	0.00%	0.00%	5	15	33.33%	47.14%	-1.118034	-1.679716
May 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	3	0.00%	0.00%	73	782	9.34%	29.09%	-0.554712	-1.337241
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	19	1,637	1.16%	10.71%	35	2,683	1.30%	11.35%	-0.404232	-1.245756
May 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	75,914	0.00%	0.36%	0	59,990	0.00%			
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	1	62	1.61%	12.60%	3,401	351,415	0.97%	9.79%	0.118394	-0.928022
May 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	1	204	0.49%	6.98%	39	3,050	1.28%	11.24%	-0.970434	-1.589982
May 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	6	2,676	0.22%	4.73%	0	1,030	0.00%			
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	29	15,773	0.18%	4.28%	0	1,031	0.00%			
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	49	5,124	0.96%	9.73%	37	2,711	1.36%	11.60%	-1.482577	-1.901343
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	25	0.00%	0.00%	39	3,046	1.28%	11.24%	-0.567101	-1.344773
May 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	66	26,259	0.25%	5.01%	4,066	518,626	0.78%	8.82%	-9.54795	-6.804742
May 2016	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/ MSA	Residence	Parity	N/A	1	100.00%	0.00%	0.00%	2,205	2,592	85.07%	35.64%	-0.418859	-1.254648
May 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem O/c w/ TGRS excl	LIS Trunk	Parity	N/A	10	34,776	0.03%	0.30%						
May 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End O/c w/ TGRS excl	LIS Trunk	Parity	N/A	1	13,567	0.01%	0.05%						
May 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem O/c w/o TGRS excl	LIS Trunk	Diagnostic	N/A	10	34,776	0.03%							
May 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End O/c w/o TGRS excl	LIS Trunk	Diagnostic	N/A	2	13,615	0.01%							
May 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	197	2	98.50							
May 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	722	23	31.39	37.52						
May 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	76	4	19.00	0.00	62,601	475	131.79	177.10	-1.268404	-1.771135
May 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	19	23	82.61%	37.90%						
May 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	0	4	0.00%	0.00%	166	475	34.95%	47.68%	-1.459768	-1.887476
May 2016	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%	2	3	66.67%							
May 2016	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Residence	Parity	N/A	1	1	100.00%	0.00%	273	281	97.15%	16.63%	-0.17088	-1.103888
May 2016	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	90.00%	2	2	100.00%							
May 2016	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A	1	1	100.00%	0.00%	1,266	1,271	99.61%	6.26%	-0.06282	-1.038192
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	1	100.00%							
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	11	11	100.00%	0.00%	3	3	100.00%	0.00%		
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%	62	62	100.00%							
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	183	212	86.32%							
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	52	62	83.87%	36.78%	1	4	25.00%	43.30%	-2.635448	-2.602238
May 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	44	53	83.02%							
May 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	2	2	100.00%							
May 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	11	11	100.00%	0.00%	1	1	100.00%	0.00%		
May 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%	1	1	100.00%							
May 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	15	15	100.00%							
May 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	18	21	85.71%							
May 2016	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00	8	3	2.67							
May 2016	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Residence	Parity	N/A	7	1	7.00	0.00	850	223	3.81	5.12	1.589268	-0.033794
May 2016	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	6.00	7	2	3.50							
May 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00	367	62	5.92							
May 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	582	184	3.16							
May 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	258	54	4.78							
May 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	234	53	4.42							
May 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	10	2	5.00							
May 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00	3	1	3.00							
May 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	42	14	3.00							
May 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	103	21	4.90							
May 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	23	23	100.00%	0.00%	5	5				

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15878.30	13,015	1.22							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22345.64	19,598	1.14							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3260.25	4,347	0.75							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3891.67	4,347	0.85							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	740.46	1,806	0.41							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1257.90	1,198	1.05							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	1998.36	1,806	1.11							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3136.50	3,825	0.82							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7568.40	3,710	2.04							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	10704.90	3,825	2.80							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8076.60	7,692	1.05							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6657.35	5,789	1.15							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14733.95	7,692	1.92							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2308.68	1,089	2.12							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	629.10	1,165	0.54							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2937.78	1,089	2.70							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3631.50	6,725	0.54							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7329.84	13,089	0.56							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	10961.34	6,725	1.63							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	223.02	1,062	0.21							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	792.54	1,887	0.42							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1216.66	958	1.27							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2232.22	1,887	1.18							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2231.46	3,381	0.66							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	49381.20	2,610	18.92							
May 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	51612.66	3,381	15.27							
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8567.10	4,509	1.90							
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7620.48	4,536	1.68							
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	66802.70	6,782	9.85							
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26520.00	6,375	4.16							
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	46393.52	3,512	13.21							
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3912.81	781	5.01							
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15612.25	4,925	3.17							
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3764.40	3,137	1.20							
May 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assign XML)	XML Request/Response	Diagnostic	N/A	5565.12	1,581	3.52							
May 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,476	3,037	81.53%							
May 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	36	85	42.35%							
May 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	449	567	79.19%							
May 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,476	2,482	99.76%							
May 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	36	36	100.00%							
May 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	449	450	99.78%							
May 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	55.57	3	18.39							
May 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	223.09	179	1.15							
May 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	29	29	100.00%							
May 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	380	380	100.00%							
May 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,271	2,272	99.96%							
May 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	16	16	100.00%							
May 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	232	242	95.87%							
May 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	516	516	100.00%							
May 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	5	5	100.00%							
May 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	23	23	100.00%							
May 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	45	87	51.72%	49.97%	14	80	17.50%	38.00%	-5.814775	-4.535132