

Sevenson Environmental Services 2749 Lockport Road Niagara Falls, NY 14305 Phone 716.284.0431 Fax 716.284.1796

February 13, 2023

Mark Krening Industrial Account Manager Waste Management Inc. 7227 NE 55<sup>th</sup> Avenue Portland, OR 97218

**Re:** Intent to dispose of non-hazardous soils generated during cleaning of Former Koppers Tank Basin at NW Natural's Gasco Facility, 7900 NW St. Helens Rd., Portland, Oregon

Dear Mr. Krening:

Sevenson Environmental Services, Inc. (SES), on behalf of NW Natural, requests approval of Profile 139487OR for the disposal of an estimated 100 cubic yards of petroleum-contaminated soil to Waste Management's Hillsboro (Subtitle D) Landfill. The soil was generated during cleaning of the former Koppers Tank Basin and is contained on-site within three covered drop boxes.

Sevenson Environmental Services (SES) collected five subsamples from along the centerline transect of each drop box and homogenized them into one composite sample representative of soils from all drop boxes. The composite sample was submitted to Apex Laboratories, LLC on November 11, 2022. APEX analyzed the composite sample for: total metals, leachable metals (toxicity characteristic leaching procedure-TCLP), gasoline-, diesel-, and oil-range total petroleum hydrocarbons (TPH), total cyanide, total volatile organic compounds (VOCs) and TCLP VOCs, and semi-volatile organic compounds (SVOCs).

APEX provided the testing results for the above analyses in laboratory report number A2K0507 and SES has summarized the results in Table 1 (enclosed). Table 1 includes Minimum Detection Limits (MDLs) for "non-detect" constituents. Neither the reported concentrations nor the MDLs for these constituents exceed Resource Conservation and Recovery Act (RCRA) toxicity characteristic regulatory levels. These regulatory levels are based on leachate concentrations tested by Toxicity Characteristic Leaching Procedure (TCLP) methodology. Testing of these data indicates that constituent concentrations do not exceed RCRA toxicity characteristic regulatory levels.

Attached please find Profile 139487OR, inclusive of the Apex Laboratory analytical report documenting the chemistry of the residual treatment materials and Table 1, a summary of those testing results. In response to the EZ Profile Addendum #D.7, requesting documentation regarding the State-mandated cleanup, NW Natural's Voluntary Agreement with DEQ, no.

WMCVC-NWR-94-13, dated August 8, 1994, as amended July 19, 2006 and October 11, 2016, has been provided to Waste Management under separate cover.

Please contact me if you have any questions.

Thank You,

Within D. Kyoly

William Byrd WWTP Superintendent Sevenson Environmental Services

Cc: Robert Wyatt (NW Natural), Patty Dost (Pearl Legal Group), Rob Ede (Hahn and Associates), Ryan Barth (Anchor QEA), Tim Stone (Anchor QEA), Jen Mott (Anchor QEA), Mike Crystal (Sevenson Environmental Services), Joe Burke (Sevenson Environmental Services), Thomas Wesley (ODEQ), Terence Driscoll (Aponowich, Driscoll & Associates, Inc.)

Enclosures (1): Table 1 – Koppers Tank Basin Soils Waste Management Disposal Profile 139487OR APEX Lab Reports #A2K057

Sar	Koppers Basin 11-11-2022			
LAB ID			A2K0507-01	
		oncentration reshold Values		
	20x EPA values in ug/kg*	Actual EPA values in ug/L	Results	Qualifier
Diesel (ug/kg dry)			12,900,000	F-24
Dil (ug/kg dry)			16,200,000	F-24
asoline Range Organics (ug/kg dry	)		1,050,000	
olatile Organic Compounds by EPA	8260D		ug/k <sub>i</sub>	g dry
Acetone			<2940	Q-30
Acrylonitrile			<294	
Benzene	10,000	500	19100	
Bromobenzene			<36.8	
Bromochloromethane			<73.6	
Bromodichloromethane			<73.6	
Bromoform			<147	
Bromomethane		t t	<1470	
2-Butanone (MEK)	4,000,000	200,000	<1470	
n-Butylbenzene	i		115	J
sec-Butylbenzene			160	
tert-Butylbenzene			<73.6	
Carbon disulfide			<736	
Carbon tetrachloride	10,000	500	<73.6	
Chlorobenzene	2,000,000	100,000	<36.8	
Chloroethane	//		<736	
Chloroform	120,000	6,000	<73.6	
Chloromethane	-,	-,	<368	
2-Chlorotoluene			<73.6	
4-Chlorotoluene			<73.6	
Dibromochloromethane			<147	
1,2-Dibromo-3-chloropropane			<368	
1,2-Dibromoethane (EDB)			<73.6	
Dibromomethane			<73.6	
1,2-Dichlorobenzene			<36.8	
1,3-Dichlorobenzene			<36.8	
1,4-Dichlorobenzene	150,000	7,500	<36.8	
Dichlorodifluoromethane	130,000	7,500	<294	ICV-02
1,1-Dichloroethane		┟────┼	<36.8	101-02
1,2-Dichloroethane (EDC)	10,000	500	<36.8	
1,1-Dichloroethene	14,000	700	<36.8	
cis-1,2-Dichloroethene	14,000	/00	<36.8	
trans-1,2-Dichloroethene		┟────┼	<36.8	
1,2-Dichloropropane		┟─────┟	<36.8	
1,3-Dichloropropane		┟─────┟	<73.6	
2,2-Dichloropropane		╂─────╂	<73.6	
1,1-Dichloropropene		╂─────╂	<73.6	
cis-1,3-Dichloropropene		╂─────╂	<73.6	
trans-1,3-Dichloropropene		┟─────┟	<73.6	
Ethylbenzene		┟───┼	<73.6 7620	
Hexachlorobutadiene	10,000	500	<147	

2-Hexanone			<736	
Isopropylbenzene			406	
4-Isopropyltoluene			328	
Methylene chloride			<1470	
4-Methyl-2-pentanone (MiBK)			<736	
Methyl tert-butyl ether (MTBE)			<73.6	
Naphthalene			867,000	
n-Propylbenzene			181	
Styrene			113	J
1,1,1,2-Tetrachloroethane			<36.8	
1,1,2,2-Tetrachloroethane			<73.6	
Tetrachloroethene (PCE)	14,000	700	<36.8	
Toluene			15,100	
1,2,3-Trichlorobenzene			<368	
1,2,4-Trichlorobenzene			<368	
1,1,1-Trichloroethane			<36.8	
1,1,2-Trichloroethane			<36.8	
Trichloroethene (TCE)	10,000	500	<36.8	
Trichlorofluromethane			<294	Q-52
1,2,3-Trichloropropane			<73.6	
1,2,4-Trimethylbenzene			5050	
1,3,5-Trimethylbenzene			2330	
Vinyl chloride	4,000	200	<36.8	
m,p-Xylene			14,000	
o-Xylene			6560	
TCLP Volatile Organic Compound	ls by EPA1311/826	60D	u	g/L
Acetone			<500	
Acetone Benzene	10,000	500	<500 82.0	Q-42
	10,000	500		Q-42
Benzene	10,000	500	82.0	Q-42
Benzene Bromobenzene	10,000	500	<b>82.0</b> <12.5	Q-42
Benzene Bromobenzene Bromochloromethane	10,000	500	<b>82.0</b> <12.5 <25.0	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane	10,000	500	82.0 <12.5 <25.0 <25.0	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform	4,000,000	500 	82.0 <12.5 <25.0 <25.0 <25.0	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane			82.0 <12.5 <25.0 <25.0 <25.0 <25.0 <25.0	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene			82.0           <12.5	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene sec-Butylbenzene			82.0         <12.5	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene	4,000,000		82.0         <12.5	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride	4,000,000	200,000	82.0         <12.5	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride Chlorobenzene	4,000,000	200,000	82.0         <12.5	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride Chlorobenzene Chloroethane	4,000,000 10,000 2,000,000	200,000 200,000 500 100,000	82.0         <12.5	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride Chlorobenzene Chlorobenzene	4,000,000	200,000	82.0         <12.5	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene Sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride Chlorobenzene Chlorobenane Chloroform	4,000,000 10,000 2,000,000	200,000 200,000 500 100,000	82.0         <12.5	Q-42
Benzene         Bromobenzene         Bromochloromethane         Bromodichloromethane         Bromodichloromethane         Bromodichloromethane         Bromodichloromethane         Bromodichloromethane         Bromodichloromethane         Bromodichloromethane         Bromodichloromethane         Bromodethane         Bromomethane         2-Butanone (MEK)         n-Butylbenzene         sec-Butylbenzene         tert-Butylbenzene         Carbon tetrachloride         Chlorobenzene         Chloroform         Chloroform         Chloromethane         2-Chlorotoluene	4,000,000 10,000 2,000,000	200,000 200,000 500 100,000	82.0         <12.5	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene Sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride Chlorobenzene Chlorobenzene Chloroform Chloromethane 2-Chlorotoluene 4-Chlorotoluene	4,000,000 10,000 2,000,000	200,000 200,000 500 100,000	82.0         <12.5	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene Carbon tetrachloride Carbon tetrachloride Chlorobenzene Chlorobenzene Chlorotonane Chloroform Chloromethane 2-Chlorotoluene 4-Chlorotoluene	4,000,000 10,000 2,000,000	200,000 200,000 500 100,000	82.0         <12.5	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene Carbon tetrachloride Carbon tetrachloride Chlorobenzene Chlorobenzene Chlorotonm Chloroform Chloromethane 2-Chlorotoluene 4-Chlorotoluene Dibromochloromethane	4,000,000 10,000 2,000,000	200,000 200,000 500 100,000	82.0         <12.5	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene Sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride Chlorobenzene Chlorobenzene Chloroethane Chloroform Chloroform Chlorotoluene 4-Chlorotoluene 1,2-Dibromo-3-chloropropane Dibromochloromethane (EDB)	4,000,000 10,000 2,000,000	200,000 200,000 500 100,000	82.0         <12.5	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene Sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride Chlorobenzene Chlorobenzene Chloroform Chloroform Chloroform 1,2-Dibromo-3-chloropropane 1,2-Dibromoethane (EDB) Dibromomethane	4,000,000 10,000 2,000,000	200,000 200,000 500 100,000	82.0         <12.5	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene Carbon tetrachloride Carbon tetrachloride Chlorobenzene Chlorobenzene Chloroform Chloroform Chlorotoluene 4-Chlorotoluene 1,2-Dibromo-3-chloropropane Dibromochloromethane (EDB) Dibromoethane (EDB)	4,000,000 10,000 2,000,000	200,000 200,000 500 100,000	82.0         <12.5	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene Sec-Butylbenzene Carbon tetrachloride Chlorobenzene Chlorobenzene Chlorotoluene 2-Chlorotoluene 1,2-Dibromo-3-chloropropane Dibromochloromethane 1,2-Dibromoethane (EDB) Dibromomethane	4,000,000 10,000 2,000,000 120,000	200,000 200,000 500 100,000 6,000	82.0         <12.5	Q-42
Benzene Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene Carbon tetrachloride Carbon tetrachloride Chlorobenzene Chlorobenzene Chloroform Chloroform Chlorotoluene 4-Chlorotoluene 1,2-Dibromo-3-chloropropane Dibromochloromethane (EDB) Dibromoethane (EDB)	4,000,000 10,000 2,000,000	200,000 200,000 500 100,000	82.0         <12.5	Q-42

1,1-Dichloroethane			<12.5		
1,1-Dichloroethene	14,000	700	<12.5		
1,2-Dichloroethane (EDC)	10,000	500	<12.5		
cis-1,2-Dichloroethene	10,000	500	<25.0		
trans-1,2-Dichloroethene			<12.5		
1,2-Dichloropropane			<12.5		
1,3-Dichloropropane			<25.0		
2,2-Dichloropropane			<25.0		
1,1-Dichloropropene			<25.0		
cis-1,3-Dichloropropene			<25.0		
trans-1,3-Dichloropropene			<25.0		
Ethylbenzene			30.5		
Hexachlorobutaldiene	10.000	500	<125		
	10,000	500			
2-Hexanone			<250		
Isopropylbenzene			<25.0		
4-Isopropyltoluene			<25.0		
4-Methyl-2-pentanone (MiBK)			<250		
Methyl tert-butyl ether (MTBE)			<25.0		
Methylene chloride			<250		
n-Propylbenzene			<12.5		
Stryrene			<25.0		
1,1,1,2-Tetrachloroethane			<12.5		
1,1,2,2-Tetrachloroethane			<12.5		
Naphthalene			2610		
Tetrachloroethene (PCE)	14,000	700	<12.5		
Toluene			65.5		
1,2,3-Trichlorobenzene			<25.0		
1,2,4-Trichlorobenzene			<50.0		
1,1,1-Trichloroethane			<12.5		
1,1,2-Trichloroethane			<12.5		
Trichloroethene (TCE)	10,000	500	<12.5		
Trichlorofluromethane			<50.0		
1,2,3-Trichloropropane			<25.0		
1,2,4-Trimethylbenzene			<25.0		
1,3,5-Trimethylbenzene			<25.0		
Vinyl chloride	4,000	200	<12.5		
m,p-Xylene			64.0		
o-Xylene			36.5		
			-		
Semivolatile Organic Compounds	by EPA 8270E		ug/kg dry		
Acenaphthene			145,000		
Acenaphthylene			<6810	R-02	
Anthracene			1,280,000		
Benz(a)anthracene			88,800		
Benzo(a)pyrene			95,800		
Benzo(b)fluoranthene			120,000		
Benzo(k)fluoranthene			40,900	M-05	
Benzo(g,h,i)perylene			60,900		
Chrysene			120,000		
Dibenz(a,h)anthracene			12,100		
Fluoranthene			287,000		
Fluorene			183,000		

Indeno(1,2,3-cd)pyrene			64,900	
1-MethInaphthalene			68,300	
2-MethInaphthalene		1	134,000	
Naphthalene			649,000	
Phenanthrene			739,000	
Pyrene			260,000	
Carbazole			254,000	
Dibenzofuran			89,300	
2-Chlorophenol			<2160	
4-Chloro-3-methyplenol			<4310	
2,4-Dichlorophenol			<2160	
2,4-Dimethyphenol			<2160	
2,4-Dinitrophenol			<10800	
4,6-Dinitro-2-methylphenol			<10800	
2-Methylphenol	4,000,000	200,000	<1080	
3+4-Methyphenol(s)	.,,		<1080	
2-Niptrophenol			<4310	
4-Nitrophenol		1	<8650	
Pentachlorophenol(PCP)	2,000,000	100,000	<4310	
Phenol	, , - • •		<865	
2,3,4,6-Tetrachlorophenol			<2160	
2,3,5,6-Tetrachlorophenol			<2160	
2,4,5-Trichlorophenol	8,000,000	400,000	<2160	
Nitrobenzene	40,000	2,000	<4310	
2,4,6-Trichlorophenol	40,000	2,000	<2160	
Bis(2-ethylhexyl)phthalate	10,000	2,000	<6480	
Butyl benzyl phtalate			<4310	
Diethyphthalate			<4310	
Dimethylphthalate			<4310	
Di-n-butylphthalate			<4310	
Di-n-octyl phthalate			<4310	
N-Nitrosodimethylamine			<1080	
N-Nitroso-di-n-propylamine			<1080	
N-Nitrosodiphenylamine			<3890	R-02
Bis(2-Chloroethoxy) methane			<1080	
Bis(2-Chloroethyl) ether			<1080	
2,2'- Oxybis (1-Chloropropane)			<1080	
Hexachlorobenzene	2,600	130	<431	
Hexachlorobutadiene	10,000	500	<1080	
Hexachlorocyclopentadiene	, -		<2160	
Hexachloroethane	60,000	3,000	<1080	
2-Chloronaphthalene	, -	, -	<431	
1,2,4-Trichlorobenzene			<1080	
4-Bromophenyl phenyl ether			<1080	
4-Chlorophenyl phenyl ether			<1080	
Aniline		1	<2160	
4-Chloroaniline			<1080	
2-Nitroaniline			<8650	
3-Nitroaniline			<8650	
4-Nitroaniline			<17300	
2,4-Dinitrotoluene	2,600	130	<4310	
2,6-Dinitrotoluene			<4310	
=,- =		I		

%Solids			76.5	
Percent Dry Weight				
Free Liquid (mL)			ND	
Total Cyanide (mg/kg dry)			29,700	
Silver	10,000	500	<50.0	
Selenium	20,000	1,000	<50.0	
Mercury	4,000	200	<3.75	
Lead	10,000	500	135	
Chromium	10,000	500	<50.0	
Cadmium	20,000	1,000	<50.0	
Barium	2,000,000	100,000	<2500	
Arsenic	10,000	500	<50.0	
TCLP Metals by EPA	6020B (ICPMS) (u	ıg/L)	ug/kg dry	
Silver	10,000	500	<141	
Selenium	20,000	1,000	<706	
Mercury	4,000	200	378	
Lead	10,000	500	274,000	В
Chromium	10,000	500	27,600	
Cadmium	20,000	1,000	533	
Barium	2,000,000	100,000	83,400	
Arsenic	10,000	500	11,100	
Total Metals by EPA 6020B(ICPMS)	100,000	,,	ug/kg dry	
1,4-Dichlorobenzene	150,000	7,500	<1080	
1,3-Dichlorobenzene			<1080	
1,2-Dichlorobenzene	100,000	5,000	<1080	
1,4-Dimitrobenzene Pyridine	100,000	5,000	<10800	
1,4-Dinitrobenzene			<10800 <10800	
1,2-Dinitrobenzene 1,3-Dinitrobenzene			<10800	
3,3'-Dichlorobenzidine			<8650	Q-52
Bis(2-Ethylhexyl)adipate			<10800	0.52
Azobenzene (1,2-DPH)			<2160	
Isophorone			<1080	
Benzyl alchohol			<2160	
Benzoic acid			<54100	

NOTES:

\*If laboratory results from the totals test reported in ug/kg exceed the "20x TC Threshold" value, then see results of the TCLP test for direct comparison to actual TC regulatory levels reported in ug/L for regulatory status determination.

B = Analyte detected in an associated blank at a level above the MRL. (See Notes and Conventions below.)

F-24 = The chromatographic pattern does not resemble the fuel standard used for quantitation. The Diesel

result represents carbon range C12 to C24, and the Oil result represents >C24 to C40.

ICV-02 = Estimated Result. Initial Calibration Verification (IVC) failed low.

J = Estimated Result. Result is detected below the lowest point of the calibration curve, but above the specified MDL.

M-05= Estimated results. Peak separation for structural isomers is insufficient for accurate quantification

Q-30 = Recovery for Lab Control Spike (LCS) is below the lower control limit. Data may be biased low.

Q-42 = Matrix Spike and/or Duplicate analysis was performed on this sample. % Recovery or RPD for this analyte is outside laboratory control limits.

Q-52 = Due to erratic or low blank spike recoveries results are considered estimated.

R-02 = The Reporting Limit for this analyte has been raised to account for interference from coeluting organic compounds present in the sample.

RECEIVED

SEP 0 9 2004

Schwabe, Williamson & Wyatt

# RECEIVED SEP 8 2004 VOLUNTARY AGREEMENT FOR REMEDIAL INVESTIGATION/FEASIBILITY STUDY

#### DEQ NO. WMCVC-NWR-94-13

BETWEEN:

Northwest Natural Gas Company

8/8/94

(

AND:

Oregon Department of Environmental Quality (DEQ)

EFFECTIVE DATE:

Pursuant to ORS 465.260(2) and (4), the Director, Oregon Department of Environmental Quality (DEQ), enters this Agreement with the Northwest Natural Gas Company (NWNG). This Agreement contains the following provisions:

	<u>Pa</u>	age
I.	Recitals	1
II.	Agreement	3
	A. Work	3
		3
		3 -
		4
	E. Notice and Samples	4
		5
		5
	I. Progress Reports (	5
	. Other Applicable Laws	6
	. = =	5
	K. Force Majeure	7
		7
	1. Dispute Resolution	7
	I. Enforcement of Agreement and	
	Reservation of Rights 8	3
	). Hold Harmless {	3
	P. Parties Bound	Э
		9
		9

#### I. RECITALS

NWNG is a "person" under ORS 465.200(13). Α.

в. The NWNG site is a "facility" under ORS 465.200(6). The NWNG site occupies approximately 47 acres at 7540 N.W. St. Helens Road, Portland, Oregon and is the location of a former oil gasification plant. A vicinity map and a site map are included in Attachment A to this Agreement.

Page 1 - Voluntary Agreement for RI/FS DEQ No. WMCVC-NWR-94-13 Northwest Natural Gas Company

- C. From 1913 until 1956, NWNG, then known as the Portland Gas and Coke Company (GASCO) operated an oil gasification plant on the present property owned by NWNG. An adjoining approximately 73 acre portion of the property was sold by NWNG in 1962 and is currently the site of the Wacker Siltronics Corporation manufacturing facility. The former GASCO facility produced oil gas and lampblack briquettes. Other materials produced by the plant for sale included light oils, tar and electrode grade coke. Wastes generated at the facility included tar, wastewater containing dissolved and suspended hydrocarbons, and spent oxide. Many of these wastes were disposed of in on-site tar ponds. In 1971 the largest remaining tar pond was estimated to contain 6 million gallons of tar and tar/water emulsion. This tar pond was subsequently filled in with spent oxide material and rubble and spread out over the southeastern portion of the site. NWNG currently operates a liquified natural gas (LNG) plant at the site and leases portions of the former GASCO facility to Pacific Northern Oil Company (Pacific Northern) and Koppers Industries, Incorporated (Koppers).
- D. Investigations conducted to date indicate that petroleum hydrocarbons, volatile aromatic hydrocarbons and polycyclic aromatic hydrocarbons (PAHs) are present in subsurface soils and groundwater on the NWNG property. A total PAH concentration of 926 mg/l was detected in a 1984 sample collected from a monitoring well installed on the property leased from NWNG by Koppers. Ethylbenzene and xylene were detected in the same monitoring well at 380 mg/l and 2600 mg/l respectively. Analysis of a 1984 sediment sample collected from the NWNG LNG containment basin detected 300 mg/kg of total PAHs. Analysis of a 1993 water sample collected from the NWNG LNG containment basin detected 8.3 mg/l of benzene and 1.4 mg/l of total PAHs.

The substances described in this section are "hazardous substances" under ORS 465.200(9). The presence of hazardous substances in soil and groundwater at the facility constitutes a "release" or "threat of release" into the environment under ORS 465.200(14).

- E. NWNG requested DEQ oversight of its investigation and cleanup activities and executed a voluntary Letter Agreement with DEQ on January 3, 1994. NWNG provided a \$5,000 advance deposit to cover initial DEQ oversight costs.
- F. DEQ considers the activities required by this Agreement to be necessary to protect public health, safety, and welfare and the environment.

Page 2 - Voluntary Agreement for RI/FS Northwest Natural Gas Company DEQ No. WMCVC-NWR-94-13

#### **II.** AGREEMENT

The parties agree as follows:

#### A. Work

#### 1. <u>Remedial Investigation and Feasibility Study.</u>

NWNG shall perform a remedial investigation and feasibility study (RI/FS) satisfying OAR 340-122-070 and OAR 340-122-080, the terms and schedule of a DEQ-approved work plan developed by NWNG, and applicable elements of the general Scope of Work contained in Attachment B to this Agreement. NWNG may specify, in the proposed work plan, elements of the Scope of Work that NWNG considers inapplicable or unnecessary to the RI/FS for the facility. NWNG may propose to perform the work in phases or operable units.

#### 2. <u>Review</u>

DEQ shall provide review, approvals/disapprovals, and oversight in accordance with the schedule set forth in the Scope of Work, or as soon as thereafter practicable in the event staff resources or workload prevent compliance with the schedule. Any DEQ delay shall correspondingly extend NWNG's schedule for a related deliverable or activity.

#### 3. Additional Measures

NWNG may elect at any time during the term of this Agreement to undertake measures other than those required under this Agreement necessary to address a release or threatened release of hazardous substances at the facility which is the subject of this Agreement. Such other measures shall be subject to prior approval by DEQ, which approval shall be granted if DEQ determines that the additional measures will not compromise the validity of the RI/FS and will not threaten human health or the environment.

## B. Public Participation

Upon execution of this Agreement, DEQ will provide public notice of this Agreement through issuance of a press release, at a minimum to a local newspaper of general circulation, describing the measures required under this Agreement. Copies of the Agreement will be made available to the public. DEQ shall provide NWNG a draft of such press release and consider any comments by NWNG on the draft press release, before publication.

## C. DEQ Access and Oversight

1. DEQ shall use its best efforts, but not be obligated, to provide reasonable advance notice before entering the

Page 3 - Voluntary Agreement for RI/FS DEQ No. WMCVC-NWR-94-13 Northwest Natural Gas Company facility. NWNG shall allow DEQ to enter and move freely about all portions of the facility at all reasonable times for the purposes, among other things, of inspecting records relating to work under this Agreement; observing NWNG's progress in implementing this Agreement; conducting such tests and taking such samples as DEQ deems necessary; verifying data submitted to DEQ by NWNG; and, using camera, sound recording, or other recording equipment for purposes relating to work under this Agreement.

- 2. NWNG shall permit DEQ to inspect and copy all records, files, photographs, documents, and data relating to work under this Agreement, except that NWNG shall not be required to permit DEQ inspection or copying of items subject to attorney-client or attorney work product privilege. DEQ shall use its best efforts, but not be obligated, to provide reasonable advance notice before records inspection and copying requests.
- 3. Attorney-client and work product privileges may not be asserted with respect to any records required under Section II.G.1 and II.G.2 of this Agreement. NWNG shall identify to DEQ, by addressor-addressee, date, general subject matter, and distribution, any document, record, or item withheld from DEQ on the basis of attorney-client or attorney work product privilege. DEQ reserves its rights under law to obtain documents DEQ asserts are improperly withheld by NWNG.

#### D. Project Managers

1. To the extent possible, all reports, notices, and other communications required under or relating to this Agreement shall be directed to:

DEQ Project Manager:

#### NWNG Project Manager:

Eric Blischke Department of Environmental Quality Northwest Region 2020 S.W. Fourth Avenue, Suite 400 Portland, OR 97201 (503) 229-6802 Sandra Hart Northwest Natural Gas Company 220 S.W. Second Avenue Portland, OR 97209 (503) 226-4211

2. NWNG's and DEQ's Project Managers shall be available and have the authority to make day-to-day decisions necessary to complete the scope of work under this Agreement.

#### E. Notice and Samples

NWNG shall make every reasonable attempt to notify DEQ of any excavation, drilling, or sampling to be conducted under this Agreement at least five (5) working days before such activity but in no event less than twenty-four (24) hours before such activity. Upon DEQ's verbal request, NWNG shall make available to DEQ a

Page 4 - Voluntary Agreement for RI/FS DEQ No. WMCVC-NWR-94-13 Northwest Natural Gas Company split or duplicate of any sample taken pursuant to this Agreement. DEQ shall make every effort to complete analysis of any split or duplicate sample on a schedule consistent with NWNG's schedule for related activities.

## F. Quality Assurance

NWNG shall conduct all sampling, sample transport, and sample analysis in accordance with the Quality Assurance/ Quality Control (QA/QC) provisions approved by DEQ as part of the work plan. All plans prepared and work conducted as part of this Agreement shall be consistent with DEQ's "Quality Assurance Policy No. 760.00". NWNG shall ensure that each laboratory used by NWNG for analysis performs such analyses in accordance with such provisions.

#### G. Records

- In addition to those technical reports and documents specifically required under this Agreement, NWNG shall provide to DEQ within ten (10) days of DEQ's written request copies of existing documents relating to work required under this Agreement, including QA/QC memoranda and audits, final plans, final reports, task memoranda, field notes, and laboratory analytical data that have undergone data quality validation.
- 2. If DEQ determines that review of raw data or preliminary laboratory reports is necessary in order to ensure protection of public health, safety, and welfare and the environment, that information will be provided by NWNG immediately upon DEQ's written request. When such information is requested, DEQ will fully inform NWNG of the reasons making the request necessary.
- 3. Except for preliminary drafts which have been superseded, NWNG and DEQ shall preserve all records and documents in possession or control of NWNG and DEQ, respectively, or their employees, agents, or contractors that relate in any way to activities under this Agreement for at least five (5) years after termination under Section II.R. of this Agreement; provided that after such 5-year period, NWNG and DEQ shall provide the other sixty (60) days notice before destruction or other disposal of such records and make them available for inspection and copying.
- 4. NWNG may assert a claim of confidentiality regarding any documents or records submitted to or copied by DEQ pursuant to this Agreement. DEQ shall treat documents and records for which a claim of confidentiality has been made in accordance with ORS 192.410 through 192.505. If NWNG does not make a claim of confidentiality at the time the documents or records are submitted to or copied by DEQ, the documents or records may be made available to the public without notice to NWNG.

Page 5 - Voluntary Agreement for RI/FS DEQ No. WMCVC-NWR-94-13 Northwest Natural Gas Company

#### H. Progress Reports

During each month of this Agreement, NWNG shall deliver to DEQ on or before the tenth (10th) day of each month two (2) copies of a progress report containing the following items. DEQ anticipates. that the progress report will not exceed 2 pages in length.

- Actions taken under this Agreement during the previous month; 1.
- 2. Actions scheduled to be taken in the next month;
- Sampling, test results, and any other data generated by NWNG 3. during the previous month; and
- A description of any problems experienced during the previous 4. month and the actions taken to resolve them.

#### I. Other Applicable Laws

All actions under this Agreement shall be performed in accordance with all applicable federal, state, and local laws and regulations; except that, in accordance with ORS 465.315(2), DEQ in its discretion may exempt the on-site portion of any removal or remedial action from applicable requirements of ORS 466.005 to 466.385, ORS Chapter 459, or ORS Chapter 468 (1989).

#### Reimbursement of DEQ Oversight Costs J.

- DEQ shall submit to NWNG a monthly statement of costs actually 1. and reasonably incurred after issuance of this Agreement by DEQ or the State of Oregon in connection with any activities related to the facility or oversight of NWNG's implementation of this Agreement. Each invoice will include a summary of costs billed to date. DEQ will also include a direct labor summary showing the person charging the time, the number of hours and the nature of the work performed.
- DEQ or State of Oregon oversight costs payable by NWNG shall 2. include both direct and indirect costs. Direct costs include site-specific expenses, DEQ contractor costs, and DEQ legal Indirect costs are those general management and costs. support costs of the DEQ and of the Waste Management and Cleanup Division allocable to DEQ oversight of this Agreement and not charged as direct, site-specific costs. Indirect costs are based on a percentage of direct personal services costs. DEQ shall maintain work logs, payroll records, receipts and other documents to document work performed and expenses incurred under this Agreement and, upon request, shall make such records available to Respondent for inspection during the time of this Agreement and for at least one year thereafter.

Page 6 - Voluntary Agreement for RI/FS DEQ No. WMCVC-NWR-94-13 Northwest Natural Gas Company

3. Within thirty (30) days of receipt of the monthly statement, NWNG shall pay the amount of costs billed by check made payable to the "State of Oregon, Hazardous Substance Remedial Action Fund".

#### K. Force Majeure

- 1. If any event occurs that is beyond NWNG's reasonable control and that causes or might cause a delay or deviation in performance of the requirements of this Agreement, NWNG shall promptly notify DEQ's Project Manager verbally of the cause of the delay or deviation and its anticipated duration, the measures that have been or will be taken to prevent or minimize the delay or deviation, and the timetable by which NWNG proposes to carry out such measures. NWNG shall confirm in writing this information within five (5) working days of the verbal notification.
- 2. If NWNG demonstrates to DEQ's satisfaction that the delay or deviation has been or will be caused by circumstances beyond the control and despite the due diligence of NWNG, DEQ shall extend times for performance of related activities under this Agreement as appropriate. Circumstances or events beyond NWNG's control might include but are not limited to acts of God, unforeseen strikes or work stoppages, fire, explosion, riot, sabotage, or war. Increased cost of performance or changed business or economic circumstances shall be presumed not to be circumstances beyond NWNG's control.

#### L. Prior Approval

Where DEQ review and approval is required for any plan or activity under this Agreement, NWNG shall not proceed to implement the plan or activity until DEQ approval is received. Any DEQ delay in granting or denying approval shall correspondingly extend the time for completion by NWNG. Prior approval shall not be required in emergencies or in instances where NWNG believes a delay in undertaking a particular action will threaten human health, safety or the environment; provided NWNG shall notify DEQ immediately after the emergency or activity and evaluate its impact on the RI/FS.

#### M. Dispute Resolution

In the event of disagreement between NWNG and DEQ regarding implementation of this Agreement, NWNG and DEQ shall, in the following order: 1) make a good faith effort to resolve the dispute between Project Managers; 2) if necessary, refer the dispute for resolution by the immediate supervisors of the Project Managers; and 3) if necessary, provide each other their respective positions in writing and refer the dispute for resolution by DEQ's Administrator of the Waste Management and Cleanup Division or the appropriate Region Administrator and NWNG's Chief Executive

Page 7 - Voluntary Agreement for RI/FS DEQ No. WMCVC-NWR-94-13 Northwest Natural Gas Company Officer. DEQ's final decision after such dialogue shall be enforceable under this Agreement. If NWNG refuses or fails to follow DEQ's final decision, the parties shall be entitled to such rights and remedies, including but not limited to, judicial review and subject to such limitation as provided by applicable law.

#### N. Enforcement of Agreement and Reservation of Rights

- In the event of NWNG's failure to comply with this Agreement (including any failure to reimburse oversight costs), DEQ may enforce this Agreement under ORS 465.260(5) or may terminate this Agreement after thirty (30) days written notice to NWNG.
- 2. In the event of DEQ's failure to provide oversight in accordance with this Agreement, NWNG may terminate this Agreement after thirty (30) days written notice to DEQ. Costs incurred or obligated by DEQ before the effective date of any termination of this Agreement shall be owed under the Agreement notwithstanding such termination.
- 3. NWNG does not admit any liability or violation of law by virtue of entering this Agreement.
- 4. Nothing in this Agreement shall prevent NWNG from exercising any rights of contribution or indemnification NWNG might have against any person regarding activities under this Agreement; provided, NWNG waives any right it might have under ORS 465.260(7) to seek reimbursement from the Hazardous Substance Remedial Action Fund for costs incurred under this Agreement.
- 5. NWNG agrees not to litigate, in any proceeding brought by DEQ to enforce this Agreement, any issue other than NWNG's compliance with this Agreement.

#### O. Hold Harmless

1. NWNG shall save and hold harmless the State of Oregon and its commissions, agencies, officers, employees, contractors, and agents, and indemnify the foregoing, from and against any and all claims arising from acts or omissions related to this Agreement of NWNG or its officers, employees, contractors, agents, receivers, trustees, or assigns. The State of Oregon shall notify NWNG of any such claims or actions as soon as practicable after receiving notice that such a claim or action is threatened or has been filed. NWNG shall have the right to participate fully at its own expense in the defense or settlement of such claims, including the right to promptly receive related correspondence with the claimant and the opportunity to participate in related meetings and telephone conferences with the claimant. The state will confer with NWNG regarding litigation and settlement strategy and, to the extent practicable, will allow NWNG to review ad comment on

Page 8 - Voluntary Agreement for RI/FS DEQ No. WMCVC-NWR-94-13 Northwest Natural Gas Company pleadings and settlement documents before they are filed with the court or sent to the claimant. NWNG shall have no obligations under this subsection with respect to any claim settled or otherwise compromised without NWNG's having been provided the opportunity to participate in accordance with this subsection. Subject to Article XI, Section 7 of the Oregon constitution and the Oregon Tort Claims Act, DEQ and the State of Oregon shall be responsible for the acts and omissions of their own employees and agents, except for DEQ acts approving or omissions constituting approval of NWNG's activities under this Agreement. DEQ shall not be considered a party to any contract made by NWNG or its agents in carrying out activities under this Agreement.

2. To the extent permitted by Article XI, Section 7, or the Oregon Constitution and by the Oregon Tort Claims Act, the State of Oregon shall save and hold harmless NWNG and its officers, employees, contractors, and agents, and indemnify the foregoing, from and against any and all claims arising from acts or omissions related to this Agreement of the State of Oregon or its commissions, agencies, officers, employees, contractors, or agents (except for acts approving or omissions constituting approval of any activity of NWNG under this Agreement). NWNG shall not be considered a party to any contract made by DEQ or its agents in carrying out activities under this Agreement.

#### P. Parties Bound

This Agreement shall be binding on the parties and their respective successors, agents, and assigns. The undersigned representative of each party certifies that he or she is fully authorized to execute and bind such party to this Agreement. No change in ownership or corporate or partnership status relating to the facility shall in any way alter NWNG's obligations under this Agreement, unless otherwise approved in writing by DEQ.

## Q. Modification

DEQ and NWNG may modify this Agreement by mutual written agreement.

#### R. Duration and Termination

Upon completion of work under this Agreement, NWNG shall submit to DEQ a written notice of completion. This Agreement shall be deemed satisfied and terminated upon payment of all oversight cost owed and upon DEQ's issuance of a letter acknowledging satisfactory completion of activities in accordance with this Agreement. Such letter shall be issued within sixty (60) days of receipt of notice of completion and payment of outstanding DEQ oversight costs, or as soon thereafter as is reasonably practicable.

Page 9 - Voluntary Agreement for RI/FS DEQ No. WMCVC-NWR-94-13 Northwest Natural Gas Company

## NORTHWEST NATURAL GAS COMPANY

By: (Mame)

Date:

STATE OF OREGON DEPARTMENT OF ENVIRONMENTAL QUALITY

tle)

By: (Name)

Date:

AUG 8 1994


(Title)


Page 10 - Voluntary Agreement for RI/FS DEQ No. WMCVC-NWR-94-13 Northwest Natural Gas Company

## ATTACHMENT A

ĺ

## VICINITY AND SITE MAPS





.

÷

المراجب المراجب والمراجب وال

## ATTACHMENT B

## SCOPE OF WORK

Meeting to discuss RI/FS Proposal

DEQ approval of RI/FS Proposal

Draft RI/FS Work Plan

DEQ review and comments

Revised Draft RI/FS Work Plan

DEQ review and approval

Implementation of RI

RI Letter Report

DEQ review and comments

Subsequent Phase Work Plan Addenda

DEQ review and comment

Provide to DEQ within 30 days of issuance of this agreement.

Between DEQ and NWNG within 15 days of DEQ's receipt of the RI/FS proposal; DEQ and NWNG will meet, if necessary, to review the proposal, concur on the RI/FS approach, and discuss the content and format of deliverables.

To NWNG within 10 days of meeting or within 15 days of receipt of RI/FS Proposal if meeting not held.

To DEQ within 45 days of receipt of DEQ's approval of the RI/FS Proposal; the Draft RI/FS Work Plan shall include the draft Sampling and Analysis Plan (SAP), Health and Safety Plan (HASP), Quality Assurance Project Plan (QAPP), Endangerment Assessment Work Plan (EAWP) and Feasibility Study Work Plan (FSWP).

To NWNG within 30 days of receipt of the Draft RI/FS Work Plan.

To DEQ within 15 days of receipt of DEQ comments; the revised RI/FS Work Plan shall include a revised SAP, HASP, QAPP, EAWP and FSWP as necessary, addressing DEQ comments.

To NWNG within 15 days of receipt of an approvable RI/FS Work Plan.

Within 15 days of receipt of DEQ approval; NWNG shall complete work according to the schedule specified in the approved Work Plan.

To DEQ within 30 days of completion of RI and receipt of laboratory data. Data shall be validated and any unusable data identified. Shall include a recommendation whether additional phases are required; format to be mutually agreed upon by DEQ and NWNG.

To NWNG within 15 days of receipt.

If it is mutually determined by DEQ and NWNG that additional phases are required, NWNG shall submit a Work Plan Addendum according to a format and schedule agreed upon between the parties prior to starting each phase of the Remedial Investigation, the Endangerment Assessment and the Feasibility Study.

To NWNG within 21 days of receipt of each Work Plan Addendum.

#### ATTACHMENT B

#### VOLUNTARY CLEANUP PROGRAM REMEDIAL INVESTIGATION/FEASIBILITY STUDY SCOPE OF WORK

#### I. OBJECTIVES AND SCHEDULE

#### A. OBJECTIVES

- 1. Work performed under this Agreement shall complement and incorporate existing site information with the following specific objectives:
  - i. the magnitude, nature Determine and extent of contamination at the Northwest Natural Gas Company (NWNG) site located at 7540 N.W. St. Helens Road. The investigation and cleanup, if required, shall include properties leased to Pacific Northern Oil Company and Koppers Industries, Incorporated. The investigation shall focus on, but not be limited to, petroleum related contaminants such as volatile aromatic compounds and polycyclic aromatic hydrocarbons (PAHs) and inorganic contaminants such as metals, cyanide and hydrogen sulfide.
- Work performed under this Agreement shall complement and incorporate existing site information with the following overall objectives:
  - i. Identify the hazardous substances which have been released to the environment,
  - ii. Determine the full nature and extent of hazardous substances in affected media on and off-site,
  - iii. Determine the distribution of hazardous substance concentrations,
  - iv. Determine the direction and rate of migration of hazardous substances,
  - v. Identify migration pathways,
  - vi. Identify the environmental impact and risk to human health and/or the environment,
  - vii. Develop the information necessary to select a remedial action.

#### B. SCHEDULE

The Remedial Investigation/Feasibility Study (RI/FS) described in this Scope of Work may be completed in phases if that approach will better enable NWNG to meet the objectives listed above. All work under this Agreement will proceed in accordance with the schedule below, which assumes a phased approach and is measured in calendar days:

Subsequent Phase RI Letter Reports

DEQ review and comment

Draft RI Report Outline

DEQ Review and Comment

Draft RI Report

DEQ review and comments

Final RI Report

Review and approval

Draft FS Report

DEQ review and comments

Final FS Report

DEQ review and approval

#### II. RI/FS PROPOSAL

The RI/FS Proposal will be a brief discussion of NWNG's proposed approach to the RI/FS, addressing soil, groundwater, surface water, sediments, and air. The proposal will provide the framework for the RI/FS Work Plan and will include the following, assuming a phased approach:

- A summary of site-specific issues and a review of the results of Α. previously completed work;
- A general description of each proposed phase, including the goals в. and objectives of each;
- Phase I sample locations, depths, proposed analytical methods, and с. the rationale for each (include map); and

ATTACHMENT B - SCOPE OF WORK - NORTHWEST NATURAL GAS COMPANY Page 3

Within 30 days of completion of subsequent phases of the RI work, NWNG shall issue additional Phase RI Letter Reports which summarize the RI work to date and include a recommendation whether additional phases are required.

To NWNG within 15 days of receipt of the Letter report for each phase of the RI.

To DEQ within 30 days of receipt of DEQ's comments on the final phase of the RI work and receipt of all laboratory data; the outline will provide a table of contents and a list of figures and tables.

To NWNG within 15 days of receipt.

To DEQ within 60 days of receipt of DEQ's comments; the draft RI report will include a draft Endangerment Assessment, summarize all RI work to date and respond to all DEQ comments to-date.

To NWNG within 45 days of receipt of the Draft RI Report.

To DEQ within 30 days of receipt of DEQ comments.

To NWNG within 30 days of receipt of an approvable RI Report.

To DEQ within 60 days of DEQ approval of the Final RI Report

To NWNG within 45 days of receipt of the Draft FS report

To DEQ within 30 days of receipt of DEQ's comments

To NWNG within 30 days of receipt of an approvable FS Report

D. The estimated schedule for implementation of Phase I and subsequent phases if necessary.

#### III. REMEDIAL INVESTIGATION WORK PLAN

The RI Work Plan shall be based on the <u>Guidance for Conducting Remedial</u> <u>Investigations and Feasibility Studies Under CERCLA</u>, OSWER Directive 9355.3-01, 1988, and developed in accordance with OAR 340-122-080.

The Work Plan shall include, but not be limited to the following items:

#### A. PROJECT MANAGEMENT PLAN

- 1. A proposed schedule for submittals and implementation of all proposed activities.
- 2. A description of the personnel involved in the project, including their qualifications to do the proposed work.

#### B. SITE DESCRIPTION

A description of facility operations shall include, but not be limited to, the following:

- 1. A list of chemical products used on-site currently and historically.
- 2. The estimated volume of waste disposed of on-site and/or discharged off-site.
- 3. Time and volume of known spills.
- 4. A description of past and present waste treatment/disposal practices and areas.
- 5. The location of past and present raw material and finished product storage areas.
- 6. The approximate time periods for past operational, treatment, storage, disposal, and/or discharge practices where hazardous substances were involved relative to this investigation.

#### C. SITE CHARACTERIZATION PLAN

1. Soils

- Objective: To identify releases of hazardous substances to soils and to assess the nature and extent of soil contamination.
- Scope: The plan shall address all areas which could potentially have received spills, leaks from tanks or piping, been used for waste treatment, storage, or disposal, or have been affected by contaminated surface water or storm water runoff, and all other areas where soil contamination is known or suspected, to the extent necessary for DEQ to select a remedy for the site.

Procedures: The sampling program shall supplement previous soil

sampling at the facility. At a minimum, the plan shall include, but not be limited to, the following:

- a. The proposed location of soil borings including;
  - i. Depth of borings
  - ii. Sampling interval
  - iii. Sample collection methods
  - iv. Analytical parameters
  - v. Method to determine background concentrations for each parameter
  - vi. Rationale for each of the above
- b. Provisions for describing soil boring samples, to include:
  - i. The soil type according to the ASTM D 2487-85, Classification of Soils for Engineering Purposes, and
  - ii. Soil color, structure, texture, mineral composition, moisture, and percent recovery according to <u>ASTM D 2488-84</u>, <u>Description and Identification of Soils (Visual-Manual Procedures)</u>
  - iii. Other relevant characteristics such as visual identification of contamination, odor, and detection of vapors by use of field screening instruments such as HNU, OVA or other equivalent type equipment, and as described by a qualified geologist or geotechnical engineer.

#### 2. Groundwater

Objective: To identify releases of hazardous substances and characterize the lateral and vertical extent of these releases to groundwater

Scope: The plan shall supplement previous investigations at the facility and shall identify releases of hazardous substances to groundwater, and shall also characterize the vertical and lateral extent of groundwater contamination, both on-site and migrating off-site to the extent necessary for DEQ to select a remedy for the site.

- Procedures: The sampling program shall supplement previous groundwater sampling at the facility. At a minimum, the plan shall include, but not be limited to, the following:
  - a. Well installation plan to include:
    - i. Proposed well locations.

- ii. Proposed well depths.
- iii. Length of proposed screened intervals.
- iv. Proposed drilling methods.
- v. Proposed construction materials and installation methods.
- vi. Proposed well development and completion methods.
- vii. Proposed sample collection methods
- viii. Proposed analytical parameters
- ix. Proposed method to determine background concentrations of each parameter
- x. Proposed schedule for sampling all monitoring wells
- b. Hydrologic characterization proposal to include:
  - i. Provisions to collect and describe formation materials during drilling. NWNG may consider obtaining continuous cores and using borehole geophysics to supplement coring.
  - ii. A plan to characterize the hydrogeology including a description of:
    - (a) stratigraphy
    - (b) structural geology
    - (c) depositional history
    - (d) regional ground-water flow patterns
  - iii. A plan to describe the hydrogeologic properties of affected hydrogeologic units found at the site, and additional units as necessary to complete the RI/FS, including:
    - (a) hydraulic conductivity
    - (b) porosity
    - (c) lithology
    - (d) hydraulic interconnections between saturated zones
  - iv. Plans to identify the following for each affected aquifer, and additional aquifers as necessary to complete the RI/FS:
    - (a) A description of ground-water flow direction.
    - (b) Identification of vertical and horizontal gradient(s).
    - (c) Interpretation of the flow system including the rate (horizontal and vertical) of groundwater flow, and including seasonal variations.

- v. A plan to describe surface and subsurface features, characteristics, and interrelationships with a potential to influence groundwater flow patterns at the site, including:
  - (a) Identification of pumping groundwater wells, past and present.
  - (b) Influences of rivers, streams, and ditches.
  - (c) Influences of ponds and lakes.
  - (d) Identification of areas of recharge/discharge.
- c. A plan to conduct a well inventory to identify all active and inactive water wells within a one-mile radius of the facility, to include, as necessary:
  - i. Identification of all wells listed with the Oregon Water Resources Department and field confirmation of their location
  - ii. A.door-to-door field survey to identify wells for which no logs are on file
  - - (a) Owner
    - (b) Address
    - (c) Map location
    - (d) Driller
    - (e) Date drilled
    - (f) Depth
    - (g) Casing and screen material, depths and intervals
    - (h) Seal types, depths and intervals
    - (i) Static water levels
    - (j) Approximate land surface elevation
    - (k) Reported water quality and use of well
  - iv. A plan to sample those private wells identified above which, based on the available hydrogeological information, may be at greatest risk of contamination.
- 3. Surface Water and Sediments
- Objective: The Work Plan shall include a plan to identify and evaluate releases of hazardous substances to surface water, including their sediments.
- Scope:

The plan shall supplement previous investigations at the facility and shall identify all past, existing, and potential impacts to surface waters from the identified release to the extent necessary for DEQ to select a remedy for the site.

Procedures: The sampling program shall supplement previous surface water and sediment sampling at the facility. At a minimum, the plan shall include but not be limited to,

the following:

- a. A delineation of past and present surface drainage patterns at the site.
- b. Proposed sampling points in past and current surface drainages.
- c. Proposed sample collection methodology.
- d. Proposed analytical parameters
- e. Proposed method for determining background values for all parameters.

a teach. Cleanai

11. 11.

-12187. - 1222. (

-----

- f. A rationale for each of the above.
- 4. Air
- Objective: To identify and characterize the release of hazardous substances to the air from unregulated sources at the facility.
- Scope: The air assessment plan shall supplement previous investigations at the facility and shall be designed to determine if unregulated air emissions from the site threaten human health or the environment.
- Procedures: The sampling plan shall supplement previous air sampling at the facility. At a minimum, the plan shall include, but not be limited to, the following:
  - a. Proposed sample locations
  - b. Proposed analytical parameters
  - c. Proposed sample collection methods
  - d. Methodology for determining background values for each parameter
  - e. Rationale for each of the above

#### D. SAMPLING AND ANALYSIS PLAN (SAP)

Objective: To adequately document all sampling and analysis procedures.

Scope: The SAP shall be sufficiently detailed to function as a manual for field staff. In preparation of the SAP, the following guidance documents shall be utilized: <u>Data Quality Objectives</u> for <u>Remedial Response Activities</u>, EPA/540/G-87/004 (OSWER Directive 9355.0-7B), March, 1987; <u>Test Methods for Evaluating</u> Solid Waste, SW-846; and <u>A Compendium of Superfund Field</u> <u>Operations Methods</u>, EPA/540/P-87/001 (OSWER Directive 9355.0-14), December, 1987. The SAP shall address all topics listed in Policy #760.000, Quality Assurance Policy.

Procedures: The Work Plan shall include a SAP for all sampling activities. The SAP shall include, at a minimum:

ATTACHMENT B - SCOPE OF WORK - NORTHWEST NATURAL GAS COMPANY Page 8

:

- 1. Proposed analytical parameters and rationale.
- 2. Description of sample collection methods, sampling equipment, and sample handling procedures.
- 3. Quality assurance and quality control procedures for both field and lab procedures, including a data quality objectives plan.
- 4. Chain of custody procedures.
- 5. Analytical methods for each parameter.
- 6. A methodology for determining background concentrations for all detected contaminants.
- 7. A methodology for determining statistically significant increases in concentrations for the sampling parameters.

#### E. HEALTH AND SAFETY PLAN (HASP)

The Health and Safety Plan shall:

- 1. Describe the known hazards and risks.
- 2. Identifying levels of protective clothing and equipment to be worn.
  - 3. Describe decontamination procedures.
  - 4. Identify any special requirements or training needs.
  - 5. Provide a contingency plan for emergencies.

An existing Health and Safety Plan can be included by reference, if it adequately includes the above items.

#### F. ENDANGERMENT ASSESSMENT WORK PLAN

The Endangerment Assessment portion of the Work Plan shall be developed based on the Risk Assessment Guidance for Superfund - Human Health Evaluation Manual Part A, United States Environmental Protection Agency, Interim Final, July 1989, (RAGS-HHEM); Risk Assessment Guidance for Superfund Volume II - Environmental Evaluation Manual (EEM), United States Environmental Protection Agency, Interim Final, March 1989; EPA Region 10, Supplemental Risk Assessment Guidance for Superfund, United States Environmental Protection Agency, August 1991, (SRAGS); and, Human Health Evaluation Manual, Supplemental Guidance:"Standard Default Exposure Factors", United States Environmental Protection Agency, March 1991, (HHE-SG).

#### 1. Human Health Evaluation

Objective: The human health evaluation (HHE) is an analysis of the potential adverse health effects caused by hazardous substance release(s) from a site in the absence of any actions to control or mitigate these releases (i.e., under an assumption of no action). It is used to document the magnitude of the potential risk at a site and to evaluate the cause(s) of that risk. It is also

used to support risk management decisions, and to set remediation goals, if necessary.

Scope:

This section shall describe the different tasks involved in preparing the HHE portion of the endangerment assessment. A suggested outline for the human health evaluation is given in Exhibit 9-1 of the RAGS-HHEM. The Work Plan should use this outline as a framework for discussing the methodologies and assumptions to be used in assessing the potential human health risks at the site.

1.....

يو ده چو ده

The HHE shall include an estimate of the reasonable maximum exposure (RME) expected to occur under both current and future land use conditions. Guidance on quantifying the RME is given in Chapter 6 of the RAGS-HHEM, SRAGS, and HHE-SG. Quantifying the potential risks associated with the RME shall be the overall goal of the Endangerment Assessment.

The Work Plan should include, but not be limited to the following:

- a. A conceptual site model for the site. This model should be an iterative flow chart based on available site information showing contaminant sources, release mechanisms, transport routes and media, potential receptors, and other important information as appropriate. Iterations of this model shall be carried through the work plan and the endangerment assessment as additional information is generated. Exhibit 4-1 of the RAGS-HHEM presents an example of a conceptual site model.
- b. The exposure parameters for the RME based on both current and future land use scenarios.
- c. A list of all chemicals identified at the site (by media).
- d. The analytical methods used during the site investigation, and the method detection limits that were used for all analytes. In addition, an explanation of how non-detect values and qualified data will be used to estimate exposure point concentrations should be provided.
- e. The rationale for selecting chemicals that will be carried through the HHE.
- f. A discussion of how the fate and transport of siterelated chemicals will be evaluated. In addition, a description of the fate and transport model that will be used to estimate the potential infiltration (or contribution) of chemicals in soil to ground water should be included.
- g. A summary table of the chemicals found, and their respective critical toxicity values (reference doses -RfDs), slope factors, and other relevant critical toxicity factors) and citations for these values; data on absorption factors that will be used (e.g., dermal absorption factors) should also be included.

- h. The exposure points and exposure point concentrations to be used in the HHE (and/or how they will be estimated).
   A description of the model(s) that will be to estimate exposure point concentrations should be provided, if necessary.
- i. An explanation of how the uncertainty analysis will be conducted.

#### 2. Environmental Evaluation

Objective: The environmental evaluation (EE) provides an assessment of the potential threat to ecological populations, communities or ecosystems in the absence of any remedial action. It can provide a basis for determining whether or not remedial action is necessary, and can also be used to support risk management decisions.

Scope:

The EE and the HHE are parallel activities used in the evaluation of hazardous substance sites. Much of the data and analyses relating to the nature, fate, and transport of a site's contaminants can be used for both evaluations. Available data (from the HHE or previous investigations) can be utilized, whenever appropriate, and additional data should be generated whenever necessary in order to conduct the ecological assessment.

The EE shall follow the organization presented in Chapter 6 of the EEM, as applicable. The Work Plan shall discuss the different tasks involved in evaluating whether or not the potential ecological impacts of the contaminants at a site warrant remedial action.

The Work Plan should include, but not be limited to the following: .

- a. A list of all chemicals identified at the site (by media). The HHE can be referenced, if appropriate.
- b. The rationale for selecting chemicals that will be carried through the EE.
- c. A description of the site and study area. A description of how the EE will account for the ecosystems and populations potentially exposed to chemicals at the site (e.g., a description of the habitat and lists of species either collected or observed), and how they will be evaluated should be included.
- d. A discussion of how the fate and transport of siterelated chemicals will be evaluated (through both physical and biological means). The HHE can be referenced, if and/or where appropriate.
- e. The exposure points and exposure point concentrations that will be used in the EE (and/or how they will be estimated). A discussion of actual or potential exposure pathways (and the media involved) should also be included.

f. A description of how the potential environmental impacts or threats will be characterized. This should include

a description of the ecological endpoints that will be considered measurements of potential impact or probability of potential impact (e.g., Water Quality Criteria).

g. An explanation of how the uncertainty analysis will be conducted.

#### G. FEASIBILITY STUDY WORK PLAN

The Feasibility Study portion of the Work Plan shall be developed in accordance with OAR 340-122-080 and <u>Guidance for Conducting Remedial</u> <u>Investigations and Feasibility Studies Under CERCLA</u>, OSWER Directive 9355.3-01, 1988. The Feasibility Study shall develop an appropriate range of alternatives which meet the standards listed in OAR 340-122-040, and 340-122-090. The Feasibility Study shall be developed in parallel with Remedial Investigation activities.

- Objective: To present an outline of the Feasibility Study process and identify potential remedial alternatives in order to obtain sufficient analytical data during the RI.
- Scope: The purpose of the Feasibility Study is to develop and evaluate remedial alternatives for each contaminated medium, and recommend remedial actions to be taken at the facility

Procedures: A Work Plan shall be submitted which will include, but not be limited to the following:

- 1. A description of any interim remediation activities which have been implemented to date and the relationship of the interim measures to the ultimate corrective action.
- 2. The remedial action objectives.
- 3. A discussion of how volumes or areas of media to which response actions may be applied will be identified.
- 4. A discussion of how screening criteria will be developed to identify and select treatment technologies and process options.

 $\sim 1.2$ 

- 5. A description of how process options will be evaluated.
- 6. The criteria for and selection of remedial action alternatives.
- 7. A preliminary screening of remedial technologies and alternatives based on available data.

#### H. MAPS

The Work Plan shall include maps of the facility which clearly show:

- 1. Site topography and surface drainage.
- On-site structures, including tanks, sumps, catch basins, utilities, and pipelines.

- The location of past spills, disposal areas, and all other waste and product management areas.
- All pertinent structures adjacent to or nearby the site such as drainage ditches, pipelines, roadways, wells and utility corridors.
- 5. The location of all existing and proposed surface soil sample points, soil borings, monitoring wells, surface drainage, sediment, surface water, and air sample points.
- 6. The locations of hydrogeologic cross-sections.
- 7. The drawing date, orientation, and scale.

#### IV. REPORTS

- A. MONTHLY REPORTS: Monthly reports shall be submitted to DEQ by the 10th day of the month following the reporting period. These reports shall include, but shall not be limited to, the following:
  - 1. Activities that occurred during the past month.
  - 2. Description of data results collected during the past month.
  - 3. Description of any problems or difficulties experienced during the past month.
  - 4. Description of activities planned for the coming month.
- B. LETTER REPORTS: Letter Reports are to be submitted to DEQ within 30 days following the completion of each phase of the remedial investigation. These reports shall include, but shall not be limited to, the following:
  - 1. Introduction.
  - 2. Summary of work completed to date.
  - 3. A presentation of all data collected during the investigation.
  - 4. Conclusions and recommendations.
- **C. REMEDIAL INVESTIGATION REPORT:** The results of the Remedial Investigation shall be submitted to the DEQ as draft and final report in accordance with the following format:
  - 1. Executive Summary
  - 2. Introduction
    - a. Purpose
    - b. Report Organization
  - 3. Site Background
    - a. Site Description
      - i. Location

- ii. Physical features such as building, roads, utilities, wells, etc., include map
- iii. Site History
- b. Facility Operations
  - i. Past production processes, waste identification, location of hazardous materials handling and storage areas
  - ii. Location, time, volume of releases of hazardous substances, include map
  - iii. Past and present waste treatment/disposal practices and areas

c. Site Setting

Ĺ

- i. Regional land use and history
- ii. Geology
- iii. Hydrogeology
- iv. Surface water
- v. Climatology
- d. Previous Investigations
  - i. Summary of previous investigations
  - ii. List of reports referenced
- 4. Study Area Investigation
  - a. Soil
    - i. A map and description of the location of soil borings or surface samples including depth of borings, sampling interval, sampling methods, analytical parameters, analytical methods, as well as quality assurance and quality control procedures
    - ii. Description of soil samples; all boring and lithologic logs
    - iii. A map showing the locations of hydrogeologic cross-sections
    - iv. An evaluation and analysis of all data submitted; use tabular and graphic presentation; include discussion of data limitations
  - b. Groundwater
    - i. The well installation plan including well locations (provide map), well depth, length of

screened intervals, drilling methods, construction materials, and installation methods, well development and completion methods

- ii. All boring and lithologic logs; including well construction diagrams with surveyed location, elevation of top of casing, size and depth of well, screened interval
- iii. A characterization of the hydrogeology including a description of formation materials, the hydrogeology, and hydrogeologic properties of each pertinent aquifer
- iv. A description of the hydraulic influence from groundwater wells, and surface water bodies
- v. All areas of recharge/discharge
- vi. Results of the well inventory to identify all active and inactive water wells within a onemile radius of the facility
- vii. Results and data analysis including data limitations; tabular and graphic presentations
- c. Surface Water and Sediments
  - i. A map with all relevant surface water bodies within 2 miles of the site
  - ii. A map with past and present surface drainage patterns and the stormwater collection system
  - iii. A map with all sample locations
  - iv. Results and data analysis including data limitations; tabular and graphic presentations
- d. Air

- i. A wind rose and discussion of predominant wind direction
- ii. A map indicating all sample locations and elevations of sample points
- iii. Results and data analysis including data limitations; tabular and graphic presentations
- 5. Summary and Conclusions
  - a. A discussion of the nature and extent of contamination; discuss the data limitations
  - b. A discussion of the fate and transport of the contaminants of concern
  - c. Recommendations for further action

As part of the Remedial Investigation Report to DEQ, NWNG may incorporate existing data, reports or information, including data from any investigation activity conducted prior to the effective date of this Agreement, to the extent that such data is consistent with the procedures and quality assurance/quality control criteria approved by DEQ.

- C. ENDANGERMENT ASSESSMENT REPORT: The results of the Endangerment Assessment shall include the Human Health Evaluation and the Environmental Evaluation and shall follow the report formats described in the references cited in IV.F. of this Scope of Work. Any data limitations shall be noted in the report. If information is presented in sections of the RI Report, these may be referenced.
- D. FEASIBILITY STUDY REPORT: The results of the Feasibility Study shall be submitted to DEQ in a report which, at a minimum, includes a full evaluation of remedial action alternatives, giving a workable number of options which each appear to adequately address site problems and remedial action objectives. These alternatives shall include a no action option, at least one option which will achieve background, and at least one option which will achieve protection of public health, safety, and welfare and the environment. The report shall present the following for each alternative:
  - 1. Description of the remedial action alternative, estimated cost, and rationale for selection.
  - 2. Performance expectation (i.e., reductions in contaminant concentration levels), reliability, and ability to implement.
  - 3. Design criteria and rationale.
  - 4. General operation and maintenance requirements.
  - 5. Monitoring program to assure both short-term and long-term performance of the alternative.
  - 6. Financial assurance mechanism to assure performance.
  - 7. Estimated time for implementation.
  - 8. Evaluation of the short-term and long-term effectiveness and risks of the alternative.
  - 9. Recommendation and justification of the remedial action selected from the developed alternatives.
  - 10. A schedule for implementation of the proposed remedial action.

ATTACHMENT B - SCOPE OF WORK - NORTHWEST NATURAL GAS COMPANY Page 16

### RECEIVED

AUG 0 8 2006

Schwabe, Williamson & Wyatt

### FIRST ADDENDUM TO VOLUNTARY AGREEMENT FOR REMEDIAL INVESTIGATION/FEASIBILITY STUDY DEQ NO. WMCVC-NWR-94-13

The Oregon Department of Environmental Quality (DEQ) and NW Natural (NWN) agree to amend Voluntary Agreement No. WMCVC-NWR-94-13 dated August 8, 1994 (Agreement), as follows. All other terms of the Agreement remain in effect and apply to this First Addendum.

1. Recital I.B is amended, to read:

"The NWN Site is a "facility" within the meaning of ORS 465.200(13). The NWN Site includes property located at 7540 N.W. St. Helens Road, Portland, Oregon, currently owned by NWN (NWN Property), as well as adjacent property located at 7200 N.W. Front Avenue, Portland, Oregon, currently owned by Siltronic Corporation ( Siltronic Property), to the extent the Siltronic Property is the location of or otherwise affected by wastes associated with manufactured gas process (MGP) operations on the NWN Site. This facility is generally referred to in this First Addendum as the "NWN Site". The general location of the NWN Site is shown on Attachment AA to the First Addendum."

2. Recital I.C is amended, to add:

"Waste management areas extended onto the northern portion of what is now the Siltronic Property, in areas of low elevation prone to flooding. The tar ponds at the NWN Property were periodically excavated and redeposited onto what is now the Siltronic Property. MGP operations ceased in 1956. NWN's predecessor sold the Siltronic Property to Victor Rosenfeld and H.A. Anderson in 1962. Thereafter, wastes associated with the MGP operations within the northern Siltronic Property area may have been redistributed across portions of the Siltronic Property when that property was filled between 1966 and 1975. Wastes within tar ponds on the NWN Property were used as fill or redistributed on the NWN Property when the eastern corner of the NWN Property was filled during the 1972/1973 time-frame."

3. Recital I.D is amended, to add:

"Investigations conducted to date on the Siltronic Property indicate that MGP waste (e.g., tar and oil, lampblack, and spent oxide) are present in subsurface soil and groundwater across the Siltronic Property, with the primary accumulation located on the northern portion of the property in the area of the former Gasco waste effluent ponds and the adjacent lowland. Dense nonaqueous phase liquid (DNAPL) in the vicinity of the former waste effluent ponds has been observed in four groundwater monitoring wells on the Siltronic Property. Observed thicknesses ranged from two feet in monitoring well WS-10-27 to 12.5 feet in monitoring well WS-15-85. Approximately three to four feet of DNAPL is present in monitoring wells located adjacent to the Willamette River (WS-11-125 and WS-14-125). The location of the referenced monitoring wells is identified on Attachment BB to the First Addendum. Up to 25,000 ug/L benzene, 495,000 ug/L naphthalene, and 4,441 ug/L cyanide have been detected in groundwater at the Siltronic Property. Concentrations in soil have been detected up to: 35,432 mg/kg total PAH; 230 mg/kg dibenzofuran; 218 mg/kg benzene; and 15,000 mg/kg cyanide.

Investigations at the Siltronic Property have further identified elevated concentrations of chlorinated solvents in soil and groundwater. The chlorinated solvent contamination is being addressed by Siltronic Corporation and is outside the scope of this Agreement."

4. A new Recital I.G is added, reading:

"The NWN Site is located within or adjacent to the Portland Harbor Superfund Site, which site was placed on the federal National Priorities List by the U.S. Environmental Protection Agency (EPA) in December 2000. By memorandum of understanding, EPA is the lead agency for implementing investigation and cleanup of in-water sediments contamination in the Willamette River in the Portland Harbor Superfund Site, and DEQ is the lead agency for implementing investigations and source control at upland facilities. This Agreement as amended is consistent with DEQ's responsibilities at the Portland Harbor Superfund Site. Evaluation of the portions of the NWN Site located on the Siltronic Property as a potential source of contaminants to the Portland Harbor Superfund Site is also the subject of DEQ Order No. ECVC-NWR-00-27 issued by DEQ to NWN and Wacker Siltronic Corporation on October 4, 2000. DEQ separately issued Order No. VC-NWR-03-16 to Wacker Siltronic Corporation on February 5, 2004. This Agreement as amended does not supersede or affect obligations imposed under DEQ Orders No. ECVC-NWR-00-27 and VC-NWR-03-16."

5. A new Recital I. H is added, reading:

"By entering into this First Addendum, NWN does not admit liability or responsibility for conditions that may be present at the NWN Site, including hazardous substance releases at or to the Siltronic Property resulting from or exacerbated by the acts or omissions of parties other than NWN."

6. Section II.A.2 is deleted, and replaced with:

"2. DEQ Review and Approval

(a) Where DEQ review and approval is required for any plan or activity under the Agreement as amended, NWN may not proceed to implement the plan or activity until

DEQ approval is received. Any DEQ delay in granting or denying approval correspondingly extends the time for completion by NWN. For purposes of the Agreement as amended, "day" means calendar day unless otherwise specified.

(b) After review of any plan, report, or other item required to be submitted for DEQ approval under the Agreement as amended, DEQ shall in writing: (1) approve the deliverable in whole or in part; or (2) disapprove the deliverable in whole or in part and notify NWN of deficiencies and/or request modifications to cure the deficiencies.

(c) DEQ approvals, rejections, modifications, or identification of deficiencies shall be given as soon as practicable and state DEQ's reasons with reasonable specificity.

(d) In the event of DEQ disapproval or request for modification, NWN shall correct the deficiencies and resubmit the revised report or other item for approval within 30 days of receipt of the DEQ notice or within such other time as specified in the DEQ notice.

(e) In the event a deficiency identified by DEQ is not addressed by NWN in the revised deliverable, DEQ may modify the deliverable to cure the deficiency.

(f) In the event of approval or modification of the deliverable by DEQ, NWN shall implement the action required by the plan, report, or other item, as so approved or modified, or, as to any DEQ modifications, invoke dispute resolution under Section II.M of the Agreement."

7. Section II.A.3 is deleted, and replaced with:

"3. Additional Measures

(a) NWN may elect at any time during the term of the Agreement as amended to undertake measures, beyond those required under the Agreement and the SOW, necessary to address the release or threatened release of hazardous substances at the facility. Such additional measures (including but not limited to engineering or institutional controls and other removal or remedial measures) are subject to prior approval by DEQ, which approval shall be granted if DEQ determines that the additional measures will not compromise the validity of the RI/FS, will not threaten human health or the environment, and will comply with applicable laws.

(b) DEQ may determine that, in addition to work specified in the SOW or an approved work plan, additional work is necessary to complete the RI/FS in satisfaction of the SOW and OAR Chapter 340 Division 122, or is necessary to address unanticipated threats to human health or the environment. DEQ may require that such additional work be incorporated into the applicable work plan by modification or be performed in accordance with a DEQ-specified schedule. NWN shall modify the work plan or implement the additional work in accordance with DEQ's directions and schedule, or invoke dispute resolution under Section II.M of the Agreement within 14 days of receipt of DEQ's directions."

DEQ Agreement WMCVC-NWR-94-13 First Addendum GENQ3851

- 8. A new Section II.A.4 is added, reading:
  - "4. Source Control Measures

For any unpermitted discharge or release of hazardous substances at the NWN Property to the Willamette River or river sediments identified in the remedial investigation, NWN shall identify and evaluate source control measures in accordance with the SOW and the terms and schedule of a DEQ-approved work plan. DEQ will review and approve source control measures pursuant to OAR 340-122-0070 and in consultation with EPA. Upon DEQ approval of a source control measure, NWN shall develop a source control work plan in accordance with DEQ's directions and, upon DEQ approval, implement the work plan."

9. Section II. D is amended to update the current DEQ and NWN project managers:

DEQ Project Manager	NW Natural Project Manager
[To Be Determined]	Robert J. Wyatt
Department of Environmental Quality	NW Natural
Northwest Region	220 N.W. Second Avenue
2020 SW Fourth Avenue, Suite 400	Portland, Oregon 97209
Portland, Oregon 97201	(503) 226-4211 Ext. 5425

10. Section II.N.3. is amended, to add:

"Except as expressly provided in this Agreement, NWN reserves all rights, claims, and defenses relating to the NWN Site."

- 11. A new Section II.S is added, reading:
  - "S. Stipulated Penalties

1. Subject to Sections II.K and M, upon any violation by NWN of any requirement of this Agreement as amended, and upon NWN's receipt from DEQ of written notice of violation, NWN shall pay the stipulated penalties set forth in the following schedule:

(a) Up to \$5,000 for the first week of violation or delay and up to \$2,500 per day of violation or delay thereafter, for failure to provide access or records in accordance with Section II.C or G.

(b) Up to \$ 2,500 for the first week of violation or delay and up to \$ 1,000 per day of violation or delay thereafter, for:

(i) failure to submit a final work plan, addressing DEQ's comments on the draft work plan or incorporating DEQ modifications to the work plan, in accordance with the SOW's schedule and terms;

(ii) failure to perform work in accordance with an approved work plan's schedule and terms;

(iii) failure to perform additional work required by DEQ under Section II.A.3; or

(iv) failure to submit a final report, addressing DEQ's comments on the draft report or incorporating DEQ modifications to the report, in accordance with an approved work plan's schedule and terms.

(c) Up to \$500 for the first week of violation or delay and up to \$500 per day of violation or delay thereafter, for:

(i) failure to submit a draft work plan in accordance with the SOW's schedule and terms;

(ii) failure to submit progress reports in accordance with Section II.H; or

(iii) any other violation of the Agreement as amended, SOW, or an approved work plan.

2. Within 30 days of receipt of DEQ's written notice of violation, NWN either shall pay the amount of such stipulated penalty assessed, by check made payable to the "State of Oregon, Hazardous Substance Remedial Action Fund", or request a contested case regarding the penalty assessment in accordance with Section II.T.3. NWN shall pay simple interest of 9% per annum on the unpaid balance of any stipulated penalties, which interest shall begin to accrue at the end of the 30-day payment period. Any unpaid amounts that are not the subject of a pending contested case, or that have been determined owing after a contested case, are a liquidated debt collectible under ORS 293.250 and other applicable law.

3. In assessing a penalty under this subsection, the Director may consider the factors set forth in OAR 340-12-045. NWN may request a contested case hearing regarding the penalty assessment in accordance with OAR Chapter 340 Division 11. The scope of any such hearing must be consistent with the stipulations set forth in Section 2 of the Agreement, must be limited to the occurrence or non-occurrence of the alleged violation, and may not review the amount of the penalty assessed. Penalties may not accrue pending any contested case regarding the alleged violation. Violations arising out of the same facts or circumstances or based on the same deadline are considered as one violation per day."

12. The Scope of Work (Attachment B to the Agreement) is amended in Section I.A.1.i., by revising the first sentence to read:

DEQ Agreement WMCVC-NWR-94-13 First Addendum GENQ3851 "Determine the magnitude, nature, and extent of apparent MGP waste-related contamination at the NW Natural (NWN) Site."

13. The Scope of Work is amended in Section I.A.2, by adding the following objective:

"viii. Identify hot spots of contamination, if any, at the facility."

14. The Scope of Work is amended in Section I.B, by adding:

"This schedule is applicable to the RI/FS for the portion of the NWN Site on the Siltronic Property. NWN shall compile and evaluate existing data on MGP-related constituents and provide to DEQ an outline of data needs to complete the remedial investigation for the portion of the NWN Site on the Siltronic Property including an RI proposal and schedule for the RI, within 120 days of execution of the First Addendum."

15. The Scope of Work is amended in Section I.B, by adding:

"NWN shall provide DEQ with a work plan to identify and evaluate source control measures at the NWN Property. The work described in the work plan shall be consistent with the source control approach described in the December 2005 Portland Harbor Joint Source Control Strategy".

- 16. For deliverables submitted after the date of execution of this First Addendum, the Scope of Work is amended in Section III.F, by deleting the entire section and replacing it with:
  - "F. Endangerment Assessment Work Plan
  - 1. HUMAN HEALTH RISK ASSESSMENT PLAN

<u>Objective</u>: To evaluate the collective demographic, geographic, physical, chemical, and biological factors at the site, for the purposes of characterizing current and reasonably likely future risks to human health as a result of a threatened or actual release(s) of a hazardous substance. To document the magnitude of the potential risk at the site; support risk management decisions; and establish remedial action goals, if necessary.

<u>Scope:</u> The Human Health Risk Assessment shall evaluate risk in the context of current and reasonably likely future land and water uses, and in the absence of any actions to control or mitigate these risks (i.e., under an assumption of no action). The human health risk assessment portion of the work plan shall be developed based on the requirements specified in OAR 340-122-0084; DEQ guidance; and, as appropriate, the <u>Risk Assessment Guidance for Superfund - Human Health Evaluation Manual Part A,</u> United States Environmental Protection Agency (EPA), Interim Final, July 1989, (RAGS-HHEM); <u>Human Health Evaluation Manual, Supplemental Guidance:</u> <u>"Standard Default Exposure Factors</u>", EPA, March 1991,(HHE-SG); and the <u>Exposure Factors Handbook</u>, EPA, 1996. A suggested outline for the human health evaluation is given in Exhibit 9-1 of the RAGS-HHEM. The work plan shall use this outline as a framework for discussing the methodologies and assumptions to be used in assessing the potential human health risks at the site.

<u>Procedure:</u> The work plan shall describe the different tasks involved in preparing the Human Health Risk Assessment. The Human Health Risk Assessment can be completed using either deterministic or probabilistic methodologies. If probabilistic methodologies are to be used, NWN shall discuss risk protocol with DEQ before the commencement of a probabilistic risk assessment. If deterministic methodologies will be used, then the Human Health Risk Assessment shall include an estimate of both the central tendency exposure (CTE) and the reasonable maximum exposure (RME) expected to occur under both current and future land use conditions. In general, RME exposures shall be based on the 90th percentile exposure case. Additional guidance on quantifying the RME is given in Chapter 6 of the RAGS-HHEM, SRAGS, and HHE-SG. Quantifying the potential risks associated with the RME shall be the overall goal of the risk assessment.

### 2. ECOLOGICAL RISK ASSESSMENT PLAN

<u>Objective</u>: To evaluate the collective demographic, geographic, physical, chemical, and biological factors at the site, for the purposes of characterizing current and reasonably likely future risks to the environment as a result of a threatened or actual release(s) of a hazardous substance; document the magnitude of the potential risk at a site; support risk management decisions; and establish remedial action goals, if necessary.

<u>Scope:</u> The Ecological Risk Assessment shall evaluate risk in the context of current and reasonably likely future land and water uses in the absence of any actions to control or mitigate these risks (i.e., under an assumption of no action). The Ecological Risk Assessment shall use a tiered approach (with four levels) to produce a focused and cost-effective assessment of risk. The Ecological Risk Assessment Work Plan shall be developed based on the requirements specified in OAR 340-122-0084; DEQ guidance; and, as appropriate, Proposed Guidelines for Ecological Risk Assessment, EPA, September 1996; Framework for Ecological Risk Assessment, EPA, February 1992; and Risk Assessment Guidance for Superfund, Volume II, Environmental Evaluation Manual, Interim Final, EPA, March 1989 (RAGS-EEM).


<u>Procedure:</u> The plan shall describe the different tasks involved in preparing the ecological risk assessment. Ecological risk assessments may include a Level I Scoping plan; a Level II Screening plan; and a Level III Baseline plan or Level IV Field Baseline plan. The Level III and Level IV baseline plans shall include an exposure analysis, an ecological response analysis, a risk characterization and an uncertainty analysis as required by OAR 340-122-0084(3). The ecological risk assessment can be completed using either deterministic or probabilistic methodologies. If probabilistic methodologies are to be used, NWN shall discuss risk protocol with DEQ before the


commencement of a probabilistic risk assessment. If deterministic methodologies are to be used, then the ecological risk assessment shall include an estimate of both the central tendency exposure (CTE) and the reasonable maximum exposure (RME) expected to occur. Estimating the potential risks associated with the RME shall be the overall goal of the risk assessment."

STIPULATED, AGREED, AND APPROVED FOR ISSUANCE:

NW Natural

By: <u>Jaude K. Hart</u> Date: <u>1-13-06</u> (Signature) Sandra K. Hart (Name) Director Risk Environments Land OREGON DEPARTMENT OF ENVIRONMENTAL QUALITY Juch Fichen Date: 7/19/06 By: (Signature) (Name) REGIONAL ADMINISTRATON





### SECOND ADDENDUM TO VOLUNTARY AGREEMENT FOR REMEDIAL INVESTIGATION/FEASIBILITY STUDY DEQ NO. WMCVC-NWR-94-13

The Oregon Department of Environmental Quality (DEQ) and NW Natural (NWN) agree to amend Voluntary Agreement No. WMCVC-NWR-94-13 dated August 8, 1994, as amended August 8, 2006 (Agreement), as follows. All other terms of the Agreement remain in effect and apply to this Second Addendum.

1. Recital I.B is amended, to read:

"The NWN Site is a "facility" within the meaning of ORS 465.200(13). The NWN Site includes property located at 7540 N.W. St. Helens Road, Portland, Oregon, currently owned by NWN (NWN Property), as well as adjacent property located at 7200 N.W. Front Avenue, Portland, Oregon and currently owned by Siltronic Corporation (Siltronic Property, or Siltronic Site). This facility is generally referred to in this Second Addendum as the "NWN Site". The general location of the NWN Site is shown on Attachment AA to the First Addendum."

2. Recital I.C is amended, to read:

"From 1913 until 1956, NWN, then known as the Portland Gas and Coke Company (GASCO) owned and operated an oil manufactured gas plant (MGP) on the NWN Property. GASCO's property included approximately 40-acres of adjoining property known as the "Allen Tract" that is currently the northern portion of the Siltronic Property. The GASCO MGP produced oil gas. Byproducts of the GASCO MGP operation included lampblack briquettes, light oils, tars and electrode grade coke. Wastes generated at the facility included tar, lampblack, wastewater containing dissolved and suspended hydrocarbons, and spent oxide. These wastes were disposed of on the NWN Property in piles and "tar ponds."

Spent oxide piles and tar ponds also extended onto the northern portion of the Allen Tract in areas of low elevation prone to flooding. The tar ponds at the NWN Property were periodically excavated and redeposited onto portions of the Allen Tract. GASCO MGP operations ceased in 1956. GASCO sold the Allen Tract to Mr. Victor Rosenfeld, Mr. H.A. Anderson, and Mr. Gilbert Schnitzer in 1962. Thereafter, wastes associated with the GASCO MGP operations within the Allen Tract were redistributed across portions of the current Siltronic Site when that property was filled between 1966 and 1975. Wastes within tar ponds on the NWN Property were used as fill or redistributed on the NWN Property when the southeastern corner of the NWN Property was filled during the 1972/1973 time-frame.

DEQ Agreement WMCVC-NWR-94-13 Second Addendum 1

NWN currently operates a liquefied natural gas (LNG) plant on the NWN Property and currently leases portions of the former GASCO MGP to Pacific Terminal Services, Inc. and Koppers Industries Incorporated (Koppers)."

3. The second paragraph of Recital I.D, as shown in Addendum #1 to the agreement, is replaced by:

"In addition to contamination associated with historic MGP operations, investigations completed by Siltronic within the former Allen Tract have identified soil and groundwater contamination due to releases of chlorinated solvents from their former operations. Trichloroethene (TCE) was used by Siltronic for manufacturing purposes and that use ceased in 1988. Historic releases of TCE occurred in the northern Siltronic Site from a former solvent underground storage tank system and from an unknown source beneath the Central Facilities Building. Site investigations confirm that releases of TCE and its breakdown products and TCE DNAPL are commingled with MGP contamination and DNAPL in the Allen Tract. Furthermore, investigations by Rhone Poulenc of the Siltronic Site have detected hazardous substances (e.g., pesticides) in groundwater."

4. Recital I.G is amended to read:

"The NWN Site is located within or adjacent to the Portland Harbor Superfund Site, which site was placed on the federal National Priorities List by the U.S. Environmental Protection Agency (EPA) in December 2000. By memorandum of understanding, EPA is the lead agency for implementing investigation and cleanup of in-water sediments contamination in the Willamette River in the Portland Harbor Superfund Site, and DEQ is the lead agency for implementing investigations and source control at upland facilities. This Agreement as amended is consistent with DEQ's responsibilities at the Portland Harbor Superfund Site. Evaluation of the portions of the NWN Site located on the Siltronic Property as a potential source of contaminants to the Portland Harbor Superfund Site is also the subject of DEQ Order No. ECVC-NWR-00-27 (i.e., the "Joint Order) issued by DEQ to NWN and Wacker Siltronic Corporation on October 4, 2000. In situations where potential conflicts arise between this Agreement and the Joint Order, this Agreement takes precedence.

### 5. A new Recital I.I is added, reading:

"On November 20, 2015, DEQ determined that, in order to expedite remedial action planning of the most contaminated portions of the Siltronic Site, NWN will be responsible for completing integrated RI/FS work for the area of the Siltronic Site historically used by GASCO for MGP operations.

The Former Gasco MGP Operable Unit (i.e., "Gasco OU") within the NWN Site is defined to include the NWN Property, the approximately 40-acre portion of the current Siltronic Property formerly known as the Allen Tract, and the adjacent area of Doane Creek extending west to St. Helens Road from the southern boundary of the former Allen Tract. The location of the Gasco OU is shown on Attachment CC to

2

this Second Addendum. The Gasco OU does not include groundwater contamination not originating on the NWN Property or the Siltronic Property or the segment of Doane Creek extending beyond the southern Allen Tract boundary.

This Agreement defines the work NWN will perform within the Gasco OU. Except as expressly provided herein, nothing in this Agreement requires NWN to perform work beyond the boundaries of the Gasco OU. As used in this agreement, the "site" refers to the Gasco OU."

6. Section II.A.1 is deleted, and replaced with:

"1. Remedial Investigation and Feasibility Study

(a) NWN shall complete a remedial investigation and feasibility study (RI/FS) for the Gasco OU satisfying OAR 340-122-080, the terms and schedule of DEQ approved work plans, and applicable elements of the general Scope of Work contained in Attachment B to this Agreement. NWN may propose in draft work plans, elements of the Scope of Work that NWN considers inapplicable or unnecessary to the RI/FS for the facility.

(b) As described in DEQ's November 20, 2015 letter to NWN and Siltronic, NWN will complete an RI and human health and ecological risk assessment (HERA) for the Gasco OU. The RI and HERA for the portion of the Gasco OU beyond the NWN Property will be completed as an addendum to the approved *Remedial Investigation Report, NW Natural – Gasco Facility* (April 11, 2011) and *Human Health and Ecological Assessment Report – NW Natural Gasco Site* (December 2014 [ as revised by DEQ's letter dated May 22, 2015]) for the NWN Property. The results of the RI and HERA will be integrated into a single FS for the Gasco OU.

(c) NWN will submit to DEQ electronic data and backup laboratory reports for investigations on the Siltronic Property beyond the boundaries of the Gasco OU completed subsequent NWN's submittal of the *Remedial Investigation Data Summary Report, Historical Manufactured Gas Plant Activities, Siltronic Corporation Property* (March 31, 2011)."

### 7. Section II.A.2(f) is amended to read:

"(f) In the event of approval or modification of the following deliverables by DEQ, NWN shall implement the action required by the deliverable, as so approved or modified, or, as to any DEQ conditions of approval or modification, invoke dispute resolution within 14-days under Section II.M of the Agreement:

- RI/HERA Addendum report
- FS Work Plan
- FS Report
- Other deliverables identified in advance and included as 'Independent Deliverables' on the Project Schedule established under Section 1.B."

DEQ Agreement WMCVC-NWR-94-13 Second Addendum

### 8. Section II.A.4 is amended to read:

### "4. Source Control Measures

(a) For any unpermitted discharge or release of hazardous substances from the Gasco OU to the Willamette River or river sediments identified in the RI, NWN shall identify and evaluate source control measures in accordance with the SOW and the terms and schedule of a DEQ-approved work plan. DEQ will review and approve source control measures pursuant to OAR 340-122-0070 and in consultation with EPA. Upon DEQ approval of a source control measure, NWN shall develop a source control work plan in accordance with DEQ's directions and, upon DEQ approval, implement the work plan.

(b) NWN shall continue operation of the hydraulic containment and control system for the Gasco OU as an interim source control measure.

(c) NWN shall complete the ongoing source control evaluation for Doane Creek. Nothing in this Agreement or in DEQ Order No. ECVC-NWR-00-27 shall obligate NWN to implement source control measures for Doane Creek."

9. Section II. D is amended to update the current DEQ and NWN project managers:

DEQ Project Manager Dana Bayuk Department of Environmental Quality Northwest Region 700 NE Multnomah Street Portland, Oregon 97232 <u>NW Natural Project Manager</u> Robert J. Wyatt NW Natural 220 N.W. Second Avenue Portland, Oregon 97209 (503) 226-4211 Ext. 5425

10. The Scope of Work (Attachment B to the Agreement) is amended in Section I.A.1.i. by revising the first sentence to:

"Determine the magnitude, nature, and extent of contamination at the Gasco OU."

11. The Scope of Work is amended by revising the last paragraph of Section I.B. to:

"NWN shall propose for DEQ approval a schedule for the Gasco OU RI/FS (the "Project Schedule"). The Project Schedule may be modified by agreement of the parties.

STIPULATED, AGREED, AND APPROVED FOR ISSUANCE:

NW Natural


By: (Signature)	Date: 7 October	2016
(Name) IMESON	-	
Vice President (Title)	-	

OREGON DEPARTMENT OF ENVIRONMENTAL QUALITY

<u>MCIUI</u> Date: <u>11 October</u> 2016 <u>Concini</u> on Administrator By: (Signature) Ning Je ( (Name) aron

# DEQ No. WMCVC-NWR-94-13

# ATTACHMENT CC Former Gasco Manufactured Gas Plant Operable Unit (Gasco OU)





ATTACHMENT CC Former Gasco Manufactured Gas Plant Operable Unit (Gasco OU)



# EZ Profile™

Requested Facility: Hillsboro Landfill		Unsure Profile Number: 1394	487OR		
□ Multiple Generator Locations (Attach Locations) □ Request	: Certifica	te of Disposal 🛛 Renewal? Original Profile Number:			
A. GENERATOR INFORMATION (MATERIAL ORIGIN)	B. BILLING INFORMATION				
1. Generator Name: <u>NW Natural</u>	1. Billing Name: Sevenson Environmental Services				
2. Generator Site Address: 7900 NW ST Helens Road		2. Billing Address: 7900 NW ST Helens Road			
(City, State, ZIP) Portland OR 97210		(City, State, ZIP) Portland NY 14305			
3. County: Multnomah		3. Contact Name: William Byrd			
4. Contact Name: William Byrd		4. Email: wbyrd@sevenson.com			
5. Email: wbyrd@sevenson.com		5. Phone: (503) 286-1785 6. Fax:			
6. Phone: (503) 286-1785 7. Fax: (503) 286-0298		7. WM Hauled?	🗖 Yes		
8. Generator EPA ID: OR 0000204701		8. P.O. Number:			
9. State ID:		9. Payment Method: 🖬 Credit Account 🔲 Cash 🔲			
C. MATERIAL INFORMATION		D. REGULATORY INFORMATION			
1. Common Name: Koppers Tank Basin Soils		1. EPA Hazardous Waste?	🛛 Yes*	🗹 No	
Describe Process(es) Generating Material:	ttached	Code:			
Excavated soils from KoppersTank Basin		2. State Hazardous Waste?	🛛 Yes	🗹 No	
		Code:			
		<ol><li>Is this material non-hazardous due to Treatment, Delisting, or an Exclusion?</li></ol>	□ Yes*	🗹 No	
2. Material Composition and Contaminants:	ttachod	4. Contains Underlying Hazardous Constituents?	🛛 Yes*	🗹 No	
	5-100 %	5. From an industry regulated under Benzene NESHAP?			
2. Miscellaneous (PPE and plastic)	0-5 %	6. Facility remediation subject to 40 CFR 63 GGGGG?	Yes*		
3, Wood/Timber	0-5 %	7. CERCLA or State-mandated clean-up?	☑ Yes*		
4. Concrete	0-5 %	8. NRC or State-regulated radioactive or NORM waste?			
Total comp. must be equal to or greater than $100\% \ge 100\%$	0%	*If Yes, see Addendum (page 2) for additional questi			
3. State Waste Codes:	🗹 N/A	9. Contains PCBs? $\rightarrow$ If Yes, answer a, b and c.	C Yes		
4. Color: black		a. Regulated by 40 CFR 761?	C Yes		
5. Physical State at 70°F: 🗹 Solid 🛛 Liquid 🖵 Other:		b. Remediation under 40 CFR 761.61 (a)?	Yes		
6. Free Liquid Range Percentage: to	🗹 N/A	<ul><li>c. Were PCB imported into the US?</li><li>10. Regulated and/or Untreated</li></ul>			
7. pH:to	🗹 N/A	Medical/Infectious Waste?	🖵 Yes	🗹 No	
8. Strong Odor: 🗹 Yes 🗆 No Describe: Petroleum		11. Contains Asbestos?	🗖 Yes	🗹 No	
9. Flash Point: □ <140°F □ 140°−199°F □ ≥200°	☑ N/A	$\rightarrow$ If Yes: $\Box$ Non-Friable $\Box$ Non-Friable – Regula	ated 🗖	Friable	
E. ANALYTICAL AND OTHER REPRESENTATIVE INFORMATION		F. SHIPPING AND DOT INFORMATION			
1. Analytical attached	🗹 Yes	1. 🖵 One-Time Event 🛛 Repeat Event/Ongoing Busin	ess		
Please identify applicable samples and/or lab reports:		2. Estimated Quantity/Unit of Measure: <u>10</u>			
Apex Lab Report A2K0507, Apex Sample ID A2K0507-01. SES		🗹 Tons 🛛 Yards 🖾 Drums 🖵 Gallons 🖵 Other:	í		
Sample ID Koppers Basin 11-11-2022.		3. Container Type and Size: Vac Box			
		4. USDOT Proper Shipping Name:		☑ N/A	
2. Other information attached (such as MSDS)?	☑ Yes				

G. GENERATOR CERTIFICATION (PLEASE READ AND CERTIFY BY SIGNATURE)

By signing this EZ Profile™ form, I hereby certify that all information submitted in this and all attached documents contain true and accurate descriptions of this material, and that all relevant information necessary for proper material characterization and to identify known and suspected hazards has been provided. Any analytical data attached was derived from a sample that is representative as defined in 40 CFR 261 – Appendix 1 or by using an equivalent method. All changes occurring in the character of the material (i.e., changes in the process or new analytical) will be identified by the Generator and be disclosed to Waste Management prior to providing the material to Waste Management.

☑ I am an Authorized Agent signing on behalf of the Generator, and I have confirmed with the Generator that information contained in this profile, as well as supporting documents provided, are accurate and complete.	Certification Signature
Name (Print): Robert J. Wyatt Date: Date:	23
Title: Director, Legacy Environmental Program	Moa
Company: <u>NW Natural</u>	•



## EZ Profile™ Addendum

Only complete this Addendum if prompted by responses on EZ Profile™ (page 1) or to provide additional information. Sections and question numbers correspond to EZ Profile™.

Profile Number: 139487OR

### **C. MATERIAL INFORMATION**

Describe Process Generating Material (Continued from page 1):

If more space is needed, please attach additional pages.

Material Composition and Contaminants (Continued from page 1):

If more space is needed, please attach additional pages.

5.		
6.		
7.		
8.		
9.		
	Total composition must be equal to or greater than 100%	≥100%

### D. REGULATORY INFORMATION

### Only questions with a "Yes" response in Section D on the EZ Profile™ form (page 1) need to be answered here.

1. EPA Hazardous Waste

a. Please list all USEPA listed and characteristic waste code numbers:

ł	D. Is the material subject to the Alternative Debris standards (40 CFR 268.45)?	🖵 Yes	No
	c. Is the material subject to the Alternative Soil standards (40 CFR 268.49)? $\rightarrow$ If Yes, complete question 4.	Yes	No No
	d. Is the material exempt from Subpart CC Controls (40 CFR 264.1083)?	Yes	🗖 No
	$\rightarrow$ If Yes, please check <b>one</b> of the following:		
	□ Waste meets LDR or treatment exemptions for organics (40 CFR 264.1082(c)(2) or (c)(4))		
	□ Waste contains VOCs that average <500 ppmw (CFR 264.1082(c)(1)) – will require annual update.		
2. 9	State Hazardous Waste $\rightarrow$ Please list all state waste codes:		
	For material that is Treated, Delisted, or Excluded $\rightarrow$ Please indicate the category, below:		
Į,	□ Delisted Hazardous Waste □ Excluded Waste under 40 CFR 261.4 → Specify Exclusion:		
Į,	□ Treated Hazardous Waste Debris □ Treated Characteristic Hazardous Waste → If checked, complete question 4.		
4. l	Underlying Hazardous Constituents $\rightarrow$ Please list all Underlying Hazardous Constituents:		
â	ndustries regulated under Benzene NESHAP include petroleum refineries, chemical manufacturing plants, coke by-product recover a. Are you a TSDF? $\rightarrow$ If yes, please complete Benzene NESHAP questionnaire. If not, continue.	Yes	🗖 No
t	p. Does this material contain benzene?	🖵 Yes	🗖 No
	1. If yes, what is the flow weighted average concentration?		_ppmw
	c. What is your facility's current total annual benzene quantity in Megagrams? $\Box < 1 \text{ Mg}$ $\Box 1-9$	0	0
(	d. Is this waste soil from a remediation?	L Yes	🗖 No
	1. If yes, what is the benzene concentration in remediation waste?		ppmw
	e. Does the waste contain >10% water/moisture? f. Has material been treated to remove 99% of the benzene or to achieve <10 ppmw?		No No
	g. Is material exempt from controls in accordance with 40 CFR 61.342?		
ç	→ If yes, specify exemption:		
ŀ	<ul> <li>n. Based on your knowledge of your waste and the BWON regulations, do you believe that this waste stream is subject to</li> </ul>		
1	treatment and control requirements at an off-site TSDF?	Yes	🗖 No
6. 4	40 CFR 63 GGGGG $\rightarrow$ Does the material contain <500 ppmw VOHAPs at the point of determination?		🗖 No
	CERCLA or State-Mandated clean up $ ightarrow$ Please submit the Record of Decision or other documentation with process informat	ion to assist ot	hers in
	the evaluation for proper disposal. A "Determination of Acceptability" may be needed for CERCLA wastes not going to a CERC		
8.1	NRC or state regulated radioactive or NORM Waste $\rightarrow$ Please identify Isotopes and pCi/g:		

QUESTIONS? CALL 800 963 4776 FOR ASSISTANCE Revised November 06, 2020 © 2020 WM Intellectual Property Holdings, L.L.C.



Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Friday, December 2, 2022 Chip Byrd Sevenson Environmental Services, Inc. 2749 Lockport Road Niagara Falls, NY 14305

RE: A2K0507 - Gasco - Soil - 111323

Thank you for using Apex Laboratories. We greatly appreciate your business and strive to provide the highest quality services to the environmental industry.

Enclosed are the results of analyses for work order A2K0507, which was received by the laboratory on 11/11/2022 at 11:45:00AM.

If you have any questions concerning this report or the services we offer, please feel free to contact me by email at: <u>dthomas@apex-labs.com</u>, or by phone at 503-718-2323.

Please note: All samples will be disposed of within 30 days of sample receipt, unless prior arrangements have been made.

Cooler Receipt Information

Cooler #1

(See Cooler Receipt Form for details) 1.9 degC

This Final Report is the official version of the data results for this sample submission, unless superseded by a subsequent, labeled amended report.

All other deliverables derived from this data, including Electronic Data Deliverables (EDDs), CLP-like forms, client requested summary sheets, and all other products are considered secondary to this report.



Apex Laboratories



Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.	Project: Gasco - Soil	
2749 Lockport Road	Project Number: 111323	<u>Report ID:</u>
Niagara Falls, NY 14305	Project Manager: Chip Byrd	A2K0507 - 12 02 22 1325

### ANALYTICAL REPORT FOR SAMPLES

	SAMPLE INFO	ORMATION	
Client Sample ID	Laboratory ID	Matrix	Date Sampled Date Received
Koppers Basin 11-11-2022	A2K0507-01	Soil	11/11/22 10:00 11/11/22 11:45

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.	Project: Gasco - Soil
2749 Lockport Road	Project Number: 111323
Niagara Falls, NY 14305	Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

### ANALYTICAL SAMPLE RESULTS

	Die	sel and/or O	il Hydrocarb	ons by NWTPI	H-Dx			
Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
Koppers Basin 11-11-2022 (A2K0507-01)				Matrix: Soil		Batch:	22K0863	
Diesel	12900000	255000	509000	ug/kg dry	20	11/23/22 22:23	NWTPH-Dx	F-24
Oil	16200000	509000	1020000	ug/kg dry	20	11/23/22 22:23	NWTPH-Dx	F-24
Surrogate: o-Terphenyl (Surr)		Red	covery: %	Limits: 50-150 %	20	11/23/22 22:23	NWTPH-Dx	S-01

Apex Laboratories

Darwin Thomas, Business Development Director



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

### <u>Sevenson Environmental Services, Inc.</u> 2749 Lockport Road

Niagara Falls, NY 14305

Project Number: 111323 Project Manager: Chip Byrd

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

### ANALYTICAL SAMPLE RESULTS

Gasco - Soil

Gasol	ine Range Hy	drocarbons (	Benzene ti	hrough Naphtha	alene) by	NWTPH-Gx		
Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
Koppers Basin 11-11-2022 (A2K0507-0	1)			Matrix: Soil		Batch:	22K0504	V-15
Gasoline Range Organics	1050000	7360	14700	ug/kg dry	100	11/14/22 22:03	NWTPH-Gx (MS)	
Surrogate: 4-Bromofluorobenzene (Sur) 1,4-Difluorobenzene (Sur)		Recove	ery: 111 % 91 %	Limits: 50-150 % 50-150 %		11/14/22 22:03 11/14/22 22:03	NWTPH-Gx (MS) NWTPH-Gx (MS)	

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.
2749 Lockport Road
Niagara Falls, NY 14305

Project:Gasco - SoilProject Number:111323Project Manager:Chip Byrd

<u>R</u>	e	poi	rt I	<u>D:</u>	
A2K0507	-	12	02	22	1325

### ANALYTICAL SAMPLE RESULTS

	V	olatile Organ	ic Compoun	us by EPA 82	UU0			
Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Note
Koppers Basin 11-11-2022 (A2K0507-01)				Matrix: Soi	I	Batch:	22K0504	V-15
Acetone	ND	2940	2940	ug/kg dry	100	11/14/22 22:03	5035A/8260D	Q-30
Acrylonitrile	ND	294	294	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Benzene	19100	14.7	29.4	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Bromobenzene	ND	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Bromochloromethane	ND	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Bromodichloromethane	ND	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Bromoform	ND	147	294	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Bromomethane	ND	1470	1470	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
2-Butanone (MEK)	ND	1470	1470	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
n-Butylbenzene	115	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	J
sec-Butylbenzene	160	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
tert-Butylbenzene	ND	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Carbon disulfide	ND	736	1470	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Carbon tetrachloride	ND	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Chlorobenzene	ND	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Chloroethane	ND	736	1470	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Chloroform	ND	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Chloromethane	ND	368	736	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
2-Chlorotoluene	ND	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
4-Chlorotoluene	ND	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Dibromochloromethane	ND	147	294	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
1,2-Dibromo-3-chloropropane	ND	368	736	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
1,2-Dibromoethane (EDB)	ND	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Dibromomethane	ND	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
1,2-Dichlorobenzene	ND	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
1,3-Dichlorobenzene	ND	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
1,4-Dichlorobenzene	ND	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Dichlorodifluoromethane	ND	294	294	ug/kg dry	100	11/14/22 22:03	5035A/8260D	ICV-0
1,1-Dichloroethane	ND	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
1,2-Dichloroethane (EDC)	ND	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
1,1-Dichloroethene	ND	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
cis-1,2-Dichloroethene	ND	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
trans-1,2-Dichloroethene	ND	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.
2749 Lockport Road
Niagara Falls, NY 14305

Project:	Gasco - Soil
Project Number:	111323
Project Manager:	Chip Byrd

	Re	poi	rt I	D:	
A2K05	507 -	12	02	22	1325

### ANALYTICAL SAMPLE RESULTS

		-	•	nds by EPA 826				
Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
Koppers Basin 11-11-2022 (A2K0507-01)				Matrix: Soil		Batch:	22K0504	V-15
1,2-Dichloropropane	ND	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
1,3-Dichloropropane	ND	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
2,2-Dichloropropane	ND	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
1,1-Dichloropropene	ND	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
cis-1,3-Dichloropropene	ND	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
trans-1,3-Dichloropropene	ND	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Ethylbenzene	7620	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Hexachlorobutadiene	ND	147	294	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
2-Hexanone	ND	736	1470	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Isopropylbenzene	406	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
4-Isopropyltoluene	328	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Methylene chloride	ND	1470	1470	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
4-Methyl-2-pentanone (MiBK)	ND	736	1470	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Methyl tert-butyl ether (MTBE)	ND	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
n-Propylbenzene	181	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Styrene	113	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	J
1,1,1,2-Tetrachloroethane	ND	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
1,1,2,2-Tetrachloroethane	ND	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Tetrachloroethene (PCE)	ND	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Toluene	15100	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
1,2,3-Trichlorobenzene	ND	368	736	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
1,2,4-Trichlorobenzene	ND	368	736	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
1,1,1-Trichloroethane	ND	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
1,1,2-Trichloroethane	ND	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Trichloroethene (TCE)	ND	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Trichlorofluoromethane	ND	294	294	ug/kg dry	100	11/14/22 22:03	5035A/8260D	Q-52
1,2,3-Trichloropropane	ND	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
1,2,4-Trimethylbenzene	5050	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
1,3,5-Trimethylbenzene	2330	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
Vinyl chloride	ND	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
m,p-Xylene	14000	73.6	147	ug/kg dry	100	11/14/22 22:03	5035A/8260D	
o-Xylene	6560	36.8	73.6	ug/kg dry	100	11/14/22 22:03	5035A/8260D	

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.	Project: Gasco - Soil	
2749 Lockport Road	Project Number: 111323	<u>Report ID:</u>
Niagara Falls, NY 14305	Project Manager: Chip Byrd	A2K0507 - 12 02 22 1325

### ANALYTICAL SAMPLE RESULTS

	Ve	olatile Organic	Compou	nds by EPA 826	0D			
	Sample		Reporting			Date		
Analyte	Result	Limit	Limit	Units	Dilution	Analyzed	Method Ref.	Notes
Koppers Basin 11-11-2022 (A2K0507-0	1)			Matrix: Soil Batch: 22K0504			V-15	
Surrogate: Toluene-d8 (Surr)		Recovery	: 94 %	Limits: 80-120 %	1	11/14/22 22:03	5035A/8260D	
4-Bromofluorobenzene (Surr)			104 %	79-120 %	1	11/14/22 22:03	5035A/8260D	
Koppers Basin 11-11-2022 (A2K0507-0	1RE2)			Matrix: Soil		Batch:	22K0634	V-15
Naphthalene	867000	14700	29400	ug/kg dry	10000	11/17/22 00:17	5035A/8260D	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery:	105 %	Limits: 80-120 %	1	11/17/22 00:17	5035A/8260D	
Toluene-d8 (Surr)			100 %	80-120 %	1	11/17/22 00:17	5035A/8260D	
4-Bromofluorobenzene (Surr)			97 %	79-120 %	1	11/17/22 00:17	5035A/8260D	

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Servi	ices, Inc.
2749 Lockport Road	

Niagara Falls, NY 14305

Project:Gasco - SoilProject Number:111323Project Manager:Chip Byrd

<b>Report ID:</b>
A2K0507 - 12 02 22 1325

### ANALYTICAL SAMPLE RESULTS

	TCLP V	olatile Orgar	nic Compoun	ds by EPA 1	311/8260D			
Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
Koppers Basin 11-11-2022 (A2K0507-01)				Matrix: So	pil	Batch:	22K0839	
Acetone	ND	500	1000	ug/L	50	11/23/22 23:07	1311/8260D	
Bromobenzene	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
Bromochloromethane	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
Bromodichloromethane	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
Bromoform	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
Bromomethane	ND	250	250	ug/L	50	11/23/22 23:07	1311/8260D	
2-Butanone (MEK)	ND	250	500	ug/L	50	11/23/22 23:07	1311/8260D	
n-Butylbenzene	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
sec-Butylbenzene	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
tert-Butylbenzene	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
Carbon tetrachloride	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
Chlorobenzene	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
Chloroethane	ND	250	250	ug/L	50	11/23/22 23:07	1311/8260D	
Chloroform	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
Chloromethane	ND	125	250	ug/L	50	11/23/22 23:07	1311/8260D	
2-Chlorotoluene	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
4-Chlorotoluene	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
1,2-Dibromo-3-chloropropane	ND	125	250	ug/L	50	11/23/22 23:07	1311/8260D	
Dibromochloromethane	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
1,2-Dibromoethane (EDB)	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
Dibromomethane	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
1,2-Dichlorobenzene	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
1,3-Dichlorobenzene	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
1,4-Dichlorobenzene	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
Dichlorodifluoromethane	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
1,1-Dichloroethane	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
1,1-Dichloroethene	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
1,2-Dichloroethane (EDC)	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
cis-1,2-Dichloroethene	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
trans-1,2-Dichloroethene	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
1,2-Dichloropropane	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
1,3-Dichloropropane	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
2,2-Dichloropropane	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
				-				

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.
2749 Lockport Road
Niagara Falls, NY 14305

Project:	Gasco - Soil
Project Number:	111323
Project Manager:	Chip Byrd

<b>Report ID:</b>
A2K0507 - 12 02 22 1325

### ANALYTICAL SAMPLE RESULTS

TCLP Volatile Organic Compounds by EPA 1311/8260D								
Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
Koppers Basin 11-11-2022 (A2K0507-01)				Matrix: Soil		Batch:	22K0839	
1,1-Dichloropropene	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
cis-1,3-Dichloropropene	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
trans-1,3-Dichloropropene	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
Ethylbenzene	30.5	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
Hexachlorobutadiene	ND	125	250	ug/L	50	11/23/22 23:07	1311/8260D	
2-Hexanone	ND	250	500	ug/L	50	11/23/22 23:07	1311/8260D	
Isopropylbenzene	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
4-Isopropyltoluene	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
4-Methyl-2-pentanone (MiBK)	ND	250	500	ug/L	50	11/23/22 23:07	1311/8260D	
Methyl tert-butyl ether (MTBE)	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
Methylene chloride	ND	250	500	ug/L	50	11/23/22 23:07	1311/8260D	
n-Propylbenzene	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
Styrene	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
1,1,1,2-Tetrachloroethane	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
1,1,2,2-Tetrachloroethane	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
Naphthalene	2610	50.0	100	ug/L	50	11/23/22 23:07	1311/8260D	
Tetrachloroethene (PCE)	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
Toluene	65.5	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
1,2,3-Trichlorobenzene	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
1,2,4-Trichlorobenzene	ND	50.0	100	ug/L	50	11/23/22 23:07	1311/8260D	
1,1,1-Trichloroethane	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
1,1,2-Trichloroethane	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
Trichloroethene (TCE)	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
Trichlorofluoromethane	ND	50.0	100	ug/L	50	11/23/22 23:07	1311/8260D	
1,2,3-Trichloropropane	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
1,2,4-Trimethylbenzene	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
1,3,5-Trimethylbenzene	ND	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
Vinyl chloride	ND	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
m,p-Xylene	64.0	25.0	50.0	ug/L	50	11/23/22 23:07	1311/8260D	
o-Xylene	36.5	12.5	25.0	ug/L	50	11/23/22 23:07	1311/8260D	
Surrogate: 1,4-Difluorobenzene (Surr)		Recove	ery: 120 %	Limits: 80-120 %	1	11/23/22 23:07	1311/8260D	
Toluene-d8 (Surr)			102 %	80-120 %	1	11/23/22 23:07	1311/8260D	
4-Bromofluorobenzene (Surr)			100 %	80-120 %	1	11/23/22 23:07	1311/8260D	

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

### Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project:Gasco - SoilProject Number:111323Project Manager:Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

### ANALYTICAL SAMPLE RESULTS

TCLP Volatile Organic Compounds by EPA 1311/8260D									
Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes	
Koppers Basin 11-11-2022 (A2K0507-0	1RE1)			Matrix: Soil		Batch:	22K0951		
Benzene	82.0	6.25	12.5	ug/L	50	11/29/22 13:29	1311/8260D	Q-42	
Surrogate: 1,4-Difluorobenzene (Surr)		Recovery	: 116 %	Limits: 80-120 %	1	11/29/22 13:29	1311/8260D		
Toluene-d8 (Surr)			101 %	80-120 %	1	11/29/22 13:29	1311/8260D		
4-Bromofluorobenzene (Surr)			98 %	80-120 %	1	11/29/22 13:29	1311/8260D		

Apex Laboratories

Darwin Thomas, Business Development Director



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.
2749 Lockport Road
Niagara Falls, NY 14305

Project:	Gasco - Soil
Project Number:	111323
Project Manager:	Chip Byrd

<b>Report ID:</b>
A2K0507 - 12 02 22 1325

### ANALYTICAL SAMPLE RESULTS

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
Koppers Basin 11-11-2022 (A2K0507-01)				Matrix: Soil	1	Batch: 2	22K0589	
Acenaphthene	145000	431	865	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Acenaphthylene	ND	6810	6810	ug/kg dry	100	11/16/22 14:35	EPA 8270E	R-02
Benz(a)anthracene	88800	431	865	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Benzo(a)pyrene	95800	648	1300	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Benzo(b)fluoranthene	120000	648	1300	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Benzo(k)fluoranthene	40900	648	1300	ug/kg dry	100	11/16/22 14:35	EPA 8270E	M-05
Benzo(g,h,i)perylene	60900	431	865	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Chrysene	120000	431	865	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Dibenz(a,h)anthracene	12100	431	865	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Fluoranthene	287000	431	865	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Fluorene	183000	431	865	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Indeno(1,2,3-cd)pyrene	64900	431	865	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
l-Methylnaphthalene	68300	865	1730	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
2-Methylnaphthalene	134000	865	1730	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Pyrene	260000	431	865	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Carbazole	254000	648	1300	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Dibenzofuran	89300	431	865	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
2-Chlorophenol	ND	2160	4310	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
4-Chloro-3-methylphenol	ND	4310	8650	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
2,4-Dichlorophenol	ND	2160	4310	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
2,4-Dimethylphenol	ND	2160	4310	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
2,4-Dinitrophenol	ND	10800	21600	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
4,6-Dinitro-2-methylphenol	ND	10800	21600	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
2-Methylphenol	ND	1080	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
3+4-Methylphenol(s)	ND	1080	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
2-Nitrophenol	ND	4310	8650	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
4-Nitrophenol	ND	8650	8650	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Pentachlorophenol (PCP)	ND	4310	8650	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Phenol	ND	865	1730	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
2,3,4,6-Tetrachlorophenol	ND	2160	4310	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
2,3,5,6-Tetrachlorophenol	ND	2160	4310	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
2,4,5-Trichlorophenol	ND	2160	4310	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Nitrobenzene	ND	4310	8650	ug/kg dry	100	11/16/22 14:35	EPA 8270E	

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.
2749 Lockport Road
Niagara Falls, NY 14305

Project:	Gasco - Soil
Project Number:	111323
Project Manager:	Chip Byrd

<b>Report ID:</b>
A2K0507 - 12 02 22 1325

### ANALYTICAL SAMPLE RESULTS

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
Koppers Basin 11-11-2022 (A2K0507-01)				Matrix: Soi			22K0589	
2,4,6-Trichlorophenol	ND	2160	4310	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Bis(2-ethylhexyl)phthalate	ND	6480	13000	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Butyl benzyl phthalate	ND	4310	8650	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Diethylphthalate	ND	4310	8650	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Dimethylphthalate	ND	4310	8650	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Di-n-butylphthalate	ND	4310	8650	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Di-n-octyl phthalate	ND	4310	8650	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
N-Nitrosodimethylamine	ND	1080	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
N-Nitroso-di-n-propylamine	ND	1080	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
N-Nitrosodiphenylamine	ND	3890	3890	ug/kg dry	100	11/16/22 14:35	EPA 8270E	R-02
Bis(2-Chloroethoxy) methane	ND	1080	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Bis(2-Chloroethyl) ether	ND	1080	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
2,2'-Oxybis(1-Chloropropane)	ND	1080	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Hexachlorobenzene	ND	431	865	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Hexachlorobutadiene	ND	1080	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Hexachlorocyclopentadiene	ND	2160	4310	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Hexachloroethane	ND	1080	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
2-Chloronaphthalene	ND	431	865	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
1,2,4-Trichlorobenzene	ND	1080	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
4-Bromophenyl phenyl ether	ND	1080	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
4-Chlorophenyl phenyl ether	ND	1080	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Aniline	ND	2160	4310	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
4-Chloroaniline	ND	1080	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
2-Nitroaniline	ND	8650	17300	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
3-Nitroaniline	ND	8650	17300	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
4-Nitroaniline	ND	17300	17300	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
2,4-Dinitrotoluene	ND	4310	8650	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
2,6-Dinitrotoluene	ND	4310	8650	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Benzoic acid	ND	54100	108000	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Benzyl alcohol	ND	2160	4310	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
sophorone	ND	1080	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Azobenzene (1,2-DPH)	ND	2160	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Bis(2-Ethylhexyl) adipate	ND	10800	21600	ug/kg dry	100	11/16/22 14:35	EPA 8270E	

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services	, Inc.
2749 Lockport Road	

Niagara Falls, NY 14305

Project:Gasco - SoilProject Number:111323Project Manager:Chip Byrd

<u>Report ID</u>	<u>):</u>
A2K0507 - 12 02 2	22 1325

### ANALYTICAL SAMPLE RESULTS

Semivolatile Organic Compounds by EPA 8270E								
Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
Koppers Basin 11-11-2022 (A2K0507-01)				Matrix: Soil		Batch: 2	22K0589	
3,3'-Dichlorobenzidine	ND	8650	17300	ug/kg dry	100	11/16/22 14:35	EPA 8270E	Q-52
1,2-Dinitrobenzene	ND	10800	21600	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
1,3-Dinitrobenzene	ND	10800	21600	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
1,4-Dinitrobenzene	ND	10800	21600	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Pyridine	ND	2160	4310	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
1,2-Dichlorobenzene	ND	1080	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
1,3-Dichlorobenzene	ND	1080	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
1,4-Dichlorobenzene	ND	1080	2160	ug/kg dry	100	11/16/22 14:35	EPA 8270E	
Surrogate: Nitrobenzene-d5 (Surr)		Recovery	: 95 %	Limits: 37-122 %	100	11/16/22 14:35	EPA 8270E	S-05
2-Fluorobiphenyl (Surr)			94 %	44-120 %	100	11/16/22 14:35	EPA 8270E	S-05
Phenol-d6 (Surr)			63 %	33-122 %	100	11/16/22 14:35	EPA 8270E	S-05
p-Terphenyl-d14 (Surr)			159 %	54-127 %	100	11/16/22 14:35	EPA 8270E	S-05
2-Fluorophenol (Surr)			76 %	35-120 %	100	11/16/22 14:35	EPA 8270E	S-05
2,4,6-Tribromophenol (Surr)			188 %	39-132 %	100	11/16/22 14:35	EPA 8270E	S-05
Koppers Basin 11-11-2022 (A2K0507-01R	E1)			Matrix: Soil		Batch: 2	22K0589	
Anthracene	1280000	4310	8650	ug/kg dry	1000	11/16/22 15:44	EPA 8270E	
Naphthalene	649000	8650	17300	ug/kg dry	1000	11/16/22 15:44	EPA 8270E	
Phenanthrene	739000	4310	8650	ug/kg dry	1000	11/16/22 15:44	EPA 8270E	

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

mental Services, Inc. Project: Gasco - Soil	
Project Number: 111323 Report	(D:
Y 14305         Project Manager: Chip Byrd         A2K0507 - 12 02	22 1325
7 14305 Project Manager: Chip Byrd	A2K0507 - 12 02

### ANALYTICAL SAMPLE RESULTS

Total Metals by EPA 6020B (ICPMS)								
Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
Koppers Basin 11-11-2022 (A2K0507-01)				Matrix: Soi	il			
Batch: 22K0765								
Arsenic	11100	706	1410	ug/kg dry	10	11/22/22 00:29	EPA 6020B	
Barium	83400	706	1410	ug/kg dry	10	11/22/22 00:29	EPA 6020B	
Cadmium	533	141	282	ug/kg dry	10	11/22/22 00:29	EPA 6020B	
Chromium	27600	706	1410	ug/kg dry	10	11/22/22 00:29	EPA 6020B	
Lead	274000	141	282	ug/kg dry	10	11/22/22 00:29	EPA 6020B	В
Mercury	378	56.4	113	ug/kg dry	10	11/22/22 00:29	EPA 6020B	
Selenium	ND	706	1410	ug/kg dry	10	11/22/22 00:29	EPA 6020B	
Silver	ND	141	282	ug/kg dry	10	11/22/22 00:29	EPA 6020B	

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.	Project:
2749 Lockport Road	Project Number:
Niagara Falls, NY 14305	Project Manager:

Project Number:	111323
Project Manager:	Chip Byrd

**Report ID:** A2K0507 - 12 02 22 1325

### ANALYTICAL SAMPLE RESULTS

Gasco - Soil

TCLP Metals by EPA 6020B (ICPMS)								
Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
Koppers Basin 11-11-2022 (A2K0507-01)				Matrix: So	bil			
Batch: 22K0697								
Arsenic	ND	50.0	100	ug/L	10	11/18/22 04:58	1311/6020B	
Barium	ND	2500	5000	ug/L	10	11/18/22 04:58	1311/6020B	
Cadmium	ND	50.0	100	ug/L	10	11/18/22 04:58	1311/6020B	
Chromium	ND	50.0	100	ug/L	10	11/18/22 04:58	1311/6020B	
Lead	135	25.0	50.0	ug/L	10	11/18/22 04:58	1311/6020B	
Selenium	ND	50.0	100	ug/L	10	11/18/22 04:58	1311/6020B	
Silver	ND	50.0	100	ug/L	10	11/18/22 04:58	1311/6020B	
Koppers Basin 11-11-2022 (A2K0507-01RI	E1)			Matrix: So	bil			
Batch: 22K0697								
Mercury	ND	3.75	7.00	ug/L	10	11/19/22 00:41	1311/6020B	

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.	Project: Gasco - Soil	
2749 Lockport Road	Project Number: 111323	Report ID:
Niagara Falls, NY 14305	Project Manager: Chip Byrd	A2K0507 - 12 02 22 1325

### ANALYTICAL SAMPLE RESULTS

Soluble Cyanide by UV Digestion/Gas Diffusion/Amperometric Detection								
Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
Koppers Basin 11-11-2022 (A2K0507-01RE1)			Matrix: Soi	il	Batch:	22K0505		
Total Cyanide	29700	3260	6510	ug/kg dry	50	11/14/22 14:14	D7511-12	

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

<u>Sevenson Environmental Services, Inc.</u> 2749 Lockport Road Niagara Falls, NY 14305		Project	ject: <u>Gase</u> t Number: 1113 Manager: Chip				<u>Report ID:</u> A2K0507 - 12 02 22				
ANALYTICAL SAMPLE RESULTS											
		Conventio	nal Chemist	ry Paramete	rs						
Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes			
Koppers Basin 11-11-2022 (A2K0507-01)				Matrix: So	oil						

Batch: 22K0521							
Free Liquid	ND	0.00	0.00	mL	1	11/14/22 11:48	EPA 9095B

Apex Laboratories



## Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.	Project: <u>Gasco - Soil</u>	
2749 Lockport Road	Project Number: 111323	<u>Report ID:</u>
Niagara Falls, NY 14305	Project Manager: Chip Byrd	A2K0507 - 12 02 22 1325

## ANALYTICAL SAMPLE RESULTS

	Percent Dry Weight										
SampleDetectionReportingDateAnalyteResultLimitLimitUnitsDilutionAnalyzedMethod Ref.Notes											
Koppers Basin 11-11-2022 (A2K0507-01)				Matrix: So	bil	Batch:	22K0572				
% Solids	76.5	1.00	1.00	%	1	11/16/22 05:58	EPA 8000D				

Apex Laboratories



## Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Notes

Sevenson Environmental Services, Inc.	Project: <u>Gasco - Soil</u>	
2749 Lockport Road	Project Number: 111323	Report ID:
Niagara Falls, NY 14305	Project Manager: Chip Byrd	A2K0507 - 12 02 22 1325
	ANALYTICAL SAMPLE RESULTS	

		TCLP E	Extraction by	EPA 1311			
Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.
Koppers Basin 11-11-2022 (A2K0507-01)				Matrix: So	il	Batch:	22K0613
TCLP Extraction	PREP			N/A	1	11/16/22 16:30	EPA 1311
TCLP ZHE Extraction	PREP			N/A	1	11/21/22 18:10	EPA 1311 ZHE

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

# Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

		Di	esel and/o	r Oil Hyd	rocarbor	ns by NW	TPH-Dx						
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	No	otes
Batch 22K0863 - EPA 3546 (F	uels)						Soi	I					
Blank (22K0863-BLK1)			Prepared	: 11/23/22 (	6:11 Ana	lyzed: 11/23	3/22 20:43						
<u>NWTPH-Dx</u>													
Diesel	ND	9090	18200	ug/kg we	t 1								
Oil	ND	18200	36400	ug/kg we	t 1								
Surr: o-Terphenyl (Surr)		Reco	very: 88 %	Limits: 50	-150 %	Di	lution: 1x						
LCS (22K0863-BS1)			Prepared	: 11/23/22 (	6:11 Ana	lyzed: 11/2.	3/22 21:03						
<u>NWTPH-Dx</u>													
Diesel	107000	10000	20000	ug/kg we	t 1	125000		86	38-132%				
Surr: o-Terphenyl (Surr)		Reco	very: 95 %	Limits: 50	-150 %	Di	lution: 1x						
Duplicate (22K0863-DUP1)			Prepared	: 11/23/22 (	6:11 Ana	lyzed: 11/2.	3/22 21:43						
QC Source Sample: Non-SDG (A	<u>2K0502-01)</u>												
Diesel	2000000	264000	528000	ug/kg dr	y 20		25500000			24	30%		F-2
Oil	5720000	528000	1060000	ug/kg dr	y 20		6980000			20	30%		F-2
Surr: o-Terphenyl (Surr)		Re	covery: %	Limits: 50	-150 %	Di	ilution: 20x					S-01	
Duplicate (22K0863-DUP3)			Prepared	: 11/27/22 1	3:47 Ana	lyzed: 11/2 <sup>^</sup>	7/22 15:55						
OC Source Sample: Non-SDG (A	2K0680-01RE	21)											
Diesel	7880000	79900	160000	ug/kg dr	y 5		6810000			15	30%		
Oil	266000	160000	319000	ug/kg dr	y 5		ND				30%		
Surr: o-Terphenyl (Surr)		Reco	very: 96 %	Limits: 50	-150 %	Di	lution: 5x					S-05	

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

## Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project:Gasco - SoilProject Number:111323Project Manager:Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasoline Range Hydrocarbons (Benzene through Naphthalene) by NWTPH-Gx												
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0504 - EPA 5035A							Soi	il				
Blank (22K0504-BLK1)			Prepare	d: 11/14/22	12:12 Ana	lyzed: 11/14	/22 14:25					
NWTPH-Gx (MS)												
Gasoline Range Organics	ND	1040	2080	ug/kg w	ret 50							
Surr: 4-Bromofluorobenzene (Sur)		Recov	ery: 102 %	Limits: 5	0-150 %	Dilt	ution: 1x					
1,4-Difluorobenzene (Sur)			93 %	50	0-150 %		"					
LCS (22K0504-BS2)			Prepare	d: 11/14/22	12:12 Ana	lyzed: 11/14	/22 13:09					
NWTPH-Gx (MS)												
Gasoline Range Organics	21800	2500	5000	ug/kg w	ret 50	25000		87	80-120%			
Surr: 4-Bromofluorobenzene (Sur)		Recov	ery: 109 %	Limits: 5	0-150 %	Dilt	ution: 1x					
1,4-Difluorobenzene (Sur)			94 %	50	0-150 %		"					
Duplicate (22K0504-DUP1)			Prepare	d: 11/11/22	09:00 Ana	lyzed: 11/14	/22 15:16					
QC Source Sample: Non-SDG (A2	2K0513-01)											
Gasoline Range Organics	16600	6980	14000	ug/kg d	ry 50		16900			2	30%	
Surr: 4-Bromofluorobenzene (Sur)		Recov	very: 111 %	Limits: 5	0-150 %	Dili	ution: 1x					_
1,4-Difluorobenzene (Sur)			96 %	50	0-150 %		"					

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: 111323 Project Manager: Chip Byrd

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

			Volatile Org	game COI	npounds		2000					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0504 - EPA 5035A							Soi	I				
Blank (22K0504-BLK1)			Prepared	l: 11/14/22 1	2:12 Ana	lyzed: 11/14	/22 14:25					
5035A/8260D												
Acetone	ND	417	417	ug/kg we	t 50							Q-3
Acrylonitrile	ND	41.7	41.7	ug/kg we	t 50							
Benzene	ND	2.08	4.17	ug/kg we	t 50							
Bromobenzene	ND	5.21	10.4	ug/kg we	t 50							
Bromochloromethane	ND	10.4	20.8	ug/kg we	t 50							
Bromodichloromethane	ND	10.4	20.8	ug/kg we	t 50							
Bromoform	ND	20.8	41.7	ug/kg we	t 50							
Bromomethane	ND	208	208	ug/kg we	t 50							
2-Butanone (MEK)	ND	208	208	ug/kg we	t 50							
n-Butylbenzene	ND	10.4	20.8	ug/kg we	t 50							
sec-Butylbenzene	ND	10.4	20.8	ug/kg we	t 50							
tert-Butylbenzene	ND	10.4	20.8	ug/kg we	t 50							
Carbon disulfide	ND	104	208	ug/kg we	t 50							
Carbon tetrachloride	ND	10.4	20.8	ug/kg we	t 50							
Chlorobenzene	ND	5.21	10.4	ug/kg we	t 50							
Chloroethane	ND	104	208	ug/kg we	t 50							
Chloroform	ND	10.4	20.8	ug/kg we	t 50							
Chloromethane	ND	52.1	104	ug/kg we	t 50							
2-Chlorotoluene	ND	10.4	20.8	ug/kg we	t 50							
4-Chlorotoluene	ND	10.4	20.8	ug/kg we	t 50							
Dibromochloromethane	ND	20.8	41.7	ug/kg we	t 50							
1,2-Dibromo-3-chloropropane	ND	52.1	104	ug/kg we	t 50							
1,2-Dibromoethane (EDB)	ND	10.4	20.8	ug/kg we	t 50							
Dibromomethane	ND	10.4	20.8	ug/kg we								
1,2-Dichlorobenzene	ND	5.21	10.4	ug/kg we								
1,3-Dichlorobenzene	ND	5.21	10.4	ug/kg we								
1,4-Dichlorobenzene	ND	5.21	10.4	ug/kg we								
Dichlorodifluoromethane	ND	41.7	41.7	ug/kg we								ICV-(
1,1-Dichloroethane	ND	5.21	10.4	ug/kg we								
1,2-Dichloroethane (EDC)	ND	5.21	10.4	ug/kg we								
1,1-Dichloroethene	ND	5.21	10.4	ug/kg we								
cis-1.2-Dichloroethene	ND	5.21	10.4	ug/kg we								
trans-1,2-Dichloroethene	ND	5.21	10.1	ug/kg we								

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

			Volatile Or	ganic Con	npounas	by EPA 8	260D					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0504 - EPA 5035A							Soi	1				
Blank (22K0504-BLK1)			Prepared	l: 11/14/22 1	2:12 Ana	lyzed: 11/14/	/22 14:25					
,2-Dichloropropane	ND	5.21	10.4	ug/kg we	t 50							
,3-Dichloropropane	ND	10.4	20.8	ug/kg we	t 50							
2,2-Dichloropropane	ND	10.4	20.8	ug/kg we	t 50							
,1-Dichloropropene	ND	10.4	20.8	ug/kg we	t 50							
cis-1,3-Dichloropropene	ND	10.4	20.8	ug/kg we	t 50							
rans-1,3-Dichloropropene	ND	10.4	20.8	ug/kg we	t 50							
Ethylbenzene	ND	5.21	10.4	ug/kg we	t 50							
Hexachlorobutadiene	ND	20.8	41.7	ug/kg we	t 50							
2-Hexanone	ND	104	208	ug/kg we	t 50							
sopropylbenzene	ND	10.4	20.8	ug/kg we	t 50							
4-Isopropyltoluene	ND	10.4	20.8	ug/kg we	t 50							
Methylene chloride	ND	208	208	ug/kg we	t 50							
4-Methyl-2-pentanone (MiBK)	ND	104	208	ug/kg we	t 50							
Methyl tert-butyl ether (MTBE)	ND	10.4	20.8	ug/kg we	t 50							
Naphthalene	ND	20.8	41.7	ug/kg we	t 50							
n-Propylbenzene	ND	5.21	10.4	ug/kg we	t 50							
Styrene	ND	10.4	20.8	ug/kg we	t 50							
,1,1,2-Tetrachloroethane	ND	5.21	10.4	ug/kg we	t 50							
,1,2,2-Tetrachloroethane	ND	10.4	20.8	ug/kg we	t 50							
Fetrachloroethene (PCE)	ND	5.21	10.4	ug/kg we	t 50							
Foluene	ND	10.4	20.8	ug/kg we	t 50							
,2,3-Trichlorobenzene	ND	52.1	104	ug/kg we	t 50							
,2,4-Trichlorobenzene	ND	52.1	104	ug/kg we	t 50							
,1,1-Trichloroethane	ND	5.21	10.4	ug/kg we	t 50							
,1,2-Trichloroethane	ND	5.21	10.4	ug/kg we	t 50							
Frichloroethene (TCE)	ND	5.21	10.4	ug/kg we	t 50							
Frichlorofluoromethane	ND	41.7	41.7	ug/kg we								(
,2,3-Trichloropropane	ND	10.4	20.8	ug/kg we								
,2,4-Trimethylbenzene	ND	10.4	20.8	ug/kg we	t 50							
,3,5-Trimethylbenzene	ND	10.4	20.8	ug/kg we								
Vinyl chloride	ND	5.21	10.4	ug/kg we								
n,p-Xylene	ND	10.4	20.8	ug/kg we								
o-Xylene	ND	5.21	10.4	ug/kg we								

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson	Environmental	Services,	Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: 111323

Project:

Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

			Volatile Or	ganic Con	npounds	by EPA 8	3260D					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0504 - EPA 5035A		Soil										
Blank (22K0504-BLK1)		Prepared: 11/14/22 12:12 Analyzed: 11/14/22 14:25										
Surr: Toluene-d8 (Surr)		Rec	overy: 98 %	Limits: 80-	120 %	Dilı	ution: 1x					
4-Bromofluorobenzene (Surr)			104 %	79-	120 %		"					
LCS (22K0504-BS1)			Prepared	l: 11/14/22 1	2:12 Ana	lyzed: 11/14	/22 12:43					
5035A/8260D												
Acetone	1280	1000	1000	ug/kg we	t 50	2000		64	80-120%			Q-3
Acrylonitrile	768	100	100	ug/kg we	t 50	1000		77	80-120%			Q-5
Benzene	969	5.00	10.0	ug/kg we	t 50	1000		97	80-120%			
Bromobenzene	984	12.5	25.0	ug/kg we	t 50	1000		98	80-120%			
Bromochloromethane	846	25.0	50.0	ug/kg we	t 50	1000		85	80-120%			
Bromodichloromethane	924	25.0	50.0	ug/kg we	t 50	1000		92	80-120%			
Bromoform	1030	50.0	100	ug/kg we	t 50	1000		103	80-120%			
Bromomethane	938	500	500	ug/kg we	t 50	1000		94	80-120%			
2-Butanone (MEK)	1500	500	500	ug/kg we	t 50	2000		75	80-120%			Q-5
n-Butylbenzene	994	25.0	50.0	ug/kg we	t 50	1000		99	80-120%			
sec-Butylbenzene	1060	25.0	50.0	ug/kg we	t 50	1000		106	80-120%			
tert-Butylbenzene	997	25.0	50.0	ug/kg we	t 50	1000		100	80-120%			
Carbon disulfide	1120	250	500	ug/kg we	t 50	1000		112	80-120%			
Carbon tetrachloride	1080	25.0	50.0	ug/kg we	t 50	1000		108	80-120%			
Chlorobenzene	953	12.5	25.0	ug/kg we	t 50	1000		95	80-120%			
Chloroethane	870	250	500	ug/kg we	t 50	1000		87	80-120%			
Chloroform	955	25.0	50.0	ug/kg we	t 50	1000		96	80-120%			
Chloromethane	877	125	250	ug/kg we	t 50	1000		88	80-120%			
2-Chlorotoluene	1010	25.0	50.0	ug/kg we	t 50	1000		101	80-120%			
4-Chlorotoluene	978	25.0	50.0	ug/kg we	t 50	1000		98	80-120%			
Dibromochloromethane	1010	50.0	100	ug/kg we	t 50	1000		101	80-120%			
1,2-Dibromo-3-chloropropane	864	125	250	ug/kg we	t 50	1000		86	80-120%			
1,2-Dibromoethane (EDB)	1020	25.0	50.0	ug/kg we	t 50	1000		102	80-120%			
Dibromomethane	940	25.0	50.0	ug/kg we	t 50	1000		94	80-120%			
1,2-Dichlorobenzene	965	12.5	25.0	ug/kg we	t 50	1000		96	80-120%			
1,3-Dichlorobenzene	986	12.5	25.0	ug/kg we	t 50	1000		99	80-120%			
1,4-Dichlorobenzene	945	12.5	25.0	ug/kg we	t 50	1000		94	80-120%			
Dichlorodifluoromethane	1110	100	100	ug/kg we	t 50	1000		111	80-120%			ICV-(
1,1-Dichloroethane	930	12.5	25.0	ug/kg we	t 50	1000		93	80-120%			

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: **111323** Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

			Volatile Org			,						
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0504 - EPA 5035A							Soi	I				
LCS (22K0504-BS1)			Prepared	: 11/14/22 1	2:12 Ana	lyzed: 11/14/	/22 12:43					
1,2-Dichloroethane (EDC)	898	12.5	25.0	ug/kg we	t 50	1000		90	80-120%			
1,1-Dichloroethene	1210	12.5	25.0	ug/kg we	t 50	1000		121	80-120%			Q-5
cis-1,2-Dichloroethene	942	12.5	25.0	ug/kg we	t 50	1000		94	80-120%			
trans-1,2-Dichloroethene	912	12.5	25.0	ug/kg we	t 50	1000		91	80-120%			
1,2-Dichloropropane	920	12.5	25.0	ug/kg we	t 50	1000		92	80-120%			
1,3-Dichloropropane	928	25.0	50.0	ug/kg we	t 50	1000		93	80-120%			
2,2-Dichloropropane	1060	25.0	50.0	ug/kg we	t 50	1000		106	80-120%			
1,1-Dichloropropene	1010	25.0	50.0	ug/kg we	t 50	1000		101	80-120%			
cis-1,3-Dichloropropene	1070	25.0	50.0	ug/kg we	t 50	1000		107	80-120%			
trans-1,3-Dichloropropene	940	25.0	50.0	ug/kg we	t 50	1000		94	80-120%			
Ethylbenzene	998	12.5	25.0	ug/kg we	t 50	1000		100	80-120%			
Hexachlorobutadiene	1000	50.0	100	ug/kg we	t 50	1000		100	80-120%			
2-Hexanone	1670	250	500	ug/kg we	t 50	2000		84	80-120%			
Isopropylbenzene	975	25.0	50.0	ug/kg we	t 50	1000		98	80-120%			
4-Isopropyltoluene	958	25.0	50.0	ug/kg we	t 50	1000		96	80-120%			
Methylene chloride	794	500	500	ug/kg we	t 50	1000		79	80-120%			Q-5
4-Methyl-2-pentanone (MiBK)	1710	250	500	ug/kg we	t 50	2000		85	80-120%			
Methyl tert-butyl ether (MTBE)	1020	25.0	50.0	ug/kg we	t 50	1000		102	80-120%			
Naphthalene	920	50.0	100	ug/kg we	t 50	1000		92	80-120%			
n-Propylbenzene	938	12.5	25.0	ug/kg we	t 50	1000		94	80-120%			
Styrene	910	25.0	50.0	ug/kg we	t 50	1000		91	80-120%			
1,1,1,2-Tetrachloroethane	1090	12.5	25.0	ug/kg we		1000		109	80-120%			
1,1,2,2-Tetrachloroethane	842	25.0	50.0	ug/kg we		1000		84	80-120%			
Tetrachloroethene (PCE)	1100	12.5	25.0	ug/kg we	t 50	1000		110	80-120%			
Toluene	968	25.0	50.0	ug/kg we		1000		97	80-120%			
1,2,3-Trichlorobenzene	1000	125	250	ug/kg we		1000		100	80-120%			
1,2,4-Trichlorobenzene	1050	125	250	ug/kg we		1000		105	80-120%			
1,1,1-Trichloroethane	1010	12.5	25.0	ug/kg we		1000		101	80-120%			
1,1,2-Trichloroethane	933	12.5	25.0	ug/kg we		1000		93	80-120%			
Trichloroethene (TCE)	1040	12.5	25.0	ug/kg we		1000		104	80-120%			
Trichlorofluoromethane	124	100	100	ug/kg we		1000		12	80-120%			Q-5
1,2,3-Trichloropropane	882	25.0	50.0	ug/kg we		1000		88	80-120%			
1,2,4-Trimethylbenzene	932	25.0	50.0	ug/kg we		1000		93	80-120%			
1,3,5-Trimethylbenzene	1010	25.0	50.0	ug/kg we		1000		101	80-120%			

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

			Volatile Or	ganic Cor	npounds	s by EPA 8	3260D					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0504 - EPA 5035A							So	il				
LCS (22K0504-BS1)			Preparec	1: 11/14/22 1	2:12 Ana	lyzed: 11/14	/22 12:43					
Vinyl chloride	988	12.5	25.0	ug/kg we	t 50	1000		99	80-120%			
m,p-Xylene	1870	25.0	50.0	ug/kg we	t 50	2000		93	80-120%			
o-Xylene	954	12.5	25.0	ug/kg we	t 50	1000		95	80-120%			
Surr: 1,4-Difluorobenzene (Surr)		Reco	very: 100 %	Limits: 80-	120 %	Dili	ution: 1x					
Toluene-d8 (Surr)			95 %	80-	120 %		"					
4-Bromofluorobenzene (Surr)			103 %	79-	120 %		"					
Duplicate (22K0504-DUP1)			Preparec	d: 11/11/22 0	9:00 Ana	lyzed: 11/14	/22 15:16					
OC Source Sample: Non-SDG (A2	K0513-01)											
Acetone	ND	2790	2790	ug/kg dr	y 50		ND				30%	Q-3
Acrylonitrile	ND	279	279	ug/kg dr	y 50		ND				30%	
Benzene	19.6	14.0	27.9	ug/kg dr	y 50		18.2			7	30%	
Bromobenzene	ND	34.9	69.8	ug/kg dr	y 50		ND				30%	
Bromochloromethane	ND	69.8	140	ug/kg dr	y 50		ND				30%	
Bromodichloromethane	ND	69.8	140	ug/kg dr	y 50		ND				30%	
Bromoform	ND	140	279	ug/kg dr	y 50		ND				30%	
Bromomethane	ND	1400	1400	ug/kg dr	y 50		ND				30%	
2-Butanone (MEK)	ND	1400	1400	ug/kg dr	y 50		ND				30%	
n-Butylbenzene	ND	69.8	140	ug/kg dr	y 50		ND				30%	
sec-Butylbenzene	ND	69.8	140	ug/kg dr	y 50		ND				30%	
tert-Butylbenzene	ND	69.8	140	ug/kg dr	y 50		ND				30%	
Carbon disulfide	ND	698	1400	ug/kg dr	y 50		ND				30%	
Carbon tetrachloride	ND	69.8	140	ug/kg dr	y 50		ND				30%	
Chlorobenzene	ND	34.9	69.8	ug/kg dr	y 50		ND				30%	
Chloroethane	ND	698	1400	ug/kg dr	y 50		ND				30%	
Chloroform	ND	69.8	140	ug/kg dr	y 50		ND				30%	
Chloromethane	ND	349	698	ug/kg dr			ND				30%	
2-Chlorotoluene	ND	69.8	140	ug/kg dr	y 50		ND				30%	
4-Chlorotoluene	ND	69.8	140	ug/kg dr	y 50		ND				30%	
Dibromochloromethane	ND	140	279	ug/kg dr			ND				30%	
1,2-Dibromo-3-chloropropane	ND	349	698	ug/kg dr			ND				30%	
1,2-Dibromoethane (EDB)	ND	69.8	140	ug/kg dr			ND				30%	
Dibromomethane	ND	69.8	140	ug/kg dr			ND				30%	
1,2-Dichlorobenzene	ND	34.9	69.8	ug/kg dr	, ,		ND				30%	

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: **111323** Project Manager: **Chip Byrd** 

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

			Volatile Org	yanic Cor	npounds	by EPA 8	2000					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0504 - EPA 5035A							Soi	I				
Duplicate (22K0504-DUP1)			Prepared	: 11/11/22 0	9:00 Anal	yzed: 11/14/	/22 15:16					
QC Source Sample: Non-SDG (A2	<u>K0513-01)</u>											
1,3-Dichlorobenzene	ND	34.9	69.8	ug/kg dry	y 50		ND				30%	
1,4-Dichlorobenzene	ND	34.9	69.8	ug/kg dry	y 50		ND				30%	
Dichlorodifluoromethane	ND	279	279	ug/kg dry	y 50		ND				30%	ICV-(
1,1-Dichloroethane	ND	34.9	69.8	ug/kg dry	y 50		ND				30%	
1,2-Dichloroethane (EDC)	ND	34.9	69.8	ug/kg dry	y 50		ND				30%	
1,1-Dichloroethene	ND	34.9	69.8	ug/kg dry	y 50		ND				30%	
cis-1,2-Dichloroethene	ND	34.9	69.8	ug/kg dry	y 50		ND				30%	
trans-1,2-Dichloroethene	ND	34.9	69.8	ug/kg dry	y 50		ND				30%	
1,2-Dichloropropane	ND	34.9	69.8	ug/kg dry	y 50		ND				30%	
1,3-Dichloropropane	ND	69.8	140	ug/kg dry	y 50		ND				30%	
2,2-Dichloropropane	ND	69.8	140	ug/kg dry	y 50		ND				30%	
1,1-Dichloropropene	ND	69.8	140	ug/kg dry	y 50		ND				30%	
cis-1,3-Dichloropropene	ND	69.8	140	ug/kg dry	y 50		ND				30%	
trans-1,3-Dichloropropene	ND	69.8	140	ug/kg dry	y 50		ND				30%	
Ethylbenzene	50.3	34.9	69.8	ug/kg dry	y 50		51.7			3	30%	
Hexachlorobutadiene	ND	140	279	ug/kg dry	y 50		ND				30%	
2-Hexanone	ND	698	1400	ug/kg dry	y 50		ND				30%	
Isopropylbenzene	ND	69.8	140	ug/kg dry	y 50		ND				30%	
4-Isopropyltoluene	ND	69.8	140	ug/kg dry	y 50		ND				30%	
Methylene chloride	ND	1400	1400	ug/kg dry	y 50		ND				30%	
4-Methyl-2-pentanone (MiBK)	ND	698	1400	ug/kg dry	y 50		ND				30%	
Methyl tert-butyl ether (MTBE)	ND	69.8	140	ug/kg dry	y 50		ND				30%	
Naphthalene	4910	140	279	ug/kg dry			4980			1	30%	
n-Propylbenzene	ND	34.9	69.8	ug/kg dry	y 50		ND				30%	
Styrene	ND	69.8	140	ug/kg dry	y 50		ND				30%	
1,1,1,2-Tetrachloroethane	ND	34.9	69.8	ug/kg dry			ND				30%	
1,1,2,2-Tetrachloroethane	ND	69.8	140	ug/kg dry			ND				30%	
Tetrachloroethene (PCE)	ND	34.9	69.8	ug/kg dry	, ,		ND				30%	
Toluene	ND	69.8	140	ug/kg dry	, ,		ND				30%	
1,2,3-Trichlorobenzene	ND	349	698	ug/kg dry			ND				30%	
1,2,4-Trichlorobenzene	ND	349	698	ug/kg dry			ND				30%	
1,1,1-Trichloroethane	ND	34.9	69.8	ug/kg dry	, ,		ND				30%	
1,1,2-Trichloroethane	ND	34.9	69.8	ug/kg dry	, ,		ND				30%	

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

			Volatile Or	ganic Cor	npounds	by EPA 8	3260D					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0504 - EPA 5035A							Soi	I				
Duplicate (22K0504-DUP1)			Prepare	d: 11/11/22 0	9:00 Anal	yzed: 11/14	/22 15:16					
QC Source Sample: Non-SDG (A2	<u>K0513-01)</u>											
Trichloroethene (TCE)	ND	34.9	69.8	ug/kg dry	y 50		ND				30%	
Trichlorofluoromethane	ND	279	279	ug/kg dry	y 50		ND				30%	Q-52
1,2,3-Trichloropropane	ND	69.8	140	ug/kg dry	y 50		ND				30%	
1,2,4-Trimethylbenzene	ND	140	140	ug/kg dry	y 50		ND				30%	
1,3,5-Trimethylbenzene	ND	69.8	140	ug/kg dry	y 50		ND				30%	
Vinyl chloride	ND	34.9	69.8	ug/kg dry	y 50		ND				30%	
m,p-Xylene	81.0	69.8	140	ug/kg dry	y 50		81.0			0	30%	
o-Xylene	44.7	34.9	69.8	ug/kg dry	y 50		44.7			0	30%	
Surr: 1,4-Difluorobenzene (Surr)		Recov	very: 101 %	Limits: 80-	-120 %	Dili	ution: 1x					
Toluene-d8 (Surr)			94 %	80-	120 %		"					
4-Bromofluorobenzene (Surr)			103 %	79-	120 %		"					
QC Source Sample: Non-SDG (A2	<u>K0467-01)</u>											
<u>5035A/8260D</u>	(70)	47.00	47.00	1		0.500	ND	71	26.1640/			Q-30
Acetone	6720	4760 476	4760 476	ug/kg we		9520	ND	71	36-164%			
Acrylonitrile	3570	4/0				17(0	ND	75				~
Benzene	5010	22.0		ug/kg we		4760	ND	75	65-134%			Q-54
December	5010	23.8	47.6	ug/kg we	t 50	4760	274	100	65-134% 77-121%			~
Bromobenzene	4940	59.5	47.6 119	ug/kg we ug/kg we	et 50 et 50	4760 4760	274 ND	100 104	65-134% 77-121% 78-121%			~
Bromochloromethane	4940 4000	59.5 119	47.6 119 238	ug/kg we ug/kg we ug/kg we	et 50 et 50 et 50	4760 4760 4760	274 ND ND	100 104 84	65-134% 77-121% 78-121% 78-125%	 	 	~
Bromochloromethane Bromodichloromethane	4940 4000 4510	59.5 119 119	47.6 119 238 238	ug/kg we ug/kg we ug/kg we ug/kg we	et 50 et 50 et 50 et 50	4760 4760 4760 4760	274 ND ND ND	100 104 84 95	65-134% 77-121% 78-121% 78-125% 75-127%	  	  	~
Bromochloromethane Bromodichloromethane Bromoform	4940 4000 4510 4870	59.5 119 119 238	47.6 119 238 238 476	ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we	et 50 et 50 et 50 et 50 et 50 et 50	4760 4760 4760 4760 4760	274 ND ND ND	100 104 84 95 102	65-134% 77-121% 78-121% 78-125% 75-127% 67-132%	 	 	~
Bromochloromethane Bromodichloromethane Bromoform Bromomethane	4940 4000 4510 4870 4320	59.5 119 119 238 2380	47.6 119 238 238 476 2380	ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we	50       ct     50	4760 4760 4760 4760 4760 4760	274 ND ND ND ND	100 104 84 95 102 91	65-134% 77-121% 78-121% 78-125% 75-127% 67-132% 53-143%	  	  	~
Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK)	4940 4000 4510 4870 4320 6940	59.5 119 119 238 2380 2380	47.6 119 238 238 476 2380 2380	ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we	tt     50	4760 4760 4760 4760 4760 4760 9520	274 ND ND ND ND ND	100 104 84 95 102 91 73	65-134% 77-121% 78-121% 78-125% 75-127% 67-132% 53-143% 51-148%	   	   	Q-54
Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene	4940 4000 4510 4870 4320 6940 6400	59.5 119 119 238 2380 2380 119	47.6 119 238 238 476 2380 2380 2380	ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we	st     50	4760 4760 4760 4760 4760 4760 9520 4760	274 ND ND ND ND ND ND	100 104 84 95 102 91 73 <b>129</b>	65-134% 77-121% 78-125% 78-125% 75-127% 67-132% 53-143% 51-148% <b>70-128%</b>	    	    	Q-54
Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene sec-Butylbenzene	4940 4000 4510 4870 4320 6940 6400 5730	59.5 119 119 238 2380 2380	47.6 119 238 238 476 2380 2380 238 238	ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we	tt     50	4760 4760 4760 4760 4760 4760 9520	274 ND ND ND ND ND	100 104 84 95 102 91 73 <b>129</b> 117	65-134% 77-121% 78-121% 78-125% 75-127% 67-132% 53-143% 51-148%	     	    	Q-54
Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene	4940 4000 4510 4870 4320 6940 6400	59.5 119 119 238 2380 2380 119 119	47.6 119 238 238 476 2380 2380 2380	ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we	tt     50	4760 4760 4760 4760 4760 4760 9520 4760 4760	274 ND ND ND ND ND ND	100 104 84 95 102 91 73 <b>129</b>	65-134% 77-121% 78-125% 78-125% 75-127% 67-132% 53-143% 51-148% <b>70-128%</b> 73-126%		     	Q-54
Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene sec-Butylbenzene tert-Butylbenzene	4940 4000 4510 4870 4320 6940 6400 5730 5380	59.5 119 119 238 2380 2380 2380 119 119	47.6 119 238 238 476 2380 2380 2380 238 238 238 238 238	ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we	tt     50       ct     50	4760 4760 4760 4760 4760 4760 9520 4760 4760 4760	274 ND ND ND ND ND ND ND	100 104 84 95 102 91 73 <b>129</b> 117 109	65-134% 77-121% 78-121% 78-125% 75-127% 67-132% 53-143% 51-148% <b>70-128%</b> 73-126% 73-125%			Q-54
Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Carbon disulfide	4940 4000 4510 4870 4320 6940 6400 5730 5380 6100	59.5 119 119 238 2380 2380 2380 119 119 119	47.6 119 238 238 476 2380 2380 238 238 238 238	ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we	tt     50	4760 4760 4760 4760 4760 4760 9520 4760 4760 4760 4760	274 ND ND ND ND ND ND ND ND	100 104 84 95 102 91 73 <b>129</b> 117 109 128	65-134% 77-121% 78-125% 75-127% 67-132% 53-143% 51-148% <b>70-128%</b> 73-126% 63-132%			Q-54
Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Carbon disulfide Carbon tetrachloride	4940 4000 4510 4870 4320 6940 6400 5730 5380 6100 6260	59.5 119 119 238 2380 2380 119 119 119 1190 119	47.6 119 238 238 476 2380 2380 238 238 238 238 2380 2380 238	ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we ug/kg we	tt     50       tt     50	4760 4760 4760 4760 4760 9520 4760 4760 4760 4760 4760	274 ND ND ND ND ND ND ND ND	100 104 84 95 102 91 73 <b>129</b> 117 109 128 131	65-134% 77-121% 78-125% 75-127% 67-132% 53-143% 51-148% <b>70-128%</b> 73-125% 63-132% 70-135%			Q-54
Bromochloromethane Bromodichloromethane Bromoform Bromomethane 2-Butanone (MEK) n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Carbon disulfide Carbon tetrachloride Chlorobenzene	4940 4000 4510 4870 4320 6940 6400 5730 5380 6100 6260 4540	59.5 119 119 238 2380 2380 119 119 119 1190 119 59.5	47.6 119 238 238 476 2380 2380 238 238 238 238 238 238 238 238 119	ug/kg we ug/kg we	tt     50       tt     50	4760 4760 4760 4760 4760 9520 4760 4760 4760 4760 4760 4760 4760	274 ND ND ND ND ND ND ND ND ND	100 104 84 95 102 91 73 <b>129</b> 117 109 128 131 93	65-134% 77-121% 78-125% 75-127% 67-132% 53-143% 51-148% 70-128% 73-126% 73-125% 63-132% 70-135% 79-120%			Q-54

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: 111323 Project Manager: Chip Byrd

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

			Volatile Org			.,						
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0504 - EPA 5035A							Soi	I				
Matrix Spike (22K0504-MS1)			Prepared	: 11/10/22 1	6:11 Ana	lyzed: 11/15/	/22 01:01					T-02, V-15
QC Source Sample: Non-SDG (A2	<u>K0467-01)</u>											
2-Chlorotoluene	5050	119	238	ug/kg we	t 50	4760	ND	90	75-122%			
4-Chlorotoluene	4800	119	238	ug/kg we	t 50	4760	ND	101	72-124%			
Dibromochloromethane	5200	238	476	ug/kg we	t 50	4760	ND	109	74-126%			
1,2-Dibromo-3-chloropropane	4930	595	1190	ug/kg we	t 50	4760	ND	104	61-132%			
1,2-Dibromoethane (EDB)	5300	119	238	ug/kg we	t 50	4760	ND	111	78-122%			
Dibromomethane	4460	119	238	ug/kg we	t 50	4760	ND	94	78-125%			
1,2-Dichlorobenzene	4530	59.5	119	ug/kg we	t 50	4760	ND	95	78-121%			
1,3-Dichlorobenzene	4590	59.5	119	ug/kg we	t 50	4760	ND	96	77-121%			
1,4-Dichlorobenzene	4300	59.5	119	ug/kg we	t 50	4760	ND	90	75-120%			
Dichlorodifluoromethane	7100	476	476	ug/kg we	t 50	4760	ND	149	29-149%			ICV-0
1,1-Dichloroethane	4510	59.5	119	ug/kg we	t 50	4760	ND	95	76-125%			
1,2-Dichloroethane (EDC)	4260	59.5	119	ug/kg we	t 50	4760	ND	90	73-128%			
1,1-Dichloroethene	6450	59.5	119	ug/kg we	t 50	4760	ND	135	70-131%			Q-:
cis-1,2-Dichloroethene	4630	59.5	119	ug/kg we	t 50	4760	ND	97	77-123%			
trans-1,2-Dichloroethene	4460	59.5	119	ug/kg we	t 50	4760	ND	94	74-125%			
1,2-Dichloropropane	4430	59.5	119	ug/kg we	t 50	4760	ND	93	76-123%			
1,3-Dichloropropane	4570	119	238	ug/kg we	t 50	4760	ND	96	77-121%			
2,2-Dichloropropane	4360	119	238	ug/kg we	t 50	4760	ND	92	67-133%			
1,1-Dichloropropene	5250	119	238	ug/kg we	t 50	4760	ND	110	76-125%			
cis-1,3-Dichloropropene	5260	119	238	ug/kg we	t 50	4760	ND	111	74-126%			
trans-1,3-Dichloropropene	4390	119	238	ug/kg we	t 50	4760	ND	92	71-130%			
Ethylbenzene	5280	59.5	119	ug/kg we	t 50	4760	479	101	76-122%			
Hexachlorobutadiene	10000	238	476	ug/kg we	t 50	4760	ND	211	61-135%			Q-(
2-Hexanone	11800	1190	2380	ug/kg we	t 50	9520	ND	106	53-145%			
Isopropylbenzene	5020	119	238	ug/kg we	t 50	4760	ND	103	68-134%			
4-Isopropyltoluene	5530	119	238	ug/kg we		4760	ND	116	73-127%			
Methylene chloride	3800	2380	2380	ug/kg we		4760	ND	80	70-128%			Q-54
4-Methyl-2-pentanone (MiBK)	14900	1190	2380	ug/kg we		9520	ND	91	65-135%			
Methyl tert-butyl ether (MTBE)	4940	119	238	ug/kg we		4760	ND	104	73-125%			
Naphthalene	5620	238	476	ug/kg we		4760	721	103	62-129%			
n-Propylbenzene	5010	59.5	119	ug/kg we		4760	ND	91	73-125%			
Styrene	5210	119	238	ug/kg we		4760	ND	102	76-124%			
1,1,1,2-Tetrachloroethane	5230	59.5	119	ug/kg we		4760	ND	110	78-125%			

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: 111323 Project Manager: Chip Byrd

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

			Volatile Or	ganic Cor	npounds	by EPA 8	3260D					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0504 - EPA 5035A							So	il				
Matrix Spike (22K0504-MS1)			Preparec	1: 11/10/22 1	6:11 Ana	lyzed: 11/15	/22 01:01					T-02, V-15
QC Source Sample: Non-SDG (A2H	<u> K0467-01)</u>											
1,1,2,2-Tetrachloroethane	21100	20000	20000	ug/kg we	t 50	4760	ND	442	70-124%			Q-0
Tetrachloroethene (PCE)	6050	59.5	119	ug/kg we	t 50	4760	ND	127	73-128%			
Toluene	6250	119	238	ug/kg we	t 50	4760	1370	102	77-121%			
1,2,3-Trichlorobenzene	5030	595	1190	ug/kg we	t 50	4760	ND	106	66-130%			
1,2,4-Trichlorobenzene	5770	595	1190	ug/kg we	t 50	4760	ND	121	67-129%			
1,1,1-Trichloroethane	5210	59.5	119	ug/kg we	t 50	4760	ND	109	73-130%			
1,1,2-Trichloroethane	7400	59.5	119	ug/kg we	t 50	4760	ND	91	78-121%			
Trichloroethene (TCE)	5580	59.5	119	ug/kg we	t 50	4760	ND	117	77-123%			
Trichlorofluoromethane	1290	476	476	ug/kg we	t 50	4760	ND	27	62-140%			Q-5
1,2,3-Trichloropropane	ND	5480	5480	ug/kg we	t 50	4760	ND		73-125%			Q-(
1,2,4-Trimethylbenzene	6940	119	238	ug/kg we	t 50	4760	2460	94	75-123%			
1,3,5-Trimethylbenzene	5690	119	238	ug/kg we	t 50	4760	810	102	73-124%			
Vinyl chloride	5090	59.5	119	ug/kg we	t 50	4760	ND	107	56-135%			
m,p-Xylene	10900	119	238	ug/kg we	t 50	9520	1690	97	77-124%			
o-Xylene	5990	59.5	119	ug/kg we	t 50	4760	1000	105	77-123%			
Surr: 1,4-Difluorobenzene (Surr)		Recov	very: 102 %	Limits: 80-	120 %	Dili	ution: 1x					
Toluene-d8 (Surr)			102 %	80-	120 %		"					
4-Bromofluorobenzene (Surr)			107 %	79-	120 %		"					

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: **111323** Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0559 - EPA 5035A							Soi	I				
Blank (22K0559-BLK1)			Prepared	: 11/15/22 1	2:00 Anal	yzed: 11/15/	/22 14:39					
5035A/8260D												
Acetone	ND	400	400	ug/kg we	t 50							Q-3
Acrylonitrile	ND	40.0	40.0	ug/kg we	t 50							
Benzene	ND	2.00	4.00	ug/kg we	t 50							
Bromobenzene	ND	5.00	10.0	ug/kg we	t 50							
Bromochloromethane	ND	10.0	20.0	ug/kg we	t 50							
Bromodichloromethane	ND	10.0	20.0	ug/kg we	t 50							
Bromoform	ND	20.0	40.0	ug/kg we	t 50							
Bromomethane	ND	200	200	ug/kg we	t 50							
2-Butanone (MEK)	ND	200	200	ug/kg we	t 50							
n-Butylbenzene	ND	10.0	20.0	ug/kg we	t 50							
sec-Butylbenzene	ND	10.0	20.0	ug/kg we	t 50							
tert-Butylbenzene	ND	10.0	20.0	ug/kg we	t 50							
Carbon disulfide	ND	100	200	ug/kg we	t 50							
Carbon tetrachloride	ND	10.0	20.0	ug/kg we	t 50							
Chlorobenzene	ND	5.00	10.0	ug/kg we	t 50							
Chloroethane	ND	100	200	ug/kg we	t 50							
Chloroform	ND	10.0	20.0	ug/kg we								
Chloromethane	ND	50.0	100	ug/kg we	t 50							
2-Chlorotoluene	ND	10.0	20.0	ug/kg we	t 50							
4-Chlorotoluene	ND	10.0	20.0	ug/kg we	t 50							
Dibromochloromethane	ND	20.0	40.0	ug/kg we								
1,2-Dibromo-3-chloropropane	ND	50.0	100	ug/kg we	t 50							
1,2-Dibromoethane (EDB)	ND	10.0	20.0	ug/kg we	t 50							
Dibromomethane	ND	10.0	20.0	ug/kg we	t 50							
1,2-Dichlorobenzene	ND	5.00	10.0	ug/kg we								
1,3-Dichlorobenzene	ND	5.00	10.0	ug/kg we								
1,4-Dichlorobenzene	ND	5.00	10.0	ug/kg we								
Dichlorodifluoromethane	ND	40.0	40.0	ug/kg we								ICV-(
1,1-Dichloroethane	ND	5.00	10.0	ug/kg we								
1,2-Dichloroethane (EDC)	ND	5.00	10.0	ug/kg we								
1,1-Dichloroethene	ND	5.00	10.0	ug/kg we								
cis-1.2-Dichloroethene	ND	5.00	10.0	ug/kg we								
trans-1,2-Dichloroethene	ND	5.00	10.0	ug/kg we								

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

### **QUALITY CONTROL (QC) SAMPLE RESULTS**

				0	•	by EPA 8						
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0559 - EPA 5035A							Soi	1				
Blank (22K0559-BLK1)			Prepared	l: 11/15/22 1	2:00 Ana	lyzed: 11/15/	22 14:39					
,2-Dichloropropane	ND	5.00	10.0	ug/kg we	t 50							
,3-Dichloropropane	ND	10.0	20.0	ug/kg we	t 50							
2,2-Dichloropropane	ND	10.0	20.0	ug/kg we	t 50							
,1-Dichloropropene	ND	10.0	20.0	ug/kg we	t 50							
is-1,3-Dichloropropene	ND	10.0	20.0	ug/kg we	t 50							
rans-1,3-Dichloropropene	ND	10.0	20.0	ug/kg we	t 50							
Ethylbenzene	ND	5.00	10.0	ug/kg we	t 50							
Iexachlorobutadiene	ND	20.0	40.0	ug/kg we	t 50							
-Hexanone	ND	100	200	ug/kg we	t 50							
sopropylbenzene	ND	10.0	20.0	ug/kg we	t 50							
-Isopropyltoluene	ND	10.0	20.0	ug/kg we	t 50							
Aethylene chloride	ND	100	200	ug/kg we	t 50							
-Methyl-2-pentanone (MiBK)	ND	100	200	ug/kg we	t 50							
Methyl tert-butyl ether (MTBE)	ND	10.0	20.0	ug/kg we	t 50							
Vaphthalene	ND	20.0	40.0	ug/kg we	t 50							
-Propylbenzene	ND	5.00	10.0	ug/kg we	t 50							
Styrene	ND	10.0	20.0	ug/kg we	t 50							
,1,1,2-Tetrachloroethane	ND	5.00	10.0	ug/kg we								
,1,2,2-Tetrachloroethane	ND	10.0	20.0	ug/kg we								
Tetrachloroethene (PCE)	ND	5.00	10.0	ug/kg we								
Coluene	ND	10.0	20.0	ug/kg we	t 50							
,2,3-Trichlorobenzene	ND	50.0	100	ug/kg we	t 50							
,2,4-Trichlorobenzene	ND	50.0	100	ug/kg we								
,1,1-Trichloroethane	ND	5.00	10.0	ug/kg we								
,1,2-Trichloroethane	ND	5.00	10.0	ug/kg we								
Trichloroethene (TCE)	ND	5.00	10.0	ug/kg we								
richlorofluoromethane	ND	40.0	40.0	ug/kg we								C
,2,3-Trichloropropane	ND	10.0	20.0	ug/kg we								
,2,4-Trimethylbenzene	ND	10.0	20.0	ug/kg we								
,3,5-Trimethylbenzene	ND	10.0	20.0	ug/kg we								
/inyl chloride	ND	5.00	10.0	ug/kg we								
n,p-Xylene	14.8	10.0	20.0	ug/kg we								В-(
-Xylene	ND	5.00	10.0	ug/kg we								

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson	Environmental	Ser	vices,	Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323

Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

			Volatile Or	ganic Con	npounds	by EPA 8	3260D					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0559 - EPA 5035A							So	il				
Blank (22K0559-BLK1)			Preparec	1: 11/15/22 1	2:00 Ana	lyzed: 11/15	/22 14:39					
Surr: Toluene-d8 (Surr)		Reco	overy: 98 %	Limits: 80-	120 %	Dilt	ution: 1x					
4-Bromofluorobenzene (Surr)			106 %	79-	120 %		"					
LCS (22K0559-BS1)			Preparec	1: 11/15/22 1	2:00 Ana	lyzed: 11/15	/22 13:48					A-01
5035A/8260D												
Acetone	1260	1000	1000	ug/kg we	t 50	2000		63	80-120%			Q-3
Acrylonitrile	764	100	100	ug/kg we	t 50	1000		76	80-120%			Q-5
Benzene	971	5.00	10.0	ug/kg we	t 50	1000		97	80-120%			
Bromobenzene	994	12.5	25.0	ug/kg we	t 50	1000		99	80-120%			
Bromochloromethane	832	25.0	50.0	ug/kg we	t 50	1000		83	80-120%			
Bromodichloromethane	928	25.0	50.0	ug/kg we	t 50	1000		93	80-120%			
Bromoform	1030	50.0	100	ug/kg we	t 50	1000		103	80-120%			
Bromomethane	802	500	500	ug/kg we	t 50	1000		80	80-120%			
2-Butanone (MEK)	1500	500	500	ug/kg we	t 50	2000		75	80-120%			Q-5
n-Butylbenzene	955	25.0	50.0	ug/kg we	t 50	1000		96	80-120%			
sec-Butylbenzene	1040	25.0	50.0	ug/kg we	t 50	1000		104	80-120%			
tert-Butylbenzene	1000	25.0	50.0	ug/kg we	t 50	1000		100	80-120%			
Carbon disulfide	1110	250	500	ug/kg we	t 50	1000		111	80-120%			
Carbon tetrachloride	1090	25.0	50.0	ug/kg we	t 50	1000		109	80-120%			
Chlorobenzene	954	12.5	25.0	ug/kg we	t 50	1000		95	80-120%			
Chloroethane	843	250	500	ug/kg we	t 50	1000		84	80-120%			
Chloroform	964	25.0	50.0	ug/kg we	t 50	1000		96	80-120%			
Chloromethane	836	125	250	ug/kg we	t 50	1000		84	80-120%			
2-Chlorotoluene	1010	25.0	50.0	ug/kg we	t 50	1000		101	80-120%			
4-Chlorotoluene	976	25.0	50.0	ug/kg we	t 50	1000		98	80-120%			
Dibromochloromethane	990	50.0	100	ug/kg we	t 50	1000		99	80-120%			
1,2-Dibromo-3-chloropropane	826	125	250	ug/kg we	t 50	1000		83	80-120%			
1,2-Dibromoethane (EDB)	1000	25.0	50.0	ug/kg we	t 50	1000		100	80-120%			
Dibromomethane	930	25.0	50.0	ug/kg we	t 50	1000		93	80-120%			
1,2-Dichlorobenzene	957	12.5	25.0	ug/kg we	t 50	1000		96	80-120%			
1,3-Dichlorobenzene	982	12.5	25.0	ug/kg we	t 50	1000		98	80-120%			
1,4-Dichlorobenzene	936	12.5	25.0	ug/kg we	t 50	1000		94	80-120%			
Dichlorodifluoromethane	1110	100	100	ug/kg we	t 50	1000		111	80-120%			ICV-0
1,1-Dichloroethane	920	12.5	25.0	ug/kg we	t 50	1000		92	80-120%			

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: 111323 Project Manager: Chip Byrd

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

		Detection	Reporting			Spike	Source		% REC		RPD	
Analyte	Result	Limit	Limit	Units	Dilution	Amount	Result	% REC	Limits	RPD	Limit	Notes
Batch 22K0559 - EPA 5035A							So	il				
LCS (22K0559-BS1)			Prepared	: 11/15/22 1	2:00 Anal	yzed: 11/15/	/22 13:48					A-01
1,2-Dichloroethane (EDC)	891	12.5	25.0	ug/kg we	t 50	1000		89	80-120%			
1,1-Dichloroethene	1230	12.5	25.0	ug/kg we	t 50	1000		123	80-120%			Q-:
cis-1,2-Dichloroethene	945	12.5	25.0	ug/kg we	t 50	1000		94	80-120%			
trans-1,2-Dichloroethene	896	12.5	25.0	ug/kg we	t 50	1000		90	80-120%			
1,2-Dichloropropane	914	12.5	25.0	ug/kg we	t 50	1000		91	80-120%			
1,3-Dichloropropane	915	25.0	50.0	ug/kg we	t 50	1000		92	80-120%			
2,2-Dichloropropane	1070	25.0	50.0	ug/kg we	t 50	1000		107	80-120%			
1,1-Dichloropropene	1040	25.0	50.0	ug/kg we	t 50	1000		104	80-120%			
cis-1,3-Dichloropropene	1050	25.0	50.0	ug/kg we	t 50	1000		105	80-120%			
trans-1,3-Dichloropropene	898	25.0	50.0	ug/kg we	t 50	1000		90	80-120%			
Ethylbenzene	1010	12.5	25.0	ug/kg we	t 50	1000		101	80-120%			
Hexachlorobutadiene	958	50.0	100	ug/kg we	t 50	1000		96	80-120%			
2-Hexanone	1710	250	500	ug/kg we	t 50	2000		85	80-120%			
Isopropylbenzene	990	25.0	50.0	ug/kg we	t 50	1000		99	80-120%			
4-Isopropyltoluene	948	25.0	50.0	ug/kg we	t 50	1000		95	80-120%			
Methylene chloride	814	250	500	ug/kg we	t 50	1000		81	80-120%			
4-Methyl-2-pentanone (MiBK)	1700	250	500	ug/kg we	t 50	2000		85	80-120%			
Methyl tert-butyl ether (MTBE)	1050	25.0	50.0	ug/kg we	t 50	1000		105	80-120%			
Naphthalene	950	50.0	100	ug/kg we	t 50	1000		95	80-120%			
n-Propylbenzene	929	12.5	25.0	ug/kg we	t 50	1000		93	80-120%			
Styrene	924	25.0	50.0	ug/kg we	t 50	1000		92	80-120%			
1,1,1,2-Tetrachloroethane	1110	12.5	25.0	ug/kg we	t 50	1000		111	80-120%			
1,1,2,2-Tetrachloroethane	816	25.0	50.0	ug/kg we	t 50	1000		82	80-120%			
Tetrachloroethene (PCE)	1110	12.5	25.0	ug/kg we	t 50	1000		111	80-120%			
Toluene	963	25.0	50.0	ug/kg we		1000		96	80-120%			
1,2,3-Trichlorobenzene	978	125	250	ug/kg we		1000		98	80-120%			
1,2,4-Trichlorobenzene	1030	125	250	ug/kg we		1000		103	80-120%			
1,1,1-Trichloroethane	1040	12.5	25.0	ug/kg we		1000		104	80-120%			
1,1,2-Trichloroethane	925	12.5	25.0	ug/kg we		1000		92	80-120%			
Trichloroethene (TCE)	1080	12.5	25.0	ug/kg we		1000		108	80-120%			
Trichlorofluoromethane	151	100	100	ug/kg we		1000		15	80-120%			Q-:
1,2,3-Trichloropropane	892	25.0	50.0	ug/kg we		1000		89	80-120%			
1,2,4-Trimethylbenzene	928	25.0	50.0	ug/kg we		1000		93	80-120%			
1,3,5-Trimethylbenzene	1010	25.0	50.0	ug/kg we		1000		101	80-120%			

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

## Sevenson Environmental Services, Inc.

2749 Lockport Road

Niagara Falls, NY 14305

## Project Number: 111323 Project Manager: Chip Byrd

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

			Volatile Or	ganic Cor	npounds	by EPA 8	8260D					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0559 - EPA 5035A							So	il				
LCS (22K0559-BS1)			Prepareo	d: 11/15/22 1	2:00 Ana	lyzed: 11/15	/22 13:48					A-01
Vinyl chloride	930	12.5	25.0	ug/kg we	t 50	1000		93	80-120%			
m,p-Xylene	1890	25.0	50.0	ug/kg we	t 50	2000		94	80-120%			B-02
o-Xylene	970	12.5	25.0	ug/kg we	t 50	1000		97	80-120%			
Surr: 1,4-Difluorobenzene (Surr)		Recon	very: 100 %	Limits: 80-	120 %	Dili	ution: 1x					
Toluene-d8 (Surr)			94 %	80-	120 %		"					
4-Bromofluorobenzene (Surr)			106 %	79-	120 %		"					
Duplicate (22K0559-DUP1)			Prepareo	d: 11/14/22 1	4:25 Ana	lyzed: 11/15	5/22 18:53					V-16
OC Source Sample: Non-SDG (A2	K0532-01)											
Acetone	ND	1380	1380	ug/kg dry	50		ND				30%	Q-30
Acrylonitrile	ND	138	138	ug/kg dry	50		ND				30%	
Benzene	67.0	6.90	13.8	ug/kg dry	50		72.5			8	30%	
Bromobenzene	ND	17.3	34.5	ug/kg dry	50		ND				30%	
Bromochloromethane	ND	34.5	69.0	ug/kg dry	50		ND				30%	
Bromodichloromethane	ND	34.5	69.0	ug/kg dry	50		ND				30%	
Bromoform	ND	69.0	138	ug/kg dry	<i>i</i> 50		ND				30%	
Bromomethane	ND	690	690	ug/kg dry	50		ND				30%	
2-Butanone (MEK)	ND	690	690	ug/kg dry	<i>i</i> 50		ND				30%	
n-Butylbenzene	ND	34.5	69.0	ug/kg dry	<i>i</i> 50		ND				30%	
sec-Butylbenzene	ND	34.5	69.0	ug/kg dry	<i>i</i> 50		ND				30%	
tert-Butylbenzene	ND	34.5	69.0	ug/kg dry	<i>i</i> 50		ND				30%	
Carbon disulfide	ND	345	690	ug/kg dry	<i>i</i> 50		ND				30%	
Carbon tetrachloride	ND	34.5	69.0	ug/kg dry	50		ND				30%	
Chlorobenzene	ND	17.3	34.5	ug/kg dry	<i>i</i> 50		ND				30%	
Chloroethane	ND	345	690	ug/kg dry	<i>i</i> 50		ND				30%	
Chloroform	ND	34.5	69.0	ug/kg dry	<i>i</i> 50		ND				30%	
Chloromethane	ND	173	345	ug/kg dry	<i>i</i> 50		ND				30%	
2-Chlorotoluene	ND	34.5	69.0	ug/kg dry	<i>i</i> 50		ND				30%	
4-Chlorotoluene	ND	34.5	69.0	ug/kg dry	50		ND				30%	
Dibromochloromethane	ND	69.0	138	ug/kg dry	50		ND				30%	
1,2-Dibromo-3-chloropropane	ND	173	345	ug/kg dry			ND				30%	
1,2-Dibromoethane (EDB)	ND	34.5	69.0	ug/kg dry	50		ND				30%	
Dibromomethane	ND	34.5	69.0	ug/kg dry	50		ND				30%	
1,2-Dichlorobenzene	ND	17.3	34.5	ug/kg dry	<i>x</i> 50		ND				30%	

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: 111323 Project Manager: Chip Byrd

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

			Volatile Org	ganic Cor	npounds	by EPA 8	3260D					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0559 - EPA 5035A							Soi	I				
Duplicate (22K0559-DUP1)			Prepared	l: 11/14/22 1	4:25 Ana	lyzed: 11/15	/22 18:53					V-16
QC Source Sample: Non-SDG (A2	K0532-01)											
1,3-Dichlorobenzene	ND	17.3	34.5	ug/kg dry	y 50		ND				30%	
1,4-Dichlorobenzene	ND	17.3	34.5	ug/kg dry	y 50		ND				30%	
Dichlorodifluoromethane	ND	138	138	ug/kg dry	y 50		ND				30%	ICV-0
1,1-Dichloroethane	ND	17.3	34.5	ug/kg dry	y 50		ND				30%	
1,2-Dichloroethane (EDC)	ND	17.3	34.5	ug/kg dry	y 50		ND				30%	
1,1-Dichloroethene	ND	17.3	34.5	ug/kg dry	y 50		ND				30%	
cis-1,2-Dichloroethene	ND	17.3	34.5	ug/kg dry	y 50		ND				30%	
trans-1,2-Dichloroethene	ND	17.3	34.5	ug/kg dry	y 50		ND				30%	
1,2-Dichloropropane	ND	17.3	34.5	ug/kg dry	y 50		ND				30%	
1,3-Dichloropropane	ND	34.5	69.0	ug/kg dry	y 50		ND				30%	
2,2-Dichloropropane	ND	34.5	69.0	ug/kg dry	y 50		ND				30%	
1,1-Dichloropropene	ND	34.5	69.0	ug/kg dry	y 50		ND				30%	
cis-1,3-Dichloropropene	ND	34.5	69.0	ug/kg dry	y 50		ND				30%	
trans-1,3-Dichloropropene	ND	34.5	69.0	ug/kg dry	y 50		ND				30%	
Ethylbenzene	31.1	17.3	34.5	ug/kg dry	y 50		34.5			11	30%	
Hexachlorobutadiene	ND	69.0	138	ug/kg dry	y 50		ND				30%	
2-Hexanone	ND	345	690	ug/kg dry	y 50		ND				30%	
Isopropylbenzene	ND	34.5	69.0	ug/kg dry	y 50		ND				30%	
4-Isopropyltoluene	ND	34.5	69.0	ug/kg dry	y 50		ND				30%	
Methylene chloride	ND	345	690	ug/kg dry	y 50		ND				30%	
4-Methyl-2-pentanone (MiBK)	ND	345	690	ug/kg dry	y 50		ND				30%	
Methyl tert-butyl ether (MTBE)	ND	34.5	69.0	ug/kg dry	y 50		ND				30%	
Naphthalene	ND	207	207	ug/kg dry	y 50		ND				30%	R-(
n-Propylbenzene	24.9	17.3	34.5	ug/kg dry	y 50		29.0			15	30%	
Styrene	ND	34.5	69.0	ug/kg dry	y 50		ND				30%	
1,1,1,2-Tetrachloroethane	ND	17.3	34.5	ug/kg dry	y 50		ND				30%	
1,1,2,2-Tetrachloroethane	ND	34.5	69.0	ug/kg dry	y 50		ND				30%	
Tetrachloroethene (PCE)	ND	17.3	34.5	ug/kg dry			ND				30%	
Toluene	105	34.5	69.0	ug/kg dry	y 50		111			6	30%	
1,2,3-Trichlorobenzene	ND	173	345	ug/kg dry			ND				30%	
1,2,4-Trichlorobenzene	ND	173	345	ug/kg dry			ND				30%	
1,1,1-Trichloroethane	ND	17.3	34.5	ug/kg dry			ND				30%	
1,1,2-Trichloroethane	ND	17.3	34.5	ug/kg dry			ND				30%	

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

<u>Sevenson Environmental Services, Inc.</u> 2749 Lockport Road

Niagara Falls, NY 14305

Project: Gasco - Soil Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

			Volatile Or	ganic Cor	npounds	by EPA 8	3260D					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0559 - EPA 5035A							Soi	I				
Duplicate (22K0559-DUP1)			Preparec	l: 11/14/22 1	4:25 Ana	lyzed: 11/15	/22 18:53					V-16
QC Source Sample: Non-SDG (A2	K0532-01)											
Trichloroethene (TCE)	ND	17.3	34.5	ug/kg dr	y 50		ND				30%	
Trichlorofluoromethane	ND	138	138	ug/kg dr	y 50		ND				30%	Q-52
1,2,3-Trichloropropane	ND	34.5	69.0	ug/kg dr	y 50		ND				30%	
1,2,4-Trimethylbenzene	ND	345	345	ug/kg dr	y 50		ND				30%	R-00
1,3,5-Trimethylbenzene	ND	138	138	ug/kg dr			ND				30%	R-00
Vinyl chloride	ND	17.3	34.5	ug/kg dr	y 50		ND				30%	
m,p-Xylene	ND	207	207	ug/kg dr	y 50		ND				30%	R-00
o-Xylene	ND	69.0	69.0	ug/kg dr	y 50		ND				30%	R-00
Surr: 1,4-Difluorobenzene (Surr)		Recov	very: 100 %	Limits: 80	-120 %	Dili	ution: 1x					
Toluene-d8 (Surr)			93 %	80-	-120 %		"					
4-Bromofluorobenzene (Surr)			107 %	79-	-120 %		"					
OC Source Sample: Non-SDG (A2												
Acetone	ND	16200	16200	ug/kg dr	y 500		ND				30%	Q-30
Acrylonitrile	ND	1620	1620	ug/kg dr	y 500		ND				30%	
Benzene	ND	80.9	162	ug/kg dr	y 500		ND				30%	
Bromobenzene	ND	202	405	ug/kg dr	y 500		ND				30%	
Bromochloromethane	ND	405	809	ug/kg dr	y 500		ND				30%	
Bromodichloromethane	ND	405	809	ug/kg dr	y 500		ND				30%	
Bromoform	ND	809	1620	ug/kg dr	y 500		ND				30%	
Bromomethane	ND	8090	8090	ug/kg dr	y 500		ND				30%	
2-Butanone (MEK)	ND	8090	8090	ug/kg dr	y 500		ND				30%	
n-Butylbenzene	1340	405	809	ug/kg dr	y 500		1540			14	30%	M-02
sec-Butylbenzene	688	405	809	ug/kg dr			728			6	30%	
tert-Butylbenzene	ND	405	809	ug/kg dr	y 500		ND				30%	
Carbon disulfide	ND	4050	8090	ug/kg dr			ND				30%	
Carbon tetrachloride	ND	405	809	ug/kg dr			ND				30%	
Chlorobenzene	ND	202	405	ug/kg dr			ND				30%	
Chloroethane	ND	4050	8090	ug/kg dr			ND				30%	
Chloroform	ND	405	809	ug/kg dr			ND				30%	
Chloromethane	ND	2020	4050	ug/kg dr	y 500		ND				30%	
2-Chlorotoluene	ND	405	809	ug/kg dr	y 500		ND				30%	

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: Gasco - Soil Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

			Volatile Org	ganic Con	npounds	by EPA 8	3260D					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0559 - EPA 5035A							Soi	I				
Duplicate (22K0559-DUP2)			Prepared	: 11/08/22 1	3:30 Ana	lyzed: 11/15	/22 23:33					
QC Source Sample: Non-SDG (A2	2K0345-01)											
4-Chlorotoluene	ND	405	809	ug/kg dry	500		ND				30%	
Dibromochloromethane	ND	809	1620	ug/kg dry	500		ND				30%	
1,2-Dibromo-3-chloropropane	ND	2020	4050	ug/kg dry	500		ND				30%	
1,2-Dibromoethane (EDB)	ND	405	809	ug/kg dry	500		ND				30%	
Dibromomethane	ND	405	809	ug/kg dry	500		ND				30%	
1,2-Dichlorobenzene	ND	202	405	ug/kg dry	500		ND				30%	
1,3-Dichlorobenzene	ND	202	405	ug/kg dry	500		ND				30%	
1,4-Dichlorobenzene	ND	202	405	ug/kg dry	500		ND				30%	
Dichlorodifluoromethane	ND	1620	1620	ug/kg dry	500		ND				30%	ICV-
1,1-Dichloroethane	ND	202	405	ug/kg dry	500		ND				30%	
1,2-Dichloroethane (EDC)	ND	202	405	ug/kg dry	500		ND				30%	
1,1-Dichloroethene	ND	202	405	ug/kg dry	500		ND				30%	
cis-1,2-Dichloroethene	ND	202	405	ug/kg dry	500		ND				30%	
trans-1,2-Dichloroethene	ND	202	405	ug/kg dry	500		ND				30%	
1,2-Dichloropropane	ND	202	405	ug/kg dry	500		ND				30%	
1,3-Dichloropropane	ND	405	809	ug/kg dry	500		ND				30%	
2,2-Dichloropropane	ND	405	809	ug/kg dry	500		ND				30%	
1,1-Dichloropropene	ND	405	809	ug/kg dry	500		ND				30%	
cis-1,3-Dichloropropene	ND	405	809	ug/kg dry	500		ND				30%	
trans-1,3-Dichloropropene	ND	405	809	ug/kg dry	500		ND				30%	
Ethylbenzene	227	202	405	ug/kg dry	500		243			7	30%	
Hexachlorobutadiene	ND	809	1620	ug/kg dry	500		ND				30%	
2-Hexanone	ND	4050	8090	ug/kg dry	500		ND				30%	
Isopropylbenzene	ND	405	809	ug/kg dry	500		ND				30%	
4-Isopropyltoluene	898	405	809	ug/kg dry	500		922			3	30%	M-
Methylene chloride	ND	4050	8090	ug/kg dry			ND				30%	
4-Methyl-2-pentanone (MiBK)	ND	4050	8090	ug/kg dry	500		ND				30%	
Methyl tert-butyl ether (MTBE)	ND	405	809	ug/kg dry			ND				30%	
Naphthalene	ND	2430	2430	ug/kg dry	500		ND				30%	R-
n-Propylbenzene	574	202	405	ug/kg dry			599			4	30%	
Styrene	ND	405	809	ug/kg dry			ND				30%	
1,1,1,2-Tetrachloroethane	ND	202	405	ug/kg dry			ND				30%	
1,1,2,2-Tetrachloroethane	ND	1210	1210	ug/kg dry			ND				30%	R-

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: **111323** Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

			Volatile Or	ganic Cor	npounds	by EPA 8	3260D					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0559 - EPA 5035A							Soi	I				
Duplicate (22K0559-DUP2)			Preparec	1: 11/08/22 1	3:30 Ana	lyzed: 11/15	/22 23:33					
QC Source Sample: Non-SDG (A2	<u>K0345-01)</u>											
Tetrachloroethene (PCE)	ND	202	405	ug/kg dr	500		ND				30%	
Toluene	ND	405	809	ug/kg dr	500		ND				30%	
1,2,3-Trichlorobenzene	ND	2020	4050	ug/kg dr	500		ND				30%	
1,2,4-Trichlorobenzene	ND	2020	4050	ug/kg dr	500		ND				30%	
1,1,1-Trichloroethane	ND	202	405	ug/kg dr	500		ND				30%	
1,1,2-Trichloroethane	ND	809	809	ug/kg dr	500		ND				30%	R-02
Trichloroethene (TCE)	ND	202	405	ug/kg dr	500		ND				30%	
Trichlorofluoromethane	ND	1620	1620	ug/kg dr	500		ND				30%	Q-52
1,2,3-Trichloropropane	ND	405	809	ug/kg dr	500		ND				30%	
1,2,4-Trimethylbenzene	6090	405	809	ug/kg dr	500		6330			4	30%	
1,3,5-Trimethylbenzene	4950	405	809	ug/kg dr	500		5070			2	30%	
Vinyl chloride	ND	202	405	ug/kg dr	500		ND				30%	
m,p-Xylene	1720	405	809	ug/kg dr	500		1740			1	30%	B-02
o-Xylene	3110	202	405	ug/kg dr	500		3270			5	30%	
Surr: 1,4-Difluorobenzene (Surr)		Reco	very: 102 %	Limits: 80-	120 %	Dilt	ution: 1x					
Toluene-d8 (Surr)			93 %	80-	120 %		"					
4-Bromofluorobenzene (Surr)			105 %	79-	120 %		"					

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: **111323** Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

			Volatile Org			~, _, A						
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0634 - EPA 5035A		. <u> </u>					Soi	I				
Blank (22K0634-BLK1)			Prepared:	: 11/16/22 1	0:00 Anal	yzed: 11/16/	22 14:50					
5035A/8260D												
Acetone	ND	200	400	ug/kg we								
Acrylonitrile	ND	20.0	40.0	ug/kg we	t 50							
Benzene	ND	2.00	4.00	ug/kg we	t 50							
Bromobenzene	ND	5.00	10.0	ug/kg we	t 50							
Bromochloromethane	ND	10.0	20.0	ug/kg we	t 50							
Bromodichloromethane	ND	10.0	20.0	ug/kg we	t 50							
Bromoform	ND	20.0	40.0	ug/kg we	t 50							
Bromomethane	ND	200	200	ug/kg we	t 50							
2-Butanone (MEK)	ND	100	200	ug/kg we	t 50							
n-Butylbenzene	ND	10.0	20.0	ug/kg we	t 50							
sec-Butylbenzene	ND	10.0	20.0	ug/kg we	t 50							
ert-Butylbenzene	ND	10.0	20.0	ug/kg we								
Carbon disulfide	ND	100	200	ug/kg we	t 50							
Carbon tetrachloride	ND	10.0	20.0	ug/kg we	t 50							
Chlorobenzene	ND	5.00	10.0	ug/kg we	t 50							
Chloroethane	ND	100	200	ug/kg we								
Chloroform	ND	10.0	20.0	ug/kg we								
Chloromethane	ND	50.0	100	ug/kg we								
2-Chlorotoluene	ND	10.0	20.0	ug/kg we								
4-Chlorotoluene	ND	10.0	20.0	ug/kg we								
Dibromochloromethane	ND	20.0	40.0	ug/kg we								
1,2-Dibromo-3-chloropropane	ND	50.0	100	ug/kg we								
1,2-Dibromoethane (EDB)	ND	10.0	20.0	ug/kg we								
Dibromomethane	ND	10.0	20.0	ug/kg we								
1,2-Dichlorobenzene	ND	5.00	10.0	ug/kg we								
1,3-Dichlorobenzene	ND	5.00	10.0	ug/kg we								
1,4-Dichlorobenzene	ND	5.00	10.0	ug/kg we								
Dichlorodifluoromethane	ND	20.0	40.0	ug/kg we								
,1-Dichloroethane	ND	5.00	10.0	ug/kg we								
1,2-Dichloroethane (EDC)	ND	5.00	10.0	ug/kg we								
,1-Dichloroethene	ND	5.00	10.0	ug/kg we								
vis-1,2-Dichloroethene	ND	5.00	10.0	ug/kg we								
rans-1,2-Dichloroethene	ND	5.00	10.0	ug/kg we								

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: Gasco - Soil Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

		Dete di	Dense (			C 1	C				מתח	
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0634 - EPA 5035A							Soi					
Blank (22K0634-BLK1)			Prepared	l: 11/16/22 1	0:00 Anal	yzed: 11/16/	/22 14:50					
1,2-Dichloropropane	ND	5.00	10.0	ug/kg we	t 50							
1,3-Dichloropropane	ND	10.0	20.0	ug/kg we	t 50							
2,2-Dichloropropane	ND	10.0	20.0	ug/kg we	t 50							
1,1-Dichloropropene	ND	10.0	20.0	ug/kg we	t 50							
cis-1,3-Dichloropropene	ND	10.0	20.0	ug/kg we	t 50							
rans-1,3-Dichloropropene	ND	10.0	20.0	ug/kg we	t 50							
Ethylbenzene	ND	5.00	10.0	ug/kg we	t 50							
Hexachlorobutadiene	ND	20.0	40.0	ug/kg we	t 50							
2-Hexanone	ND	200	200	ug/kg we	t 50							
sopropylbenzene	ND	10.0	20.0	ug/kg we	t 50							
1-Isopropyltoluene	ND	10.0	20.0	ug/kg we	t 50							
Methylene chloride	ND	100	200	ug/kg we	t 50							
4-Methyl-2-pentanone (MiBK)	ND	200	200	ug/kg we	t 50							
Methyl tert-butyl ether (MTBE)	ND	10.0	20.0	ug/kg we	t 50							
Naphthalene	ND	20.0	40.0	ug/kg we	t 50							
n-Propylbenzene	ND	5.00	10.0	ug/kg we	t 50							
Styrene	ND	10.0	20.0	ug/kg we	t 50							
1,1,1,2-Tetrachloroethane	ND	5.00	10.0	ug/kg we	t 50							
1,1,2,2-Tetrachloroethane	ND	10.0	20.0	ug/kg we	t 50							
Tetrachloroethene (PCE)	ND	5.00	10.0	ug/kg we								
Foluene	ND	10.0	20.0	ug/kg we	t 50							
1,2,3-Trichlorobenzene	ND	50.0	100	ug/kg we	t 50							
1,2,4-Trichlorobenzene	ND	50.0	100	ug/kg we								
1,1,1-Trichloroethane	ND	5.00	10.0	ug/kg we								
1,1,2-Trichloroethane	ND	5.00	10.0	ug/kg we								
Trichloroethene (TCE)	ND	5.00	10.0	ug/kg we								
Frichlorofluoromethane	ND	20.0	40.0	ug/kg we								
,2,3-Trichloropropane	ND	10.0	20.0	ug/kg we								
,2,4-Trimethylbenzene	ND	10.0	20.0	ug/kg we								
,3,5-Trimethylbenzene	ND	10.0	20.0	ug/kg we								
Vinyl chloride	ND	5.00	10.0	ug/kg we								
n,p-Xylene	11.0	10.0	20.0	ug/kg we								B-
o-Xylene	ND	5.00	10.0	ug/kg we								

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson	Environmental	Services,	Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project:Gasco - SoilProject Number:111323

Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

			Volatile Or	ganic Con	npounds	by EPA 8	3260D					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0634 - EPA 5035A							So	il				
Blank (22K0634-BLK1)			Prepared	1: 11/16/22 1	0:00 Ana	lyzed: 11/16	/22 14:50					
Surr: Toluene-d8 (Surr)		Reco	very: 104 %	Limits: 80-	120 %	Dil	ution: 1x					
4-Bromofluorobenzene (Surr)			104 %	79-	120 %		"					
LCS (22K0634-BS1)			Prepared	1: 11/16/22 1	0:00 Ana	lyzed: 11/16	/22 13:57					
5035A/8260D												
Acetone	1850	500	1000	ug/kg we	t 50	2000		92	80-120%			
Acrylonitrile	901	50.0	100	ug/kg we	t 50	1000		90	80-120%			
Benzene	938	5.00	10.0	ug/kg we	t 50	1000		94	80-120%			
Bromobenzene	966	12.5	25.0	ug/kg we	t 50	1000		97	80-120%			
Bromochloromethane	954	25.0	50.0	ug/kg we	t 50	1000		95	80-120%			
Bromodichloromethane	1090	25.0	50.0	ug/kg we	t 50	1000		109	80-120%			
Bromoform	1340	50.0	100	ug/kg we	t 50	1000		134	80-120%			Q-:
Bromomethane	1560	500	500	ug/kg we	t 50	1000		156	80-120%			Q-:
2-Butanone (MEK)	1620	250	500	ug/kg we	t 50	2000		81	80-120%			
n-Butylbenzene	866	25.0	50.0	ug/kg we	t 50	1000		87	80-120%			
sec-Butylbenzene	890	25.0	50.0	ug/kg we	t 50	1000		89	80-120%			
tert-Butylbenzene	858	25.0	50.0	ug/kg we	t 50	1000		86	80-120%			
Carbon disulfide	1160	250	500	ug/kg we	t 50	1000		116	80-120%			
Carbon tetrachloride	1230	25.0	50.0	ug/kg we	t 50	1000		123	80-120%			Q-:
Chlorobenzene	958	12.5	25.0	ug/kg we	t 50	1000		96	80-120%			
Chloroethane	1740	250	500	ug/kg we	t 50	1000		174	80-120%			Q-:
Chloroform	1020	25.0	50.0	ug/kg we	t 50	1000		102	80-120%			
Chloromethane	940	125	250	ug/kg we	t 50	1000		94	80-120%			
2-Chlorotoluene	930	25.0	50.0	ug/kg we	t 50	1000		93	80-120%			
4-Chlorotoluene	894	25.0	50.0	ug/kg we	t 50	1000		89	80-120%			
Dibromochloromethane	1160	50.0	100	ug/kg we	t 50	1000		116	80-120%			
1,2-Dibromo-3-chloropropane	912	125	250	ug/kg we	t 50	1000		91	80-120%			
1,2-Dibromoethane (EDB)	954	25.0	50.0	ug/kg we	t 50	1000		95	80-120%			
Dibromomethane	1050	25.0	50.0	ug/kg we	t 50	1000		105	80-120%			
1,2-Dichlorobenzene	965	12.5	25.0	ug/kg we	t 50	1000		96	80-120%			
1,3-Dichlorobenzene	989	12.5	25.0	ug/kg we	t 50	1000		99	80-120%			
1,4-Dichlorobenzene	952	12.5	25.0	ug/kg we	t 50	1000		95	80-120%			
Dichlorodifluoromethane	980	50.0	100	ug/kg we		1000		98	80-120%			ICV-
1,1-Dichloroethane	1000	12.5	25.0	ug/kg we	t 50	1000		100	80-120%			

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: **111323** Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

### **QUALITY CONTROL (QC) SAMPLE RESULTS**

<u></u>			Volatile Org	-	-	-						
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0634 - EPA 5035A							Soi	I				
LCS (22K0634-BS1)			Prepared	: 11/16/22 1	0:00 Anal	yzed: 11/16/	/22 13:57					
1,2-Dichloroethane (EDC)	1040	12.5	25.0	ug/kg we	t 50	1000		104	80-120%			
1,1-Dichloroethene	1200	12.5	25.0	ug/kg we	t 50	1000		120	80-120%			
cis-1,2-Dichloroethene	991	12.5	25.0	ug/kg we	t 50	1000		99	80-120%			
trans-1,2-Dichloroethene	1060	12.5	25.0	ug/kg we	t 50	1000		106	80-120%			
1,2-Dichloropropane	966	12.5	25.0	ug/kg we	t 50	1000		97	80-120%			
1,3-Dichloropropane	946	25.0	50.0	ug/kg we	t 50	1000		95	80-120%			
2,2-Dichloropropane	1080	25.0	50.0	ug/kg we	t 50	1000		108	80-120%			
1,1-Dichloropropene	950	25.0	50.0	ug/kg we	t 50	1000		95	80-120%			
cis-1,3-Dichloropropene	960	25.0	50.0	ug/kg we	t 50	1000		96	80-120%			
trans-1,3-Dichloropropene	1020	25.0	50.0	ug/kg we	t 50	1000		102	80-120%			
Ethylbenzene	928	12.5	25.0	ug/kg we	t 50	1000		93	80-120%			
Hexachlorobutadiene	1030	50.0	100	ug/kg we	t 50	1000		103	80-120%			
2-Hexanone	1520	500	500	ug/kg we	t 50	2000		76	80-120%			Q-
Isopropylbenzene	918	25.0	50.0	ug/kg we	t 50	1000		92	80-120%			
4-Isopropyltoluene	880	25.0	50.0	ug/kg we	t 50	1000		88	80-120%			
Methylene chloride	1040	250	500	ug/kg we	t 50	1000		104	80-120%			
4-Methyl-2-pentanone (MiBK)	1580	500	500	ug/kg we	t 50	2000		79	80-120%			Q-
Methyl tert-butyl ether (MTBE)	943	25.0	50.0	ug/kg we	t 50	1000		94	80-120%			
Naphthalene	860	50.0	100	ug/kg we	t 50	1000		86	80-120%			
n-Propylbenzene	872	12.5	25.0	ug/kg we	t 50	1000		87	80-120%			
Styrene	914	25.0	50.0	ug/kg we	t 50	1000		91	80-120%			
1,1,1,2-Tetrachloroethane	1130	12.5	25.0	ug/kg we	t 50	1000		113	80-120%			
1,1,2,2-Tetrachloroethane	859	25.0	50.0	ug/kg we		1000		86	80-120%			
Tetrachloroethene (PCE)	1040	12.5	25.0	ug/kg we		1000		104	80-120%			
Toluene	932	25.0	50.0	ug/kg we		1000		93	80-120%			
1,2,3-Trichlorobenzene	1000	125	250	ug/kg we		1000		100	80-120%			
1,2,4-Trichlorobenzene	951	125	250	ug/kg we		1000		95	80-120%			
1,1,1-Trichloroethane	1100	12.5	25.0	ug/kg we		1000		110	80-120%			
1,1,2-Trichloroethane	960	12.5	25.0	ug/kg we		1000		96	80-120%			
Trichloroethene (TCE)	1110	12.5	25.0	ug/kg we		1000		111	80-120%			
Trichlorofluoromethane	1490	50.0	100	ug/kg we		1000		149	80-120%			Q-
1,2,3-Trichloropropane	976	25.0	50.0	ug/kg we		1000		98	80-120%			,
1,2,4-Trimethylbenzene	941	25.0	50.0	ug/kg we		1000		94	80-120%			
1,3,5-Trimethylbenzene	936	25.0	50.0	ug/kg we		1000		94	80-120%			

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

# Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

			Volatile Or	ganic Cor	npounds	by EPA 8	3260D					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0634 - EPA 5035A							So	il				
LCS (22K0634-BS1)			Prepareo	d: 11/16/22 1	0:00 Ana	lyzed: 11/16	/22 13:57					
Vinyl chloride	1210	12.5	25.0	ug/kg we	et 50	1000		121	80-120%			Q-5
m,p-Xylene	1850	25.0	50.0	ug/kg we	et 50	2000		93	80-120%			В-0
o-Xylene	860	12.5	25.0	ug/kg we	et 50	1000		86	80-120%			
Surr: 1,4-Difluorobenzene (Surr)		Recon	very: 102 %	Limits: 80-	-120 %	Dili	ution: 1x					
Toluene-d8 (Surr)			98 %	80-	120 %		"					
4-Bromofluorobenzene (Surr)			97 %	79-	-120 %		"					
Duplicate (22K0634-DUP1)			Prepareo	d: 11/07/22 0	19:36 Ana	lyzed: 11/16	/22 16:12					ТЕМР
OC Source Sample: Non-SDG (A2	2K0562-01)											
Acetone	ND	710	1420	ug/kg we	et 50		ND				30%	
Acrylonitrile	ND	71.0	142	ug/kg we	et 50		ND				30%	
Benzene	ND	7.10	14.2	ug/kg we	et 50		ND				30%	
Bromobenzene	ND	17.8	35.5	ug/kg we	et 50		ND				30%	
Bromochloromethane	ND	35.5	71.0	ug/kg we	et 50		ND				30%	
Bromodichloromethane	ND	35.5	71.0	ug/kg we	et 50		ND				30%	
Bromoform	ND	71.0	142	ug/kg we	et 50		ND				30%	
Bromomethane	ND	710	710	ug/kg we	et 50		ND				30%	
2-Butanone (MEK)	ND	355	710	ug/kg we	et 50		ND				30%	
n-Butylbenzene	ND	35.5	71.0	ug/kg we	et 50		ND				30%	
sec-Butylbenzene	ND	35.5	71.0	ug/kg we	et 50		ND				30%	
tert-Butylbenzene	ND	35.5	71.0	ug/kg we	et 50		ND				30%	
Carbon disulfide	ND	355	710	ug/kg we	et 50		ND				30%	
Carbon tetrachloride	ND	35.5	71.0	ug/kg we	et 50		ND				30%	
Chlorobenzene	ND	17.8	35.5	ug/kg we	et 50		ND				30%	
Chloroethane	ND	355	710	ug/kg we	et 50		ND				30%	
Chloroform	ND	35.5	71.0	ug/kg we	et 50		ND				30%	
Chloromethane	ND	178	355	ug/kg we	et 50		ND				30%	
2-Chlorotoluene	ND	35.5	71.0	ug/kg we	et 50		ND				30%	
4-Chlorotoluene	ND	35.5	71.0	ug/kg we	et 50		ND				30%	
Dibromochloromethane	ND	71.0	142	ug/kg we	et 50		ND				30%	
1,2-Dibromo-3-chloropropane	ND	178	355	ug/kg we	et 50		ND				30%	
1,2-Dibromoethane (EDB)	ND	35.5	71.0	ug/kg we	et 50		ND				30%	
Dibromomethane	ND	35.5	71.0	ug/kg we	et 50		ND				30%	
1,2-Dichlorobenzene	ND	17.8	35.5	ug/kg we	et 50		ND				30%	

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: 111323 Project Manager: Chip Byrd

Project:

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

1			Volatile Org	ganic Con	npounds	by EPA 8	260D					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0634 - EPA 5035A							Soil	1				
Duplicate (22K0634-DUP1)			Prepared	: 11/07/22 0;	9:36 Anal	yzed: 11/16/	22 16:12					TEMI
QC Source Sample: Non-SDG (A2)	<u>K0562-01)</u>											
,3-Dichlorobenzene	ND	17.8	35.5	ug/kg wet	et 50		ND				30%	
,4-Dichlorobenzene	ND	17.8	35.5	ug/kg wet	et 50		ND				30%	
Dichlorodifluoromethane	ND	71.0	142	ug/kg wet	et 50		ND				30%	
,1-Dichloroethane	ND	17.8	35.5	ug/kg wet	et 50		ND				30%	
,2-Dichloroethane (EDC)	ND	17.8	35.5	ug/kg wet	et 50		ND				30%	
,1-Dichloroethene	ND	17.8	35.5	ug/kg wet	et 50		ND				30%	
vis-1,2-Dichloroethene	ND	17.8	35.5	ug/kg wet	et 50		ND				30%	
rans-1,2-Dichloroethene	ND	17.8	35.5	ug/kg wet			ND				30%	
,2-Dichloropropane	ND	17.8	35.5	ug/kg wet			ND				30%	
,3-Dichloropropane	ND	35.5	71.0	ug/kg wet			ND				30%	
2,2-Dichloropropane	ND	35.5	71.0	ug/kg wet			ND				30%	
,1-Dichloropropene	ND	35.5	71.0	ug/kg wet	et 50		ND				30%	
cis-1,3-Dichloropropene	ND	35.5	71.0	ug/kg wet	et 50		ND				30%	
rans-1,3-Dichloropropene	ND	35.5	71.0	ug/kg wet			ND				30%	
Ethylbenzene	ND	17.8	35.5	ug/kg wet	et 50		ND				30%	
Hexachlorobutadiene	ND	71.0	142	ug/kg wet	et 50		ND				30%	
2-Hexanone	ND	710	710	ug/kg wet	et 50		ND				30%	
sopropylbenzene	ND	35.5	71.0	ug/kg wet			ND				30%	
4-Isopropyltoluene	ND	35.5	71.0	ug/kg wet	et 50		ND				30%	
Methylene chloride	ND	355	710	ug/kg wet			ND				30%	
I-Methyl-2-pentanone (MiBK)	ND	710	710	ug/kg wet			ND				30%	
Methyl tert-butyl ether (MTBE)	ND	35.5	71.0	ug/kg wet			ND				30%	
Naphthalene	ND	71.0	142	ug/kg wet			ND				30%	
n-Propylbenzene	ND	17.8	35.5	ug/kg wet			ND				30%	
Styrene	ND	35.5	71.0	ug/kg wet			ND				30%	
1,1,1,2-Tetrachloroethane	ND	17.8	35.5	ug/kg wet			ND				30%	
,1,2,2-Tetrachloroethane	ND	35.5	71.0	ug/kg wet			ND				30%	
Fetrachloroethene (PCE)	ND	17.8	35.5	ug/kg wet			ND				30%	
Foluene	ND	35.5	71.0	ug/kg wet			ND				30%	
,2,3-Trichlorobenzene	ND	178	355	ug/kg wet			ND				30%	
,2,4-Trichlorobenzene	ND	178	355	ug/kg wet			ND				30%	
1,1,1-Trichloroethane	ND	17.8	35.5	ug/kg wet			ND				30%	
,1,2-Trichloroethane	ND	17.8	35.5	ug/kg wet			ND				30%	

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

<u>Sevenson Environmental Services, Inc.</u> 2749 Lockport Road

Niagara Falls, NY 14305

Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

			Volatile Or	ganic Cor	npounds	by EPA 8	3260D					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0634 - EPA 5035A							So	il				
Duplicate (22K0634-DUP1)			Prepared	d: 11/07/22 0	9:36 Ana	yzed: 11/16	/22 16:12					ТЕМР
QC Source Sample: Non-SDG (A2K	<u> K0562-01)</u>											
Trichloroethene (TCE)	ND	17.8	35.5	ug/kg we	t 50		ND				30%	
Trichlorofluoromethane	ND	71.0	142	ug/kg we	t 50		ND				30%	
1,2,3-Trichloropropane	ND	35.5	71.0	ug/kg we	t 50		ND				30%	
1,2,4-Trimethylbenzene	ND	35.5	71.0	ug/kg we	t 50		ND				30%	
1,3,5-Trimethylbenzene	ND	35.5	71.0	ug/kg we	t 50		ND				30%	
Vinyl chloride	ND	17.8	35.5	ug/kg we	t 50		ND				30%	
m,p-Xylene	ND	35.5	71.0	ug/kg we	t 50		ND				30%	
o-Xylene	ND	17.8	35.5	ug/kg we	t 50		ND				30%	
Surr: 1,4-Difluorobenzene (Surr)		Recon	very: 105 %	Limits: 80-	-120 %	Dilt	ution: 1x					
Toluene-d8 (Surr)			100 %	80-	120 %		"					
4-Bromofluorobenzene (Surr)			98 %	79-	120 %		"					
QC Source Sample: Non-SDG (A2k 5035A/8260D	<u> </u>											
	22.50		1.500		-0	2020		105	26.16.00			
Acetone	3250	759 75.9	1520	ug/kg dr		3030	ND	107	36-164%			
Acrylonitrile	1510		152	ug/kg dr		1520	ND	99 102	65-134%			
Benzene	1560	7.59	15.2	ug/kg dr		1520	ND	103	77-121%			
Bromobenzene	1450	19.0	38.0	ug/kg dr		1520	ND	96	78-121%			
Bromochloromethane	1600	38.0	75.9	ug/kg dr		1520	ND	106	78-125%			
Bromodichloromethane	1770	38.0 75.9	75.9 152	ug/kg dr		1520	ND	117	75-127%			Q-54
Bromoform	2070			ug/kg dr		1520	ND	136	67-132%			Q-54 Q-54
Bromomethane	2810	759	759	ug/kg dr		1520	ND	185 97	53-143%			Q-32
2-Butanone (MEK)	2650	380	759 75 0	ug/kg dr		3030	ND	87	51-148%			
n-Butylbenzene	1370	38.0	75.9 75.0	ug/kg dr		1520	ND	90 92	70-128% 73-126%			
sec-Butylbenzene	1400	38.0 38.0	75.9 75.9	ug/kg dr		1520	ND	92 86				
tert-Butylbenzene Carbon disulfide	1300 2440	38.0 380	75.9 759	ug/kg dr		1520 1520	ND ND	86	73-125%			Q-(
Carbon disulfide Carbon tetrachloride			759 75.9	ug/kg dr				161 137	63-132%			Q-0 Q-54
	2080	38.0 19.0		ug/kg dr		1520	ND	<b>137</b>	70-135%			Q-32
Chlorobenzene	1530		38.0	ug/kg dr		1520	ND ND	101 177	79-120% <b>59-139%</b>			0.5
	2600	200										
Chloroethane Chloroform	2680 1680	380 38.0	759 75.9	ug/kg dr ug/kg dr		1520 1520	ND	111	78-123%			Q-54

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: 111323 Project Manager: Chip Byrd

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

			Volatile Org		1	.,						
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0634 - EPA 5035A							Soi	il				
Matrix Spike (22K0634-MS1)			Prepared	: 11/15/22 1	6:00 Ana	lyzed: 11/16/	/22 17:59					V-15
QC Source Sample: Non-SDG (A2	<u>K0586-03)</u>											
2-Chlorotoluene	1410	38.0	75.9	ug/kg dry	y 50	1520	ND	93	75-122%			
4-Chlorotoluene	1380	38.0	75.9	ug/kg dry	y 50	1520	ND	91	72-124%			
Dibromochloromethane	1780	75.9	152	ug/kg dry	y 50	1520	ND	117	74-126%			
1,2-Dibromo-3-chloropropane	1370	190	380	ug/kg dry	y 50	1520	ND	90	61-132%			
1,2-Dibromoethane (EDB)	1480	38.0	75.9	ug/kg dry	y 50	1520	ND	98	78-122%			
Dibromomethane	1700	38.0	75.9	ug/kg dry	y 50	1520	ND	112	78-125%			
1,2-Dichlorobenzene	1460	19.0	38.0	ug/kg dry	y 50	1520	ND	96	78-121%			
1,3-Dichlorobenzene	1530	19.0	38.0	ug/kg dry	y 50	1520	ND	101	77-121%			
1,4-Dichlorobenzene	1480	19.0	38.0	ug/kg dry	y 50	1520	ND	98	75-120%			
Dichlorodifluoromethane	2100	75.9	152	ug/kg dry	y 50	1520	ND	138	29-149%			ICV-
1,1-Dichloroethane	1690	19.0	38.0	ug/kg dry	y 50	1520	ND	111	76-125%			
1,2-Dichloroethane (EDC)	1680	19.0	38.0	ug/kg dry	y 50	1520	ND	111	73-128%			
1,1-Dichloroethene	2510	19.0	38.0	ug/kg dry	y 50	1520	ND	165	70-131%			Q-
cis-1,2-Dichloroethene	1570	19.0	38.0	ug/kg dry	y 50	1520	ND	104	77-123%			
trans-1,2-Dichloroethene	1800	19.0	38.0	ug/kg dry	y 50	1520	ND	118	74-125%			
1,2-Dichloropropane	1590	19.0	38.0	ug/kg dry	y 50	1520	ND	105	76-123%			
1,3-Dichloropropane	1440	38.0	75.9	ug/kg dry	y 50	1520	ND	95	77-121%			
2,2-Dichloropropane	1680	38.0	75.9	ug/kg dry	y 50	1520	ND	110	67-133%			
1,1-Dichloropropene	1580	38.0	75.9	ug/kg dry	y 50	1520	ND	104	76-125%			
cis-1,3-Dichloropropene	1470	38.0	75.9	ug/kg dry	y 50	1520	ND	97	74-126%			
trans-1,3-Dichloropropene	1550	38.0	75.9	ug/kg dry	y 50	1520	ND	102	71-130%			
Ethylbenzene	1460	19.0	38.0	ug/kg dry	y 50	1520	ND	96	76-122%			
Hexachlorobutadiene	1570	75.9	152	ug/kg dry	y 50	1520	ND	104	61-135%			
2-Hexanone	2300	759	759	ug/kg dry	y 50	3030	ND	76	53-145%			Q-54
Isopropylbenzene	1390	38.0	75.9	ug/kg dry	y 50	1520	ND	92	68-134%			
4-Isopropyltoluene	1340	38.0	75.9	ug/kg dry		1520	ND	88	73-127%			
Methylene chloride	1690	380	759	ug/kg dry		1520	ND	112	70-128%			
4-Methyl-2-pentanone (MiBK)	2420	759	759	ug/kg dry	·	3030	ND	80	65-135%			Q-5
Methyl tert-butyl ether (MTBE)	1550	38.0	75.9	ug/kg dry	·	1520	ND	102	73-125%			
Naphthalene	1150	75.9	152	ug/kg dry		1520	ND	76	62-129%			
1-Propylbenzene	1380	19.0	38.0	ug/kg dry	, ,	1520	ND	91	73-125%			
Styrene	1420	38.0	75.9	ug/kg dry		1520	ND	94	76-124%			
1,1,1,2-Tetrachloroethane	1750	19.0	38.0	ug/kg dry		1520	ND	115	78-125%			

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: 111323 Project Manager: Chip Byrd

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

Volatile Organic Compounds by EPA 8260D												
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0634 - EPA 5035A							Soi	il				
Matrix Spike (22K0634-MS1)			Preparec	1: 11/15/22 1	6:00 Ana	lyzed: 11/16	/22 17:59					V-15
QC Source Sample: Non-SDG (A2H	<u> (0586-03)</u>											
1,1,2,2-Tetrachloroethane	1330	38.0	75.9	ug/kg dry	50	1520	ND	88	70-124%			
Tetrachloroethene (PCE)	1680	19.0	38.0	ug/kg dry	50	1520	ND	111	73-128%			
Toluene	1480	38.0	75.9	ug/kg dry	50	1520	ND	98	77-121%			
1,2,3-Trichlorobenzene	1410	190	380	ug/kg dry	50	1520	ND	93	66-130%			
1,2,4-Trichlorobenzene	1330	190	380	ug/kg dry	50	1520	ND	88	67-129%			
1,1,1-Trichloroethane	1820	19.0	38.0	ug/kg dry	50	1520	ND	120	73-130%			
1,1,2-Trichloroethane	1510	19.0	38.0	ug/kg dry	50	1520	ND	100	78-121%			
Trichloroethene (TCE)	1750	19.0	38.0	ug/kg dry	50	1520	ND	116	77-123%			
Trichlorofluoromethane	2430	75.9	152	ug/kg dry	50	1520	ND	160	62-140%			Q-54
1,2,3-Trichloropropane	1510	38.0	75.9	ug/kg dry	50	1520	ND	100	73-125%			
1,2,4-Trimethylbenzene	1460	38.0	75.9	ug/kg dry	50	1520	ND	96	75-123%			
1,3,5-Trimethylbenzene	1460	38.0	75.9	ug/kg dry	50	1520	ND	96	73-124%			
Vinyl chloride	2300	19.0	38.0	ug/kg dry	50	1520	ND	152	56-135%			Q-5
m,p-Xylene	2880	38.0	75.9	ug/kg dry	50	3030	ND	95	77-124%			B-0
o-Xylene	1300	19.0	38.0	ug/kg dry	50	1520	ND	86	77-123%			
Surr: 1,4-Difluorobenzene (Surr)		Recov	very: 105 %	Limits: 80-	120 %	Dilt	ution: 1x					
Toluene-d8 (Surr)			98 %	80-	120 %		"					
4-Bromofluorobenzene (Surr)			92 %	79-	120 %		"					

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

# Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: 111323 Project Manager: Chip Byrd

Project:

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

		TCLP	Volatile Or	ganic Co	ompounds	s by EPA	1311/826	0D				
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0839 - EPA 1311/50	30B TCLP	Volatiles					Wat	ter				
Blank (22K0839-BLK1)			Prepared	: 11/22/22	10:54 Ana	lyzed: 11/23	/22 22:24					TCLPa
1311/8260D												
Acetone	ND	500	1000	ug/L	50							
Benzene	ND	6.25	12.5	ug/L	50							
Bromobenzene	ND	12.5	25.0	ug/L	50							
Bromochloromethane	ND	25.0	50.0	ug/L	50							
Bromodichloromethane	ND	25.0	50.0	ug/L	50							
Bromoform	ND	25.0	50.0	ug/L	50							
Bromomethane	ND	250	250	ug/L	50							
2-Butanone (MEK)	ND	250	500	ug/L	50							
n-Butylbenzene	ND	25.0	50.0	ug/L	50							
sec-Butylbenzene	ND	25.0	50.0	ug/L	50							
tert-Butylbenzene	ND	25.0	50.0	ug/L	50							
Carbon tetrachloride	ND	25.0	50.0	ug/L	50							
Chlorobenzene	ND	12.5	25.0	ug/L	50							
Chloroethane	ND	250	250	ug/L	50							
Chloroform	ND	25.0	50.0	ug/L	50							
Chloromethane	ND	125	250	ug/L	50							
2-Chlorotoluene	ND	25.0	50.0	ug/L	50							
4-Chlorotoluene	ND	25.0	50.0	ug/L	50							
1,2-Dibromo-3-chloropropane	ND	125	250	ug/L	50							
Dibromochloromethane	ND	25.0	50.0	ug/L	50							
1,2-Dibromoethane (EDB)	ND	12.5	25.0	ug/L	50							
Dibromomethane	ND	25.0	50.0	ug/L	50							
1,2-Dichlorobenzene	ND	12.5	25.0	ug/L	50							
1,3-Dichlorobenzene	ND	12.5	25.0	ug/L	50							
1,4-Dichlorobenzene	ND	12.5	25.0	ug/L	50							
Dichlorodifluoromethane	ND	25.0	50.0	ug/L	50							
1,1-Dichloroethane	ND	12.5	25.0	ug/L	50							
1,1-Dichloroethene	ND	12.5	25.0	ug/L	50							
1,2-Dichloroethane (EDC)	ND	12.5	25.0	ug/L	50							
cis-1,2-Dichloroethene	ND	25.0	50.0	ug/L	50							
trans-1,2-Dichloroethene	ND	12.5	25.0	ug/L	50							
1,2-Dichloropropane	ND	12.5	25.0	ug/L	50							
1,3-Dichloropropane	ND	25.0	50.0	ug/L	50							

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

# Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305

Project Number: 111323 Project Manager: Chip Byrd

Project:

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

TCLP Volatile Organic Compounds by EPA 1311/8260D												
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	N
Batch 22K0839 - EPA 1311/503	30B TCLP	Volatiles					Wat	ter				
Blank (22K0839-BLK1)			Prepared	l: 11/22/22	10:54 Anal	yzed: 11/23/	/22 22:24					Т
2,2-Dichloropropane	ND	25.0	50.0	ug/L	50							
,1-Dichloropropene	ND	25.0	50.0	ug/L	50							
is-1,3-Dichloropropene	ND	25.0	50.0	ug/L	50							
rans-1,3-Dichloropropene	ND	25.0	50.0	ug/L	50							
thylbenzene	ND	12.5	25.0	ug/L	50							
Iexachlorobutadiene	ND	125	250	ug/L	50							
-Hexanone	ND	250	500	ug/L	50							
sopropylbenzene	ND	25.0	50.0	ug/L	50							
-Isopropyltoluene	ND	25.0	50.0	ug/L	50							
-Methyl-2-pentanone (MiBK)	ND	250	500	ug/L	50							
Aethyl tert-butyl ether (MTBE)	ND	25.0	50.0	ug/L	50							
lethylene chloride	ND	250	500	ug/L	50							
-Propylbenzene	ND	12.5	25.0	ug/L	50							
tyrene	ND	25.0	50.0	ug/L	50							
,1,1,2-Tetrachloroethane	ND	12.5	25.0	ug/L	50							
,1,2,2-Tetrachloroethane	ND	12.5	25.0	ug/L	50							
Japhthalene	ND	50.0	100	ug/L	50							
etrachloroethene (PCE)	ND	12.5	25.0	ug/L	50							
oluene	ND	25.0	50.0	ug/L	50							
,2,3-Trichlorobenzene	ND	25.0	50.0	ug/L	50							
,2,4-Trichlorobenzene	ND	50.0	100	ug/L	50							
,1,1-Trichloroethane	ND	12.5	25.0	ug/L	50							
,1,2-Trichloroethane	ND	12.5	25.0	ug/L	50							
Trichloroethene (TCE)	ND	12.5	25.0	ug/L	50							
richlorofluoromethane	ND	50.0	100	ug/L	50							
,2,3-Trichloropropane	ND	25.0	50.0	ug/L	50							
,2,4-Trimethylbenzene	ND	25.0	50.0	ug/L	50							
,3,5-Trimethylbenzene	ND	25.0	50.0	ug/L	50							
inyl chloride	ND	12.5	25.0	ug/L	50							
n,p-Xylene	ND	25.0	50.0	ug/L	50							
-Xylene	ND	12.5	25.0	ug/L	50							
urr: 1,4-Difluorobenzene (Surr)		Reco	very: 122 %	Limits: 80	)-120 %	Dilı	ution: 1x					S-06
Toluene-d8 (Surr)			101 %		-120 %		"					
4-Bromofluorobenzene (Surr)			101 %		-120 %		"					

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

# Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: 111323 Project Manager: Chip Byrd

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## QUALITY CONTROL (QC) SAMPLE RESULTS

Gasco - Soil

Analyte Batch 22K0839 - EPA 1311/50301 Blank (22K0839-BLK2) <u>1311/8260D</u> Acetone Benzene Bromobenzene Bromobenzene Bromochloromethane	Result <b>B TCLP</b> ND ND ND ND ND ND	500 6.25 12.5	Reporting Limit Prepared 1000 12.5	Units : 11/22/22 ug/L		Spike Amount	Source Result Wat	% REC	% REC Limits	RPD	RPD Limit	Notes
Blank (22K0839-BLK2) 1311/8260D Acetone Benzene Bromobenzene	ND ND ND ND	500 6.25 12.5	1000			yzed: 11/23/		er				TCLP
<u>1311/8260D</u> Acetone Benzene Bromobenzene	ND ND ND	6.25 12.5	1000			yzed: 11/23/	22 22:46					TCLP
Acetone Benzene Bromobenzene	ND ND ND	6.25 12.5		ug/L								
Benzene Bromobenzene	ND ND ND	6.25 12.5		ug/L								
Bromobenzene	ND ND	12.5	12.5		50							
	ND			ug/L	50							
Bromochloromethane			25.0	ug/L	50							
	ND	25.0	50.0	ug/L	50							
Bromodichloromethane	110	25.0	50.0	ug/L	50							
Bromoform	ND	25.0	50.0	ug/L	50							
Bromomethane	ND	250	250	ug/L	50							
2-Butanone (MEK)	ND	250	500	ug/L	50							
n-Butylbenzene	ND	25.0	50.0	ug/L	50							
sec-Butylbenzene	ND	25.0	50.0	ug/L	50							
ert-Butylbenzene	ND	25.0	50.0	ug/L	50							
Carbon tetrachloride	ND	25.0	50.0	ug/L	50							
Chlorobenzene	ND	12.5	25.0	ug/L	50							
Chloroethane	ND	250	250	ug/L	50							
Chloroform	ND	25.0	50.0	ug/L	50							
Chloromethane	ND	125	250	ug/L	50							
2-Chlorotoluene	ND	25.0	50.0	ug/L	50							
4-Chlorotoluene	ND	25.0	50.0	ug/L	50							
1,2-Dibromo-3-chloropropane	ND	125	250	ug/L	50							
Dibromochloromethane	ND	25.0	50.0	ug/L	50							
1,2-Dibromoethane (EDB)	ND	12.5	25.0	ug/L	50							
Dibromomethane	ND	25.0	50.0	ug/L	50							
1,2-Dichlorobenzene	ND	12.5	25.0	ug/L	50							
1,3-Dichlorobenzene	ND	12.5	25.0	ug/L	50							
1.4-Dichlorobenzene	ND	12.5	25.0	ug/L	50							
Dichlorodifluoromethane	ND	25.0	50.0	ug/L	50							
1,1-Dichloroethane	ND	12.5	25.0	ug/L	50							
1,1-Dichloroethene	ND	12.5	25.0	ug/L	50							
1,2-Dichloroethane (EDC)	ND	12.5	25.0	ug/L	50							
cis-1,2-Dichloroethene	ND	25.0	50.0	ug/L	50							
trans-1,2-Dichloroethene	ND	12.5	25.0	ug/L ug/L	50							
1,2-Dichloropropane	ND	12.5	25.0	ug/L ug/L	50							
1,3-Dichloropropane	ND	25.0	50.0	ug/L ug/L	50							

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

# Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305

Project Number: 111323 Project Manager: Chip Byrd

Project:

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

		TCLP	Volatile Or	ganic Co	mpounds	s by EPA ′	1311/826	0D				
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Not
Batch 22K0839 - EPA 1311/503	30B TCLP	Volatiles					Wat	ter				
Blank (22K0839-BLK2)			Prepared	l: 11/22/22	10:54 Anal	yzed: 11/23	/22 22:46					тс
2,2-Dichloropropane	ND	25.0	50.0	ug/L	50							
1,1-Dichloropropene	ND	25.0	50.0	ug/L	50							
cis-1,3-Dichloropropene	ND	25.0	50.0	ug/L	50							
trans-1,3-Dichloropropene	ND	25.0	50.0	ug/L	50							
Ethylbenzene	ND	12.5	25.0	ug/L	50							
Hexachlorobutadiene	ND	125	250	ug/L	50							
2-Hexanone	ND	250	500	ug/L	50							
lsopropylbenzene	ND	25.0	50.0	ug/L	50							
4-Isopropyltoluene	ND	25.0	50.0	ug/L	50							
4-Methyl-2-pentanone (MiBK)	ND	250	500	ug/L	50							
Methyl tert-butyl ether (MTBE)	ND	25.0	50.0	ug/L	50							
Methylene chloride	ND	250	500	ug/L	50							
n-Propylbenzene	ND	12.5	25.0	ug/L	50							
Styrene	ND	25.0	50.0	ug/L	50							
1,1,1,2-Tetrachloroethane	ND	12.5	25.0	ug/L	50							
1,1,2,2-Tetrachloroethane	ND	12.5	25.0	ug/L	50							
Naphthalene	ND	50.0	100	ug/L	50							
Tetrachloroethene (PCE)	ND	12.5	25.0	ug/L	50							
Toluene	ND	25.0	50.0	ug/L	50							
1,2,3-Trichlorobenzene	ND	25.0	50.0	ug/L	50							
1,2,4-Trichlorobenzene	ND	50.0	100	ug/L	50							
1,1,1-Trichloroethane	ND	12.5	25.0	ug/L	50							
,1,2-Trichloroethane	ND	12.5	25.0	ug/L	50							
Trichloroethene (TCE)	ND	12.5	25.0	ug/L	50							
Frichlorofluoromethane	ND	50.0	100	ug/L	50							
1,2,3-Trichloropropane	ND	25.0	50.0	ug/L	50							
1,2,4-Trimethylbenzene	ND	25.0	50.0	ug/L	50							
,3,5-Trimethylbenzene	ND	25.0	50.0	ug/L	50							
Vinyl chloride	ND	12.5	25.0	ug/L	50							
n,p-Xylene	ND	25.0	50.0	ug/L	50							
o-Xylene	ND	12.5	25.0	ug/L	50							
Surr: 1,4-Difluorobenzene (Surr)		Reco	very: 120 %	Limits: 80	0-120 %	Dilı	ution: 1x					
Toluene-d8 (Surr)			103 %		)-120 %		"					
4-Bromofluorobenzene (Surr)			102 %		)-120 %		"					

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

<u>Sevenson Environmental Serv</u> 2749 Lockport Road Niagara Falls, NY 14305	ices, Inc.		Pro	5	<u>Gasco -</u> er: 111323 er: Chip By				А		<u>Report ID</u> - 12 02 22	
		QU	ALITY CO	ONTROI	L (QC) SA	MPLE R	ESULT	8				
		TCLP	Volatile Or	ganic Co	mpounds	by EPA	1311/826	0D				
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0839 - EPA 1311/50	30B TCLP	Volatiles					Wa	ter				
LCS (22K0839-BS1)			Prepared	: 11/22/22	10:54 Anal	yzed: 11/23	/22 21:42					TCLPa
<u>1311/8260D</u>												
Acetone	1950	500	1000	ug/L	50	2000		98	80-120%			
Benzene	1290	6.25	12.5	ug/L	50	1000		129	80-120%			Q-5
Bromobenzene	982	12.5	25.0	ug/L	50	1000		98	80-120%			
Bromochloromethane	1210	25.0	50.0	ug/L	50	1000		121	80-120%			Q-5
Bromodichloromethane	1090	25.0	50.0	ug/L	50	1000		109	80-120%			
Bromoform	1010	25.0	50.0	ug/L	50	1000		101	80-120%			
Bromomethane	905	250	250	ug/L	50	1000		90	80-120%			
2-Butanone (MEK)	2300	250	500	ug/L	50	2000		115	80-120%			
n-Butylbenzene	1110	25.0	50.0	ug/L	50	1000		111	80-120%			
sec-Butylbenzene	1210	25.0	50.0	ug/L	50	1000		121	80-120%			Q-5
ert-Butylbenzene	1060	25.0	50.0	ug/L	50	1000		106	80-120%			
Carbon tetrachloride	1170	25.0	50.0	ug/L	50	1000		117	80-120%			
Chlorobenzene	1030	12.5	25.0	ug/L	50	1000		103	80-120%			
Chloroethane	1270	250	250	ug/L	50	1000		127	80-120%			Q-5
Chloroform	1170	25.0	50.0	ug/L	50	1000		117	80-120%			
Chloromethane	1150	125	250	ug/L	50	1000		115	80-120%			
2-Chlorotoluene	1060	25.0	50.0	ug/L	50	1000		106	80-120%			
4-Chlorotoluene	1090	25.0	50.0	ug/L	50	1000		109	80-120%			
1,2-Dibromo-3-chloropropane	888	125	250	ug/L	50	1000		89	80-120%			
Dibromochloromethane	959	25.0	50.0	ug/L	50	1000		96	80-120%			
1,2-Dibromoethane (EDB)	1010	12.5	25.0	ug/L	50	1000		101	80-120%			
Dibromomethane	1160	25.0	50.0	ug/L	50	1000		116	80-120%			
1,2-Dichlorobenzene	1030	12.5	25.0	ug/L	50	1000		103	80-120%			
1,3-Dichlorobenzene	1070	12.5	25.0	ug/L	50	1000		107	80-120%			
1,4-Dichlorobenzene	1000	12.5	25.0	ug/L	50	1000		100	80-120%			
Dichlorodifluoromethane	1030	25.0	50.0	ug/L	50	1000		103	80-120%			
1,1-Dichloroethane	1200	12.5	25.0	ug/L	50	1000		120	80-120%			
1,1-Dichloroethene	1270	12.5	25.0	ug/L	50	1000		127	80-120%			Q-5
1,2-Dichloroethane (EDC)	976	12.5	25.0	ug/L	50	1000		98	80-120%			
cis-1,2-Dichloroethene	1130	25.0	50.0	ug/L	50	1000		113	80-120%			
	1220	12.5	25.0	ug/L	50	1000		122	80-120%			Q-5
1,2-Dichloropropane	1210	12.5	25.0	ug/L	50	1000		121	80-120%			Q-5
	1020	25.0	50.0	ug/L	50	1000		102	80-120%			
trans-1,2-Dichloroethene 1,2-Dichloropropane 1,3-Dichloropropane Apex Laboratories	1210	12.5	25.0	ug/L	50 50 The results i	1000 1000	  apply to the	121	<b>80-120%</b> 80-120% ezed in accor	  dance wit	 	of



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

# Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project:Gasco - SoilProject Number:111323Project Manager:Chip Byrd

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0839 - EPA 1311/503	30B TCLP	Volatiles					Wa	ter				
LCS (22K0839-BS1)			Prepared	l: 11/22/22	10:54 Ana	lyzed: 11/23	/22 21:42					TCLPa
2,2-Dichloropropane	974	25.0	50.0	ug/L	50	1000		97	80-120%			
1,1-Dichloropropene	1280	25.0	50.0	ug/L	50	1000		128	80-120%			Q-:
cis-1,3-Dichloropropene	990	25.0	50.0	ug/L	50	1000		99	80-120%			
trans-1,3-Dichloropropene	990	25.0	50.0	ug/L	50	1000		99	80-120%			
Ethylbenzene	1080	12.5	25.0	ug/L	50	1000		108	80-120%			
Hexachlorobutadiene	940	125	250	ug/L	50	1000		94	80-120%			
2-Hexanone	1850	250	500	ug/L	50	2000		93	80-120%			
Isopropylbenzene	1150	25.0	50.0	ug/L	50	1000		115	80-120%			
4-Isopropyltoluene	1150	25.0	50.0	ug/L	50	1000		115	80-120%			
4-Methyl-2-pentanone (MiBK)	1920	250	500	ug/L	50	2000		96	80-120%			
Methyl tert-butyl ether (MTBE)	1110	25.0	50.0	ug/L	50	1000		111	80-120%			
Methylene chloride	1200	250	500	ug/L	50	1000		120	80-120%			
n-Propylbenzene	1110	12.5	25.0	ug/L	50	1000		111	80-120%			
Styrene	1150	25.0	50.0	ug/L	50	1000		115	80-120%			
1,1,1,2-Tetrachloroethane	1000	12.5	25.0	ug/L	50	1000		100	80-120%			
1,1,2,2-Tetrachloroethane	1040	12.5	25.0	ug/L	50	1000		104	80-120%			
Naphthalene	882	50.0	100	ug/L	50	1000		88	80-120%			
Tetrachloroethene (PCE)	1050	12.5	25.0	ug/L	50	1000		105	80-120%			
Toluene	1010	25.0	50.0	ug/L	50	1000		101	80-120%			
1,2,3-Trichlorobenzene	1070	25.0	50.0	ug/L	50	1000		107	80-120%			
1,2,4-Trichlorobenzene	944	50.0	100	ug/L	50	1000		94	80-120%			
1,1,1-Trichloroethane	1170	12.5	25.0	ug/L	50	1000		117	80-120%			
1,1,2-Trichloroethane	1030	12.5	25.0	ug/L	50	1000		103	80-120%			
Trichloroethene (TCE)	1210	12.5	25.0	ug/L	50	1000		121	80-120%			Q-5
Trichlorofluoromethane	1260	50.0	100	ug/L	50	1000		126	80-120%			Q-:
1,2,3-Trichloropropane	958	25.0	50.0	ug/L	50	1000		96	80-120%			
1,2,4-Trimethylbenzene	1140	25.0	50.0	ug/L	50	1000		114	80-120%			
1,3,5-Trimethylbenzene	1160	25.0	50.0	ug/L	50	1000		116	80-120%			
Vinyl chloride	1250	12.5	25.0	ug/L	50	1000		125	80-120%			Q-:
m,p-Xylene	2260	25.0	50.0	ug/L	50	2000		113	80-120%			
o-Xylene	1030	12.5	25.0	ug/L	50	1000		103	80-120%			
Surr: 1,4-Difluorobenzene (Surr)		Reco	very: 112 %	Limits: 80	0-120 %	Dilt	ution: 1x					
Toluene-d8 (Surr)			99 %	80	)-120 %		"					
4-Bromofluorobenzene (Surr)			99 %	80	)-120 %		"					

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Serv 2749 Lockport Road	ices, Inc.		Pro	Project: oject Numb						-	Report ID	-
Niagara Falls, NY 14305			Pro	ject Manag	er: Chip By	yrd			A	2K0507	- 12 02 22	2 1325
		QU	ALITY CO	ONTROI	L (QC) SA	MPLE R	RESULT	5				
		TCLP	Volatile Or	ganic Co	mpound	s by EPA	1311/826	0D				
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0839 - EPA 1311/50	30B TCLP	Volatiles					Wa	ter				
Duplicate (22K0839-DUP1)			Prepared	l: 11/22/22	10:54 Ana	lyzed: 11/23	/22 23:29					
QC Source Sample: Koppers Bas	in 11-11-2022	2 (A2K0507-01	)									
<u>1311/8260D</u>	ND	500	1000	/ <b>T</b>	50		ND				200/	
Acetone Benzene	ND	500 6.25	1000	ug/L	50 50		ND 48.0			3	30% 30%	Q-54
Bromobenzene	<b>49.5</b> ND	6.25 12.5	12.5 25.0	ug/L	50 50		48.0 ND				30%	Q-3
Bromochloromethane	ND ND	25.0	23.0 50.0	ug/L ug/L	50		ND ND				30%	
Bromodichloromethane	ND	25.0 25.0	50.0	ug/L ug/L	50 50		ND ND				30%	
Bromoform	ND	25.0 25.0	50.0	ug/L ug/L	50 50		ND ND				30%	
Bromomethane	ND	25.0 250	250	ug/L ug/L	50 50		ND				30%	
2-Butanone (MEK)	ND	250 250	230 500	ug/L ug/L	50 50		ND ND				30%	
n-Butylbenzene	ND	25.0	50.0	ug/L ug/L	50		ND				30%	
sec-Butylbenzene	ND	25.0 25.0	50.0	ug/L ug/L	50		ND				30%	
tert-Butylbenzene	ND	25.0	50.0	ug/L ug/L	50		ND				30%	
Carbon tetrachloride	ND	25.0	50.0	ug/L	50		ND				30%	
Chlorobenzene	ND	12.5	25.0	ug/L	50		ND				30%	
Chloroethane	ND	250	250	ug/L ug/L	50		ND				30%	
Chloroform	ND	25.0	50.0	ug/L	50		ND				30%	
Chloromethane	ND	125	250	ug/L	50		ND				30%	
2-Chlorotoluene	ND	25.0	50.0	ug/L	50		ND				30%	
4-Chlorotoluene	ND	25.0	50.0	ug/L	50		ND				30%	
1,2-Dibromo-3-chloropropane	ND	125	250	ug/L	50		ND				30%	
Dibromochloromethane	ND	25.0	50.0	ug/L	50		ND				30%	
1,2-Dibromoethane (EDB)	ND	12.5	25.0	ug/L	50		ND				30%	
Dibromomethane	ND	25.0	50.0	ug/L	50		ND				30%	
1,2-Dichlorobenzene	ND	12.5	25.0	ug/L	50		ND				30%	
1,3-Dichlorobenzene	ND	12.5	25.0	ug/L	50		ND				30%	
1,4-Dichlorobenzene	ND	12.5	25.0	ug/L	50		ND				30%	
Dichlorodifluoromethane	ND	25.0	50.0	ug/L	50		ND				30%	
1,1-Dichloroethane	ND	12.5	25.0	ug/L	50		ND				30%	
1,1-Dichloroethene	ND	12.5	25.0	ug/L	50		ND				30%	
1,2-Dichloroethane (EDC)	ND	12.5	25.0	ug/L	50		ND				30%	
cis-1,2-Dichloroethene	ND	25.0	50.0	ug/L	50		ND				30%	
trans-1,2-Dichloroethene	ND	12.5	25.0	ug/L	50		ND				30%	

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

# Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

			Volatile Org									
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0839 - EPA 1311/503	OB TCLP	Volatiles					Wat	ter				
Duplicate (22K0839-DUP1)			Prepared:	11/22/22	10:54 Anal	lyzed: 11/23/	22 23:29					
QC Source Sample: Koppers Basin	<u>11-11-2022</u>	(A2K0507-01	)									
1,2-Dichloropropane	ND	12.5	25.0	ug/L	50		ND				30%	
1,3-Dichloropropane	ND	25.0	50.0	ug/L	50		ND				30%	
2,2-Dichloropropane	ND	25.0	50.0	ug/L	50		ND				30%	
1,1-Dichloropropene	ND	25.0	50.0	ug/L	50		ND				30%	
cis-1,3-Dichloropropene	ND	25.0	50.0	ug/L	50		ND				30%	
rans-1,3-Dichloropropene	ND	25.0	50.0	ug/L	50		ND				30%	
Ethylbenzene	29.0	12.5	25.0	ug/L	50		30.5			5	30%	
Hexachlorobutadiene	ND	125	250	ug/L	50		ND				30%	
2-Hexanone	ND	250	500	ug/L	50		ND				30%	
sopropylbenzene	ND	25.0	50.0	ug/L	50		ND				30%	
4-Isopropyltoluene	ND	25.0	50.0	ug/L	50		ND				30%	
4-Methyl-2-pentanone (MiBK)	ND	250	500	ug/L	50		ND				30%	
Methyl tert-butyl ether (MTBE)	ND	25.0	50.0	ug/L	50		ND				30%	
Methylene chloride	ND	250	500	ug/L	50		ND				30%	
n-Propylbenzene	ND	12.5	25.0	ug/L	50		ND				30%	
Styrene	ND	25.0	50.0	ug/L	50		ND				30%	
1,1,1,2-Tetrachloroethane	ND	12.5	25.0	ug/L	50		ND				30%	
1,1,2,2-Tetrachloroethane	ND	12.5	25.0	ug/L	50		ND				30%	
Naphthalene	2550	50.0	100	ug/L	50		2610			2	30%	
Tetrachloroethene (PCE)	ND	12.5	25.0	ug/L	50		ND				30%	
Foluene	62.5	25.0	50.0	ug/L	50		65.5			5	30%	
1,2,3-Trichlorobenzene	ND	25.0	50.0	ug/L	50		ND				30%	
1,2,4-Trichlorobenzene	ND	50.0	100	ug/L	50		ND				30%	
1,1,1-Trichloroethane	ND	12.5	25.0	ug/L	50		ND				30%	
,1,2-Trichloroethane	ND	12.5	25.0	ug/L	50		ND				30%	
Trichloroethene (TCE)	ND	12.5	25.0	ug/L ug/L	50		ND				30%	
Frichlorofluoromethane	ND	50.0	100	ug/L ug/L	50		ND				30%	
,2,3-Trichloropropane	ND	25.0	50.0	ug/L ug/L	50		ND				30%	
,2,4-Trimethylbenzene	ND	25.0	50.0	ug/L ug/L	50		ND				30%	
,3,5-Trimethylbenzene	ND	25.0	50.0	ug/L ug/L	50		ND				30%	
inyl chloride	ND	12.5	25.0	ug/L ug/L	50 50		ND				30%	
n,p-Xylene	61.0	25.0	23.0 50.0	ug/L ug/L	50 50		ND 64.0			5	30%	
-Xylene	61.0 36.0	23.0 12.5	30.0 25.0	ug/L ug/L	50 50		64.0 36.5			5	30%	

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

# Sevenson Environmental Services, Inc.

2749 Lockport Road

Niagara Falls, NY 14305

Project Number: 111323

Project:

Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

# **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

		TCLP	Volatile Or	ganic Co	ompounds	s by EPA	1311/826	50D				
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0839 - EPA 1311/50	30B TCLP	Volatiles					Wa	iter				
Duplicate (22K0839-DUP1)			Preparec	l: 11/22/22	10:54 Ana	yzed: 11/23	/22 23:29					
<b><u>QC Source Sample: Koppers Basi</u></b>	in 11-11-2022	2 (A2K0507-0)	<u>1)</u>									
Surr: 1,4-Difluorobenzene (Surr)		Reco	very: 120 %	Limits: 80	0-120 %	Dili	ution: 1x					
Toluene-d8 (Surr)			102 %	80	)-120 %		"					
4-Bromofluorobenzene (Surr)			99 %	80	0-120 %		"					
Matrix Spike (22K0839-MS1)			Preparec	l: 11/22/22	10:54 Ana	yzed: 11/24	/22 00:33					
QC Source Sample: Koppers Basi	in 11-11-2022	2 (A2K0507-01	<u>1)</u>									
<u>1311/8260D</u>												
Acetone	2050	500	1000	ug/L	50	2000	ND	102	39-160%			
Benzene	1350	6.25	12.5	ug/L	50	1000	48.0	130	79-120%			Q-54
Bromobenzene	974	12.5	25.0	ug/L	50	1000	ND	97	80-120%			
Bromochloromethane	1190	25.0	50.0	ug/L	50	1000	ND	119	78-123%			Q-5
Bromodichloromethane	1090	25.0	50.0	ug/L	50	1000	ND	109	79-125%			
Bromoform	996	25.0	50.0	ug/L	50	1000	ND	100	66-130%			
Bromomethane	931	250	250	ug/L	50	1000	ND	93	53-141%			
2-Butanone (MEK)	2180	250	500	ug/L	50	2000	ND	109	56-143%			
n-Butylbenzene	1170	25.0	50.0	ug/L	50	1000	ND	117	75-128%			
sec-Butylbenzene	1190	25.0	50.0	ug/L	50	1000	ND	119	77-126%			Q-5
tert-Butylbenzene	1060	25.0	50.0	ug/L	50	1000	ND	106	78-124%			
Carbon tetrachloride	1190	25.0	50.0	ug/L	50	1000	ND	119	72-136%			
Chlorobenzene	1010	12.5	25.0	ug/L	50	1000	ND	101	80-120%			
Chloroethane	1280	250	250	ug/L	50	1000	ND	128	60-138%			Q-54
Chloroform	1130	25.0	50.0	ug/L	50	1000	ND	113	79-124%			
Chloromethane	1180	125	250	ug/L	50	1000	ND	118	50-139%			
2-Chlorotoluene	1060	25.0	50.0	ug/L	50	1000	ND	106	79-122%			
4-Chlorotoluene	1060	25.0	50.0	ug/L	50	1000	ND	106	78-122%			
1,2-Dibromo-3-chloropropane	887	125	250	ug/L	50	1000	ND	89	62-128%			
Dibromochloromethane	953	25.0	50.0	ug/L	50	1000	ND	95	74-126%			
1,2-Dibromoethane (EDB)	1010	12.5	25.0	ug/L	50	1000	ND	101	77-121%			
Dibromomethane	1150	25.0	50.0	ug/L	50	1000	ND	115	79-123%			
1,2-Dichlorobenzene	1020	12.5	25.0	ug/L	50	1000	ND	102	80-120%			
1,3-Dichlorobenzene	1050	12.5	25.0	ug/L	50	1000	ND	105	80-120%			
1,4-Dichlorobenzene	985	12.5	25.0	ug/L	50	1000	ND	98	79-120%			
Dichlorodifluoromethane	1030	25.0	50.0	ug/L	50	1000	ND	103	32-152%			

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: 111323 Project Manager: Chip Byrd

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

# **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0839 - EPA 1311/503	0B TCLP	Volatiles					Wa	ter				
Matrix Spike (22K0839-MS1)			Prepared	: 11/22/22	10:54 Anal	yzed: 11/24	/22 00:33					
QC Source Sample: Koppers Basin	n 11-11-2022	2 (A2K0507-01	<u>)</u>									
1,1-Dichloroethane	1180	12.5	25.0	ug/L	50	1000	ND	118	77-125%			
1,1-Dichloroethene	1260	12.5	25.0	ug/L	50	1000	ND	126	71-131%			Q-54
1,2-Dichloroethane (EDC)	974	12.5	25.0	ug/L	50	1000	ND	97	73-128%			
cis-1,2-Dichloroethene	1140	25.0	50.0	ug/L	50	1000	ND	114	78-123%			
trans-1,2-Dichloroethene	1200	12.5	25.0	ug/L	50	1000	ND	120	75-124%			Q-54
1,2-Dichloropropane	1200	12.5	25.0	ug/L	50	1000	ND	120	78-122%			Q-:
1,3-Dichloropropane	994	25.0	50.0	ug/L	50	1000	ND	99	80-120%			
2,2-Dichloropropane	922	25.0	50.0	ug/L	50	1000	ND	92	60-139%			
1,1-Dichloropropene	1280	25.0	50.0	ug/L	50	1000	ND	128	79-125%			Q-5
cis-1,3-Dichloropropene	988	25.0	50.0	ug/L	50	1000	ND	99	75-124%			
trans-1,3-Dichloropropene	976	25.0	50.0	ug/L	50	1000	ND	98	73-127%			
Ethylbenzene	1110	12.5	25.0	ug/L	50	1000	30.5	108	79-121%			
Hexachlorobutadiene	938	125	250	ug/L	50	1000	ND	94	66-134%			
2-Hexanone	1890	250	500	ug/L	50	2000	ND	94	57-139%			
Isopropylbenzene	1150	25.0	50.0	ug/L	50	1000	ND	115	72-131%			
4-Isopropyltoluene	1130	25.0	50.0	ug/L	50	1000	ND	113	77-127%			
4-Methyl-2-pentanone (MiBK)	1980	250	500	ug/L	50	2000	ND	99	67-130%			
Methyl tert-butyl ether (MTBE)	1120	25.0	50.0	ug/L	50	1000	ND	112	71-124%			
Methylene chloride	1200	250	500	ug/L	50	1000	ND	120	74-124%			
n-Propylbenzene	1100	12.5	25.0	ug/L	50	1000	ND	110	76-126%			
Styrene	1130	25.0	50.0	ug/L	50	1000	ND	113	78-123%			
1,1,1,2-Tetrachloroethane	972	12.5	25.0	ug/L	50	1000	ND	97	78-124%			
1,1,2,2-Tetrachloroethane	1010	12.5	25.0	ug/L	50	1000	ND	101	71-121%			
Naphthalene	3530	50.0	100	ug/L	50	1000	2610	92	61-128%			
Tetrachloroethene (PCE)	1040	12.5	25.0	ug/L	50	1000	ND	104	74-129%			
Toluene	1070	25.0	50.0	ug/L	50	1000	65.5	100	80-121%			
1,2,3-Trichlorobenzene	1120	25.0	50.0	ug/L	50	1000	ND	112	69-129%			
1,2,4-Trichlorobenzene	997	50.0	100	ug/L	50	1000	ND	100	69-130%			
1,1,1-Trichloroethane	1150	12.5	25.0	ug/L	50	1000	ND	115	74-131%			
1,1,2-Trichloroethane	1030	12.5	25.0	ug/L	50	1000	ND	103	80-120%			
Trichloroethene (TCE)	1220	12.5	25.0	ug/L	50	1000	ND	122	79-123%			Q-:
Trichlorofluoromethane	1230	50.0	100	ug/L	50	1000	ND	123	65-141%			Q-54
1,2,3-Trichloropropane	932	25.0	50.0	ug/L	50	1000	ND	93	73-122%			

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

# Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

# **QUALITY CONTROL (QC) SAMPLE RESULTS**

		TCLP	Volatile O	rganic Co	ompound	s by EPA ′	1311/826	0D				
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0839 - EPA 1311/503	0B TCLP	Volatiles					Wa	ter				
Matrix Spike (22K0839-MS1)			Prepared	1: 11/22/22	10:54 Ana	lyzed: 11/24	/22 00:33					
QC Source Sample: Koppers Basin	n 11-11-2022	(A2K0507-01	)									
1,2,4-Trimethylbenzene	1160	25.0	50.0	ug/L	50	1000	ND	116	76-124%			
1,3,5-Trimethylbenzene	1150	25.0	50.0	ug/L	50	1000	ND	115	75-124%			
Vinyl chloride	1260	12.5	25.0	ug/L	50	1000	ND	126	58-137%			
m,p-Xylene	2340	25.0	50.0	ug/L	50	2000	64.0	114	80-121%			
o-Xylene	1090	12.5	25.0	ug/L	50	1000	36.5	105	78-122%			
Surr: 1,4-Difluorobenzene (Surr)		Recov	very: 113 %	Limits: 80	)-120 %	Dilı	ution: 1x					
Toluene-d8 (Surr)			99 %	80	)-120 %		"					
4-Bromofluorobenzene (Surr)			97 %	80	)-120 %		"					

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

# Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

# **QUALITY CONTROL (QC) SAMPLE RESULTS**

		TCLP	Volatile O	rganic C	Compound	s by EPA	1311/826	50D				
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0951 - EPA 1311/503	0B TCLP	Volatiles					Wa	iter				
Blank (22K0951-BLK1)			Prepare	d: 11/29/2	2 09:34 Ana	lyzed: 11/29	/22 12:03					TCLPa
<u>1311/8260D</u>												
Benzene	ND	6.25	12.5	ug/l	L 50							
Surr: 1,4-Difluorobenzene (Surr)		Recov	ery: 119 %	Limits:	80-120 %	Dili	ution: 1x					
Toluene-d8 (Surr)			103 %		80-120 %		"					
4-Bromofluorobenzene (Surr)			99 %		80-120 %		"					
Blank (22K0951-BLK2)			Prepare	d: 11/29/2	2 09:34 Ana	lyzed: 11/29	/22 12:25					TCLPb
1311/8260D												
Benzene	ND	6.25	12.5	ug/l	L 50							
Surr: 1,4-Difluorobenzene (Surr)		Recov	ery: 118 %	Limits:	80-120 %	Dili	ution: 1x					-
Toluene-d8 (Surr)			103 %		80-120 %		"					
4-Bromofluorobenzene (Surr)			99 %		80-120 %		"					
LCS (22K0951-BS1)			Prepare	d: 11/29/2	2 09:34 Ana	lyzed: 11/29	/22 11:18					TCLPa
<u>1311/8260D</u>						•						
Benzene	1140	6.25	12.5	ug/l	L 50	1000		114	80-120%			
Surr: 1,4-Difluorobenzene (Surr)		Recov	ery: 110 %	Limits:	80-120 %	Dili	ution: 1x					
Toluene-d8 (Surr)			100 %		80-120 %		"					
4-Bromofluorobenzene (Surr)			99 %		80-120 %		"					
Duplicate (22K0951-DUP1)			Prepare	d: 11/29/2	2 09:34 Ana	lyzed: 11/29	/22 13:08					
QC Source Sample: Non-SDG (A2	K0502-01RI	E1)										
Benzene	46.5	6.25	12.5	ug/l	L 50		46.0			1	30%	
Surr: 1,4-Difluorobenzene (Surr)		Recov	ery: 117 %	Limits:	80-120 %	Dili	ution: 1x					
Toluene-d8 (Surr)			102 %		80-120 %		"					
4-Bromofluorobenzene (Surr)			100 %		80-120 %		"					
Matrix Spike (22K0951-MS1)			Prepare	d: 11/29/2	2 09:34 Ana	lyzed: 11/29	/22 13:50					
QC Source Sample: Koppers Basin 1311/8260D	n 11-11-2022	(A2K0507-01)	<u>RE1)</u>									
Benzene	1330	6.25	12.5	ug/l	L 50	1000	82.0	125	79-120%			Q-(
Surr: 1,4-Difluorobenzene (Surr)	1000		very: 110 %		80-120 %		ution: 1x	120	. > 120/0			
,, _ ,						2						

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

# Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

# **QUALITY CONTROL (QC) SAMPLE RESULTS**

		TCLP	Volatile Or	ganic C	ompounds	by EPA 1	1311/8260	D				
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0951 - EPA 1311/503	OB TCLP	Volatiles					Wat	er				
Matrix Spike (22K0951-MS1)			Prepared	: 11/29/22	09:34 Anal	yzed: 11/29/	22 13:50					
QC Source Sample: Koppers Basin	11-11-2022	2 (A2K0507-01	I <u>RE1)</u>									
Surr: Toluene-d8 (Surr)		Reco	very: 100 %	Limits: 8	80-120 %	Dilu	ution: 1x					
4-Bromofluorobenzene (Surr)			99 %	8	80-120 %		"					

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

		50	mivolatile (	organic (	Joinpoun	us by EP	A OZ/UE		<u></u>			
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0589 - EPA 3546							Soi	I				
Blank (22K0589-BLK2)			Prepared	: 11/15/22 1	5:06 Anal	lyzed: 11/15/	/22 21:16					
EPA 8270E												
Acenaphthene	ND	1.25	2.50	ug/kg we	et 1							
Acenaphthylene	ND	1.25	2.50	ug/kg we								
Anthracene	ND	1.25	2.50	ug/kg we	et 1							
Benz(a)anthracene	ND	1.25	2.50	ug/kg we	et 1							
Benzo(a)pyrene	ND	1.87	3.75	ug/kg we	et 1							
Benzo(b)fluoranthene	ND	1.87	3.75	ug/kg we								
Benzo(k)fluoranthene	ND	1.87	3.75	ug/kg we								
Benzo(g,h,i)perylene	ND	1.25	2.50	ug/kg we								
Chrysene	ND	1.25	2.50	ug/kg we								
Dibenz(a,h)anthracene	ND	1.25	2.50	ug/kg we								
Fluoranthene	ND	1.25	2.50	ug/kg we	et 1							
Fluorene	ND	1.25	2.50	ug/kg we								
Indeno(1,2,3-cd)pyrene	ND	1.25	2.50	ug/kg we								
1-Methylnaphthalene	ND	2.50	5.00	ug/kg we								
2-Methylnaphthalene	ND	2.50	5.00	ug/kg we	et 1							
Naphthalene	ND	2.50	5.00	ug/kg we								
Phenanthrene	ND	1.25	2.50	ug/kg we								
Pyrene	ND	1.25	2.50	ug/kg we								
Carbazole	ND	1.87	3.75	ug/kg we								
Dibenzofuran	ND	1.25	2.50	ug/kg we								
2-Chlorophenol	ND	6.25	12.5	ug/kg we								
4-Chloro-3-methylphenol	ND	12.5	25.0	ug/kg we								
2,4-Dichlorophenol	ND	6.25	12.5	ug/kg we								
2,4-Dimethylphenol	ND	6.25	12.5	ug/kg we								
2,4-Dinitrophenol	ND	31.2	62.5	ug/kg we								
4,6-Dinitro-2-methylphenol	ND	31.2	62.5	ug/kg we								
2-Methylphenol	ND	3.12	6.25	ug/kg we								
3+4-Methylphenol(s)	ND	3.12	6.25	ug/kg we								
2-Nitrophenol	ND	12.5	25.0	ug/kg we								
4-Nitrophenol	ND	12.5	25.0	ug/kg we								
Pentachlorophenol (PCP)	ND	12.5	25.0	ug/kg we								
Phenol	ND	2.50	5.00	ug/kg we								
2,3,4,6-Tetrachlorophenol	ND	6.25	12.5	ug/kg we								

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

		Se	mivolatile	Organic C	Compour	ds by EP	A 8270E					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0589 - EPA 3546							Soi	I				
Blank (22K0589-BLK2)			Prepared	l: 11/15/22 1	5:06 Ana	lyzed: 11/15/	/22 21:16					
2,3,5,6-Tetrachlorophenol	ND	6.25	12.5	ug/kg we	et 1							
2,4,5-Trichlorophenol	ND	6.25	12.5	ug/kg we	et 1							
Nitrobenzene	ND	12.5	25.0	ug/kg we	et 1							
2,4,6-Trichlorophenol	ND	6.25	12.5	ug/kg we	et 1							
Bis(2-ethylhexyl)phthalate	ND	18.7	37.5	ug/kg we	et 1							
Butyl benzyl phthalate	ND	12.5	25.0	ug/kg we	et 1							
Diethylphthalate	ND	12.5	25.0	ug/kg we	et 1							
Dimethylphthalate	ND	12.5	25.0	ug/kg we	et 1							
Di-n-butylphthalate	164	12.5	25.0	ug/kg we	et 1							
Di-n-octyl phthalate	ND	12.5	25.0	ug/kg we	et 1							
N-Nitrosodimethylamine	ND	3.12	6.25	ug/kg we	et 1							
N-Nitroso-di-n-propylamine	ND	3.12	6.25	ug/kg we	et 1							
N-Nitrosodiphenylamine	ND	3.12	6.25	ug/kg we	et 1							
Bis(2-Chloroethoxy) methane	ND	3.12	6.25	ug/kg we								
Bis(2-Chloroethyl) ether	ND	3.12	6.25	ug/kg we	et 1							
2,2'-Oxybis(1-Chloropropane)	ND	3.12	6.25	ug/kg we	et 1							
Hexachlorobenzene	ND	1.25	2.50	ug/kg we								
Hexachlorobutadiene	ND	3.12	6.25	ug/kg we								
Hexachlorocyclopentadiene	ND	6.25	12.5	ug/kg we								
Hexachloroethane	ND	3.12	6.25	ug/kg we								
2-Chloronaphthalene	ND	1.25	2.50	ug/kg we								
1,2,4-Trichlorobenzene	ND	3.12	6.25	ug/kg we								
4-Bromophenyl phenyl ether	ND	3.12	6.25	ug/kg we								
4-Chlorophenyl phenyl ether	ND	3.12	6.25	ug/kg we								
Aniline	ND	6.25	12.5	ug/kg we								
4-Chloroaniline	ND	3.12	6.25	ug/kg we								
2-Nitroaniline	ND	25.0	50.0	ug/kg we								
3-Nitroaniline	ND	25.0	50.0	ug/kg we								
4-Nitroaniline	ND	25.0	50.0	ug/kg we								
2,4-Dinitrotoluene	ND	12.5	25.0	ug/kg we								
2,6-Dinitrotoluene	ND	12.5	25.0	ug/kg we								
Benzoic acid	ND	12.5	312	ug/kg we								
Benzyl alcohol	ND	6.25	12.5	ug/kg we								
Isophorone	ND	3.12	6.25	ug/kg we								

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

<u>Sevenson Environmental Services, Inc.</u> 2749 Lockport Road

Niagara Falls, NY 14305

Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

		Se	mivolatile	Organic C	ompoun	ds by EP	A 8270E					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0589 - EPA 3546							So	il				
Blank (22K0589-BLK2)			Prepared	l: 11/15/22 1	5:06 Anal	lyzed: 11/15/	/22 21:16					
Azobenzene (1,2-DPH)	ND	3.12	6.25	ug/kg we	t 1							
Bis(2-Ethylhexyl) adipate	ND	31.2	62.5	ug/kg we	t 1							
3,3'-Dichlorobenzidine	ND	25.0	50.0	ug/kg we	t 1							Q-:
1,2-Dinitrobenzene	ND	31.2	62.5	ug/kg we	t 1							
1,3-Dinitrobenzene	ND	31.2	62.5	ug/kg we	t 1							
1,4-Dinitrobenzene	ND	31.2	62.5	ug/kg we	t 1							
Pyridine	ND	6.25	12.5	ug/kg we	t 1							
1,2-Dichlorobenzene	ND	3.12	6.25	ug/kg we								
1,3-Dichlorobenzene	ND	3.12	6.25	ug/kg we	t 1							
1,4-Dichlorobenzene	ND	3.12	6.25	ug/kg we	t 1							
Surr: Nitrobenzene-d5 (Surr)		Reco	overy: 98 %	Limits: 37-	122 %	Dilı	ution: 1x					
2-Fluorobiphenyl (Surr)			83 %	44-	120 %		"					
Phenol-d6 (Surr)			98 %	33-	122 %		"					
p-Terphenyl-d14 (Surr)			102 %	54-	127 %		"					
2-Fluorophenol (Surr)			92 %	35-	120 %		"					
2,4,6-Tribromophenol (Surr)			87 %	39-	132 %		"					
LCS (22K0589-BS2)			Prepared	l: 11/15/22 1	5:06 Anal	lyzed: 11/15/	/22 21:50					
EPA 8270E			*									
Acenaphthene	495	2.66	5.34	ug/kg we	t 2	533		93	40-123%			
Acenaphthylene	525	2.66	5.34	ug/kg we		533		98	32-132%			
Anthracene	530	2.66	5.34	ug/kg we	t 2	533		99	47-123%			
Benz(a)anthracene	537	2.66	5.34	ug/kg we	t 2	533		101	49-126%			
Benzo(a)pyrene	538	4.00	8.00	ug/kg we		533		101	45-129%			
Benzo(b)fluoranthene	538	4.00	8.00	ug/kg we	t 2	533		101	45-132%			
Benzo(k)fluoranthene	529	4.00	8.00	ug/kg we	t 2	533		99	47-132%			
Benzo(g,h,i)perylene	490	2.66	5.34	ug/kg we		533		92	43-134%			
Chrysene	517	2.66	5.34	ug/kg we		533		97	50-124%			
Dibenz(a,h)anthracene	519	2.66	5.34	ug/kg we		533		97	45-134%			
Fluoranthene	530	2.66	5.34	ug/kg we		533		99	50-127%			
Fluorene	513	2.66	5.34	ug/kg we		533		96	43-125%			
Indeno(1,2,3-cd)pyrene	511	2.66	5.34	ug/kg we		533		96	45-133%			
	514	5.34	10.7	ug/kg we		533		96	40-120%			
1-Methylnaphthalene												

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: 111323 Project Manager: Chip Byrd

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

# **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

		Se	mivolatile	Organic C	Compour	ids by EP	A 8270E					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0589 - EPA 3546							So	il				
LCS (22K0589-BS2)			Prepared	l: 11/15/22 1	5:06 Ana	lyzed: 11/15	/22 21:50					
Naphthalene	504	5.34	10.7	ug/kg we	t 2	533		95	35-123%			
Phenanthrene	492	2.66	5.34	ug/kg we	t 2	533		92	50-121%			
Pyrene	524	2.66	5.34	ug/kg we	et 2	533		98	47-127%			
Carbazole	523	4.00	8.00	ug/kg we	t 2	533		98	50-123%			
Dibenzofuran	492	2.66	5.34	ug/kg we	et 2	533		92	44-120%			
2-Chlorophenol	540	13.3	26.6	ug/kg we	t 2	533		101	34-121%			
4-Chloro-3-methylphenol	570	26.6	53.4	ug/kg we	t 2	533		107	45-122%			
2,4-Dichlorophenol	535	13.3	26.6	ug/kg we	t 2	533		100	40-122%			
2,4-Dimethylphenol	575	13.3	26.6	ug/kg we	t 2	533		108	30-127%			
2,4-Dinitrophenol	408	66.6	133	ug/kg we	t 2	533		77	10-137%			
4,6-Dinitro-2-methylphenol	464	66.6	133	ug/kg we	t 2	533		87	29-132%			
2-Methylphenol	572	6.66	13.3	ug/kg we	t 2	533		107	32-122%			
3+4-Methylphenol(s)	594	6.66	13.3	ug/kg we	t 2	533		111	34-120%			
2-Nitrophenol	509	26.6	53.4	ug/kg we	t 2	533		95	36-123%			
4-Nitrophenol	483	26.6	53.4	ug/kg we	t 2	533		91	30-132%			
Pentachlorophenol (PCP)	449	26.6	53.4	ug/kg we	t 2	533		84	25-133%			
Phenol	579	5.34	10.7	ug/kg we		533		109	34-121%			
2,3,4,6-Tetrachlorophenol	530	13.3	26.6	ug/kg we	t 2	533		99	44-125%			
2,3,5,6-Tetrachlorophenol	501	13.3	26.6	ug/kg we	t 2	533		94	40-120%			
2,4,5-Trichlorophenol	514	13.3	26.6	ug/kg we	t 2	533		96	41-124%			
Nitrobenzene	573	26.6	53.4	ug/kg we	t 2	533		107	34-122%			Q-
2,4,6-Trichlorophenol	521	13.3	26.6	ug/kg we		533		98	39-126%			
Bis(2-ethylhexyl)phthalate	575	40.0	80.0	ug/kg we		533		108	51-133%			
Butyl benzyl phthalate	596	26.6	53.4	ug/kg we		533		112	48-132%			
Diethylphthalate	534	26.6	53.4	ug/kg we		533		100	50-124%			
Dimethylphthalate	512	26.6	53.4	ug/kg we		533		96	48-124%			
Di-n-butylphthalate	696	26.6	53.4	ug/kg we		533		130	51-128%			B, Q-
Di-n-octyl phthalate	623	26.6	53.4	ug/kg we		533		117	45-140%			
N-Nitrosodimethylamine	510	6.66	13.3	ug/kg we		533		96	23-120%			
N-Nitroso-di-n-propylamine	602	6.66	13.3	ug/kg we		533		113	36-120%			Q-
N-Nitrosodiphenylamine	547	6.66	13.3	ug/kg we		533		103	38-127%			
Bis(2-Chloroethoxy) methane	530	6.66	13.3	ug/kg we		533		99	36-121%			
Bis(2-Chloroethyl) ether	575	6.66	13.3	ug/kg we		533		108	31-120%			
2,2'-Oxybis(1-Chloropropane)	603	6.66	13.3	ug/kg we		533		113	39-120%			0-

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: **111323** Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0589 - EPA 3546							So	il				
LCS (22K0589-BS2)			Prepared	d: 11/15/22 1	5:06 Ana	lyzed: 11/15/	22 21:50					
Hexachlorobenzene	485	2.66	5.34	ug/kg we	t 2	533		91	45-122%			
Hexachlorobutadiene	475	6.66	13.3	ug/kg we	t 2	533		89	32-123%			
Hexachlorocyclopentadiene	456	13.3	26.6	ug/kg we	t 2	533		86	10-140%			
Hexachloroethane	495	6.66	13.3	ug/kg we	t 2	533		93	28-120%			
2-Chloronaphthalene	490	2.66	5.34	ug/kg we	t 2	533		92	41-120%			
1,2,4-Trichlorobenzene	497	6.66	13.3	ug/kg we	t 2	533		93	34-120%			
4-Bromophenyl phenyl ether	517	6.66	13.3	ug/kg we	t 2	533		97	46-124%			
4-Chlorophenyl phenyl ether	497	6.66	13.3	ug/kg we	t 2	533		93	45-121%			
Aniline	308	13.3	26.6	ug/kg we	t 2	533		58	10-120%			
4-Chloroaniline	260	6.66	13.3	ug/kg we	t 2	533		49	17-120%			Q-
2-Nitroaniline	507	53.4	107	ug/kg we	t 2	533		95	44-127%			
3-Nitroaniline	477	53.4	107	ug/kg we	t 2	533		89	33-120%			
4-Nitroaniline	450	53.4	107	ug/kg we		533		84	51-125%			
2,4-Dinitrotoluene	537	26.6	53.4	ug/kg we	t 2	533		101	48-126%			
2,6-Dinitrotoluene	532	26.6	53.4	ug/kg we	t 2	533		100	46-124%			
Benzoic acid	1020	334	666	ug/kg we	t 2	1070		96	10-140%			Q-
Benzyl alcohol	564	13.3	26.6	ug/kg we	t 2	533		106	29-122%			
Isophorone	580	6.66	13.3	ug/kg we		533		109	30-122%			
Azobenzene (1,2-DPH)	594	6.66	13.3	ug/kg we	t 2	533		111	39-125%			Q-
Bis(2-Ethylhexyl) adipate	581	66.6	133	ug/kg we	t 2	533		109	61-121%			
3,3'-Dichlorobenzidine	2730	53.4	107	ug/kg we	t 2	1070		256	22-121%			Q-29, Q-
1,2-Dinitrobenzene	519	66.6	133	ug/kg we	t 2	533		97	44-120%			
1,3-Dinitrobenzene	494	66.6	133	ug/kg we	t 2	533		93	43-127%			
1,4-Dinitrobenzene	513	66.6	133	ug/kg we	t 2	533		96	37-132%			
Pyridine	372	13.3	26.6	ug/kg we		533		70	10-120%			
1,2-Dichlorobenzene	475	6.66	13.3	ug/kg we		533		89	33-120%			
1,3-Dichlorobenzene	465	6.66	13.3	ug/kg we		533		87	30-120%			
1,4-Dichlorobenzene	474	6.66	13.3	ug/kg we		533		89	31-120%			
Surr: Nitrobenzene-d5 (Surr)		Recover	ry: 106 %	Limits: 37-		Dilı	ution: 2x					
2-Fluorobiphenyl (Surr)			90 %		120 %		"					
Phenol-d6 (Surr)			108 %		122 %		"					
p-Terphenyl-d14 (Surr)			103 %		127 %		"					
2-Fluorophenol (Surr)			99%		120 %		"					
2,4,6-Tribromophenol (Surr)			102 %		132 %		"					

Apex Laboratories



## Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Servi	ces, Inc.		I	Project:	<u>Gasco -</u>	<u>Soil</u>						
2749 Lockport Road			Pro	ject Number	: 111323					R	Report ID:	<u>.</u>
Niagara Falls, NY 14305			Proj	ect Manager	: Chip By	rd			А	2K0507	- 12 02 22	2 1325
		OU	ALITY CO	NTROL	(OC) SA	MPLER	ESULTS					
			nivolatile (									
		Detection	Reporting			Spike	Source		% REC		RPD	
Analyte	Result	Limit	Ĺimit	Units	Dilution	Amount	Result	% REC	Limits	RPD	Limit	Notes
Batch 22K0589 - EPA 3546							Soil					
Duplicate (22K0589-DUP2)			Prepared	: 11/15/22 1:	5:06 Ana	yzed: 11/15	/22 22:57					
QC Source Sample: Non-SDG (A2	2K0502-01)											
Acenaphthene	590000	4380	8790	ug/kg dry	1000		611000			3	30%	
Acenaphthylene	ND	26300	26300	ug/kg dry			ND				30%	R-0
Anthracene	272000	4380	8790	ug/kg dry			280000			3	30%	
Benz(a)anthracene	130000	4380	8790	ug/kg dry			133000			2	30%	
Benzo(a)pyrene	134000	6580	13200	ug/kg dry			139000			4	30%	
Benzo(b)fluoranthene	109000	6580	13200	ug/kg dry			110000			0.7	30%	
Benzo(k)fluoranthene	38900	6580	13200	ug/kg dry			41400			6	30%	M-0
Benzo(g,h,i)perylene	71600	4380	8790	ug/kg dry			75100			5	30%	
Chrysene	165000	4380	8790	ug/kg dry			174000			5	30%	
Dibenz(a,h)anthracene	6880	4380	8790	ug/kg dry			7830			13	30%	
Fluoranthene	641000	4380	8790	ug/kg dry	1000		680000			6	30%	
Fluorene	308000	4380	8790	ug/kg dry	1000		325000			5	30%	
Indeno(1,2,3-cd)pyrene	67000	4380	8790	ug/kg dry			70100			4	30%	
1-Methylnaphthalene	468000	8790	17500	ug/kg dry			477000			2	30%	
2-Methylnaphthalene	619000	8790	17500	ug/kg dry	1000		626000			1	30%	
Naphthalene	309000	8790	17500	ug/kg dry	1000		313000			1	30%	
Phenanthrene	1540000	4380	8790	ug/kg dry			1580000			3	30%	
Pyrene	754000	4380	8790	ug/kg dry	1000		797000			6	30%	
Carbazole	55000	6580	13200	ug/kg dry			57100			4	30%	
Dibenzofuran	43500	4380	8790	ug/kg dry	1000		43900			0.9	30%	
2-Chlorophenol	ND	22000	43800	ug/kg dry			ND				30%	
4-Chloro-3-methylphenol	ND	43800	87900	ug/kg dry			ND				30%	
2,4-Dichlorophenol	ND	22000	43800	ug/kg dry			ND				30%	
2,4-Dimethylphenol	ND	22000	43800	ug/kg dry			ND				30%	
2,4-Dinitrophenol	ND	110000	220000	ug/kg dry			ND				30%	
4,6-Dinitro-2-methylphenol	ND	110000	220000	ug/kg dry			ND				30%	
2-Methylphenol	ND	11000	22000	ug/kg dry			ND				30%	
3+4-Methylphenol(s)	ND	11000	22000	ug/kg dry			ND				30%	
2-Nitrophenol	ND	43800	87900	ug/kg dry			ND				30%	
4-Nitrophenol	ND	43800	87900	ug/kg dry			ND				30%	
Pentachlorophenol (PCP)	ND	43800	87900	ug/kg dry			ND				30%	
Phenol	ND	8790	17500	ug/kg dry			ND				30%	

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

		Se	mivolatile C	Organic C	ompour	ds by EP	A 8270E					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0589 - EPA 3546							Soi	l				
Duplicate (22K0589-DUP2)			Prepared:	11/15/22 1	5:06 Ana	lyzed: 11/15/	/22 22:57					
QC Source Sample: Non-SDG (A2	2 <u>K0502-01)</u>											
2,3,4,6-Tetrachlorophenol	ND	22000	43800	ug/kg dry	y 1000		ND				30%	
2,3,5,6-Tetrachlorophenol	ND	22000	43800	ug/kg dry	y 1000		ND				30%	
2,4,5-Trichlorophenol	ND	22000	43800	ug/kg dry	y 1000		ND				30%	
Nitrobenzene	ND	43800	87900	ug/kg dry	y 1000		ND				30%	
2,4,6-Trichlorophenol	ND	22000	43800	ug/kg dry	y 1000		ND				30%	
Bis(2-ethylhexyl)phthalate	ND	65800	132000	ug/kg dry	y 1000		ND				30%	
Butyl benzyl phthalate	ND	43800	87900	ug/kg dry	y 1000		ND				30%	
Diethylphthalate	ND	43800	87900	ug/kg dry	y 1000		ND				30%	
Dimethylphthalate	ND	43800	87900	ug/kg dry	y 1000		ND				30%	
Di-n-butylphthalate	ND	43800	87900	ug/kg dry	y 1000		ND				30%	
Di-n-octyl phthalate	ND	43800	87900	ug/kg dry	y 1000		ND				30%	
N-Nitrosodimethylamine	ND	11000	22000	ug/kg dry	y 1000		ND				30%	
N-Nitroso-di-n-propylamine	ND	11000	22000	ug/kg dry	y 1000		ND				30%	
N-Nitrosodiphenylamine	ND	39500	39500	ug/kg dry	y 1000		ND				30%	R-
Bis(2-Chloroethoxy) methane	ND	11000	22000	ug/kg dry	y 1000		ND				30%	
Bis(2-Chloroethyl) ether	ND	11000	22000	ug/kg dry	y 1000		ND				30%	
2,2'-Oxybis(1-Chloropropane)	ND	11000	22000	ug/kg dry	y 1000		ND				30%	
Hexachlorobenzene	ND	4380	8790	ug/kg dry	y 1000		ND				30%	
Hexachlorobutadiene	ND	11000	22000	ug/kg dry			ND				30%	
Hexachlorocyclopentadiene	ND	22000	43800	ug/kg dry	y 1000		ND				30%	
Hexachloroethane	ND	11000	22000	ug/kg dry	y 1000		ND				30%	
2-Chloronaphthalene	ND	4380	8790	ug/kg dry	y 1000		ND				30%	
1,2,4-Trichlorobenzene	ND	11000	22000	ug/kg dry			ND				30%	
4-Bromophenyl phenyl ether	ND	11000	22000	ug/kg dry	y 1000		ND				30%	
4-Chlorophenyl phenyl ether	ND	11000	22000	ug/kg dry			ND				30%	
Aniline	ND	22000	43800	ug/kg dry			ND				30%	
4-Chloroaniline	ND	11000	22000	ug/kg dry			ND				30%	
2-Nitroaniline	ND	87900	175000	ug/kg dry			ND				30%	
3-Nitroaniline	ND	87900	175000	ug/kg dry			ND				30%	
4-Nitroaniline	ND	87900	175000	ug/kg dry			ND				30%	
2,4-Dinitrotoluene	ND	43800	87900	ug/kg dry			ND				30%	
2,6-Dinitrotoluene	ND	43800	87900	ug/kg dry			ND				30%	
Benzoic acid	ND	550000	1100000	ug/kg dry			ND				30%	

Apex Laboratories



#### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305

Project: Gasco - Soil Project Number: 111323 Project Manager: Chip Byrd

**Report ID:** A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

		Ser	nivolatile	Organic (	Compour	nds by EP	A 8270E						
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Note	es
Batch 22K0589 - EPA 3546							So	il					
Duplicate (22K0589-DUP2)			Prepared	l: 11/15/22 1	5:06 Ana	lyzed: 11/15	/22 22:57						
QC Source Sample: Non-SDG (A2	<u>K0502-01)</u>												
Benzyl alcohol	ND	22000	43800	ug/kg dr	y 1000		ND				30%		
Isophorone	ND	11000	22000	ug/kg dr	y 1000		ND				30%		
Azobenzene (1,2-DPH)	ND	11000	22000	ug/kg dr	y 1000		ND				30%		
Bis(2-Ethylhexyl) adipate	ND	110000	220000	ug/kg dr	y 1000		ND				30%		
3,3'-Dichlorobenzidine	ND	87900	175000	ug/kg dr	y 1000		ND				30%		Q-5
1,2-Dinitrobenzene	ND	110000	220000	ug/kg dr	y 1000		ND				30%		
1,3-Dinitrobenzene	ND	110000	220000	ug/kg dr	y 1000		ND				30%		
1,4-Dinitrobenzene	ND	110000	220000	ug/kg dr	y 1000		ND				30%		
Pyridine	ND	22000	43800	ug/kg dr	y 1000		ND				30%		
1,2-Dichlorobenzene	ND	11000	22000	ug/kg dr	y 1000		ND				30%		
1,3-Dichlorobenzene	ND	11000	22000	ug/kg dr	y 1000		ND				30%		
1,4-Dichlorobenzene	ND	11000	22000	ug/kg dr	y 1000		ND				30%		
Surr: Nitrobenzene-d5 (Surr)		Recove	ery: 206 %	Limits: 37	-122 %	Dili	ution: 1000	0x				S-05	
2-Fluorobiphenyl (Surr)			255 %	44	-120 %		"					S-05	
Phenol-d6 (Surr)			67 %	33-	-122 %		"					S-05	
p-Terphenyl-d14 (Surr)			161 %	54	-127 %		"					S-05	
2-Fluorophenol (Surr)			48 %	35-	-120 %		"					S-05	
2,4,6-Tribromophenol (Surr)			%	39	-132 %		"					S-01	
Matrix Spike (22K0589-MS2)			Prepared	l: 11/15/22 1	5:06 Ana	lyzed: 11/16	/22 16:54						
QC Source Sample: Non-SDG (A2	K0513-01R	E1)											
EPA 8270E													
Acenaphthene	1380	10.5	21.1	ug/kg dr	y 4	1050	130	119	40-123%				
Acenaphthylene	1040	10.5	21.1	ug/kg dr	y 4	1050	39.1	95	32-132%				
Anthracene	1140	10.5	21.1	ug/kg dr	y 4	1050	85.6	101	47-123%				
Benz(a)anthracene	1000	10.5	21.1	ug/kg dr	y 4	1050	41.1	91	49-126%				
Benzo(a)pyrene	1070	15.8	31.6	ug/kg dr	y 4	1050	60.2	96	45-129%				
Benzo(b)fluoranthene	991	15.8	31.6	ug/kg dr	-	1050	46.2	90	45-132%				
Benzo(k)fluoranthene	848	15.8	31.6	ug/kg dr		1050	26.7	78	47-132%				
Benzo(g,h,i)perylene	949	10.5	21.1	ug/kg dr	•	1050	34.3	87	43-134%				
Chrysene	1000	10.5	21.1	ug/kg dr	-	1050	47.4	91	50-124%				
					-								

Apex Laboratories

Dibenz(a,h)anthracene

Fluoranthene

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

77

123

1050

1050

ND

162

----

---

45-134%

50-127%

---

---

10.5

10.5

809

1460

21.1

21.1

ug/kg dry

ug/kg dry

4

4



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

# **QUALITY CONTROL (QC) SAMPLE RESULTS**

			mivolatile	- guino e	Sinpour							
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0589 - EPA 3546							So	il				
Matrix Spike (22K0589-MS2)			Prepared	: 11/15/22 1	5:06 Ana	lyzed: 11/16/	/22 16:54					
QC Source Sample: Non-SDG (A2	K0513-01R	<u>E1)</u>										
Fluorene	1240	10.5	21.1	ug/kg dr	y 4	1050	96.4	109	43-125%			
Indeno(1,2,3-cd)pyrene	914	10.5	21.1	ug/kg dr	y 4	1050	32.6	84	45-133%			
1-Methylnaphthalene	1390	21.1	42.1	ug/kg dr	y 4	1050	111	121	40-120%			Q-(
2-Methylnaphthalene	1640	21.1	42.1	ug/kg dr	y 4	1050	158	141	38-122%			Q-(
Naphthalene	3250	21.1	42.1	ug/kg dr	y 4	1050	478	263	35-123%			Q-(
Phenanthrene	2390	10.5	21.1	ug/kg dr	y 4	1050	501	180	50-121%			Q-(
Pyrene	1580	10.5	21.1	ug/kg dr	y 4	1050	195	132	47-127%			Q-(
Carbazole	894	15.8	31.6	ug/kg dr	y 4	1050	23.3	83	50-123%			
Dibenzofuran	857	10.5	21.1	ug/kg dr	y 4	1050	12.1	80	44-120%			
2-Chlorophenol	874	52.7	105	ug/kg dr	y 4	1050	ND	83	34-121%			
4-Chloro-3-methylphenol	877	105	211	ug/kg dr	y 4	1050	ND	83	45-122%			
2,4-Dichlorophenol	856	52.7	105	ug/kg dr	y 4	1050	ND	81	40-122%			
2,4-Dimethylphenol	981	52.7	105	ug/kg dr	y 4	1050	ND	93	30-127%			
2,4-Dinitrophenol	ND	263	527	ug/kg dr	y 4	1050	ND		10-137%			Q-(
4,6-Dinitro-2-methylphenol	295	263	527	ug/kg dr	y 4	1050	ND	28	29-132%			Q-01,
2-Methylphenol	925	26.3	52.7	ug/kg dr	y 4	1050	ND	88	32-122%			
3+4-Methylphenol(s)	959	26.3	52.7	ug/kg dr	y 4	1050	ND	91	34-120%			
2-Nitrophenol	784	105	211	ug/kg dr	y 4	1050	ND	74	36-123%			
4-Nitrophenol	665	105	211	ug/kg dr	y 4	1050	ND	63	30-132%			
Pentachlorophenol (PCP)	416	105	211	ug/kg dr	y 4	1050	ND	39	25-133%			
Phenol	999	21.1	42.1	ug/kg dr	y 4	1050	24.9	93	34-121%			
2,3,4,6-Tetrachlorophenol	652	52.7	105	ug/kg dr	y 4	1050	ND	62	44-125%			
2,3,5,6-Tetrachlorophenol	538	52.7	105	ug/kg dr	y 4	1050	ND	51	40-120%			
2,4,5-Trichlorophenol	799	52.7	105	ug/kg dr	y 4	1050	ND	76	41-124%			
Nitrobenzene	860	105	211	ug/kg dr	y 4	1050	ND	82	34-122%			
2,4,6-Trichlorophenol	768	52.7	105	ug/kg dr	y 4	1050	ND	73	39-126%			
Bis(2-ethylhexyl)phthalate	1230	158	316	ug/kg dr	y 4	1050	ND	117	51-133%			
Butyl benzyl phthalate	966	105	211	ug/kg dr	y 4	1050	ND	92	48-132%			
Diethylphthalate	835	105	211	ug/kg dr	y 4	1050	ND	79	50-124%			
Dimethylphthalate	807	105	211	ug/kg dr	y 4	1050	ND	77	48-124%			
Di-n-butylphthalate	933	105	211	ug/kg dr	y 4	1050	ND	89	51-128%			
Di-n-octyl phthalate	1040	105	211	ug/kg dr	y 4	1050	ND	98	45-140%			
N-Nitrosodimethylamine	763	26.3	52.7	ug/kg dr		1050	ND	72	23-120%			

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

# **QUALITY CONTROL (QC) SAMPLE RESULTS**

		Se	mivolatile	Organic C	Compour	ids by EP	A 8270E					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0589 - EPA 3546							Soi	il				
Matrix Spike (22K0589-MS2)			Prepared	: 11/15/22 1	5:06 Ana	lyzed: 11/16/	/22 16:54					
QC Source Sample: Non-SDG (A2	2K0513-01R	<u>E1)</u>										
N-Nitroso-di-n-propylamine	942	26.3	52.7	ug/kg dr	y 4	1050	ND	89	36-120%			
N-Nitrosodiphenylamine	894	26.3	52.7	ug/kg dr	y 4	1050	ND	85	38-127%			
Bis(2-Chloroethoxy) methane	874	26.3	52.7	ug/kg dr	y 4	1050	ND	83	36-121%			
Bis(2-Chloroethyl) ether	817	26.3	52.7	ug/kg dr	y 4	1050	ND	78	31-120%			
2,2'-Oxybis(1-Chloropropane)	964	26.3	52.7	ug/kg dr	y 4	1050	ND	91	39-120%			
Hexachlorobenzene	779	10.5	21.1	ug/kg dr	y 4	1050	ND	74	45-122%			
Hexachlorobutadiene	749	26.3	52.7	ug/kg dr	y 4	1050	ND	71	32-123%			
Hexachlorocyclopentadiene	161	52.7	105	ug/kg dr	y 4	1050	ND	15	10-140%			
Hexachloroethane	749	26.3	52.7	ug/kg dr	y 4	1050	ND	71	28-120%			
2-Chloronaphthalene	786	10.5	21.1	ug/kg dr	y 4	1050	ND	75	41-120%			
,2,4-Trichlorobenzene	789	26.3	52.7	ug/kg dr	y 4	1050	ND	75	34-120%			
-Bromophenyl phenyl ether	807	26.3	52.7	ug/kg dr	y 4	1050	ND	77	46-124%			
-Chlorophenyl phenyl ether	815	26.3	52.7	ug/kg dr	y 4	1050	ND	77	45-121%			
Aniline	650	52.7	105	ug/kg dr	y 4	1050	ND	62	10-120%			
l-Chloroaniline	548	26.3	52.7	ug/kg dr	y 4	1050	ND	52	17-120%			
2-Nitroaniline	819	211	421	ug/kg dry	y 4	1050	ND	78	44-127%			
3-Nitroaniline	802	211	421	ug/kg dr	y 4	1050	ND	76	33-120%			
I-Nitroaniline	898	211	421	ug/kg dr		1050	ND	85	51-125%			
2,4-Dinitrotoluene	821	105	211	ug/kg dry		1050	ND	78	48-126%			
2,6-Dinitrotoluene	805	105	211	ug/kg dry	y 4	1050	ND	76	46-124%			
Benzoic acid	ND	1320	2630	ug/kg dry		2110	ND		10-140%			Q
Benzyl alcohol	858	52.7	105	ug/kg dry		1050	ND	81	29-122%			
sophorone	928	26.3	52.7	ug/kg dry		1050	ND	88	30-122%			
Azobenzene (1,2-DPH)	949	26.3	52.7	ug/kg dry		1050	ND	90	39-125%			
Bis(2-Ethylhexyl) adipate	984	263	527	ug/kg dr		1050	ND	93	61-121%			
3,3'-Dichlorobenzidine	5710	211	421	ug/kg dr		2110	ND	271	22-121%			Q
.2-Dinitrobenzene	658	263	527	ug/kg dr		1050	ND	62	44-120%			
.3-Dinitrobenzene	677	263	527	ug/kg dr		1050	ND	64	43-127%			
.4-Dinitrobenzene	529	263	527	ug/kg dr	·	1050	ND	50	37-132%			
Pyridine	702	52.7	105	ug/kg dr		1050	ND	67	10-120%			
,2-Dichlorobenzene	731	26.3	52.7	ug/kg dr		1050	ND	69	33-120%			
.3-Dichlorobenzene	731	26.3	52.7	ug/kg dr		1050	ND	69	30-120%			
.4-Dichlorobenzene	722	26.3	52.7	ug/kg dr	·	1050	ND	70	31-120%			

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

# Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323

Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

# **QUALITY CONTROL (QC) SAMPLE RESULTS**

		Se	mivolatile	Organic	Compour	ds by EP	A 8270E					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0589 - EPA 3546							Soil					
Matrix Spike (22K0589-MS2)			Prepareo	1: 11/15/22	2 15:06 Ana	lyzed: 11/16/	/22 16:54					
QC Source Sample: Non-SDG (A2)	K0513-01R	E1)										
Surr: Nitrobenzene-d5 (Surr)		Reco	overy: 79 %	Limits:	37-122 %	Dilı	ution: 4x					
2-Fluorobiphenyl (Surr)			52 %		44-120 %		"					
Phenol-d6 (Surr)			89 %		33-122 %		"					
p-Terphenyl-d14 (Surr)			63 %		54-127 %		"					
2-Fluorophenol (Surr)			83 %		35-120 %		"					
2,4,6-Tribromophenol (Surr)			66 %		39-132 %		"					

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: 111323 Project Manager: Chip Byrd

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

			Total N	letals by l	EPA 6020	B (ICPMS	S)					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0765 - EPA 3051A							Soi	il				
Blank (22K0765-BLK1)			Prepared	: 11/21/22 0	7:27 Ana	lyzed: 11/21	/22 23:46					
EPA 6020B												
Arsenic	ND	481	962	ug/kg we	t 10							
Barium	ND	481	962	ug/kg we	t 10							
Cadmium	ND	96.2	192	ug/kg we	t 10							
Chromium	ND	481	962	ug/kg we	t 10							
Lead	209	96.2	192	ug/kg we	t 10							
Mercury	ND	38.5	76.9	ug/kg we	t 10							
Selenium	ND	481	962	ug/kg we	t 10							
Silver	ND	96.2	192	ug/kg we	t 10							
LCS (22K0765-BS1)			Prepared	: 11/21/22 0	7:27 Ana	lyzed: 11/22	/22 00:08					
EPA 6020B												
Arsenic	48900	500	1000	ug/kg we	t 10	50000		98	80-120%			
Barium	52300	500	1000	ug/kg we	t 10	50000		105	80-120%			
Cadmium	48200	100	200	ug/kg we	t 10	50000		96	80-120%			
Chromium	50000	500	1000	ug/kg we	t 10	50000		100	80-120%			
Lead	52100	100	200	ug/kg we	t 10	50000		104	80-120%			
Mercury	996	40.0	80.0	ug/kg we	t 10	1000		100	80-120%			
Selenium	21700	500	1000	ug/kg we	t 10	25000		87	80-120%			
Silver	26000	100	200	ug/kg we	t 10	25000		104	80-120%			
Duplicate (22K0765-DUP1)			Prepared	: 11/21/22 0	7:27 Ana	lyzed: 11/22	/22 00:18					
QC Source Sample: Non-SDG (A2	K0385-02)											
Arsenic	2950	612	1220	ug/kg dry	y 10		4280			37	20%	Q-0
Barium	78000	612	1220	ug/kg dry	y 10		89300			13	20%	
Cadmium	10100	122	245	ug/kg dry	y 10		11500			13	20%	
Chromium	10200	612	1220	ug/kg dry	y 10		12000			15	20%	
Mercury	ND	48.9	97.9	ug/kg dry			ND				20%	
Selenium	848	612	1220	ug/kg dry	y 10		1180			33	20%	
Silver	ND	122	245	ug/kg dry	y 10		ND				20%	

Duplicate (22K0765-DUP2)

Prepared: 11/21/22 07:27 Analyzed: 11/22/22 21:01

QC Source Sample: Non-SDG (A2K0385-02RE1)

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: 111323 Project Manager: Chip Byrd

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

# **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

			Total M	letals by	EPA 6020	B (ICPM	S)					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0765 - EPA 3051A							Soi	I				
Duplicate (22K0765-DUP2)			Prepared	: 11/21/22 (	7:27 Ana	lyzed: 11/22	2/22 21:01					
QC Source Sample: Non-SDG (A2)	K0385-02R	E1)										
Lead	58900	1220	2450	ug/kg dr	y 100		1360000			183	20%	B, Q-04, Q-10
Matrix Spike (22K0765-MS1)			Prepared	: 11/21/22 (	7:27 Ana	lyzed: 11/22	2/22 00:23					
QC Source Sample: Non-SDG (A2) EPA 6020B	<u>K0385-02)</u>											
Arsenic	59900	609	1220	ug/kg dr	y 10	60900	4280	91	75-125%			
Barium	146000	609	1220	ug/kg dr	y 10	60900	89300	93	75-125%			
Cadmium	60600	122	244	ug/kg dr	y 10	60900	11500	81	75-125%			
Chromium	70500	609	1220	ug/kg dr	y 10	60900	12000	96	75-125%			
Mercury	1140	48.7	97.5	ug/kg dr	y 10	1220	ND	94	75-125%			
Selenium	27400	609	1220	ug/kg dr	y 10	30500	1180	86	75-125%			
Silver	29900	122	244	ug/kg dr	y 10	30500	ND	98	75-125%			
Matrix Spike (22K0765-MS2)			Prepared	: 11/21/22 (	7:27 Ana	lyzed: 11/22	2/22 21:06					
QC Source Sample: Non-SDG (A2)	K0385-02R	E1)										
EPA 6020B												
Lead	111000	1220	2440	ug/kg dr	y 100	60900	1360000	-2040	75-125%			B, Q-04, Q-16, Q-65

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: 111323 Project Manager: Chip Byrd

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

# **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

			TCLP N	letals by	EPA 602	0B (ICPM	S)					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0697 - EPA 1311/	3015A						So	il				
Blank (22K0697-BLK1)			Prepared	l: 11/17/22	15:28 Ana	yzed: 11/18	/22 04:00					
<u>1311/6020B</u>												
Arsenic	ND	50.0	100	ug/L	10							TCLI
Barium	ND	2500	5000	ug/L	10							TCLI
Cadmium	ND	50.0	100	ug/L	10							TCLI
Chromium	ND	50.0	100	ug/L	10							TCLI
Lead	ND	25.0	50.0	ug/L	10							TCLI
Selenium	ND	50.0	100	ug/L	10							TCLI
Silver	ND	50.0	100	ug/L	10							TCLI
Blank (22K0697-BLK2)			Prepared	l: 11/17/22	15:28 Ana	yzed: 11/18	/22 23:44					
1311/6020B												
Mercury	ND	3.75	7.00	ug/L	10							Q-16, TCLI
LCS (22K0697-BS1)			Prepared	l: 11/17/22	15:28 Ana	vzed: 11/18	/22 04:05					
1311/6020B			1									
Arsenic	5140	50.0	100	ug/L	10	5000		103	80-120%			TCLI
Barium	11900	2500	5000	ug/L	10	10000		119	80-120%			TCLI
Cadmium	962	50.0	100	ug/L	10	1000		96	80-120%			TCLI
Chromium	4950	50.0	100	ug/L	10	5000		99	80-120%			TCLI
Lead	5190	25.0	50.0	ug/L	10	5000		104	80-120%			TCLI
Selenium	967	50.0	100	ug/L	10	1000		97	80-120%			TCLI
Silver	963	50.0	100	ug/L	10	1000		96	80-120%			TCLI
LCS (22K0697-BS2)			Prepared	l: 11/17/22	15:28 Ana	yzed: 11/18	/22 23:49					
1311/6020B			1									
Mercury	96.2	3.75	7.00	ug/L	10	100		96	80-120%			Q-16, TCLI
Duplicate (22K0697-DUP1)			Prepared	l: 11/17/22	15:28 Ana	vzed: 11/18	/22 04:16					
QC Source Sample: Non-SDG	(A2J0967-22)		1									
Barium	ND	2500	5000	ug/L	10		ND				20%	PRO
Lead	78.8	25.0	50.0	ug/L	10		79.5			0.8	20%	PRO
Selenium	ND	50.0	100	ug/L	10		ND				20%	PRO
Silver	ND	50.0	100	ug/L	10		ND				20%	PRO

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305

Project Number: 111323 Project Manager: Chip Byrd

Project:

**Report ID:** A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

			TCLP N	letals by	EPA 602	0B (ICPM	S)					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0697 - EPA 1311/3	015A						So	il				
Duplicate (22K0697-DUP2)			Prepared	l: 11/17/22	15:28 Ana	yzed: 11/19	/22 00:10					
QC Source Sample: Non-SDG (	A2J0967-22RE	21)										
Arsenic	ND	50.0	100	ug/L	10		ND				20%	PRO, Q-1
Cadmium	ND	50.0	100	ug/L	10		ND				20%	PRO, Q-1
Chromium	ND	50.0	100	ug/L	10		ND				20%	PRO, Q-1
Mercury	ND	3.75	7.00	ug/L	10		ND				20%	PRO,Q-1
Matrix Spike (22K0697-MS1	.)		Prepared	l: 11/17/22	15:28 Ana	yzed: 11/18	/22 04:21					
QC Source Sample: Non-SDG (	A2J0967-22)											
1311/6020B												
Arsenic	5090	50.0	100	ug/L	10	5000	ND	102	50-150%			PR
Barium	13600	2500	5000	ug/L	10	10000	ND	136	50-150%			PR
Cadmium	972	50.0	100	ug/L	10	1000	ND	97	50-150%			PR
Chromium	4860	50.0	100	ug/L	10	5000	ND	97	50-150%			PR
Lead	5320	25.0	50.0	ug/L	10	5000	79.5	105	50-150%			PR
Selenium	950	50.0	100	ug/L	10	1000	ND	95	50-150%			PR
Silver	964	50.0	100	ug/L	10	1000	ND	96	50-150%			PR
Matrix Spike (22K0697-MS2	2)		Prepared	l: 11/17/22	15:28 Ana	yzed: 11/18	/22 04:32					
QC Source Sample: Non-SDG (A	<u>A2K0051-01)</u>											
Arsenic	5100	50.0	100	ug/L	10	5000	ND	102	50-150%			
Barium	12300	2500	5000	ug/L ug/L	10	10000	ND	102	50-150%			
Cadmium	971	50.0	100	ug/L	10	10000	ND	97	50-150%			
Chromium	5270	50.0	100	ug/L	10	5000	316	99	50-150%			
Lead	5260	25.0	50.0	ug/L	10	5000	ND	105	50-150%			
Selenium	969	50.0	100	ug/L	10	1000	ND	97	50-150%			
Silver	980	50.0	100	ug/L	10	1000	ND	98	50-150%			
Matrix Spike (22K0697-MS3	<i>i</i> )		Prepared	l: 11/17/22	15:28 Ana	yzed: 11/18	/22 05:08					
QC Source Sample: Non-SDG (	A2K0537-01)											
<u>1311/6020B</u>												
Arsenic	5140	50.0	100	ug/L	10	5000	ND	103	50-150%			
Barium	12200	2500	5000	ug/L	10	10000	ND	122	50-150%			

Apex Laboratories



### Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: **111323** Project Manager: **Chip Byrd** 

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

# **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

			TCLP N	letals by	EPA 602	B (ICPM	S)					
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0697 - EPA 1311/301	5A						Soi	il				
Matrix Spike (22K0697-MS3)			Prepared	: 11/17/22	15:28 Anal	yzed: 11/18/	/22 05:08					
QC Source Sample: Non-SDG (A21	<u> </u>											
Cadmium	971	50.0	100	ug/L	10	1000	ND	97	50-150%			
Chromium	4970	50.0	100	ug/L	10	5000	ND	99	50-150%			
Lead	5330	25.0	50.0	ug/L	10	5000	ND	107	50-150%			
Selenium	944	50.0	100	ug/L	10	1000	ND	94	50-150%			
Silver	981	50.0	100	ug/L	10	1000	ND	98	50-150%			
Matrix Spike (22K0697-MS4)			Prepared	: 11/17/22	15:28 Anal	yzed: 11/19/	/22 00:15					
QC Source Sample: Non-SDG (A2J 1311/6020B	0967-22RE	<u>C1)</u>										
Mercury	95.2	3.75	7.00	ug/L	10	100	ND	95	50-150%			PRO,Q-1
Matrix Spike (22K0697-MS5)			Prepared	: 11/17/22	15:28 Anal	yzed: 11/19/	/22 00:26					
QC Source Sample: Non-SDG (A2I	K0051-01R	E1)										
<u>1311/6020B</u>												
Mercury	94.3	3.75	7.00	ug/L	10	100	ND	94	50-150%			Q-1
Matrix Spike (22K0697-MS6)			Prepared	: 11/17/22	15:28 Anal	yzed: 11/19/	/22 00:52					
<u>QC Source Sample: Non-SDG (A21 1311/6020B</u>	K0537-01R	E <u>1)</u>										
Mercury	96.2	3.75	7.00	ug/L	10	100	ND	96	50-150%			Q-1

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

# Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project:Gasco - SoilProject Number:111323Project Manager:Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

# **QUALITY CONTROL (QC) SAMPLE RESULTS**

	Solu	ible Cyanic	le by UV Di	igestion/	Gas Diffu	ision/Amp	erometr	ic Detection	on			
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0505 - ASTM D7511-	I2mod (S	)					Soi	I				
Blank (22K0505-BLK1)			Prepared	l: 11/14/22 (	08:35 Ana	lyzed: 11/14	/22 11:53					
<u>D7511-12</u> Total Cyanide	ND	50.0	100	ug/kg we	et 1							
LCS (22K0505-BS1)			Prepared	l: 11/14/22 (	08:35 Ana	lyzed: 11/14	/22 11:55					
<u>D7511-12</u>												
Total Cyanide	413	50.0	100	ug/kg we	et 1	400		103	84-116%			
Matrix Spike (22K0505-MS1)			Prepared	l: 11/14/22 (	)8:35 Ana	lyzed: 11/14	/22 12:01					
QC Source Sample: Non-SDG (A2)	<u> K0502-01)</u>											
D7511-12 Total Cyanide	3890	675	1350	ug/kg dr	y 10	540	3320	105	64-136%			
Matrix Spike Dup (22K0505-M	SD1)		Prepared	l: 11/14/22 (	08:35 Ana	lyzed: 11/14	/22 12:03					
OC Source Sample: Non-SDG (A21	<u> K0502-01)</u>											
Total Cyanide	3450	672	1340	ug/kg dr	y 10	538	3320	24	64-136%	12	47%	Q-(

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

# **QUALITY CONTROL (QC) SAMPLE RESULTS**

Conventional Chemistry Parameters												
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0521 - Paint Filter							Sed	iment				
Duplicate (22K0521-DUP1)			Prepared	l: 11/14/22	11:47 Anal	yzed: 11/14/	/22 11:52					
QC Source Sample: Koppers Basi	n 11-11-2022	2 (A2K0507-01	<u>1)</u>									
<u>EPA 9095B</u>												
Free Liquid	ND	0.00	0.00	mL	1		ND				20%	

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project Number: **111323** Project Manager: **Chip Byrd** 

Project:

<u>Report ID:</u> A2K0507 - 12 02 22 1325

## **QUALITY CONTROL (QC) SAMPLE RESULTS**

Gasco - Soil

				Percen	t Dry Weig	ght						
Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 22K0572 - Total Solids	(Dry Weig	ht)					Soi	I				
Duplicate (22K0572-DUP1)			Prepared	: 11/15/22	18:51 Ana	yzed: 11/16/	/22 05:58					PRO
QC Source Sample: Non-SDG (A2	2K0477-02)											
% Solids	<b>98.</b> 7	1.00	1.00	%	1		98.4			0.3	10%	
Duplicate (22K0572-DUP2)			Prepared	: 11/15/22	18:51 Ana	yzed: 11/16/	/22 05:58					
QC Source Sample: Non-SDG (A2	2K0584-01)											
% Solids	83.1	1.00	1.00	%	1		82.5			0.7	10%	
Duplicate (22K0572-DUP3)			Prepared	: 11/15/22	18:51 Ana	yzed: 11/16/	/22 05:58					
QC Source Sample: Non-SDG (A2	2K0593-02)											
% Solids	77.3	1.00	1.00	%	1		79.3			3	10%	
Duplicate (22K0572-DUP4)			Prepared	: 11/15/22	20:32 Ana	yzed: 11/16/	/22 05:58					
QC Source Sample: Non-SDG (A2	2 <u>K0603-02)</u>											
% Solids	78.6	1.00	1.00	%	1		80.7			3	10%	

No Client related Batch QC samples analyzed for this batch. See notes page for more information.

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

<u>Sevenson Environment</u> 2749 Lockport Road Niagara Falls, NY 1430			Project: <u>Gasco -</u> roject Number: 111323 oject Manager: Chip B		2	<u>Report ID:</u> A2K0507 - 12 02 22	
		SAMPLE	PREPARATION I	NFORMATION			
		Diesel and	l/or Oil Hydrocarbor	s by NWTPH-Dx			
Prep: EPA 3546 (Fuel	<u>s)</u>				Sample	Default	RL Prep
Lab Number	Matrix	Method	Sampled	Prepared	Initial/Final	Initial/Final	Factor
Batch: 22K0863 A2K0507-01	Soil	NWTPH-Dx	11/11/22 10:00	11/23/22 06:11	10.26g/5mL	10g/5mL	0.98
	Gaso	line Range Hydrocart	oons (Benzene throu	ugh Naphthalene) b	y NWTPH-Gx		
Prep: EPA 5035A					Sample	Default	RL Prep
Lab Number	Matrix	Method	Sampled	Prepared	Initial/Final	Initial/Final	Factor
<u>Batch: 22K0504</u> A2K0507-01	Soil	NWTPH-Gx (MS)	11/11/22 10:00	11/11/22 16:52	5.61g/5mL	5g/5mL	0.89
		Volatile C	Organic Compounds	by EPA 8260D			
Prep: EPA 5035A					Sample	Default	RL Prep
Lab Number	Matrix	Method	Sampled	Prepared	Initial/Final	Initial/Final	Factor
Batch: 22K0504							
A2K0507-01	Soil	5035A/8260D	11/11/22 10:00	11/11/22 16:52	5.61g/5mL	5g/5mL	0.89
Batch: 22K0634 A2K0507-01RE2	Soil	5035A/8260D	11/11/22 10:00	11/11/22 16:52	5.61g/5mL	5g/5mL	0.89
		TCLP Volatile	Organic Compounds	s by EPA 1311/8260	D		
Prep: EPA 1311/5030E	TCLP Volatiles				Sample	Default	RL Prep
Lab Number	Matrix	Method	Sampled	Prepared	Initial/Final	Initial/Final	Factor
Batch: 22K0839 A2K0507-01	Soil	1311/8260D	11/11/22 10:00	11/22/22 10:54	5mL/5mL	5mL/5mL	1.00
<u>Batch: 22K0951</u> A2K0507-01RE1	Soil	1311/8260D	11/11/22 10:00	11/29/22 09:35	5mL/5mL	5mL/5mL	1.00
		Semivolatil	e Organic Compour	ds by EPA 8270E			
Prep: EPA 3546					Sample	Default	RL Prep
Lab Number	Matrix	Method	Sampled	Prepared	Initial/Final	Initial/Final	Factor
Batch: 22K0589	a ''						• • •
A2K0507-01 A2K0507-01RE1	Soil Soil	EPA 8270E EPA 8270E	11/11/22 10:00 11/11/22 10:00	11/15/22 15:06 11/15/22 15:06	15.12g/5mL 15.12g/5mL	15g/2mL 15g/2mL	2.48 2.48

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

<u>Sevenson Environment</u> 2749 Lockport Road Niagara Falls, NY 143			Project: Gasco - Project Number: 111323 roject Manager: Chip By			<u>Report ID:</u> A2K0507 - 12 02 22	-
		SAMPLE	E PREPARATION I	NFORMATION			
		Tota	I Metals by EPA 602	0B (ICPMS)			
<u>Prep: EPA 3051A</u>					Sample	Default	RL Prep
Lab Number	Matrix	Method	Sampled	Prepared	Initial/Final	Initial/Final	Factor
Batch: 22K0765 A2K0507-01	Soil	EPA 6020B	11/11/22 10:00	11/21/22 07:27	0.463g/50mL	0.5g/50mL	1.08
		TCLI	P Metals by EPA 602	0B (ICPMS)			
Prep: EPA 1311/3015	<u>A</u>				Sample	Default	RL Prep
Lab Number	Matrix	Method	Sampled	Prepared	Initial/Final	Initial/Final	Factor
Batch: 22K0697 A2K0507-01 A2K0507-01RE1	Soil Soil	1311/6020B 1311/6020B	11/11/22 10:00 11/11/22 10:00	11/17/22 15:28 11/17/22 15:28	10mL/50mL 10mL/50mL	10mL/50mL 10mL/50mL	1.00 1.00
	Sc	bluble Cyanide by U	/ Digestion/Gas Diffu	usion/Amperometric	Detection		
Prep: ASTM D7511-12	<u>2mod (S)</u>				Sample	Default	RL Prep
Lab Number	Matrix	Method	Sampled	Prepared	Initial/Final	Initial/Final	Factor
Batch: 22K0505 A2K0507-01RE1	Soil	D7511-12	11/11/22 10:00	11/14/22 08:35	2.5073g/50mL	2.5g/50mL	1.00
		Con	ventional Chemistry	Parameters			
Prep: Paint Filter					Sample	Default	RL Prep
Lab Number	Matrix	Method	Sampled	Prepared	Initial/Final	Initial/Final	Factor
Batch: 22K0521 A2K0507-01	Soil	EPA 9095B	11/11/22 10:00	11/14/22 11:43			NA
			Percent Dry Wei	ght			
Prep: Total Solids (Dr	<u>y Weight)</u>				Sample	Default	RL Prep
Lab Number	Matrix	Method	Sampled	Prepared	Initial/Final	Initial/Final	Factor
Batch: 22K0572 A2K0507-01	Soil	EPA 8000D	11/11/22 10:00	11/15/22 18:51			NA
		1	CLP Extraction by E	PA 1311			
Prep: EPA 1311 (TCLI	P <u>)</u>				Sample	Default	RL Prep
Lab Number Batch: 22K0613	Matrix	Method	Sampled	Prepared	Initial/Final	Initial/Final	Factor

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.	Project: Gasco - Soil	
2749 Lockport Road	Project Number: 111323	<u>Report ID:</u>
Niagara Falls, NY 14305	Project Manager: Chip Byrd	A2K0507 - 12 02 22 1325

# SAMPLE PREPARATION INFORMATION

TCLP Extraction by EPA 1311								
Prep: EPA 1311 (TC	CLP)				Sample	Default	RL Prep	
Lab Number	Matrix	Method	Sampled	Prepared	Initial/Final	Initial/Final	Factor	
A2K0507-01	Soil	EPA 1311	11/11/22 10:00	11/16/22 16:30	100g/2000g	100g/2000g	NA	
<u>Prep: EPA 1311 TC</u>	LP/ZHE				Sample	Default	RL Prep	
Lab Number	Matrix	Method	Sampled	Prepared	Initial/Final	Initial/Final	Factor	
Batch: 22K0802								
A2K0507-01	Soil	EPA 1311 ZHE	11/11/22 10:00	11/21/22 18:10	20.3g/400g	25g/500g	NA	

Apex Laboratories



Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

<u>Sevenson Environmental Services, Inc.</u> 2749 Lockport Road Niagara Falls, NY 14305 Project:Gasco - SoilProject Number:111323Project Manager:Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

### **QUALIFIER DEFINITIONS**

#### Client Sample and Quality Control (QC) Sample Qualifier Definitions:

#### Apex Laboratories

- A-01 Due to loading error, not all Batch QC samples were analyzed. The batch is accepted based on the recoveries of the Blank Spike (BS).
- **B** Analyte detected in an associated blank at a level above the MRL. (See Notes and Conventions below.)
- B-02 Analyte detected in an associated blank at a level between one-half the MRL and the MRL. (See Notes and Conventions below.)
- F-24 The chromatographic pattern does not resemble the fuel standard used for quantitation. The Diesel result represents carbon range C12 to C24, and the Oil result represents >C24 to C40.
- ICV-01 Estimated Result. Initial Calibration Verification (ICV) failed high. There is no effect on non-detect results.
- ICV-02 Estimated Result. Initial Calibration Verification (ICV) failed low.
  - J Estimated Result. Result detected below the lowest point of the calibration curve, but above the specified MDL.
- M-02 Due to matrix interference, this analyte cannot be accurately quantified. The reported result is estimated.
- M-05 Estimated results. Peak separation for structural isomers is insufficient for accurate quantification.
- PRO Sample has undergone sample processing prior to extraction and analysis.
- Q-01 Spike recovery and/or RPD is outside acceptance limits.
- Q-02 Spike recovery is outside of established control limits due to matrix interference.
- Q-04 Spike recovery and/or RPD is outside control limits due to a non-homogeneous sample matrix.
- Q-05 Analyses are not controlled on RPD values from sample and duplicate concentrations that are below 5 times the reporting level.
- Q-16 Reanalysis of an original Batch QC sample.
- Q-29 Recovery for Lab Control Spike (LCS) is above the upper control limit. Data may be biased high.
- Q-30 Recovery for Lab Control Spike (LCS) is below the lower control limit. Data may be biased low.
- Q-31 Estimated Results. Recovery of Continuing Calibration Verification sample below lower control limit for this analyte. Results are likely biased low.
- Q-41 Estimated Results. Recovery of Continuing Calibration Verification sample above upper control limit for this analyte. Results are likely biased high.
- Q-42 Matrix Spike and/or Duplicate analysis was performed on this sample. % Recovery or RPD for this analyte is outside laboratory control limits. (Refer to the QC Section of Analytical Report.)
- Q-52 Due to known erratic recoveries, the result and reporting levels for this analyte are reported as Estimated Values. This analyte may not have passed all QC requirements for this method.
- Q-54 Daily Continuing Calibration Verification recovery for this analyte failed the +/-20% criteria listed in EPA method 8260/8270 by +1%. The results are reported as Estimated Values.
- Q-54a Daily Continuing Calibration Verification recovery for this analyte failed the +/-20% criteria listed in EPA method 8260/8270 by +14%. The results are reported as Estimated Values.

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Er	wironmental Services, Inc.	Project:	<u>Gasco - Soil</u>	
2749 Lockpo	ort Road	Project Number:	111323	<u>Report ID:</u>
Niagara Fall	ls, NY 14305	Project Manager:	Chip Byrd	A2K0507 - 12 02 22 1325
Q-54b	Daily Continuing Calibration Verification recovery results are reported as Estimated Values.	/ for this analyte fa	iled the +/-20% criteria listed in EP.	A method 8260/8270 by +2%. The
Q-54c	Daily Continuing Calibration Verification recovery results are reported as Estimated Values.	/ for this analyte fa	iled the +/-20% criteria listed in EP.	A method 8260/8270 by +29%. The
Q-54d	Daily Continuing Calibration Verification recovery results are reported as Estimated Values.	v for this analyte fa	iled the +/-20% criteria listed in EP.	A method 8260/8270 by +3%. The
Q-54e	Daily Continuing Calibration Verification recovery results are reported as Estimated Values.	v for this analyte fa	iled the +/-20% criteria listed in EP.	A method 8260/8270 by +36%. The
Q-54f	Daily Continuing Calibration Verification recovery results are reported as Estimated Values.	v for this analyte fa	iled the +/-20% criteria listed in EP.	A method 8260/8270 by +54%. The
Q-54g	Daily Continuing Calibration Verification recovery results are reported as Estimated Values.	/ for this analyte fa	iled the +/-20% criteria listed in EP.	A method 8260/8270 by +6%. The
Q-54h	Daily Continuing Calibration Verification recovery results are reported as Estimated Values.	/ for this analyte fa	iled the +/-20% criteria listed in EP.	A method 8260/8270 by +7%. The
Q-54i	Daily Continuing Calibration Verification recovery results are reported as Estimated Values.	v for this analyte fa	iled the +/-20% criteria listed in EP.	A method 8260/8270 by +8%. The
Q-54j	Daily Continuing Calibration Verification recovery results are reported as Estimated Values.	v for this analyte fa	iled the +/-20% criteria listed in EP.	A method 8260/8270 by +9%. The
Q-54k	Daily Continuing Calibration Verification recovery results are reported as Estimated Values.	v for this analyte fa	iled the +/-20% criteria listed in EP.	A method 8260/8270 by -1%. The
Q-541	Daily Continuing Calibration Verification recovery results are reported as Estimated Values.	v for this analyte fa	iled the +/-20% criteria listed in EP.	A method 8260/8270 by -3%. The
Q-54m	Daily Continuing Calibration Verification recovery results are reported as Estimated Values.	v for this analyte fa	iled the +/-20% criteria listed in EP.	A method 8260/8270 by -4%. The
Q-54n	Daily Continuing Calibration Verification recovery results are reported as Estimated Values.	v for this analyte fa	iled the +/-20% criteria listed in EP.	A method 8260/8270 by -5%. The
Q-55	Daily CCV/LCS recovery for this analyte was belo detection at the reporting level.	ow the +/-20% crite	eria listed in EPA 8260, however the	ere is adequate sensitivity to ensure
Q-56	Daily CCV/LCS recovery for this analyte was about	ve the +/-20% crite	eria listed in EPA 8260	
Q-65	Spike recovery is estimated due to the high analyte	e concentration of t	he source sample.	
R-02	The Reporting Limit for this analyte has been raise	ed to account for in	terference from coeluting organic c	ompounds present in the sample.
R-06	Reporting level raised due to possible carryover fro	om a previous sam	ple.	
<b>S-01</b>	Surrogate recovery for this sample is not available interference.	due to sample dilu	tion required from high analyte con	centration and/or matrix
S-05	Surrogate recovery is estimated due to sample dilu	tion required for hi	gh analyte concentration and/or ma	trix interference.
S-06	Surrogate recovery is outside of established contro	l limits.		
T-02	This Batch QC sample was analyzed outside of the	e method specified	12 hour analysis window. Results a	are estimated.
TCLP	This batch QC sample was prepared with TCLP or	SPLP fluid from p	preparation batch 22K0613.	

Apex Laboratories



Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

<u>Sevenson En</u> 2749 Lockpo Niagara Fall		Project: Project Number: Project Manager:		<u>Report ID:</u> A2K0507 - 12 02 22 1325
TCLPa	This batch QC sample was prepared with	TCLP or SPLP fluid from pr	reparation batch 22K0802.	
TCLPb	This batch QC sample was prepared with	TCLP or SPLP fluid from pr	reparation batch 22K0837.	
TEMP	Sample was received outside of recomme	ended temperature. See Case	Narrative.	
V-15	Sample aliquot was subsampled from the sampling.	sample container. The subsa	umpled aliquot was preserve	d in the laboratory within 48 hours of
V-16	Sample aliquot was subsampled from the sampling.	sample container in the labo	ratory. The subsampled alic	uot was not preserved within 48 hours of

Apex Laboratories



6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

# Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323

Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

# **REPORTING NOTES AND CONVENTIONS:**

#### Abbreviations:

DET	Analyte DETECTED at or above the detection or reporting limit.
ND	Analyte NOT DETECTED at or above the detection or reporting limit.
NR	Result Not Reported
RPD	Relative Percent Difference. RPDs for Matrix Spikes and Matrix Spike Duplicates are based on concentration, not recovery.

## Detection Limits: Limit of Detection (LOD)

Limits of Detection (LODs) are normally set at a level of one half the validated Limit of Quantitation (LOQ). If no value is listed ('-----'), then the data has not been evaluated below the Reporting Limit.

#### Reporting Limits: Limit of Quantitation (LOQ)

Validated Limits of Quantitation (LOQs) are reported as the Reporting Limits for all analyses where the LOQ, MRL, PQL or CRL are requested. The LOQ represents a level at or above the low point of the calibration curve, that has been validated according to Apex Laboratories' comprehensive LOQ policies and procedures.

#### **Reporting Conventions:**

Basis: Results for soil samples are generally reported on a 100% dry weight basis.

The Result Basis is listed following the units as " dry", " wet", or " " (blank) designation.

- <u>" dry"</u> Sample results and Reporting Limits are reported on a dry weight basis. (i.e. "ug/kg dry") See Percent Solids section for details of dry weight analysis.
- "wet" Sample results and Reporting Limits for this analysis are normally dry weight corrected, but have not been modified in this case.
- "\_\_\_ Results without 'wet' or 'dry' designation are not normally dry weight corrected. These results are considered 'As Received'.

#### **QC Source:**

In cases where there is insufficient sample provided for Sample Duplicates and/or Matrix Spikes, a Lab Control Sample Duplicate (LCS Dup) may be analyzed to demonstrate accuracy and precision of the extraction batch.

Non-Client Batch QC Samples (Duplicates and Matrix Spike/Duplicates) may not be included in this report. Please request a Full QC report if this data is required.

#### Miscellaneous Notes:

- "--- " QC results are not applicable. For example, % Recoveries for Blanks and Duplicates, % RPD for Blanks, Blank Spikes and Matrix Spikes, etc.
- "\*\*\* " Used to indicate a possible discrepancy with the Sample and Sample Duplicate results when the %RPD is not available. In this case, either the Sample or the Sample Duplicate has a reportable result for this analyte, while the other is Non Detect (ND).

#### **Blanks:**

Standard practice is to evaluate the results from Blank QC Samples down to a level equal to ½ the Reporting Limit (RL). -For Blank hits falling between ½ the RL and the RL (J flagged hits), the associated sample and QC data will receive a 'B-02' qualifier. -For Blank hits above the RL, the associated sample and QC data will receive a 'B' qualifier, per Apex Laboratories' Blank Policy. For further details, please request a copy of this document.

Apex Laboratories



Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

## Sevenson Environmental Services, Inc.

2749 Lockport Road Niagara Falls, NY 14305 Project: <u>Gasco - Soil</u> Project Number: 111323 Project Manager: Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

# **REPORTING NOTES AND CONVENTIONS (Cont.):**

#### Blanks (Cont.):

Sample results flagged with a 'B' or 'B-02' qualifier are potentially biased high if the sample results are less than ten times the level found in the blank for inorganic analyses, or less than five times the level found in the blank for organic analyses.

'B' and 'B-02' qualifications are only applied to sample results detected above the Reporting Level.

#### Preparation Notes:

Mixed Matrix Samples:

#### Water Samples:

Water samples containing significant amounts of sediment are decanted or separated prior to extraction, and only the water portion analyzed, unless otherwise directed by the client.

#### Soil and Sediment Samples:

Soil and Sediment samples containing significant amounts of water are decanted prior to extraction, and only the solid portion analyzed, unless otherwise directed by the client.

#### **Sampling and Preservation Notes:**

Certain regulatory programs, such as National Pollutant Discharge Elimination System (NPDES), require that activities such as sample filtration (for dissolved metals, orthophosphate, hexavalent chromium, etc.) and testing of short hold analytes (pH, Dissolved Oxygen, etc.) be performed in the field (on-site) within a short time window. In addition, sample matrix spikes are required for some analyses, and sufficient volume must be provided, and billable site specific QC requested, if this is required. All regulatory permits should be reviewed to ensure that these requirements are being met.

Data users should be aware of which regulations pertain to the samples they submit for testing. If related sample collection activities are not approved for a particular regulatory program, results should be considered estimates. Apex Laboratories will qualify these analytes according to the most stringent requirements, however results for samples that are for non-regulatory purposes may be acceptable.

Samples that have been filtered and preserved at Apex Laboratories per client request are listed in the preparation section of the report with the date and time of filtration listed.

Apex Laboratories maintains detailed records on sample receipt, including client label verification, cooler temperature, sample preservation, hold time compliance and field filtration. Data is qualified as necessary, and the lack of qualification indicates compliance with required parameters.

Apex Laboratories



Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

<u>Sevenson Environmental Services, Inc.</u> 2749 Lockport Road Niagara Falls, NY 14305 Project:Gasco - SoilProject Number:111323Project Manager:Chip Byrd

<u>Report ID:</u> A2K0507 - 12 02 22 1325

# LABORATORY ACCREDITATION INFORMATION

## ORELAP Certification ID: OR100062 (Primary Accreditation) EPA ID: OR01039

All methods and analytes reported from work performed at Apex Laboratories are included on Apex Laboratories' ORELAP Scope of Certification, with the <u>exception</u> of any analyte(s) listed below:

Apex Labo	oratories			
Matrix	Analysis	TNI_ID Analyte	TNI_ID	Accreditation

All reported analytes are included in Apex Laboratories' current ORELAP scope.

#### **Secondary Accreditations**

Apex Laboratories also maintains reciprocal accreditation with non-TNI states (Washington DOE), as well as other state specific accreditations not listed here.

#### **Subcontract Laboratory Accreditations**

Subcontracted data falls outside of Apex Laboratories' Scope of Accreditation. Please see the Subcontract Laboratory report for full details, or contact your Project Manager for more information.

#### **Field Testing Parameters**


Results for Field Tested data are provded by the client or sampler, and fall outside of Apex Laboratories' Scope of Accreditation.

Apex Laboratories



Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062



Apex Laboratories



Apex Laboratories, LLC

6700 S.W. Sandburg Street Tigard, OR 97223 503-718-2323 ORELAP ID: OR100062

Sevenson Environmental Services, Inc.		Project:	Gasco - Soil	
2749 Lockport Road		Project Number	: 111323	Report ID:
Niagara Falls, N	Niagara Falls, NY 14305		: Chip Byrd	A2K0507 - 12 02 22 1325
Niagara Falls, N	Client: <u>SEVENSO</u> Project/Project #: <u>Gas</u> Delivery Info: Date/time received: <u>11 /11 /2</u> Delivered by: Apex <u>X</u> Clies <u>Cooler Inspection</u> Date/to Chain of Custody included? Signed/dated by client? Signed/dated by Apex? <u>Conspective</u> Temperature (°C) Received on ice? (Y/N) Temp. blanks? (Y/N)	N 2 @ (145 By: 2 @ (145 By: 14 ESS FedEx ime inspected: $11 1 1 22$ Yes $X$ No Yes $X$ No Yes $X$ No Yes $X$ No 200 er #1 Cooler #2 Cooler 1,9	Element WO#: A2        Element WO#: A2         []] 323        SAT        UPSSwift_SenvoySD        By:SAT        Ustody seals? Yes        ler #3 Cooler #4 Cooler #5 Cooler	No_X
	Condition (In/Out): Cooler out of temp? (Y/W) Pos Green dots applied to out of ter Out of temperature samples for <u>Sample Inspection</u> : Date/tim All samples intact? Yes Y N	sible reason why:		
	COC/container discrepancies fo Containers/volumes received ap	rm initiated? Yes No propriate for analysis? Ye	o <u>}</u> s <u>→</u> No Comments:	
	Do VOA vials have visible head Comments Water samples: pH checked: Yes Comments:	······		
	Additional information:			
	Labeled by: RLVNR	Witness: XXM	Cooler Inspected by:	Form Y-003 R-00 -

Apex Laboratories

Generator Name	Profile Number	
Waste Name		

Generator's NAICS Code

Code Two;

Does the Generator's Facility manage, store, use, process, or discard any of the following materials in or from your production processes;

Yes <sup>1</sup>	Yes <sup>1</sup> No Waste Classifications					
		Nuclear Materials				
		Mineral Ore mining/overburden processing or extraction				
	Uranium, Radium, Thorium, Plutonium, Cobalt, Strontium, Zirconium, Polonium, Bery Phosphate Fertilizer Production Phosphogypsum, Scale, Residuals, Slag					
		Coal and Coal Burning Wastes				
Coal Fly/Bottom Ash						
	Petroleum Refining/Production					
		Filter Socks, Pipe Scale, Stratum Water, Refinery Process Sediments, Tank Bottoms				
		Drinking Water and Wastewater Treatment Wastes				
		Filter Socks, Pipe Scale, Stratum Water, Tank Bottoms, Bio-solids, Grit and Screenings, septic				
		Other Processing Wastes				
		Ceramic, Refractory, Zircon sand, Bauxite to Alumina processing, Titanium, Zirconium, Baghouse Dusts with refractory, "Mag-Thor" metals, Ceramic Insulators, Sand Blasting waste				
		Geothermal Wastes				
		Filter Socks, Pipe Scale, Stratum Water, Tank Bottoms				
		Does the generator perform Metals Casting				
		Are any of the Generator's wastes subject to an oil and gas exploration and production (E&P) exemption pursuant to section 3001(b)(2)(A)?				
		Have any of the Generator's wastes been tested using isotopic testing, or known to contain radioactivity				
		Does the Generator's facility have a Federal or State license to store, dispose or transport radioactive materials? Federal License No: State License No:				

1- Any YES answers may require additional information, please contact your TSC representative at <u>wmpnw2@wm.com</u>

# GENERATOR CERTIFICATION (PLEASE READ AND CERTIFY BY SIGNATURE)

By signing this form, I hereby certify that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

I am an Authorized Agent signing on behalf of the Generator, and I have confirmed with the Generator that information contained in this profile, as well as supporting documents provided, are accurate and complete.

Certification Signature

Name Print	Date	A.
Title		(HII)
0		1 Mou
Company		1
· -		