
REDACTED

From: Taku Fuji <tfuji@anchorqea.com>

Sent: Thursday, March 16, 2023 2:48 PM

To: Wesley Thomas <Wesley.Thomas@deq.state.or.us>

Cc: Halah Voges <hvoges@anchorqea.com>; Rob Ede <robe@hahnenv.com>; Bob Wyatt <rjw@nwnatural.com>; Patricia Dost <pdost@pearllegalgroup.com>; Jen Mott <jmott@anchorqea.com>; Ryan Barth <rbarth@anchorqea.com>

Subject: Doane Creek Source Control Outfall 22C Sampling Program - request to revise storm criteria for stormwater sampling

Hello Wes,

As discussed with Rob Ede and Halah Voges during the Gasco OU check-in meeting earlier today, Anchor QEA (on behalf of NW Natural) would like to propose revising two of the criteria established to identify wet weather (stormwater) sampling events for the Doane Creek Source Control Evaluation Sampling Program for Outfall 22C. Anchor QEA has only been able to sample one storm event and will need to sample three more storm events to complete the program. By revising these two criteria, Anchor QEA hopes that there will be more storm events this quarter that satisfies the wet weather sampling criteria.

For storm (wet weather) events, the storm event criteria currently are:

1. Antecedent dry periods of at least 24-hours with less than 0.1 inch of rain over previous 24-hours
2. Minimum expected rainfall of greater than 0.2 inch per event
3. Expected duration of storm event of at least 3 hours
4. Stormwater samples will be collected within first 3 hours after achieving 0.2 inch of rain, to extent practicable

We would like to propose to DEQ to revise storm event criterion #1 and #4 as follows:

1. Antecedent period with less than 0.15 inch of rain over previous 24-hours
4. Stormwater samples will be collected within first 6 hours after achieving 0.2 inch of rain, to extent practicable

Thanks, and let us know if this proposal is acceptable to DEQ.

Taku Fuji, Ph.D. | he/him

ANCHOR QEA, LLC

tfuji@anchorqea.com

6720 S. Macadam Ave, Suite 125

Portland, OR 97219

DD 503.972.5002

C 503.459.1088

ANCHOR QEA, LLC

Please consider the environment before printing this email.

This electronic message transmission contains information that may be confidential and/or privileged work product prepared in anticipation of litigation. The information is intended for the use of the individual or entity named above. If you are not the intended recipient, please be aware that any disclosure, copying distribution or use of the contents of this information is prohibited. If you have received this electronic transmission in error, please notify us by telephone at (503)-924-1108.