

**Exh. MY-6
UW-240079/UW-230598
Witness: Mike Young**

**BEFORE THE WASHINGTON
UTILITIES AND TRANSPORTATION COMMISSION**

**WASHINGTON UTILITIES AND
TRANSPORTATION COMMISSION,**

Complainant,

v.

**WASHINGTON WATER SUPPLY,
INC.,**

Respondent.

**DOCKETS UW-240079 and
UW-230598 (Consolidated)**

In the Matter of the Request of

**WASHINGTON WATER SUPPLY,
INC.,**

**To Approve Tariff Revisions Regarding
a Temporary Surcharge for Recovery of
Purchased Water Expenses**

EXHIBIT TO TESTIMONY OF

MIKE YOUNG

**STAFF OF
WASHINGTON UTILITIES AND
TRANSPORTATION COMMISSION**

Washington Water Response to Staff Data Request No. 9 with Attachment

August 27, 2024

Dockets UW-240079 and UW-230598
 WWS Responses to
 UTC Staff Data Request Nos. 7-12
 August 16, 2024
 Page 4

UTC STAFF DATA REQUEST NO. 9:

For the period of January 1, 2022, through present, please provide all company communications (verbal, email, written, etc.) notifying of, responding to, or discussing boiled water advisories. For each boil water advisory, identify the water system by Department of Health number and include the start and end dates of such advisory. For each communication, please specify the water system by Department of Health number, the date, and the participants.

WWS Response to Data Request No. 9:

Echo Glen Water System, 27510D.

Date	Type	Participants	Subject
July 5, 2023	Verbal	John Poppe & Derek Pell	Need Boil Water Advisory
July 5, 2023	Email	John Poppe & Shelly Cline	Communicating Boil Water Advisory
July 7, 2023	Public Notice	DOH	Health Advisory Summary
July 10, 2023	Email	Derek Pell to Lynn Schneider, Carina Elsenboss, John Poppe	Summary of Pell/Poppe Phone Call & Health Advisory Summary
August 7, 2023	Letter	DOH to John Poppe	Address Outages & Mitigate Health Risks
September 20, 2023	Email	John Poppe to Shelly Cline	Boil Water Advisory Still in Effect
September 21, 2023	Email	John Poppe to Shelly Cline	Well Rehab Update
September 26, 2023	Email	John Poppe to Jon Clements, et. al	Well Update
September 27, 2023	Emails	John Poppe to Dave Sutfin, John Earl, et. al	Boil water advisory still in effect; should be lifted after testing; well production.
September 28, 2023	Email	John Poppe to Shelly Cline	Summary of Trucking Water Expenses

Dockets UW-240079 and UW-230598
 WWS Responses to
 UTC Staff Data Request Nos. 7-12
 August 16, 2024
 Page 5

September 30, 2023	Email	John Poppe to Shelly Cline	Boil Advisory Lifted
November 1, 2023	Email	Derek Pell to John Poppe et. al	Inquiry on Well Status and Boil Advisory Efforts
November 2, 2023	Email	John Poppe to Derek Pell et. al	Response to Derek Pell Inquiry
November 3, 2023	Email	John Poppe to Derek Pell et. al	Will Provide Response to August 7, 2023 Letter
November 8, 2023	Letter	John Poppe to DOH	Answer to August 7, 2023 Letter
November 8, 2023	Email	John Poppe to Derek Pell et. al	Answer to August 7, 2023 Letter
July 19, 2024	Email	Derek Pell to David Sutfin, John Poppe, et. al	Response to David Questions

See communications attached as Response to DR 9.

WAC 480-07-405(7)(a)(iii) Requirements:

- **Response produced August 16, 2024.**
- **Response prepared by Alysa M. Grimes and John Poppe for WWS.**
- **John Poppe can testify on behalf of WWS regarding this information.**

8/9/24, 12:06 PM

Gmail - Echo Glen Rehabilitation



John Poppe <poppe.john@gmail.com>

Echo Glen Rehabilitation

John Poppe <poppe.john@gmail.com>
To: Shelly Cline <shelly.cline@gmail.com>

Wed, Jul 5, 2023 at 3:49 PM

Please forward to the Echo Glen Water System users.

Dear Echo Glen Water System users:

1. It's important to be aware that we are getting closer to the well rehab. Be cautious with expectations.
2. It's costing \$4500/month to truck Water to the reservoir. That's about \$100/month per System user.
3. Washington Water Supply will be seeking a surcharge with the UTC to n pay for the imported water.

Conserve-No Water outside the home.

Boil drinking water for 30 minutes and cool to desired temperature. This precautionary. Water testing shows no water quality issues.

Respectfully
Washington Water Supply

----- Forwarded message -----

From: Joe Alcorn <joe@valleypumpnw.com>
Date: Wed, Jul 5, 2023, 3:35 PM
Subject: Re: Echo Glen Rehabilitation
To: John Poppe <poppe.john@gmail.com>

[Quoted text hidden]

July 5, 2024
1PM
Telephone
Conversation w
Derek Pell (DCH)
Boil Water

8/9/24, 11:43 AM

Gmail - Echo Glen Water System (#27510) King County - Boil Water Advisory due to Water Outage



John Poppe <poppe.john@gmail.com>

Echo Glen Water System (#27510) King County - Boil Water Advisory due to Water Outage

2 messages

Pell, Derek (DOH) <Derek.Pell@doh.wa.gov>

Mon, Jul 10, 2023 at 8:49 AM

To: DOH DL EPH DW Health Advisory <DW.HA@doh.wa.gov>

Cc: "Schneider, Lynn" <Lynn.Schneider@kingcounty.gov>, "Elsenboss, Carina (DOHi)" <Carina.elsenboss@kingcounty.gov>, "poppe.john@gmail.com" <poppe.john@gmail.com>

Boil Water Advisory due to chronic water outages.

Purveyor is trucking in water, but managing customer demand is reportedly a challenge. System is not fully metered. Rates are regulated by UTC. Tariff negotiations are active.

DOH directed owner to take action to repair well and return to approved design pumping capacity. Drillers to do the work are under contract by owner, but not readily available.

Additional details in attached Health Advisory Summary.

Derek

Derek Pell, PE

Northwest Regional Office Manager, Office of Drinking Water

Washington State Department of Health

Derek.Pell@doh.wa.gov | 253-395-6768 | www.doh.wa.gov/CommunityandEnvironment/DrinkingWater



The physical location of the NW Regional Office of Drinking Water (NWRO) in Kent is closed. Our NWRO functional group remains intact and we are now working remotely. We are in the process of scanning all of our files. Please note, our response times may be slower than usual. We appreciate your patience. Our new mailing address is: PO Box 47800. MS K17-12. Olympia, WA 98504-7800.

 **HEALTH ADVISORY SUMMARY - Echo Glen - Water Outage - King County.dotm**
51K

See attached

John Poppe <poppe.john@gmail.com>

Mon, Jul 10, 2023 at 9:56 AM

HEALTH ADVISORY SUMMARY

TODAY'S DATE: 7/7/2023

PUBLIC NOTICE TYPE

Tier 1 (acute - required by rule) **Voluntary** (water system choice) **DO NOT POST**

REASON	
<input type="checkbox"/> Confirmed	<input type="checkbox"/> Not Confirmed
<input type="checkbox"/> Cross Connection	<input checked="" type="checkbox"/> Off Normal/Outage
<input type="checkbox"/> Other	Please explain: Water outage due to reduced source capacity (not likely drought related)

<input type="checkbox"/> Coliform	<input type="checkbox"/> Chemical	<input type="checkbox"/> Nitrate
<input type="checkbox"/> Vandalism	<input type="checkbox"/> Treatment Failure	<input type="checkbox"/> Surface Water

REGIONAL OFFICE INCIDENT CONTACT			
Regional Office (RO):	Northwest		
Name:	Derek Pell	Brietta Carter	If needed
Day Phone(s):	253-395-6768	Enter REs phone number	If needed
After-Hours:	1-877-481-4901		

WATER SYSTEM INFORMATION					
Name:	Echo Glen Water System	ID: #	27510		
Group/Type:	A COMM	County:	King		
Water System Characteristic:	Residential				
Number of connections:	43	Residential	43	Non Residential	0
Population served:	105	Residential	105	Non Residential	0
Location:	Maple Valley / NE of Kent				
Source information:	Drilled well 159-ft deep, 67gpm (reduced to 20gpm?)				
Installed treatment:	none				
Operator/owner/title and phone number:	John Poppe 360-340-8372		If more than one.		
System media contact and phone number:	n/a				

HEALTH ADVISORY SUMMARY

Type of incident	Boil Water Advisory
Describe situation and suspected cause.	Loss of well pumping capacity; suspected clogged screens or aquifer formation related (not drought). Poor driller availability to repair. Trucking water. Some unmetered customers, owner unable to manage outdoor water use. Not fully metered. Investor owned (working with UTC on increasing rates).
Brief description of current water quality and/or history:	Good water quality history, although chronic water outages over past year lead to BWA due to potential contamination due to backflow.
Who reported this incident?	customer
Who has been contacted and when?	John Poppe
Additional comments:	No known illnesses. John Poppe gave notice he wishes to sell the system to customers; customers do not appear to be interested.
How and when was Customer PN delivered?	email

LOCAL HEALTH JURISDICTION

Contact name and phone number:	Lynn Schneider
When and how contacted?	This summary

NEXT STEPS

<ul style="list-style-type: none"> • Water system: 	DOH directed owner to hire driller to return well pump capacity to original design capacity per DM J.03. Truck water to maintain pressure. Issue BWA if outage. Work with UTC on appropriate rate tariff. Work with DOH/others on long-term ownership.
<ul style="list-style-type: none"> • Local health jurisdiction: 	No new connections. Designed for 43, serving 43 now.
<ul style="list-style-type: none"> • RO/ODW: 	Track compliance directive and BWA status. Support owner relationship with UTC. Support/facilitate ownership transfer. Maintain lines of communication.
Is ODW satisfied with response?	Yes
Additional comments:	Enter as needed

8/9/24, 5:24 PM

Gmail - Well Rehabilitation Work



John Poppe <poppe.john@gmail.com>

Well Rehabilitation Work

4 messages

John Poppe <poppe.john@gmail.com>
To: Shelly Cline <shelly.cline@gmail.com>

Wed, Sep 20, 2023 at 6:10 AM

Please forward this email to water system users :

1. Well driller (Valley Pump and Well) will mobilize and move on site today.
2. Driller will remove the pumping system from the well.
3. Driller will remove existing screens.
4. Driller will install new screens.
5. Driller will install pumping system and test pump the new well screen capacity.

Water will be trucked in during the rehab effort so conservation is critical during the rehab effort.

The BOIL WATER ADVISORY is still in effect. Washington Water Supply will send a notice when the advisory is lifted.

Please cooperate during the rehab effort by conserving water.

Respectfully
Washington Water Supply

Shelly Cline <shelly.cline@gmail.com>

Wed, Sep 20, 2023 at 7:30 AM

To: Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, David Sutfin <davesutfin@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, John Poppe <poppe.john@gmail.com>, Jon Clements <joncllements11@gmail.com>, Jordan Jensen <jljensen@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, "MaureenJWalsh@yahoo.com" <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, "Phspsp62@yahoo.com" <Phspsp62@yahoo.com>, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demaïnevalerie@yahoo.com>, andy <andystelzer@comcast.net>, "andytill@ymail.com" <andytill@gmail.com>, dan anderson <Danial1229@comcast.net>, "dylanrutledge23@gmail.com" <dylanrutledge23@gmail.com>, "ewingert34@gmail.com" <ewingert34@gmail.com>, "jason.wilmoth@gmail.com" <jason.wilmoth@gmail.com>, "karenstout1@comcast.net" <karenstout1@comcast.net>, "katiethorntonwiatt@gmail.com" <katiethorntonwiatt@gmail.com>, "krisgranlund@yahoo.com" <krisgranlund@yahoo.com>, "kristinerottman@comcast.net" <kristinerottman@comcast.net>, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, "sullys87toyo@gmail.com" <sullys87toyo@gmail.com>, "tychon@me.com" <tychon@me.com>

[Quoted text hidden]

John Poppe <poppe.john@gmail.com>

Wed, Sep 20, 2023 at 8:56 AM

To: "Carter, Brietta J (DOH)" <brietta.carter@doh.wa.gov>, "Pell, Derek (DOH)" <derek.pell@doh.wa.gov>, "Young, Mike (UTC)" <mike.young@utc.wa.gov>, "Castaneda-Kerson, Melissa (UTC)" <melissa.castaneda-kerson@utc.wa.gov>, "Cupp, John (UTC)" <jcupp@utc.wa.gov>, "Leggett, Jeanine (UTC)" <jeanine.leggett@utc.wa.gov>, Richard Fout <RWFOUT@hotmail.com>, "Ward, Jim (UTC)" <jim.ward@utc.wa.gov>

FYI

8/9/24, 5:24 PM

Gmail - Well Rehabilitation Work

----- Forwarded message -----

From: **John Poppe** <poppe.john@gmail.com>
Date: Wed, Sep 20, 2023, 6:10 AM
Subject: Well Rehabilitation Work
To: Shelly Cline <shelly.cline@gmail.com>

[Quoted text hidden]

David Sutfin <davesutfin@gmail.com>

Wed, Sep 20, 2023 at 11:05 AM

To: Shelly Cline <shelly.cline@gmail.com>

Cc: Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, John Poppe <poppe.john@gmail.com>, Jon Clements <jonclements11@gmail.com>, Jordan Jensen <jljensen@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, "MaureenJWalsh@yahoo.com" <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, "Phspsp62@yahoo.com" <Phspsp62@yahoo.com>, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, "andytill@ymail.com" <andytill@ymail.com>, dan anderson <Danial1229@comcast.net>, "dylanrutledge23@gmail.com" <dylanrutledge23@gmail.com>, "ewingert34@gmail.com" <ewingert34@gmail.com>, "jason.wilmoth@gmail.com" <jason.wilmoth@gmail.com>, "karenstout1@comcast.net" <karenstout1@comcast.net>, "katiethorntonwiatt@gmail.com" <katiethorntonwiatt@gmail.com>, "krisgranlund@yahoo.com" <krisgranlund@yahoo.com>, "kristinerottman@comcast.net" <kristinerottman@comcast.net>, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, "sullys87toyo@gmail.com" <sullys87toyo@gmail.com>, "tychon@me.com" <tychon@me.com>

Mr. Poppe,

Couple questions:

- 1) Is today mobilization only or are they commencing work?
- 2) Is there an anticipated duration for the repairs? I understand it "depends on what they find" but a general idea for best case/normal duration with an understanding it could extend out further would be very helpful. Given that you are looking to us to provide "extreme conservation" we really need some timelines to plan accordingly.
- 3) Will final results of the pump test (gal/min) be provided to the Echo Glen customers?

Regards,
Dave Sutfin

[Quoted text hidden]

8/9/24, 11:43 AM

Gmail - Echo Glen Water System (#27510) King County - Boil Water Advisory due to Water Outage

To: "Pell, Derek (DOH)" <Derek.Pell@doh.wa.gov>

Derek,
Couldn't open the attachment.
[Quoted text hidden]

2 attachments

 **image001.png**
6K

 **image001.png**
6K

8/9/24, 5:11 PM

Gmail - Summary of Trucking Water Expenses



John Poppe <poppe.john@gmail.com>

Summary of Trucking Water Expenses

2 messages

John Poppe <poppe.john@gmail.com>
To: Shelly Cline <shelly.cline@gmail.com>

Thu, Sep 28, 2023 at 2:06 PM

Good afternoon Shelly,

Please forward this email to the Echo Glen water system customers.

Thanks
John

 **Scan0248.pdf**
342K

Shelly Cline <shelly.cline@gmail.com>

Thu, Sep 28, 2023 at 7:52 PM

To: Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, David Sutfin <davesutfin@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, John Poppe <poppe.john@gmail.com>, Jon Clements <jonclements11@gmail.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phsphsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, ewingert34@gmail.com, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

[Quoted text hidden]

 **Scan0248.pdf**
342K



STATE OF WASHINGTON
DEPARTMENT OF HEALTH
NORTHWEST DRINKING WATER REGIONAL OPERATIONS
PO BOX 47800 ATTN: MS K17-12 OLYMPIA, WA 98504-7800

August 7, 2023

John Poppe
Washington Water Supply Inc.
poppe.john@gmail.com

Subject: Echo Glen Water System, ID #27510
King County
2023 Correct Chronic Outages

Dear John Poppe:

Our office has received many complaints related to inadequate supply leading to water outages for the Echo Glen Water System.

You are directed to 1) address the root cause of the water outage problem, and 2) mitigate the public health risk associated with the continued threat of outages while the plan is implemented.

While we have discussed both items many times in the past several months, this letter is written to help document your plan to meet these requirements.

① Address the root cause of the water outage problem

We advise proceeding with your plans to restore the existing well to its former capacity and we understand that you have an agreement with Valley Pump to do this work as soon as possible. Please keep us informed on your progress. If well restoration does not address the chronic outages, our office will direct you to hire an engineer to evaluate options. A Small Water System Management Program would be part of this evaluation. We would expect your plan to address the root cause with action items and a schedule.

② Mitigate the public health risk associated with the continued threat of outages

You are required to maintain system pressure. We advise proceeding with your plans to truck water while your plan to address the root cause is being implemented. We understand that because of recent water outages, customers have been advised to boil their water prior to consumption. Before lifting the boil water advisory, please restore pressure and demonstrate the water is safe to drink by receiving bacteriological sample results indicating no coliforms are present.

Echo Glen Water System (#27510)
August 7, 2023
Page 2

Thank you for working with us.

Sincerely,



Brietta Carter, PE
Regional Engineer
NW Office of Drinking Water
Brietta.Carter@doh.wa.gov

ecc: Lynn Schneider, Public Health – Seattle & King County
Wesley Loven, Public Health – Seattle & King County
John Cupp, WA Utilities and Transportation Commission
Tiffany Van Meter, WA Utilities and Transportation Commission
Mike Young, WA Utilities and Transportation
Derek Pell, PE, NWRO Manager, DOH
Aniela Sidorska, Compliance Program, DOH

8/9/24, 5:09 PM

Gmail - Boil Water Order



John Poppe <poppe.john@gmail.com>

Boil Water Order

2 messages

John Poppe <poppe.john@gmail.com>
To: Shelly Cline <shelly.cline@gmail.com>

Sat, Sep 30, 2023 at 4:05 PM

Good afternoon Shelly,

Please forward this to the water system users.

The water quality testing came back negative so the BOIL WATER ADVISORY is now lifted.
No need to boil drinking water.

Respectfully,
Washington Water Supply, Inc.

Shelly Cline <shelly.cline@gmail.com>

Sat, Sep 30, 2023 at 11:20 PM

To: Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, David Sutfin <davesutfin@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, John Poppe <poppe.john@gmail.com>, Jon Clements <jonclements11@gmail.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phsphsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, ewingert34@gmail.com, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

[Quoted text hidden]



WASHINGTON WATER SUPPLY, INC.

"Water Supply and Distribution"

November 8, 2023

Derek Pell

Brietta Carter

Department of Health

PO Box 47800

Olympia, WA 98504-7800

Good Morning Derek/Brietta,

#1 - Well was rehabilitated by replacing the existing 10' screens with 12 slot screens plus another 10' of screen. This gives us a total of total of 20' of screen.

#2 - Water was trucked in by contracting with Water Buffalo for a total costs \$22,000. It is important to note the source of the trucked water was Cedar River Water District. This water is chlorinated and Water Buffalo / Washington Water Supply added another cup of Chlorox Bleach with each load delivered. Clorine taste/smell was noticed by several water system users. See item #8 and #9.

#10 BacT testing had been completed on a monthly basis with two September BacT samples collected and tested with all test results sent to DOH.

Valley Pump and well stated they would not provide documentation/final report until their invoice had been paid. I have asked for details about specific items on their final invoice and of today no response. I have paid them \$20,000 to date and will not provide final payment until my questions have been answered. UTC, I will not seek a SURCHARGE for the well rehabilitation until final paperwork has been provided.

To all, hopefully this responds to the August 7, 2023 letter from Brietta.

Respectfully,

John Poppe

Washington Water Supply, Inc.

P.O. Box 2985 SILVERDALE, WA 98383

(360) 308-8330

8/9/24, 6:29 PM

Gmail - Echo Glen Surcharge



John Poppe <poppe.john@gmail.com>

Echo Glen Surcharge

John Poppe <poppe.john@gmail.com>

Wed, Nov 8, 2023 at 12:00 PM

To: "Pell, Derek (DOH)" <Derek.Pell@doh.wa.gov>

Cc: "Leggett, Jeanine (UTC)" <jeanine.leggett@utc.wa.gov>, "Castaneda-Kerson, Melissa (UTC)" <melissa.castaneda-kerson@utc.wa.gov>, "Ward, Jim (UTC)" <jim.ward@utc.wa.gov>, "Roth, Jing (UTC)" <jing.roth@utc.wa.gov>, "Cupp, John (UTC)" <john.cupp@utc.wa.gov>, "Carter, Brietta J (DOH)" <brietta.carter@doh.wa.gov>, "Van Meter, Tiffany (UTC)" <tiffany.vanmeter@utc.wa.gov>, "Sidorska, Aniela (DOH)" <Aniela.Sidorska@doh.wa.gov>, "Christensen, Lisa Kelley (ATG)" <lisa.kelley@atg.wa.gov>, "Onwumere, George (DOH)" <George.Onwumere@doh.wa.gov>

Good afternoon,

I have scanned and attached the information requested by Dereck Pell for the August 7, 2023 DOH letter.

[Quoted text hidden]

 **Scan0266.pdf**
9255K

11/8/23, 9:13 AM

Gmail - Echo Glen Surcharge



John Poppe <poppe.john@gmail.com>

Echo Glen Surcharge

John Poppe <poppe.john@gmail.com>

Fri, Nov 3, 2023 at 4:13 PM

To: "Pell, Derek (DOH)" <Derek.Pell@doh.wa.gov>

Cc: "Leggett, Jeanine (UTC)" <jeanine.leggett@utc.wa.gov>, "Castaneda-Kerson, Melissa (UTC)" <melissa.castaneda-kerson@utc.wa.gov>, "Ward, Jim (UTC)" <jim.ward@utc.wa.gov>, "Roth, Jing (UTC)" <jing.roth@utc.wa.gov>, "Cupp, John (UTC)" <john.cupp@utc.wa.gov>, "Carter, Brietta J (DOH)" <brietta.carter@doh.wa.gov>, "Van Meter, Tiffany (UTC)" <tiffany.vanmeter@utc.wa.gov>, "Sidorska, Aniela (DOH)" <Aniela.Sidorska@doh.wa.gov>, "Christensen, Lisa Kelley (ATG)" <lisa.kelley@atg.wa.gov>, "Onwumere, George (DOH)" <George.Onwumere@doh.wa.gov>

I do remember seeing the letter. I will get a written response ASAP.

[Quoted text hidden]

11/8/23, 9:11 AM

Gmail - Echo Glen Surcharge



John Poppe <poppe.john@gmail.com>

Echo Glen Surcharge

John Poppe <poppe.john@gmail.com>

Thu, Nov 2, 2023 at 12:14 PM

To: "Pell, Derek (DOH)" <Derek.Pell@doh.wa.gov>

Cc: "Leggett, Jeanine (UTC)" <jeanine.leggett@utc.wa.gov>, "Castaneda-Kerson, Melissa (UTC)" <melissa.castaneda-kerson@utc.wa.gov>, "Ward, Jim (UTC)" <jim.ward@utc.wa.gov>, "Roth, Jing (UTC)" <jing.roth@utc.wa.gov>, "Cupp, John (UTC)" <john.cupp@utc.wa.gov>, "Carter, Brietta J (DOH)" <brietta.carter@doh.wa.gov>, "Van Meter, Tiffany (UTC)" <tiffany.vanmeter@utc.wa.gov>

③ Good afternoon all,

The boil water advisory was withdrawn in October, 2023 after Bac-T samples were taken and tested by Spectra Lab. All samples came back negative, so a notice was sent to the Echo Glen water system users notifying them of the lab results and a "no need" to boil water.

Valley Pump and Well stated the well production is 60 gallons per minute. Valley Pump stated the well production to DOH, DOH stated the well production number to an Echo Glen resident who sent an email to all system users.

The final invoice from Valley Pump and Well totaled more than \$36,000. A detailed invoice review was inconclusive, so I sent a letter to Valley Pump asking for support information and they have not yet responded.

I haven't asked for a rate adjustment yet for the drilling because I have no final figure from Valley Pump that can be justified.

Thanks for reaching out!

John Poppe

[Quoted text hidden]

11/8/23, 9:11 AM

Gmail - Echo Glen Surcharge



John Poppe <poppe.john@gmail.com>

Echo Glen Surcharge

Pell, Derek (DOH) <Derek.Pell@doh.wa.gov>

Wed, Nov 1, 2023 at 1:10 PM

To: John Poppe <poppe.john@gmail.com>

Cc: "Leggett, Jeanine (UTC)" <jeanine.leggett@utc.wa.gov>, "Castaneda-Kerson, Melissa (UTC)" <melissa.castaneda-kerson@utc.wa.gov>, "Ward, Jim (UTC)" <jim.ward@utc.wa.gov>, "Roth, Jing (UTC)" <jing.roth@utc.wa.gov>, "Cupp, John (UTC)" <john.cupp@utc.wa.gov>, "Carter, Brietta J (DOH)" <brietta.carter@doh.wa.gov>, "Van Meter, Tiffany (UTC)" <tiffany.vanmeter@utc.wa.gov>

Hi John.

I've seen a lot of email activity on updating your surcharge and tariff.

4 Can you give us an update on whether the well screen replacement returned capacity to the original design capacity and your efforts to lift the Boil Water Advisory.

Thanks.

Derek

Derek Pell, PE

Northwest Regional Office Manager

Office of Drinking Water

Environmental Public Health

Washington State Department of Health

derek.pell@doh.wa.gov

doh.wa.gov | 253-395-6768



The physical location of the NW Regional Office of Drinking Water (NWRO) in Kent is closed. Our NWRO functional group remains intact and we are now working remotely. We are in the process of scanning all of our files. Please note, our response times may be slower than usual. We appreciate your patience. Our new mailing address is: 111 Israel Rd SE, PO Box MS: 47822, Olympia, WA 98504.

[Quoted text hidden]

11/3/23, 12:11 PM

Gmail - Boil Water Order



John Poppe <poppe.john@gmail.com>

Boil Water Order

2 messages

John Poppe <poppe.john@gmail.com>
To: Shelly Cline <shelly.cline@gmail.com>

Sat, Sep 30, 2023 at 4:05 PM

Good afternoon Shelly,

5 Please forward this to the water system users.

The water quality testing came back negative so the BOIL WATER ADVISORY is now lifted.
No need to boil drinking water.

Respectfully,
Washington Water Supply, Inc.

Shelly Cline <shelly.cline@gmail.com>

Sat, Sep 30, 2023 at 11:20 PM

To: Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, David Sutfin <davesutfin@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, John Poppe <poppe.john@gmail.com>, Jon Clements <jonclements11@gmail.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phsphsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, ewingert34@gmail.com, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

[Quoted text hidden]

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update



John Poppe <poppe.john@gmail.com>

Echo Glen Well Rehab Update

21 messages

John Poppe <poppe.john@gmail.com>
To: Shelly Cline <shelly.cline@gmail.com>

Thu, Sep 21, 2023 at 8:31 PM

1. New well screens installed.
2. Further development continues tomorrow. Clean screens set well pump assembly.

Respectfully,
Washington Water Supply

Shelly Cline <shelly.cline@gmail.com>
To: John Poppe <poppe.john@gmail.com>

Thu, Sep 21, 2023 at 8:45 PM

Should I forward this?
Also I assume the water sample container is from you. When do you want a sample?
[Quoted text hidden]

John Poppe <poppe.john@gmail.com>
To: Shelly Cline <shelly.cline@gmail.com>

Fri, Sep 22, 2023 at 4:58 AM

Yes, please!
[Quoted text hidden]

Shelly Cline <shelly.cline@gmail.com>

Fri, Sep 22, 2023 at 5:55 AM

To: Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, David Sutfin <davesutfin@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, John Poppe <poppe.john@gmail.com>, Jon Clements <jonclements11@gmail.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phspsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, ewingert34@gmail.com, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

This is update from last night, so reference to tomorrow, is today. Sorry for delay.
[Quoted text hidden]

Jon Clements <jonclements11@gmail.com>
To: Shelly Cline <shelly.cline@gmail.com>

Mon, Sep 25, 2023 at 12:13 PM

Cc: Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>,

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update

Corey Cline <corey.cline@gmail.com>, David Sutfin <davesutfin@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, John Poppe <poppe.john@gmail.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phsphsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

Any update on the well John?

[Quoted text hidden]

John Poppe <poppe.john@gmail.com>

Tue, Sep 26, 2023 at 11:24 AM

To: Jon Clements <jonclements11@gmail.com>

Cc: Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, David Sutfin <davesutfin@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phsphsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

Not at this time.

[Quoted text hidden]

David Sutfin <davesutfin@gmail.com>

Wed, Sep 27, 2023 at 12:41 PM

To: John Poppe <poppe.john@gmail.com>

Cc: Jon Clements <jonclements11@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update

<Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phspsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

All:

DOH representatives informed me that they received a call from Joe @ Valley Pump stating that well rehab has brought the well back to design capacity (60gpm).

Mr. Poppe:

What is the current status of the Boil Order? Per DOH online records the last sample was analyzed on 8/30/23. It was my previous understanding that the boil order is in effect until a new sample is submitted. Please advise if I'm mistaken.

Dave

[Quoted text hidden]

John Earl <JEtheDuke@outlook.com>

Wed, Sep 27, 2023 at 1:25 PM

To: David Sutfin <davesutfin@gmail.com>, John Poppe <poppe.john@gmail.com>
Cc: Jon Clements <jonclements11@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, "Cupp, John (UTC)" <john.cupp@utc.wa.gov>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, "Phspsp62@yahoo.com" <Phspsp62@yahoo.com>, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, "andytill@ymail.com" <andytill@ymail.com>, dan anderson <Danial1229@comcast.net>, "dylanrutledge23@gmail.com" <dylanrutledge23@gmail.com>, Emily Wingert <ewingert34@gmail.com>, "karenstout1@comcast.net" <karenstout1@comcast.net>, "krisgranlund@yahoo.com" <krisgranlund@yahoo.com>, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, "sullys87toyo@gmail.com" <sullys87toyo@gmail.com>, "tychon@me.com" <tychon@me.com>

Dave – Thanks for the update. I wish John Poppe would let us know what's going on.

John Poppe – If we are back to full capacity from well that means we can start using water like normal. Probably know one needs to irrigate but would be nice to pressure wash and wash our cars. At 60 gpm over 24 hours is about 86,000 gallons and divided by 43 households that is 2000 gallons each day. Way above our usage for each household. Please give us an update on the system.

Thank You John Earl

[Quoted text hidden]

John Poppe <poppe.john@gmail.com>

Wed, Sep 27, 2023 at 2:06 PM

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update

To: David Sutfin <davesutfin@gmail.com>

Cc: Jon Clements <jonclements11@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phsphsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

7 Boil water advisory is still in effect.

[Quoted text hidden]

Jon Clements <jonclements11@gmail.com>

Wed, Sep 27, 2023 at 2:10 PM

To: John Poppe <poppe.john@gmail.com>

Cc: David Sutfin <davesutfin@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phsphsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

Can you please shed some light as to when that might get lifted? Is David correct in saying that it will require a new sample to be submitted? When would that new sample be able to be submitted? We'd really like to stop boiling water for drinking purposes.

[Quoted text hidden]

John Poppe <poppe.john@gmail.com>

Wed, Sep 27, 2023 at 2:31 PM

To: Jon Clements <jonclements11@gmail.com>

Cc: David Sutfin <davesutfin@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>,

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update

Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phspsph62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com



Chlorine has been added to the system as a precautionary action. The boil water advisory will be lifted October 1, 2023 by an email when the BacT test is completed.

[Quoted text hidden]

Jon Clements <jonclements11@gmail.com>

Wed, Sep 27, 2023 at 2:32 PM

To: John Poppe <poppe.john@gmail.com>

Cc: David Sutfin <davesutfin@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phspsph62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

Great! Thank you for the information John!

[Quoted text hidden]

John Poppe <poppe.john@gmail.com>

Wed, Sep 27, 2023 at 2:36 PM

To: Jon Clements <jonclements11@gmail.com>

Cc: David Sutfin <davesutfin@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>,

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update

Nicola Weber <nickyjwth88@yahoo.com>, Phspsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

To the Echo Glen Water System customers,

The well production rate is not official until the well driller files his report. Once that is done, I will send a project report to all providing details.

[Quoted text hidden]

melbar62@gmail.com <melbar62@gmail.com>

Wed, Sep 27, 2023 at 2:39 PM

To: John Poppe <poppe.john@gmail.com>

Cc: David Sutfin <davesutfin@gmail.com>, Jon Clements <jonclements11@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <maureenjwalsh@yahoo.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwth88@yahoo.com>, Phspsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

9 I find that rather interesting with the high level of chlorine in the water.

Melinda

On Sep 27, 2023, at 2:06 PM, John Poppe <poppe.john@gmail.com> wrote:

[Quoted text hidden]

John Earl <JEtheDuke@outlook.com>

Wed, Sep 27, 2023 at 2:40 PM

To: John Poppe <poppe.john@gmail.com>

Cc: Jon Clements <jonclements11@gmail.com>, David Sutfin <davesutfin@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <maureenjwalsh@yahoo.com>, Melinda Barrack

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update

<melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, "Phspsp62@yahoo.com" <Phspsp62@yahoo.com>, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demaïnevalerie@yahoo.com>, andy <andystelzer@comcast.net>, "andytill@ymail.com" <andytill@ymail.com>, dan anderson <Danial1229@comcast.net>, "dylanrutledge23@gmail.com" <dylanrutledge23@gmail.com>, Emily Wingert <ewingert34@gmail.com>, "karenstout1@comcast.net" <karenstout1@comcast.net>, "krisgranlund@yahoo.com" <krisgranlund@yahoo.com>, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, "sullys87toyo@gmail.com" <sullys87toyo@gmail.com>, "tychon@me.com" <tychon@me.com>

John

So we have ended water usage limits ?

Thanks

Sent from my iPhone

On Sep 27, 2023, at 2:36 PM, John Poppe <poppe.john@gmail.com> wrote:

[Quoted text hidden]

Danial1229@comcast.net <Danial1229@comcast.net>

Wed, Sep 27, 2023 at 2:45 PM

To: John Poppe <poppe.john@gmail.com>, Jon Clements <jonclements11@gmail.com>
Cc: David Sutfin <davesutfin@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phspsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demaïnevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

Thanks John.

Nobody should be contacting DOH and DOH should not be providing info until your report is published.

[Quoted text hidden]

John Poppe <poppe.john@gmail.com>

Wed, Sep 27, 2023 at 3:12 PM

To: John Earl <JEtheDuke@outlook.com>

Cc: Jon Clements <jonclements11@gmail.com>, David Sutfin <davesutfin@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update

<commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <maureenjwalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phsphsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

To all,
The water conservation effort is terminated.

Thanks for everyone's cooperation and patience!!

The final well production capacity has not been finalized.

A BacT sample will be collected Friday to confirm water quality. Results will be forwarded to all system users Saturday.

Well production data will be collected during October, 2023.

Respectfully,
Washington Water Supply
[Quoted text hidden]

David Sutfin <davesutfin@gmail.com>

Wed, Sep 27, 2023 at 3:35 PM

To: Danial1229@comcast.net

Cc: John Poppe <poppe.john@gmail.com>, Jon Clements <jonclements11@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phsphsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

Danial,
DOH is a public entity and based on FOIA laws anyone has the right to request information from them and receive it. This isn't privileged/classified information we are talking about. If Joe at Valley Pump provided DOH with incorrect information and the system has not been brought back up to original system design specifications that's Valley Pump's issue.

Dave
[Quoted text hidden]

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update

John Poppe <poppe.john@gmail.com>

Wed, Sep 27, 2023 at 3:46 PM

To: "Pell, Derek (DOH)" <derek.pell@doh.wa.gov>, "Carter, Brietta J (DOH)" <brietta.carter@doh.wa.gov>

FYI

[Quoted text hidden]

Danial1229@comcast.net <Danial1229@comcast.net>

Wed, Sep 27, 2023 at 4:03 PM

To: David Sutfin <davesutfin@gmail.com>

Cc: John Poppe <poppe.john@gmail.com>, Jon Clements <joncllements11@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phspsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

It's none of your buisness as it's not final until the report comes out. Just saying.

[Quoted text hidden]

John Earl <JEtheDuke@outlook.com>

Wed, Sep 27, 2023 at 5:08 PM

To: John Poppe <poppe.john@gmail.com>

Cc: Jon Clements <joncllements11@gmail.com>, David Sutfin <davesutfin@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, "Cupp, John (UTC)" <john.cupp@utc.wa.gov>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <maureenjwalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, "Phspsp62@yahoo.com" <Phspsp62@yahoo.com>, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, "andytill@ymail.com" <andytill@ymail.com>, dan anderson <Danial1229@comcast.net>, "dylanrutledge23@gmail.com" <dylanrutledge23@gmail.com>, Emily Wingert <ewingert34@gmail.com>, "karenstout1@comcast.net" <karenstout1@comcast.net>, "krisgranlund@yahoo.com" <krisgranlund@yahoo.com>, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, "sullys87toyo@gmail.com" <sullys87toyo@gmail.com>, "tychon@me.com" <tychon@me.com>

John

Thanks for the update. That is great news and here's to a trouble free water system for years to come.

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update

Thanks

John Earl

[Quoted text hidden]

10

26276 Twelve Trees Ln-NW Ste. C Poulsbo, WA 98370 (360)779-5141		SPECTRA Laboratories - Kitsap <i>...Where experience matters</i>	
COLIFORM BACTERIA ANALYSIS FORM			
Date Sample Collected 9 12 23 Month Day Year		Time Sample Collected 9:30 AM County KING	
Type of Water System (check only one box) <input checked="" type="checkbox"/> Group A <input type="checkbox"/> Group B <input type="checkbox"/> Other			
Group A and Group B Systems - Provide from Water Facilities Inventory (WFI): ID# 27510D System Name: Echo Glen			
Contact Person: Peggy			
Day Phone: 360-308-5330		Cell Phone:	
Email:		Eve. Phone:	
Send results to: (Print full name, address and zip code or email address for electronic copy of results) WASHINGTON Water Supply PO Box Silverdale, wa 98383			
SAMPLE INFORMATION			
Sample collected by (name): Peggy			
Specific location where sample collected: 20609 229		Special instructions or comments:	
Type of Sample (check only one box)			
1. <input checked="" type="checkbox"/> Routine Distribution Sample (A/P) Chlorinated: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Chlorine Residual: Total ___ Free ___		2. <input type="checkbox"/> Repeat Sample (A/P) (from distribution system after unsat. routine) Unsatisfactory routine lab number:	
3. Ground Water Rule Source Sample <input type="checkbox"/> Triggered (A/P) <input type="checkbox"/> Assessment (A/P)		Unsatisfactory routine collect date: Chlorinated: Yes ___ No ___ Chlorine Residual: Total ___ Free ___	
4. Surface or GWI Raw Source Water Sample (Enumeration) s <input type="checkbox"/> E. coli <input type="checkbox"/> Fecal Filtered Yes ___ No ___			
5. <input type="checkbox"/> Sample Collected for Information Only:			
LAB USE ONLY		DRINKING WATER RESULTS	
<input type="checkbox"/> Unsatisfactory Total Coliform Present and <input type="checkbox"/> E. coli present <input type="checkbox"/> E. coli absent		<input checked="" type="checkbox"/> Satisfactory	
Bacterial Density Results: Total Coliform _____ mpn/100ml E. coli _____ mpn/100ml. Fecal Coliform _____ cfu/100ml HPC _____ cfu/1ml.			
Replacement Sample Required: <input type="checkbox"/> TNTC <input type="checkbox"/> Sample too old <input type="checkbox"/> Sample Volume <input type="checkbox"/> Damaged Container <input type="checkbox"/>			
Date/Time Received: 9/19/23 1115		Lab Reference Number: 232592-04	
Receipt Temp C°:		Method Code: SM9223B / QT-COUNT/ SM9222D	
Date In: 9/29/23 Date Out: 7/30/23		<small>This report is issued solely for the use of the person or company to whom it is addressed. Any use, copying or disclosure other than by the intended recipient is unauthorized. If you have received this report in error, please notify the sender immediately at 360-779-5141 and delete this report promptly.</small> <small>These results relate only to the items tested and the sample(s) as received by the laboratory. This report shall not be reproduced, in full, without prior express written approval by Spectra Laboratories.</small>	
DOI Lab - Sample # 010-59204			

10

26276 Twelve Trees Ln NW Ste. C Poulsbo, WA 98370 (360)779-5141		SPECTRA Laboratories - Kitsap <i>...Where experience matters</i>	
COLIFORM BACTERIA ANALYSIS FORM			
Date Sample Collected 9 / 29 / 23 Month Day Year		Time Sample Collected 9:30 AM County KING	
Type of Water System (check only one box) <input checked="" type="checkbox"/> Group A <input type="checkbox"/> Group B <input type="checkbox"/> Other			
Group A and Group B Systems - Provide from Water Facilities Inventory (WFI): ID# <u>27510D</u> System Name: <u>Echo Glen</u>			
Contact Person: <u>Papa</u>		Day Phone: <u>360 358-8330</u> Cell Phone:	
Email:		Eve. Phone:	
Send results to: (Print full name, address and zip code or email above for electronic copy of results) <u>WASHINGTON Water Supply</u> <u>P.O. Box 2985</u> <u>Silverdale, WA</u>			
SAMPLE INFORMATION			
Sample collected by (name): <u>Papa</u>			
Specific location where sample collected: <u>MAFI</u>		Special instructions or comments:	
Type of Sample (check only one box)			
1. <input checked="" type="checkbox"/> Routine Distribution Sample (A/P) Chlorinated: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Chlorine Residual: Total ___ Free ___		2. <input type="checkbox"/> Repeat Sample (A/P) (from distribution system after unsat. routine) Unsatisfactory routine lab number:	
3. Ground Water Rule Source Sample S <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Triggered (A/P) <input type="checkbox"/> Assessment (A/P)		Unsatisfactory routine collect date: Chlorinated: Yes ___ No ___ Chlorine Residual: Total ___ Free ___	
4. Surface or GWI Raw Source Water Sample (Enumeration) <input type="checkbox"/> E. coli <input type="checkbox"/> Fecal Filtered Yes ___ No ___ S <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			
5. <input type="checkbox"/> Sample Collected for Information Only:			
LAB USE ONLY DRINKING WATER RESULTS LAB USE ONLY			
<input type="checkbox"/> Unsatisfactory Total Coliform Present and <input type="checkbox"/> E.coli present <input type="checkbox"/> E.coli absent		<input checked="" type="checkbox"/> Satisfactory	
Bacterial Density Results: Total Coliform ___ mpn/100ml. E.coli ___ mpn/100ml. Fecal Coliform ___ cfu/100ml. HPC ___ cfu/1 ml.			
Replacement Sample Required: <input type="checkbox"/> TNTC <input type="checkbox"/> Sample too old <input type="checkbox"/> Sample Volume <input type="checkbox"/> Damaged Container <input type="checkbox"/>			
Date/Time Received: 9/29/23 11:15		Lab Reference Number 232592-03	
Receipt Temp C°:		Method Code: SM9223B / QT-COUNT/ SM9222D	
Date In: 9/29/23 Date Out: 9/30/23		This report is issued solely for the use of the person or company to whom it is addressed. Any use, copying or disclosure other than by the intended recipient is unauthorized. If you have received this report in error, please notify the sender immediately at 360-779-5141 and destroy this report promptly.	
DOH Lab-Sample # 010-59203		These results relate only to the items tested and the sample(s) as received by the laboratory. This report shall not be reproduced, copied in full, without prior express written approval by Spectra Laboratories.	

10

26276 Twelve Trees Ln NW Ste. C Poulsbo, WA 98370 (360)779-5141

SPECTRA Laboratories - Kitsap
 ...Where experience matters

COLIFORM BACTERIA ANALYSIS FORM

Date Sample Collected: 10/31/23
 Time Sample Collected: 9:00 AM
 County: KING

Type of Water System (check only one box)
 Group A Group B Other

Group A and Group B Systems - Provide from Water Facilities Inventory (WFI):
 ID# 27510D

System Name: Edge Glen

Contact Person: J. Papp
 Day Phone: 360 308 830 Cell Phone:

Email: Eve. Phone:

Send results to: (Print full name, address and zip code or email above for electronic copy of results)
 WASHINGTON WATER Supply
 PO Box 2985
 Silverdale WA 98383

SAMPLE INFORMATION

Sample collected by (name): J. Papp

Specific location where sample collected: 20807 229th
 Special instructions or comments:

Type of Sample (check only one box)

1. Routine Distribution Sample (A/P)
 Chlorinated: Yes No
 Chlorine Residual: Total ___ Free ___

2. Repeat Sample (A/P)
 (from distribution system after unsat. routine)
 Unsatisfactory routine lab number:
 Unsatisfactory routine collect date:

3. Ground Water Rule Source Sample
 Triggered (A/P)
 Assessment (A/P)

4. Surface or GWL Raw Source Water Sample (Enumeration)
 E. coli Fecal Filtered Yes ___ No ___

5. Sample Collected for Information Only:

LAB USE ONLY DRINKING WATER RESULTS LAB USE ONLY

Unsatisfactory Total Coliform Present and
 E. coli present E. coli absent Satisfactory

Bacterial Density Results: Total Coliform ___ mpn/100ml. E. coli ___ mpn/100ml.
 Fecal Coliform ___ cfu/100ml. HPC ___ cfu/1ml.

Replacement Sample Required: TNTC Sample too old
 Sample Volume Damaged Container

Date/Time Received: 10/31/23 1425 Lab Reference Number: 233704-03
 Receipt Temp C°: Method Code: SM9223B / CF-COUNT / SM9222D

Date In: OCT 31 2023 NOV 01 2023
 DOH Lab - Sample # 010-20403

This report is issued solely for the use of the person or company to whom it is addressed. Any use, copying or disclosure other than by the intended recipient is unauthorized. If you have received this report in error, please notify the sender immediately at 360-779-5141 and destroy this report promptly.

These results relate only to the items tested and the sample(s) as received by the laboratory. This report shall not be reproduced except in full, without prior express written approval by Spectra Laboratories.

8/9/24, 6:27 PM

Gmail - Notification of Completed Sanitary Survey Deficiencies -Crystal Creek Water System Name, ID #47421, 10/04/2022, Kitsap ...



John Poppe <poppe.john@gmail.com>

Notification of Completed Sanitary Survey Deficiencies -Crystal Creek Water System Name, ID #47421, 10/04/2022, Kitsap County

1 message

Hartman, Christine N (DOH) <Christine.Hartman@doh.wa.gov>
To: John Poppe <poppe.john@gmail.com>

Mon, Nov 6, 2023 at 2:28 PM

Thank you for submitting the required verification on 10/31/2023 for the following items:

SIGNIFICANT DEFICIENCIES

1. #24a- Install a casing vent with a screened, downward facing opening. The screen must be noncorrodible 24-mesh and the down-turned opening should be at least 18 inches above the floor. Please see [Simple Fixes for Wellhead Openings](#) (331-232).
2. From last survey-Provide secondary containment for the generator and fuel that is twice the volume of all gasoline and soil used with the generator.

SIGNIFICANT FINDINGS

1. #70- Submit photos (less than 12 months old) of the reservoir hatch, vent and overflow outlet. The photos must show enough detail to determine whether these features protect the storage tank against entry of contaminants. At a minimum, provide photos of the:
 - a. Hatch in the open and closed position showing the gasket and lock.
 - b. Vent showing the overall vent structure and the screen material.
 - c. Overflow discharge.
 - d. Any other tank penetrations on the top of the reservoir.

We have reviewed the information you provided. These items are now considered addressed, and no further action is needed.

Please let me know if you have any questions.

Sincerely,

Christine Hartman

Pronouns: She/Her/Hers

SWRO Technical Assistance & Compliance Program Manager

Office of Drinking Water

Washington State Department of Health

christine.hartman@doh.wa.gov

www.doh.wa.gov

8/9/24, 6:27 PM Gmail - Notification of Completed Sanitary Survey Deficiencies -Crystal Creek Water System Name, ID #47421, 10/04/2022, Kitsap ...

